

Hidden Number


🔖 Tags:

Time Limit: 1 s Memory Limit: 32 MB
Submission: 59 AC: 31 Score: 99.16

[Submit](#)[Codes](#)[AI Code Tips](#)


Description

Your job is to find out the secret number hidden in a matrix, each of whose element is a digit ('0'-'9') or a letter ('A'-'Z'). You can see an example matrix in Figure 1.



The hidden number and other non-secret ones are coded in a matrix as sequences of digits in a decimal format. You should only consider sequences of digits $D_1 D_2 \dots D_n$ such that D_{k+1} ($1 \leq k < n$) is either right next to or immediately below D_k in the matrix. The secret you are seeking is the largest number coded in this manner.

Four coded numbers in the matrix in Figure 1, i.e., 908820, 23140037, 23900037, and 9930, are depicted in Figure 2. As you may see, in general, two or more coded numbers may share a common subsequence. In this case, the secret number is 23900037, which is the largest among the set of all coded numbers in the matrix.



In contrast, the sequences illustrated in Figure 3 should be excluded: 908A2 includes a letter; the fifth digit of 23149930 is above the fourth; the third digit of 90037 is below right of the second.



Write a program to figure out the secret number from a given matrix.

Input

The input consists of multiple data sets, each data set representing a matrix. The format of each data set is as follows.

W H

C11C12 ... C1W

C21C22 ... C2W

...

CH1CH2 ... CHW

In the first line of a data set, two positive integers *W* and *H* are given. *W* indicates the width (the number of columns) of the matrix, and *H* indicates the height (the number of rows) of the matrix. *W*+*H* is less than or equal to 70.

H lines follow the first line, each of which corresponds to a row of the matrix in top to bottom order. The i-th row consists of W characters Ci1Ci2 ... CiW in left to right order. You may assume that the matrix includes at least one non-zero digit.

Following the last data set, two zeros in a line indicate the end of the input.

Output

For each data set, print the hidden number on a line. Leading zeros should be suppressed.

Samples

input	Copy
<pre>7 4 9R2A993 0E314A0 8A900DE 820R037 6 7 JH03HE ID7722 0DA1AH 30C9G5 99971A CA7EAI AHLBEM 20 2 A1234567891234CBDEGH BDEDF908034265091499 0 0</pre>	
output	Copy
<pre>23900037 771971 12345908034265091499</pre>	

Source

20100831湖工大校赛

Submit

Codes