Tinder Auto-Fire v1.5 User Guide

A. Preparation on the iPhone

1. Ensure your iPhone is jailbroken and has the following apps installed:

   - Tinder
   - Shadowrocket (for proxy management)
   - NewTerm (for location spoofing)
   - Photos app (for managing profile pictures)

2. Create an album in the Photos app with the pictures you want to use for Tinder profiles.

3. Make sure Appium and WebDriverAgent are properly set up on your device.

B. Using the Web Panel

1. Launch the Tinder Auto-Fire application on your computer.

2. The web interface will open in your default browser at http://127.0.0.1:1200.

3. Profile Customization:

   a. Habits: Choose between Skip, Random, or Choose mode. If "Choose" is selected, you can specify options for drinking, smoking, workouts, and pets.
   b. What Makes You-You: Select Skip, Random, or Choose. If "Choose" is selected, set communication style, love language, education level, and zodiac sign.
   c. Hobbies: Pick Skip, Random, or Choose. For "Random", specify the number of hobbies. For "Choose", select up to 5 hobbies.

4. Set the Date of Birth (YYYY) for the accounts.

5. Choose the SMS Provider (SMS Pool or Daisy SMS) and enter the API Key.

6. Configure additional settings:

   a. Save Containers: Check if you want to keep the Tinder app containers after account creation.
   b. Killswitch: Enable and set timeout duration and max attempts if desired.
   c. Number of Pictures: Select how many pictures (2-6) to use per profile.
   d. Proxy Type: Choose between HTTP and SOCKS5.
   e. Add School: Toggle on/off and provide a list of content if enabled.

7. Enter the required information in the text areas:

   a. Emails: List of email addresses for the accounts.

      b. Names: List of names for the profiles.
      c. Proxies: List of proxies in the format IP:PORT:USER:PASS.
      d. Album name: The name of the album in your iPhone's Photos app.

8. Click the "Start" button to begin the account creation process.

C. On the iPhone during the process

1. The tool will automatically handle most actions on the phone, including:

   - Switching proxies in Shadowrocket
   - Changing locations using NewTerm
   - Creating Tinder accounts
   - Selecting photos from the specified album
   - Filling in profile information

2. Monitor the phone occasionally to ensure the process is running smoothly.

3. If needed, you can use the "Pause" and "Unpause" buttons on the web panel to control the process.

D. Advanced Usage

1. Use the killswitch feature to automatically stop the process if account creation takes too long or fails repeatedly.

2. Experiment with different combinations of habits, traits, and hobbies to create diverse profiles.

3. If using the school feature, you can provide any content you want to promote in this field. This could include social media handles, website links, or any other information you'd like to add to the profile.

4. Keep an eye on the console output or log files for any error messages or important information.

E. After Account Creation

1. The tool will save the account tokens in a "tokens.txt" file.

2. If "Save Containers" was not selected, the tool will automatically delete the Tinder app containers to maintain privacy.

3. Used photos will be deleted from the specified album to avoid reuse.

F. Troubleshooting

1. If the process stops unexpectedly, check the log files for error messages.

2. Ensure your iPhone remains connected and unlocked during the process.

3. If proxy connections fail, double-check your proxy list and settings.

4. For SMS verification issues, ensure your API key is correct and you have sufficient balance with the SMS provider.

Remember to use this tool responsibly and in accordance with Tinder's terms of service. Happy swiping!