```
mysgl> create table Bank(S_no int,Cust_Name char(12),Acc_no int,Balance int,Cus_Branch char(12));
Ouery OK, 0 rows affected (0.05 sec)
mysql> desc Bank;
  Field
                          Null | Key | Default | Extra
              Type
                          YES
  S no
               int
                                        NULL
  Cust_Name
               char(12)
                          YES
                                        NULL
               int
                          YES
                                        NULL
  Acc no
  Balance
                          YES
                                        NULL
               int
                                        NULL
  Cus_Branch
               char(12) | YES
5 rows in set (0.00 sec)
mysql> insert into Bank values(1, 'Harish', 1001, 100000, 'Chennai');
Query OK, 1 row affected (0.11 sec)
mysgl> insert into Bank values(2, 'Kanishk', 1002, 75000, 'Mumbai');
Query OK, 1 row affected (0.03 sec)
mysql> insert into Bank values(3, 'Tamil', 1003, 50000, 'Madurai');
Ouery OK, 1 row affected (0.03 sec)
mysql> insert into Bank values(4,'Abhinav',1004,25000,'Kolkata');
Query OK, 1 row affected (0.05 sec)
mysql> insert into Bank values(5, 'Ajay', 1005, 15000, 'Hyderabad');
Query OK, 1 row affected (0.03 sec)
```

```
mysql> select * from Bank;
        Cust_Name | Acc_no |
                               Balance | Cus_Branch
  S_no I
         Harish
                       1001
                                100000
                                         Chennai
                                 75000
         Kanishk
                       1002
                                         Mumbai
         Tamil
                       1003
                                 50000
                                         Madurai
         Abhinav
                       1004
                                 25000
                                         Kolkata
     5
         Ajay
                       1005
                                 15000
                                         Hyderabad
5 rows in set (0.00 sec)
```

```
mysql> select * from Bank where Acc_no between 1002 and 1004;
        Cust_Name | Acc_no | Balance | Cus_Branch
         Kanishk
                       1002
                                75000
                                         Mumbai
         Tamil
                       1003
                                50000
                                         Madurai
         Abhinav
     Щ
                       1004
                                25000
                                         Kolkata
3 rows in set (0.00 sec)
```