

THE NEW MOM CO



# The New Mom Survival Kit

Practical Routines and Sanity-Saving Tools for Baby's First 6 Months



Feel confident, rested, and grounded—without losing yourself.

# Table of Content (1/3)

## INTRODUCTION

- Welcome, Mama: Why This Isn't Just Another Parenting Guide
- How to Use This Book: Calm, Not Chaos

## PART 1 - Your Baby's Needs (0-6 Months)

### 1.Understanding Your Baby

- The 4th Trimester Explained
- Developmental Milestones at a Glance (Table)
- Growth Spurts, Wonder Weeks & Sleep Regressions

### 2.Sleep Without Stress

- How Baby Sleep Works (Science + Real Talk)
- Sleep Cues vs. Schedule Confusion
- Sample Daily Rhythms by Age (Table)
- Safe Sleep Basics (Checklist)
- What to Do When Nothing Works (Troubleshooting)

### 3.Feeding: Nourishment Without Guilt

- Breastfeeding, Bottle Feeding, or Combo: Pros & Cons
- Hunger Cues & Feeding Patterns (Table)
- Cluster Feeding, Spitting Up, Burping—What's Normal
- Pumping & Formula Hacks
- Nutrition for You While Feeding

### 4.Soothing: Your Baby's Language of Comfort

- Crying Types (Cheat Sheet)
- The 5 S's Method (Plus Other Tools)
- Babywearing, Swaddling, Sound Machines
- Colic, Gas, Reflux Survival Tips

# Table of Content (2/3)

## PART 2 - Your Needs: Mental & Physical Well-being

### 5.You, Too, Are in Recovery

- What Postpartum Actually Looks Like
- Healing Timeline (Physical + Emotional)
- How to Survive Sleep Deprivation
- Gentle Core & Pelvic Floor Reset (Illustrated)

### 6.Mental Health for Moms: You Are Not Broken

- Baby Blues vs. PPD/PPA
- When to Ask for Help (Checklist)
- Grounding Tools (5–10 Minute Routines)
- Guilt-Free “Me Time”

### 7.Routines that Work (Even When Baby Doesn't)

- The “Good Enough” Routine
- Morning & Evening Templates
- One-Handed Meals, Showers & Sanity
- Return-to-Work Tips

## PART 3 - Support Systems & Survival Strategies

### 8.Building Your Village

- Asking for Help (That Actually Helps)
- Scripts for Boundaries & Saying No
- Partner Support & Mental Load Tips
- Online Mom Communities That Don't Suck

### 9.What to Ignore: Cutting the Noise

- Myths, Advice, and Mom-Shaming
- Social Media Detox Plan
- Creating a “Filter List” for Trusted Advice

# Table of Content (3/3)

## PART 4 - Quick Tools & Cheat Sheets

### 10. Printable Survival Tools

- Daily Rhythm Templates (0–3 mo, 3–6 mo)
- Feeding & Sleep Trackers
- Self-Care Menu for Moms
- “I’m Overwhelmed” Plan
- Mental Health & Breastfeeding Help Line List



# Introduction



## Welcome, Mama: Why This Isn't Just Another Parenting Guide

Take a breath.

Really—pause here for a moment and exhale. You've just entered one of the most extraordinary (and exhausting) chapters of your life. And you're not alone. You're not expected to have it all figured out. No one does.

The New Mom Survival Kit isn't about being the "perfect" mom. It's about surviving with grace, growing with confidence, and finding small moments of joy even when your baby won't nap and you haven't showered in two days.

You've probably already Googled a hundred things since your baby arrived. You've scrolled forums, checked apps, maybe even cried after reading advice that made you feel like you weren't doing enough.

That stops here.

This book is different.

It's not a manual—it's a lifeline.

It won't overwhelm you with information, rigid rules, or "one right way" to parent. Instead, it offers **practical, judgment-free routines** and **sanity-saving tools** that work in real life—your life.

Because motherhood isn't one-size-fits-all. And neither is this book.

You'll find science-backed strategies, checklists that simplify decision-making, and gentle reminders that *you are enough*.

Whether you're holding this during a 2 a.m. feed or during your one quiet moment of the day, this book was made for you.

# How to Use This Book: Calm, Not Chaos

This isn't a book you have to read front to back—though you're welcome to. It's designed to be picked up whenever you need clarity, encouragement, or a small lifeline to sanity.

Here's how to get the most out of it:

## 01 Skim when your brain is tired.

- You'll find summaries, checklists, cheat sheets, and tables for when you can't process full paragraphs.

## 02 Jump to what you need.

- Baby not sleeping? Go to Part 1. Feeling overwhelmed and need a 5-minute reset? Flip to Part 2.

## 03 Print the survival tools.

- In Part 4, you'll find printable trackers, daily rhythm templates, and self-care menus you can tape to the fridge or screenshot for your phone.

## 04 Use this as your “calm compass.”

- Every section is grounded in evidence and empathy. No judgment. No pressure. Just tools that help you feel more capable, even on your hardest days.

Welcome to motherhood. Welcome to your guide – not to perfection, but to peace.  
Let's begin.





# Chapter 1: Understanding Your Baby

# The 4th Trimester Explained

The first three months after birth are often called the “4th trimester”—a powerful idea that helps reframe your baby’s early behaviors. Your baby isn’t trying to give you a hard time. They’re having a hard time. Everything outside the womb is new: bright lights, loud noises, hunger, cold, gravity.

In this period, babies:

- Crave closeness (think skin-to-skin, cuddling, babywearing)
- Sleep in short stretches
- Feed often (8–12 times a day)

## Communicate only through crying and body cues

What helps most during the 4th trimester?

- **Holding your baby often:** You can’t “spoil” a newborn.
- **Responding to cries:** Builds trust and security.
- **Moving, rocking, shushing:** Mimics the womb and soothes overstimulation.
- 

**Remember: your baby isn’t broken. They’re adjusting to the world. And so are you.**

## Developmental Milestones at a Glance (0–6 Months)

Months	Physical	Cognitive	Social/Emotional
0–1	Lifts head briefly when prone	Stares at faces	Cries to signal needs
1–2	Begins to follow with eyes	Starts to recognize parents	Begins to smile responsively
2–3	Holds head up steadily	Bats at toys	Coos, enjoys interaction
3–4	Rolls from tummy to back	Reaches for objects	Laughs out loud
4–5	Pushes up on arms	Explores with hands/mouth	Recognizes familiar voices
5–6	Rolls both ways, sits with support	Begins to understand cause/effect	Stranger anxiety may begin

**Don’t panic if your baby isn’t hitting these milestones exactly “on time.” Use this as a gentle guide, not a grading system.**

# Growth Spurts, Wonder Weeks & Sleep Regressions

You're finally in a groove... and then baby starts waking up constantly, feeding nonstop, or fussing more. What's going on? Chances are, you've hit a **growth spurt**, a **developmental leap**, or a **sleep regression**—all totally normal (and temporary).



## 01 Common Growth Spurts

- Around 7-10 days
- 3 weeks, 6 weeks
- 3 months, 6 months

Expect: Increased feedings (cluster feeding), fussiness, and poor sleep.

Best response: Feed on demand, hold your baby more, rest when you can.



## 02 Wonder Weeks

These are predictable stages of mental development where babies perceive the world in new ways. They can lead to:

- Fussiness
- Clinginess
- Changes in sleep or appetite



## 03 Sleep Regression

Most common around 4 months, this regression happens when baby's sleep cycles become more adult-like (aka lighter sleep).

What to do:

- Stick to soothing routines
- Use white noise, darkness, swaddling

Know it's not forever (usually passes in 2-3 weeks)

## 04 Quick Reassurance

If you're wondering:

- “Why is my baby crying more?”
- “Is it normal they want to be held 24/7?”
- “Why did they sleep fine last week and now wake up every hour?”

**You're not alone.** These patterns are common and not your fault. Use the tools and checklists ahead to help track what's happening—but also trust your gut.



# Chapter 2: Sleep Without Stress

Let's clear the air: **baby sleep is not broken**—it's just different from adult sleep. Newborns have immature nervous systems, shorter sleep cycles, and no concept of day vs. night. Their sleep matures gradually over the first 6 months.

## How Baby Sleep Works (Science + Real Talk)

### 01 Here's what to expect:

- Sleep comes in short bursts—typically 2–4 hours at a time.
- Babies need 12–16 hours of sleep in 24 hours (including naps).
- It takes about 4–6 months for circadian rhythms to kick in.

#### Real Talk

- Your baby isn't "bad" at sleeping—they're just a baby. The best thing you can do is create conditions for rest and trust that their brain is learning. You don't need to "fix" them.

### 02 Sleep Science Snapshot:

- **Newborns** move through only 2 sleep stages (active + quiet sleep).
- **At 3–4 months**, they start forming more adult-like sleep cycles (~45–60 min long).
- This change can cause the **infamous 4-month sleep regression**—when your once "good sleeper" suddenly wakes more.

## Sleep Cues vs. Schedule Confusion

- Babies don't follow strict schedules early on, but they do show **sleep cues**—tiny signals that they're ready for rest. Learning to read these helps avoid overtiredness (which ironically makes it harder for them to sleep).



# Common Sleep Cues

Early (Ideal Time to Start Wind-Down)	Late (Overtired Signs)
Staring off / zoning out	Arching back
Yawning	Rubbing eyes aggressively
Pink eyebrows	Fighting sleep / frantic crying
Slower movements / reduced activity	Suddenly alert again ("second wind")

**Tip:** Catch the early cues, begin a short wind-down routine (dark room, quiet voice, light rocking), and you'll avoid many battles.

## Sample Daily Rhythms by Age (0–6 Months)

Use these as gentle guides—not rigid rules. Babies vary, and your rhythm will shift constantly in the early months.

### Daily Rhythm Templates:

Age	Wake Window*	# of Naps	Total Sleep (24h)
0–6 weeks	45–60 minutes	4–6+	14–17 hours
6–12 weeks	60–90 minutes	4–5	14–16 hours
3–4 months	75–120 minutes	3–4	13–15 hours
5–6 months	2–2.5 hours	2–3	12–15 hours

❤️ Wake window = Time baby can stay awake before needing another nap

⌚ Tip: Start your wind-down 10–15 min before the window ends.

# Safe Sleep Basics (Checklist)

The **ABCs of safe sleep** can help reduce the risk of SIDS (Sudden Infant Death Syndrome):

- A – **Alone:** No blankets, pillows, bumpers, or stuffed animals in the crib
- B – **Back:** Always place baby on their back to sleep
- C – **Crib:** Use a firm, flat sleep surface (crib, bassinet, or pack ‘n play)

- Baby sleeps in the same room (not bed) as you for the first 6–12 months
- Crib is free of hazards
- No smoking around baby
- Breastfeeding, pacifier use (after breastfeeding is established), and tummy time during the day are all linked to safer sleep

## What to Do When Nothing Works (Troubleshooting)

Even with all the knowledge and routines, some nights just... unravel. If baby won't sleep, try this:

### Baby Sleep SOS:

- **Reset the room:** Dim lights, turn on white noise, adjust temperature
- **Rewind the clock:** Were they overtired? Try a shorter wake window tomorrow
- **Go back to basics:** Feed, burp, clean diaper—check for discomfort
- **Soothe, don't fix:** It's okay to rock, bounce, or wear your baby if that helps

And remember: sleep regressions are temporary. Babies don't need perfect conditions to sleep; they need a calm, responsive caregiver who tries.

You're doing that. You're doing great.



A stylized illustration of a woman with long brown hair, wearing a blue cardigan over an orange top, holding a baby in a red onesie. They are sitting on a large, light-colored cushion against a yellow and teal background.

# Chapter 3:

# Feeding

Nourishment  
Without Guilt

# Breastfeeding, Bottle Feeding, or Combo: Pros & Cons

There is no one right way to feed your baby—only the way that works for your family. Whether you breastfeed, formula feed, pump, combo feed, or do any version of that on any given day:  
**you are doing a good job.**

## Breastfeeding

### Pros:

- Tailor-made nutrition that changes with baby's needs
- Immune system support
- Skin-to-skin bonding

### Challenges:

- Can be physically and emotionally demanding
- Nipple pain, latch issues, and milk supply concerns
- Tied to baby (especially early on)

## Formula feeding

### Pros:

- Allows others to help feed baby
- Predictable feeding amounts
- No worry about supply or diet

### Challenges:

- Cost
- Finding the right formula for baby's tummy
- Bottle prep and cleaning

## Combo Feeding

### Pros:

- Flexibility + some breastfeeding benefits
- Shared responsibility
- May ease transition back to work

### Challenges:

- May impact milk supply if not carefully balanced
- Timing and pumping can get complex

**Bottom line:** Choose based on your reality, not guilt. A well-fed baby and a thriving mama is the goal.

# Hunger Cues & Feeding Patterns (Table)

Learning to read your baby's early hunger signs can help reduce fussiness and create a smoother feeding experience.

## Hunger Cues by Age

Age	Feeding Cues	Feeding Frequency (Avg)
0–2 weeks	Rooting, sucking motions, hands to mouth	Every 2–3 hrs (8–12x/day)
2–6 weeks	Restless movements, crying (late cue)	Still frequent; may cluster
6–12 weeks	Shorter feeding sessions, alert cues	Every 3 hrs, some longer stretches at night
3–6 months	More predictable; some hunger + boredom mix	Every 3–4 hrs, plus growth spurts

 Crying is a late hunger cue. Try to feed before this stage when possible.



# Cluster Feeding, Spitting Up, Burping — What's Normal?

## Cluster Feeding

---

Babies often feed every hour or two during:

- Evenings (“witching hour”)
- Growth spurts (see Chapter 1)

**Tip:** It's not always about low milk supply—it's how babies stimulate production and soothe themselves.

## Spitting Up

---

Totally normal for many babies. Their digestive systems are immature.

**Call your pediatrician if:**

- Baby isn't gaining weight
- There's projectile vomiting
- Spit-up is green, yellow, or blood-streaked

## Burping Basics

---

- Try after every feeding or when switching breasts
- If baby arches back or pulls off frequently, gas may be the culprit

**Positions to try:**

- Over-the-shoulder (classic)
- Sitting on your lap, leaning slightly forward
- Lying tummy-down on your knees

# Pumping & Formula Hacks (Real-Life Help)

## Pumping Tips:

- Invest in a hands-free bra and double electric pump
- Use a pumping schedule that mimics your baby's feeding intervals
- Store milk in small portions (2–4 oz) to reduce waste
- Freeze flat in bags for easy storage and defrosting

**Bonus: A rolling cart makes a perfect mobile “pumping station”**

## Formula Feeding Hacks:

- Pre-fill bottles with dry formula for nighttime
- Use a formula pitcher to mix larger batches
- Portable bottle warmer + formula dispenser = magic when out
- Clean bottle parts in a mesh basket in the dishwasher

**Sterilize new bottle parts before first use, then wash normally unless medically necessary.**

# Nutrition for You While Feeding

Whether you're breastfeeding, pumping, or bottle-feeding, your body still needs nourishment to recover and sustain energy.

## Easy Nutrient Boosts:

**Hydration:** Keep a water bottle near every feeding spot

**One-handed snacks:** Protein bars, trail mix, hard-boiled eggs, smoothies

**Quick meals:** Sheet pan dinners, overnight oats, rice bowls with frozen veggies

- 💡 **Pro Tip:** Keep a snack basket by your nursing chair and in the car
- 📝 **Don't stress about a perfect diet.** Aim for consistent energy intake over ideal meals. Small choices add up.



# Chapter 4:

# Soothing


Your Baby's Language  
of Comfort

# Crying Types & What They Often Mean (Cheat Sheet)

Use these as gentle guides—not rigid rules. Babies vary, and your rhythm will shift constantly in the early months.

Cry Type	Clues	What Helps
Hunger	Rhythmic, increasing intensity; rooting or sucking on hands	Feed baby
Tired	Whiny or nasal cry, rubbing eyes, staring off	Dim lights, swaddle, soothing routine
Overstimulated	Sudden outburst, arching back, turning head away	Quiet room, hold baby close, white noise
Gassy/Uncomfortable	Grunty, strained sounds, pulling knees to chest	Bicycle legs, tummy massage, burping
Lonely/Needs Contact	Fussy whimper or quick, short cries; stops when held	Skin-to-skin, babywearing, cuddling
Pain	Sharp, high-pitched scream, hard to console	Call your pediatrician if unsure

**Reminder: You're not “spoiling” your baby by responding. You're teaching them the world is safe and they're loved.**



Dr. Harvey Karp's "5 S's" method has soothed countless newborns and can be a sanity-saver when your baby is inconsolable.

**Combine the S's!** For example: swaddle + white noise + rocking.



## The “5 S’s” Method & Beyond

### 01 Swaddle

Snug (but hip-safe) wrapping mimics the womb

### 02 Side/Stomach Hold

Never for sleep, but great for soothing

### 03 Shush

Loud, consistent “shhh” or white noise machine

### 04 Swing

Gentle jiggling, bouncing, rocking

### 05 Suck

Nursing, pacifier, finger (clean)

### Other Soothing Ideas:

- Warm bath or wipe-down
- Go outside for a walk (instant reset for both of you)
- Try skin-to-skin even if you've already fed baby
- Check for hairs wrapped around toes/fingers (can cause pain)



# Babywearing, Swaddling, Sound Machines — What Helps

## Babywearing:

Wearing your baby in a carrier:

- Reduces crying
- Helps digestion (especially with reflux)
- Lets you move freely while baby feels safe

**Types:** Soft wraps (ideal for newborns), ring slings, structured carriers

## Swaddling:

Great for early weeks, but stop by ~8 weeks or when baby starts rolling.

Checklist:

- Baby's hips are able to move (don't wrap legs tight)
- Arms snug, hips loose
- Use breathable fabric

## Sound Machines:

Babies are used to noise! Use white, brown, or pink noise to:

- Block out household sounds
- Signal sleep
- Mimic womb environment

Set the volume at a safe level: 50–65 dB (think shower sound)



# Colic, Gas, Reflux: Survival Tips

## Colic:

If your baby cries more than 3 hours/day, 3 days/week, for 3+ weeks, it could be colic. It usually peaks around 6 weeks and resolves by 3–4 months.

What helps:

- Motion (bouncing, rocking, stroller)
- White noise
- Swaddling
- Warm compress on tummy
- Pacifier

Support for you matters too. Take breaks. Use noise-canceling headphones. You're not failing—colic is common and exhausting.

## Gas:

Signs: squirming, red face, tooting, pulling legs up.

Try:

- Bicycle legs after feeds
- Burp mid-feed and after
- Keep baby upright after feeding

Gas drops and gripe water can help some babies (check with your pediatrician first).

## Reflux:

Signs: frequent spit-up, fussiness during feeds, arching back.

Tips:

- Keep baby upright for 20–30 min after feeds
- Feed smaller amounts more frequently
- Consider hypoallergenic formula if advised

Most babies outgrow reflux by 6–12 months. If baby isn't gaining weight or cries during feedings, talk to your provider.



# Chapter 5: You, Too, Are in Recovery

# What Postpartum Actually Looks Like

Pop culture skips this part. But here's the truth: **Postpartum recovery is real, raw, and absolutely valid.** You're healing from one of the most profound physical and emotional events of your life.

This chapter is here to:

- Normalize your recovery (physical and emotional)
- Help you rest and reset without guilt
- Offer practical ways to care for you while caring for baby



You're not "bouncing back."  
You're growing forward.

## Your Healing Timeline (Physical & Emotional)

Healing looks different for everyone, but here's a rough guide:

### Hunger Cues by Age

Weeks Postpartum	Body	Mind & Emotions
0–2 weeks	Bleeding (lochia), perineal soreness, C-section pain, engorgement	Shock, joy, fear, weepiness (baby blues common)
2–6 weeks	Stitches dissolve, uterus shrinks, nipple soreness improves	Sleep deprivation, irritability, mood swings
6–12 weeks	Energy begins to return, bleeding ends, exercise may resume	Mental fog, comparison, identity shifts
3–6 months	Hormonal shifts stabilize, hair shedding, libido changes	Emotional recalibration, seeking new routine & self

💡 Always talk to your provider about any persistent pain, heavy bleeding, or emotional distress.

# Sleep Deprivation: How to Manage It (When You Can't "Just Sleep When Baby Sleeps")

## Micro-rest strategies:

Yes, sleep is medicine. But what if it's not possible?

### 01 Lie down with your eyes closed

Even if baby is awake nearby

### 02 10-minute "body scan" nap

(YouTube meditations help)

### 03 Trade nights or early mornings

With your partner or support person

### 04 Emergency rest basket

Eye mask, earplugs, lavender balm



"I'm not tired. I'm sleep-deprived" is a whole different level. Give yourself grace.

## Signs you need more help:

01 You're falling asleep while feeding/standing

02 You feel numb, ragey, or emotionally flat


03 You fantasize about running away

These are signals of exhaustion—not weakness.

**Ask for support.**

## Appendix & References

The Postnatal Depletion Cure by Dr. Oscar Serrallach  
ACOG Guidelines: Postpartum Recovery Postpartum Support International ([www.postpartum.net](http://www.postpartum.net))  
"Healing Your Body After Baby" – Mayo Clinic Resources  
Restore Your Core (core-safe recovery programs)



# Gentle Pelvic Floor & Core Reset

You don't need a gym or a fancy plan. Just reconnecting to your body slowly is powerful.

Simple Core & Floor Connection (6+ weeks postpartum, if cleared):

## BREATH + DIAPHRAGM RESET

- Inhale through nose, expanding ribs
- Exhale slowly, drawing belly in gently
- Repeat 5-10 times daily

## PELVIC FLOOR "LIFTS"

- Inhale = relax
- Exhale = imagine gently lifting pelvic muscles
- No clenching. No squeezing. Just connection.

## WALL ANGELS FOR UPPER BACK RESET

- Stand against a wall, arms in a "goal post" shape
- Slide arms up/down, keeping shoulders ↓
- Helps reverse "nursing hunch"

## SUPPORTED BRIDGE POSE

- Lie on your back, knees bent, feet on the floor
- Place a pillow under hips for support
- Gentle release for low back and hips

### Gentle Reminder

You are not behind if:

- You still wear your pregnancy leggings
- You haven't exercised in months
- You forgot how to "relax"

**There's no deadline for recovery. There's only your pace.**



# Chapter 6: Mental Health for Moms

You Are Not Broken

# Baby Blues vs. Postpartum Depression & Anxiety

Let's start with this truth: Your mental health matters just as much as your baby's feeding and sleep.

It's not just "hormones." It's your brain, your body, your life—all shifting at once.

What's Normal (Baby Blues)	What Needs Attention (PPD/PPA)
Weepiness, mood swings, irritability (up to 2 weeks)	Persistent sadness, emptiness, or crying beyond 2 weeks
Trouble sleeping (but still able to nap when tired)	Insomnia despite exhaustion
Feeling overwhelmed but still connected to baby	Difficulty bonding, disinterest, or scary thoughts
Mild anxiety about baby's needs	Constant worry, intrusive thoughts, panic attacks
Comes and goes, improves with support/sleep	Intensifies over time, interferes with daily function

**When in doubt, talk it out.** Postpartum depression and anxiety are common and treatable. Take the test every week and keep care of yourself: it's the most important thing for you and your baby.

# How to Know When to Ask for Help (Checklist)

You deserve support. Here's when to reach out:

- You feel “off” and it’s not getting better
- You dread the day as soon as you wake up
- You have scary thoughts you don’t want to have
- You’re angry all the time (rage is a symptom too)
- You dread the day as soon as you wake up
- You have scary thoughts you don’t want to have
- You’re angry all the time (rage is a symptom too)

**Asking for help is not weakness. It's survival. It's strength.**

**Start with:**

- Your OB or midwife
- A therapist specializing in postpartum mental health
- Postpartum Support International (PSI Helpline: 1-800-944-4773)

# Grounding Tools: 5–10 Minute Reset Routines

When your brain is in overdrive or you feel like you're unraveling, use these quick, doable resets.



## The 5-4-3-2-1 Grounding Trick

### Name

**05** Things you can see


**04** Things you can touch

**03** Things you hear

**02** Things you smell

**01** Thing you taste

Proven to calm anxiety & bring you into the present



## Sensory Reset Corner

Make a “mom break basket” with:

- Scented lotion
- Cozy blanket or fuzzy socks
- Noise-canceling headphones or music
- A favorite drink or snack
- A feel-good show or podcast

**Even 7 minutes with this basket can be enough to reset your nervous system.**

## Box Breathing

Inhale - 4 counts

Hold - 4 counts

Exhale - 4 counts

Hold - 4 counts

Repeat 3-4 cycles

**Lowers stress hormone (cortisol)  
Fast.**

#### Appendix & References

Postpartum Support International:  
[www.postpartum.net](http://www.postpartum.net)  
The Motherhood Center (NYC &  
virtual therapy)  
Good Moms Have Scary Thoughts  
by Karen Kleiman  
American Psychological  
Association: Maternal Mental  
Health  
Edinburgh Postnatal Depression  
Scale (EPDS)



# Creating Space for You (Even When You Feel Guilty)

## 01 **Alone**

10 minutes of alone time  
while someone holds baby

## 02 **Walk**

A short walk with your  
favorite playlist

## 03 **Texting**

Texting one trusted friend  
who “gets it”

## 04 **Do Nothing**

Lighting a candle & doing  
nothing for 5 minutes

## Release the guilt:

- 1. You don't have to earn rest.**
- 2 Your baby benefits from a regulated, supported mom.**
- 3. A happy baby doesn't require a perfect mom—just a real one.**

You were someone before motherhood, and that woman still matters.



# Chapter 7: Routines That Work

(Even When Baby  
Doesn't Cooperate)

# The “Good Enough” Routine: Anchors, Not Schedules

Forget the pressure to follow a strict minute-by-minute schedule. **Babies aren't clocks.** And neither are you. Instead, try building your days around **anchors**—predictable, gentle guideposts that give structure to both you and baby.

## What are Anchors?



Consistent  
wake-up time  
(give or take  
30 mins)



Morning light  
exposure  
(opens baby's  
circadian rhythm)



Nap/wind-  
down cues  
at similar times  
every day



Evening routine  
with repeatable  
steps (bath, book,  
feeding)

“Anchors help your baby **feel secure**—and help you feel less like the day is unraveling.

# Morning & Evening Flows (Flexible Templates)

## Sample Morning Flow

Time	Activity
6:30–7:00 am	Wake up, feed baby, diaper change
7:00–7:30 am	Morning light, quick stretch, coffee
8:00–9:00 am	Tummy time / floor play
9:00–10:00 am	First nap
YOU	Shower, breakfast, podcast, deep breath

These flows aren't rigid routines. They're rhythms that can help reduce chaos and support your sanity.

## Sample Evening Flow:

Time	Activity
5:00–6:00 pm	Dim lights, feed baby, snuggles
6:00–6:30 pm	Bath or gentle massage
6:30–7:00 pm	Pajamas, book, final feeding
7:00–7:30 pm	Down for night (attempt #1 😴)
YOU	Exhale. Light candle. Do one kind thing for yourself.



# One-Handed Meals, Showers & Sanity

You don't need to wait for a "perfect moment" to care for yourself. Here's how to work self-care into your baby's unpredictable rhythm.

- **One-Handed Snacks:**

- Hard-boiled eggs + apple slices
- Trail mix + protein bar
- Hummus + pita chips
- String cheese + cut-up fruit
- Rice cakes with nut butter

**Keep a snack basket by your nursing/feeding chair!**

- **Showers That Actually Happen:**

- Baby in bouncer just outside the bathroom door
- Shower at night while partner or someone else holds baby
- Baby-safe play mat within eyesight
- 5-minute "survival rinse" is still a shower!

# Tips for Returning to Work or Managing Work-from-Home

Whether you're going back to an office or juggling Zoom calls with baby on your lap—here are some ways to stay sane:

## Preparing to Return:

- Practice short “trial separations” (walk, coffee out)
- Start pumping 1–2 weeks before return (if needed)
- Pick outfits that make you feel human—but forgiving (button-downs, flowy tops)

## If You Work from Home:

- Block off “protected work time” and communicate it clearly
- Use wearable carriers during calls if baby is fussy
- Schedule in “pause breaks” (snack, breath, light stretch)
- Lower expectations: done is better than perfect

### Reminder: Flexibility is the Real Goal

---

Every day will look a little different. That's not failure—it's parenthood.  
The win isn't sticking to the plan. The win is adapting and surviving with grace.



# Chapter 8:

# Building Your

# Village

# Why You Need a Village (Even If You're “Independent”)

You are strong. You are capable.  
And still—you shouldn't have to do this alone.

Isolation is one of the biggest threats to new moms' well-being. But building a “village” in today's world takes intention—especially when families are scattered, and help often comes with strings or shame.

**Let's change that.**

## Asking for Help That Actually Helps

### 01 Negative feelings

They don't want to feel like a burden

### 02 Wrong taught

They've been taught to “handle it”

### 03 Wrong help

They had help offered, but it wasn't what they needed

The fix? **Be specific, Be unapologetic, Be direct.**

## Try These Requests

“Could you pick up groceries or a Target run for us?”

“Would you mind holding the baby while I shower?”

“I'm too tired to talk—could you just sit with me for 20 minutes?”

“Can you bring food that doesn't need reheating?”



**Tip:** Post a “Help List” on your fridge or phone. When someone says, “Let me know if you need anything,” you'll have an answer



# Scripts for Setting Boundaries & Saying No

Some visitors bring casseroles. Others bring criticism. Use these gentle, clear phrases to protect your peace.



## When you need space:

- “We’re taking time to settle in as a family—thanks for understanding.”
- “I’ll let you know when we’re up for visitors!”



## When advice isn’t welcome:

- “Thanks for sharing. We’re trying something different right now.”
- “We’re following our pediatrician’s recommendations.”



## When you feel overwhelmed:

- “We’re still figuring out our rhythm—less stimulation is best for baby right now.”
- “We’re grateful for your care—can we text instead of chatting today?”



## Partner Support Tips: Making the Mental Load Visible

Even the most loving partner can't support what they can't see. Motherhood is mental load central—anticipating needs, remembering appointments, soothing, managing the household.

Here's how to share the weight.

### Try This Exercise

- Each partner writes down everything they do in a day (include mental/emotional work).
- Compare and discuss—without judgment.
- Reassign or rotate tasks weekly (diapers, meals, check-ins, night wakings, etc.)

**Fair doesn't always mean 50/50. Fair means flexible, communicated, and respected.**

# Online Communities That Don't Suck

Not all Facebook mom groups are toxic. Here are low-drama, high-support places to connect, vent, and learn:

## Platform Map

Platform	Community	Vibe
Reddit	r/Mommit, r/NewParents, r/BabyBumps	Honest, practical, unfiltered
Facebook	“New Mom Support,” & “The Beyond Sleep Group”	Kind, non-judgmental moms
Instagram	@drbeckyatgoodinside, @mombrain.therapist	Encouraging, expert-informed
Apps	Peanut, Geneva, Momwell, Expectful	Voice chats, peer support, mindfulness

## Mini Exercise: Map your Village

**1. Hands-On Help**  
(e.g., partner, mom, friend who shows up)

**3. Expert Help**  
(therapist, lactation consultant, pediatrician)

**2. Emotional Support**  
(the one who listens without fixing)

**4. Digital Allies**  
(online moms who “get it”)

**Draw 4 circles and** Fill in 1–2 names or accounts per circle. If a circle is empty—that’s okay. You know where to start building.



# Chapter 9:

## What to Ignore

### Cutting the Noise

# Why Information Overload Is the Real Enemy

From the second you announce your pregnancy, the advice starts pouring in.

- “Sleep when the baby sleeps.”
- “Don’t hold them too much, you’ll spoil them.”
- “Breast is best.”
- “You should try this...”
- “Back in my day...”

Even well-meaning comments can feel like a tidal wave of “you’re doing it wrong.”

Let’s call it what it is: **noise**.

And this chapter is your noise-cancelling headphones.

## Myths, Unsolicited Advice & Mom-Shaming (And What to Say Back)

**“You’ll spoil the baby if you hold them too much.”**

- ✖ False. Holding your baby fosters trust, attachment, and brain development.
- “ Say: “We’re following responsive parenting—it works for us.”

**“They should be sleeping through the night by now.”**

- ✖ Nope. Most babies don’t do this consistently before 6-12 months.
- “ Say: “All babies are different—we’re letting ours lead the way.”

**“You should do XYZ or else...”**

- ✖ Fear-based advice?  
Let it roll off.
- “ Say: “Thanks for your input - we’ve got a plan that works for us.”

# Social Media vs. Reality: The Comparison Detox Plan



## Signs It's Time for a Digital Reset:

Instagram Reels, TikTok tips, YouTube vlogs—they can inspire or crush your confidence.

You feel like you're always falling short

You're doom-scrolling instead of resting

You compare your baby or body to others

## Detox Tips:

Unfollow accounts that stress you out and mute or hide feeds (even if it's family)

Follow 3 "real talk" moms who show the mess AND the magic

Replace scroll time with 5 deep breaths, a glass of water, or a 10-min nap

Remember: No one posts the 3am breakdowns. But we all have them.

# Create Your “Filter List” for Advice

Not all advice is bad. The trick is knowing whose voices to let in.  
Use this tool to sort through the noise:

## Filter List

💬 Advice Source	✓ Trusted?	✗ Ignore?	Notes
Pediatrician	✓		Follows evidence-based guidelines
Mom friend (non-judgey)	✓		Shares, doesn't push
Social media account		✗	Makes you feel inadequate
Great Aunt Nancy		✗	Stuck in the 1970s
Sleep coach or LC	✓		Certified, supportive, realistic

👉 Tip: Post your “Filter List” on the fridge. When advice floods in, you’ll know what to toss and what to take.

# When You’re Overstimulated: One-Minute Reset

## 1. Sit down

(yes, sit—even for 60 seconds)

## 4. Whisper:

“I’m doing enough. I am enough.”

## 2. Hand on..

1 hand on your chest, 1 on your belly

## 3. Breathe Control

Inhale for 4, hold for 4, exhale for 6

**What to do** Repeat twice. Breathe. Keep going.



# Chapter 10:

# Printable

# Survival Tools

# Daily Rhythm Templates (0–3 months, 3–6 months)

## 0–3 Months: Gentle Flow

Time	What's Happening
7:00 AM	Wake, Feed, Diaper, Cuddle
8:00 AM	Nap #1
9:00 AM	Feed, Tummy Time, Snuggle
10:30 AM	Nap #2
12:00 PM	Feed, Fresh Air if Possible
1:30 PM	Nap #3
3:00 PM	Feed, Calm Play
4:30 PM	Nap #4
6:00 PM	Feed, Bath or Soothing Ritual
7:00 PM	Bedtime Routine
Overnight	Wake + Feed as Needed


Think of these not as schedules, but anchors. Babies thrive with predictability, and you'll feel more grounded too.

**Tip:** Night sleep develops gradually. “Sleeping through the night” can mean 5–6 hour stretches.

## 3–6 Months: More Rhythmic

Time	What's Happening
7:00 AM	Wake + Feed
8:30 AM	Nap #1
10:00 AM	Feed, Playtime
11:30 AM	Nap #2
1:00 PM	Feed, Walk or Fresh Air
2:30 PM	Nap #3 (may drop later)
4:00 PM	Feed, Calm Play
6:00 PM	Bath, Feed, Wind Down
7:00 PM	Bedtime
2–3 Night Feeds	Still Common!

# Feeding + Sleep Tracker (Printable)



This can help you spot patterns, monitor intake, and keep pediatricians in the loop.

## Sample Tracker

Date	Time	Feed (Breast/Bottle)	Duration / Oz	Nap Start	Nap Length	Notes
7/25	7:00 AM	Breast – Left & Right	15 min	8:15 AM	40 min	Spit up
7/25	9:30 AM	Bottle – Formula	4 oz	10:30 AM	30 min	Fussy

You can print 7 copies for a week's worth of tracking, or keep a reusable dry-erase board on your fridge.

## Self-Care Menu for Moms

Not "go to the spa" self-care. Actual, achievable, mom-life self-care.

### 5 Minutes Option

- 01** Drink cold water with lemon
- 02** Stretch and breathe by the window
- 03** Text someone "I need a kind word"
- 04** Put on music you love
- 05** Change into clean, soft clothes

### 15-30 Minutes Option

- 01** Shower slowly and moisturize
- 02** Journaling (3 things you're grateful for)
- 03** Go outside with baby or solo
- 04** Watch a comfort show guilt-free
- 05** Order takeout, no shame

Post this on your wall. Circle 3 things a day. That's mental hygiene.



# “I’m Overwhelmed” Emergency Plan

This is your crisis-mode lifeline for when it all feels too much.

## Your Script

“I’m maxed out. I need someone to come now, or I’ll leave the baby in a safe place and step away for 10 minutes.”

1

Put the baby in  
crib/safe space

2

Call your “In  
Case” contact

3

Breathe, step  
outside, or  
splash cold  
water

4

Say out loud:  
“This is hard,  
but I’m safe.  
Baby is safe. I’m  
not alone.”

Post this on your fridge. Share with your partner. You’re human, not a robot.

## Mental Health & Breastfeeding Support Contacts

Resource	Type	Website / Number	Total Sleep (24h)
Postpartum Support Intl (PSI)	Mental Health	1-800-944-4773 / <a href="http://postpartum.net">postpartum.net</a>	14–17 hours
National Maternal Mental Health Hotline	24/7 Support	1-833-943-5746	14–16 hours
La Leche League	Breastfeeding	<a href="http://www.llli.org">www.llli.org</a>	13–15 hours
KellyMom	Lactation Info	<a href="http://www.kellymom.com">www.kellymom.com</a>	12–15 hours
Expectful	Mindfulness + MH	<a href="http://www.expectful.com">www.expectful.com</a>	



# Final Words From One Mom to Another

You are not alone.  
You are not failing.  
You are not too much or not enough.  
You are exactly the mom your baby needs.  
And you're allowed to need support, joy, and peace, too.  
This is not the end of who you were—  
it's the beginning of someone even stronger.  
You've got this. We've got you. ❤️