

git branch and git checkout commands different forms in short.

1. `git branch` : List out only local branches
2. `git branch --all` or `git branch -a` : List out all branches (Local + Remote)
3. `git branch branch-name` :To create new branch
4. `git branch -d branch-name` : To delete specific branch
5. `git checkout branch-name` :To switch branch
6. `git checkout -b branch-name` : Create new branch and switch
7. `git switch branch-name`: just switch to another branch
8. `git switch -c branch-name`: create new branch and switch

git stash command

1) Suppose, you have made changes in working directory but you have not committed those changes and you are switching to another branch then we will get an error saying

*"Your local changes to the following files would be overwritten by checkout:F1.txt
Please commit your changes or stash them before you switch branches"*

i.e When you are switching a branch then you need to save your changes either temporarily or Permanently otherwise we will get an error.

2) To save changes temporarily use "`git stash`" command.
To save the changes Permanently use "`git commit`" command.

Q. How to stash your changes?

- > 1) If we want to stash both staged and unstaged changes then use `"git stash"` command
- > 2) If we want Stash Only Unstaged(Modified) Changes then use `git stash --keep-index`
- > 3) If we want to Stash only Untracked Files then use `git stash -u`

Q. How to View Stashes?

- > If we want to view a list of all stashes you have saved then use `"git stash list"` command.

Once this command is executed, it will show a list of all stashes with each stash having an identifier like `stash@{0}`, `stash@{1}`, and so on

Q. How to apply Stashes?

- > To reapply stashes we have `"git stash apply"` command.
This command reapply most recent stash but don't delete stash from list(keep in the stash list).
If there are conflicts when applying the stash, you'll need to resolve them manually.
- > If we want to Apply and delete the most recent stash then use `"git stash pop"`
- > If we want to apply specific Stash then use `git stash apply stash@{n}` command.

Replace `stash@{n}` with the identifier of the stash you want to apply
Where 'n' can have values 0,1,2,3

Q. How to delete Stashes?

-> If we want to drop a specific stash then use
`git stash drop stash@{n}`

Here 'n' can have value 0,1,2,3

This command remove the stash from list without applying it.

-> If we want delete all the Stashes then
`git stash clear`

Summary of git stash command

1. `git stash`: Temporarily saves your changes.
2. `git stash list`: Shows all saved stashes.
3. `git stash apply`: Reapplies the most recent stash (or a specified stash).
4. `git stash pop`: Reapplies and removes the most recent stash.
5. `git stash clear`: Removes all stashes.