

Some Basic Linux Command

1) pwd:

- 1) It is linux command.
- 2) pwd stands for **Print Working Directory**
- 3) This command is used to Print Current Working Directory Path.
- 4) Syntax(How to use?)
Simply type "**pwd**" and Press Enter Key. In the output we will get current working location path.

2) ls :

- 1) ls is linux command.
- 2) ls stands for List.
- 3) ls command is used to list out all files and directory from current location.
- 4) Syntax(How to use?)
Simply type "**ls**" and press enter key. In the output we will get files and directory names.

3) cd :

- 1) It is linux command.
- 2) cd stands for **Change Directory**.
- 3) cd command is used to move from one location to another location.
or To navigate from One Location to another location
Syntax(How to use?)
cd "path"
or
cd Directory_name

If we want to move in backward direction then

cd ..

4) mkdir:

- 1) It is linux command.
- 2) mkdir stands for Make Directory.
- 3) It is used to create Directory(Folder).

4) Syntax(How To use)

mkdir option directory_name

Example mkdir -v MM

Here -v stands for verbose, verbose means print confirmation message

Version Control Tool:Git

Q. What is git?

- > Git is a free and open source distributed version control tool.
or in simple word Git is code repository tool.
- > Git is free means we can use git software without paying any licensing fees.
- > Git is open source mean source code of git is available to every one and every one can view, modify and distribute.
- > Git itself is written in C language.
- > Git is maintained by Linux
- > Junio Hamano and other developers developed the git
- > Original author of git is Linus Torvalds

Q. What is Git Bash?

- > Git Bash is a Command Line Interface for Microsoft Windows environments and which acts as bridge between git and Windows OS.
- > Git Bash provides a Unix-like environment on Windows.
- > Bash stands for Bourne-Again SHell.
- > Shell accept the command from user and check its validness and correctness.
Validness means provided command name is valid or not and correctness means command is used in proper way or not. If command is invalid or not used in proper way then we will get an error. If command is valid and correct then shell convert that command into Kernel understandable format and hand over to kernel.
kernel execute a command and give output.
- > If we are using Linux then we don't need Git Bash. On Linux we can install git using below command "sudo apt install git"
- > Here sudo stands for super user do

Q. What is github?

- > Github is a web-based hosting service for Git repositories where developer can create, store, manage and share their code.
- > The GitHub service was developed by Chris Wanstrath, P. J. Hyett, Tom Preston-Werner, and Scott Chacon using Ruby on Rails.
- > From 2018 Microsoft owns GitHub.

Q. What is gitlab?

- > GitLab is a web-based Git repository.
- It is a complete DevOps platform that enables professionals to perform all the tasks in a project—from project planning and source code management to monitoring and security.

Q. What is difference between git and gitbash?

- > git is a version control tool and gitbash is an interface for window user to work on git.

Q. What is difference between git and github?

- > git is a version control tool and github is web based code repository


Q. What is difference between github and gitlab?

- > Both are web based code repository but gitlab provides extra features for project planning,CI/CD pipeline

Q. How to cross check git is installed or not on windows operating system?

- > To cross check git is installed or not on your system then follow below steps

- 1) open command prompt: short cut to open command prompt press "Windows key +r" we will get one window,type "**cmd**" and press enter key,command prompt will open



- 2) on command prompt type "**git -v**" or "**git --version**" command.

If git is there then this command will return installed version of git,
If git is not there then this command give an error.

```
C:\Users\Dell>git --version
git version 2.46.0.windows.1

C:\Users\Dell>git -v
git version 2.46.0.windows.1
```

Q. How to cross check git is installed or not on linux Operating System?

-> To cross check git is installed or not on your system then open terminal and type command `"git --version"`. If command returns version number means git is installed. If command give an error means git is not installed.

Q. How you cross check which version of git is installed on the system?

-> Case 1: If we are on windows then open `"cmd"` and type command `"git -v"`

or

`"git --version"`

or

open gitbash and type command `"git --version"`

Case 2: If we are on Linux then open a terminal and type command `"git --version"`

Pre-requisite to use git

-> 1) git must be installed on your system.

2) you must have an account on `"github.com"`