

Training account credentials

Log out of other New Relic accounts (or open private browser window)

URL: https://one.newrelic.com/

Email: demotron@newrelicuniversity.com

Password: o11y-as-code

new relic

Agenda

New query experience

Single 'Query your data' experience, keep context, survives navigation, new features

NRQL & Dashboards 101

Event data, event types, NRQL syntax in NRDB New Relic Database

Dashboard design strategies

Pyramids (linked charts & dashboards), patterns, markdown annotation, wallboards

Trends and comparing data sets

Multi-function/facet, COMPARE WITH, multi-query per chart, filter function

Using different chart types to visualize data

Funnels, Histogram, Heatmap


@ 2024 New Relic. Inc. All rights reserved

new relic

New query experience


What's new?


- New, improved UI
- Replaces existing multiple query builders
- Explore with context
- Always present, survives navigation
- Minimizable & resizeable for large queries
- Cross-account queries
- Multi-query
- Recommended queries button



https://youtu.be/sjms5NYRMLs

new relic





Some of the main event types

Browser APM Synthetics Mobile Infrastructure
PageView Transaction SyntheticCheck MobileRequest SystemSample

SELECT function(attribute) **FROM** EventType

FROM EventType SELECT function(attribute)

- Build queries around your **chosen event type**
- Use the auto-complete to help write your queries
- Functions and attributes will be suggested for each Event type

@ 2024 New Relic, Inc. All rights reserved

🕎 new relic

NRQL syntax

SELECT ... FROM

SELECT function(attribute) **FROM** EventType **WHERE** condition **FACET** group by

EDOM Transaction SELECT count (*)

SELECT count(*) FROM Transaction WHERE appName = 'Frontend' FACET name

FROM Transaction SELECT count(*) | WHERE appName = 'Frontend' FACET name

Lab: Explore your data

Try these queries

Select Query Your Data

SHOW EVENT TYPES Which event types are reporting?

Look up default event types and attributes in the **New Relic data** dictionary

- SELECT keyset() FROM Transaction Explore the attributes. Do you think any of them are custom / business attributes?
- SELECT count(*) FROM Transaction Aggregate the data to retrieve a single value
- SELECT count(*) FROM Transaction FACET appName Select DISTINCT values (GROUP BY) using FACET

NOTE: You can't FACET until you aggregate SELECT * FROM

@ 2024 New Relic, Inc. All rights reserved.

new relic. 12

5 mins

Challenge!

Count transactions in Demogorgon Prod account. Are more related to **USD or EUR currency attribute?**

Write a query in the Query Your Data console


Hint: Use FROM Transaction Hint: Use FACET

SELECT count(*) FROM Transaction FACET currencyCode

SELECT count(*) FROM Transaction WHERE currencyCode IN ('USD', 'EUR') SINCE 1 week ago FACET currencyCode TIMESERIES

Explore the demo dashboard

 Use the permalink shared by the Instructor https://onenr.io/0kjn4mkNXwo



new relic. 16

Dashboard design and layout tips

Pyramids, patterns, and markdown annotation

Explore the Dashboarding Strategy dashboard


- How does it work?
- Have you set up a structure like this?
- What tips would help make your dashboards more user friendly?



Dashboard design and layout tips

Pyramids, patterns, and markdown annotation


- Pyramid Tiered structure, interactive
- **Patterns** Now, 24 hrs, 7 days
- Wall boards TV mode, clear stats




new relic 18

Create your own dashboard

- In Demogorgon Prod account
- Rename with your initials XX-Demo-DB
- Edit access





new relic. 19

5 mins


Create a filter list of applications

Use a FACET and set the Link options in the chart

Create a chart showing throughput of all your services

SELECT count(*) FROM Transaction FACET appName LIMIT MAX

- Use the link options in the chart settings to:
 - Use each service as an interactive filter on the dashboard, or
 - Link to a detailed dashboard of transactions, latency, errors, logs, etc




© 2024 New Relic, Inc. All rights reserved


20

5 mins

Patterns

Repeat a similar query: chart Billboard, Timeseries, SINCE 1 hour/day/week ago





SELECT uniqueCount(session) FROM
PageView WHERE appName = 'Frontend'
SINCE 5 minutes ago

Use chart options: Billboard

Add a Threshold value



Create new charts showing visitors over time (1 day / 1 week ago)

SELECT uniqueCount(session) FROM
PageView WHERE appName = 'Frontend'
SINCE 1 day ago TIMESERIES

SELECT uniqueCount(session) FROM
PageView WHERE appName = 'Frontend'SICE
1 week ago TIMESERIES

Time ranges and TIMESERIES SINCE, SINCE...UNTIL, TIMESERIES

SINCE

SELECT ... SINCE 1 day AGO | SELECT ... SINCE yesterday | SELECT ... SINCE sunday

SINCE ... UNTIL

SELECT ... SINCE 3 days ago UNTIL 5 hours ago

TIMESERIES to plot over time (auto-buckets)

SELECT ... SINCE 3 days ago SINCE 5 hours ago TIMESERIES

Add a value after the TIMESERIES to override the auto-buckets, and set your evaluation window

SELECT ... SINCE 1 day AGO TIMESERIES 30 minutes

Add MAX after TIMESERIES to get the max no. of intervals in the time window (auto scales)

(The maximum number of TIMESERIES buckets that will be returned is 366

SELECT ... SINCE 1 day AGO TIMESERIES MAX

@ 2024 New Relic, Inc. All rights reserve


new relic. 23

5 mins

Lab: Try out time spans and TIMESERIES

Try out these queries

Go to Query Your Data and build the following charts, querying the Demogorgon Prod account.



• SINCE UNTIL


SELECT average(pageRenderingDuration) FROM PageView SINCE 12 hours ago

- TIMESERIES
- TIMESERIES 5 minutes
- TIMESERIES MAX

Adding your own values and thresholds to charts Use *Customize Chart Settings > Thresholds*

or SELECT function(attribute), value x AS 'x', value y AS 'y'

SELECT average (duration), 0.1 as 'threshold', 0.05 as 'warning' FROM Transaction SINCE 1 day ago TIMESERIES



new relic. 25

5 mins

Compare performance over time SINCE...COMPARE WITH

SINCE or UNTIL time period is the fixed time period for the comparison (REQUIRED)

COMPARE WITH is the time shift amount relative (before) the time specified by SINCE or UNTIL

Example: compare yesterday with the day before, or yesterday with same day one week ago

SELECT ... SINCE 1 day ago COMPARE WITH 1 day ago
SELECT ... SINCE 1 day ago COMPARE WITH 1 week ago

Use the ... menu and View Query to explore the COMPARE WITH queries in the Patterns dashboard:



Now try your own in your Test dashboard:

SELECT uniqueCount(session) FROM PageView
WHERE appName = 'Frontend' SINCE 1 week ago
COMPARE WITH 1 week ago
TIMESERIES 1 hour



Compare metrics/attributes with multi-function

SELECT more than one function on an event type

```
Comma-separate functions to create series of values / custom tables

SELECT average (duration), max (duration) FROM PageView

Add labels ... AS 'my label',

SELECT average (duration) AS 'avg pageLoad' FROM PageView

Example: Is backend or page load taking more time to complete?

SELECT average (backendDuration), average (duration) FROM PageView

WHERE appName = 'Frontend' TIMESERIES 1 minute

Try this query:

SELECT average (duration) AS 'page load', average (pageRenderingDuration)

AS 'page render', average (backendDuration) AS 'web app + network'

FROM PageView WHERE appName = 'Frontend'
```

Compare data sets with multi-FACET and FACET CASES

```
Multi-FACET

SELECT average(duration) from PageView facet pageUrl, countryCode, city

FACET CASES(using labels)

SELECT count(*) FROM Transaction FACET CASES (WHERE name LIKE '%cart%' AS 'cart', WHERE name LIKE '%checkout%' AS 'checkout', WHERE name LIKE '%shipping%' AS 'shipping')

FACET CASES(defining brackets)

SELECT count(*) from PageView FACET CASES(WHERE backendDuration < 0.5

AS '< 0.5', WHERE backendDuration < 1 as '0.5 - 1', WHERE backendDuration >= 1 as '> 1')
```

© 2024 New Relic, Inc. All rights reserved.

Compare data sets with multi-query / multi-account

Add another query to double up on queries per chart!

Compare 2 services

... or compare different accounts to compare performance in staging and production

Account: Demo Prod

SELECT average (duration) AS 'Frontend' FROM Transaction WHERE appName = 'Frontend' TIMESERIES

Account: Other

SELECT average(duration) AS 'xxxxx' FROM Transaction WHERE appName = 'xxxxx' TIMESERIES



Try out this feature -

or explore the chart in your current dashboard > Visualize page



🕥 new relic 🖪

© 2024 New Relic, Inc. All rights reserved

Funnel

SELECT funnel(attribute, Step A, Step B)

Example <u>dashboard</u>:

| 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100

SELECT funnel(session, WHERE pageUrl LIKE '%/' AS'Homepage',

WHERE pageUrl LIKE '%/browse/plans' AS 'Click Product',

Step A Label

WHERE pageUrl LIKE '%login.jsp' AS 'Login',

Step B Label

WHERE pageUrl LIKE '%/checkout' AS 'Confirm')


Histogram

SELECT histogram(attribute, ceiling , [number of buckets])

Example:

Show me a Histogram of page load times ranging up to 10 seconds over 20 buckets

SELECT histogram(duration, 10, 20) FROM PageView SINCE 1 day ago



Diagnose slow pages with Histogram & Heatmap New Relic blog: <u>DataByte video:heatmaps-histograms</u>

© 2024 New Relic, Inc. All rights reserved

new relic

Heatmap

Add FACET to Histogram

Example: Show me a heatmap of response times ranging up to 10 seconds, 20 buckets, grouped by pageUrl SELECT histogram(duration, 10, 20) from PageView FACET pageUrl



new relic

Lab: Create a histogram and heatmap

- Create a chart with a Histogram of pageload times (PageView) ranging up to 10 seconds with 30 buckets
- Turn this into a heatmap of page load times for different urls by adding FACET pageUrl
- Explore the **Funnel chart** in your current dashboard > Visualize page

© 2024 New Relic, Inc. All rights reserved

new relic

Customize widgets

Examples: y-axis, number/time formats, ignore timepicker


Data format: attribute, number, decimals, 2

SELECT average(duration) FROM Transaction
WHERE appName = 'Frontend' AND name LIKE
'%browse%' SINCE 1 day ago

Y-axis: (add TIMESERIES) Fit to range OR edit min / max values

SELECT average(duration) FROM Transaction
WHERE appName = 'Frontend' AND name LIKE
'%browse%' since 1 day ago TIMESERIES

Dashboard options: ignore timepicker (fixed query)



TIMESERIES: Edit Y Axis (0.6 to 0.9)

Bullet: Edit Data format (+ attribute, number, decimals, 2

All: Dashboard options - ignore timepicker

Config, import, API

Sharing and setting up access on dashboards

- Dashboards API: Full C R U D
- Dashboards are entity-based. Use the GUID in API calls
- Learn more here:
 https://docs.newrelic.com/docs/query-your-data/explore-query-data/dashboards/dashboards-api/

© 2024 New Relic, Inc. All rights reserved

new relic

More resources

- NRQL: Joins, Lookup, GeolP
 Databyte video
- Charts feature: Connected data sets
- Custom visualization: Line and Bar Charts

 <u>Databyte video</u>
- Dashboard Template Variables

 <u>Databyte video part 1</u>

 <u>Databyte video part 2</u>