



Onboarding Webinar

NRU New Relic University

© 2025 New Relic, Inc. All rights reserved.



Aims

- Gain an understanding of the **New Relic Platform**
- Learn how to start **ingesting data**
- Understand how to **get value from your data**
- Get hands-on with **troubleshooting, querying, creating alerts**

© 2025 New Relic, Inc. All rights reserved.



Onboarding pathway

Learning steps



Resources

 Instrument your stack	Get Started with New Relic	View your data	Alerts & Dashboards
 Course Capabilities	Introduction to Observability	Introduction to the Platform	Foundation Courses

© 2025 New Relic, Inc. All rights reserved.



Step 1

Introduction to Observability and the New Relic Platform

© 2025 New Relic, Inc. All rights reserved.



Monitoring != Observability



Collect as many materials as you like.
It will never make a building.

Monitor as much data as you like.
It will never give you observability.

© 2025 New Relic, Inc. All rights reserved.




Monitoring

(Collecting ~~yellow bricks~~ golden signals)

- RED Method
 - Rate (Throughput): Requests per second
 - Errors: Failed requests
 - Duration (Latency): Transaction response time
- USE Method
 - Utilisation (Latency)
 - Saturation (Resource Expiry): Requests queue/dropped
 - Errors: Failed requests
- Core Web Vitals
 - Largest Contentful Paint
 - Interaction to Next Paint
 - Cumulative Layout Shift

© 2025 New Relic, Inc. All rights reserved.



Observability

(Building a yellow brick road)

- Collect Signals
 - Instrument everything (yes, everything)
 - Maintain agents (yes, all of them)
 - All layers - Infra / Apps / UI
 - Use the NR APIs if no agent available
- Aggregate and correlate data
 - Full-stack signal assembly
 - Define workloads
 - Assess dashboards / define custom
- Apply context
 - Key transactions
 - Custom attributes / instrumentation
 - Define service level objectives
 - Configure alerts and notifications

© 2025 New Relic, Inc. All rights reserved.



 new relic

Planning your deployment

What to monitor?

- Applications (prod/dev/test/staging)
- Mobile
- Hosts
- Databases

Naming conventions

- App and service naming
- Environments
- 'Roll-up' (group) names
- Tags and labels

Users and access

- Account owner (x1)
- Admins & Users
- Account strategy

Key metrics & data

- Examples (response time, productivity, MTTR, availability..)

Resources



[Instrumentation](#)

[Application naming](#)

[Implementation guide](#)

[Understand your data](#)

© 2025 New Relic, Inc. All rights reserved.

 new relic

Account structure planning: Organizations


- > Organization = customer
- > Contains one or more accounts
- > Contains users
- > Exists in a single region US/EU

Resources

- [Organization creation](#)
- [How to add accounts](#)

Organization

Accounts



Users




Account structure planning: Accounts

Account set up is important. It defines the structure of your observability


- > Accounts contain the data
- > Identified by account ID and name
- > Ingest keys tied to single account
- > Accounts have limits
- > Billing account for usage/billing rollup
- > Users must have access to account to view data within

Organization



Account structure planning: Account data visibility

- > Users can view data for account if they have access
- > Access is controlled via their groups role/account access grant
- > Users can view all data in the account
- > What users can edit/delete is controlled by their **role**



© 2024 New Relic, Inc. All rights reserved.

 new relic

User roles and permissions

Learn more about setting user roles and permissions

- Account owner (there can be only 1)
- Admins
- Users
- Restricted Users



Resources

- [Tutorial on managing accounts and user access](#)
- [Introduction to user management](#)

© 2025 New Relic, Inc. All rights reserved.

 new relic

Types of users

(Contract dependent)

USER TYPE	ACCESS	USE CASE
Full Stack Observability User	Full access to core capabilities	Ideal for administrators, DevOps engineers, and technical staff who need full observability and control
Core User	Enhanced access to developer centric capabilities	Ideal for developers, ops teams, and IT staff who need active performance monitoring and troubleshooting capabilities.
Basic User	Limited access to data and dashboards	Ideal for team members who need to monitor application performance and view reports but do not require administrative capabilities.


© 2025 New Relic, Inc. All rights reserved.




Step 2

Data ingest and integrations

© 2025 New Relic, Inc. All rights reserved.




Agent and integration landscape



Installing Agents & Integrations

Follow these steps

1. Go to your New Relic Account <https://one.newrelic.com/>
2. Select Integrations and Agents menu
3. Options: "Guided Install" - installs the Infrastructure agent on your host and automatically instruments applications, logs, services on that host
4. Or choose the technology you want to instrument, follow the steps - use the links to documentation to support



Resources

- Course: [Instrumentation guide](#)


Track your Data Ingest

Once you start ingesting data you can review and track the different metrics:

Go to 'Account' > 'Manage Your Data'


> Understand and manage data ingest

> Optimize ingest



Step 3

Get value from your data



Platform Capabilities Overview

The following slides provide a **reference** of each of the **core capabilities**.
Your instructor will focus on **live platform demonstrations and labs**.

- APM
- Logs
- Infrastructure & Hosts
- Browser
- Synthetics
- Mobile

© 2025 New Relic, Inc. All rights reserved.




APM

Automatic instrumentation for applications

- Track end-to-end transaction performance with distributed tracing across microservices and dependencies.
- Identify slow database queries, external calls, and code bottlenecks with automated root cause analysis.
- Monitor application health metrics including throughput, response time, error rates, and Apdex scores.
- Troubleshoot production issues with code-level diagnostics and error profiles without impacting performance.

© 2025 New Relic, Inc. All rights reserved.




Logs

Centralize log data from all sources with automatic parsing and intelligent pattern recognition.


- Correlate logs with metrics and traces for faster troubleshooting of complex application issues.
- Search and analyze log data with powerful query language and saved search templates.
- Configure custom log alerts based on patterns, thresholds, or anomalies with direct links to relevant data.

© 2025 New Relic, Inc. All rights reserved.




Distributed Tracing

Shows the path a request takes across multiple services



© 2025 New Relic, Inc. All rights reserved.

Traces




Infrastructure, Hosts & Kubernetes

Natively monitors host resources and process metrics

- Create interactive dependency maps showing real-time relationships between hosts, containers, and services.
- Monitor pod health, deployment status, and resource utilization with predefined Kubernetes dashboards.
- Identify unusual infrastructure behavior through AI-powered anomaly detection.
- Correlate infrastructure changes with performance impacts to troubleshoot configuration issues.

© 2025 New Relic, Inc. All rights reserved.



Hands-on Lab (10 mins)

Lab: Troubleshooting a performance issue

Instructor will provide a permalink to a performance issue.

- How does response time relate to throughput behavior?
- Customise charts to compare application and host metrics
- Did response time increase across all hosts (containers), or only certain ones?
- Select an affected container and view the data for the associated host - Do you notice anything unusual about that host's data
- Do you think it is an application or host issue?
- (Hints: Related entities > See full map)
(Hint: Infrastructure link > explore host metrics for container)
(Hint: Check host processes)

© 2025 New Relic, Inc. All rights reserved.

Lab (10 mins)




Browser

Key capabilities are highlighted below

- **Capture detailed user interactions** with page load waterfalls and JavaScript errors across all browsers.
- **Monitor SPA performance** with specialized tracking for route changes and component rendering times.
- **Debug client-side JavaScript errors** with full stack traces and user session data.
- **Track Core Web Vitals** metrics with geographic breakdowns to improve SEO and user experience.
- **Analyze and replay customer interactions** using Session Replay

© 2025 New Relic, Inc. All rights reserved.




Mobile

Key capabilities are highlighted below

- **Monitor iOS and Android performance** with a unified SDK for crash reporting and network analysis.
- **Identify crash root causes** with detailed stack traces and device information sorted by impact.
- **Analyze HTTP request performance** with network waterfall visualizations across different carriers.
- **Monitor app impact** on device battery and CPU usage to optimize resource efficiency.

© 2025 New Relic, Inc. All rights reserved.



Synthetics

Key capabilities are highlighted below

- **Verify critical user paths** with scripted browser monitors that capture screenshots at each step.
- **Test API functionality** with scheduled checks that validate response bodies, headers, and status codes.
- **Deploy monitors inside your network** or specific regions to test internal applications.
- **Set performance thresholds** to receive alerts when availability or response times breach SLAs.

© 2025 New Relic, Inc. All rights reserved.



Query your Data: NRQL and AI

> Query anything about your data

Create custom queries with NRQL / AI

(e.g. apps with errors, slowest transactions, CPU more than x% + example of AI "tell me what is the app with most errors..")

> Query examples:

Average response time by application

```
SELECT average(duration) FROM Transaction FACET appName
```

Error rate per minute

```
SELECT rate(count(*), 1 minute) FROM Transaction WHERE error = true
```

© 2025 New Relic, Inc. All rights reserved.

new relic

- [NRQL docs](#)
- [NRQL online course](#)

Hands-on Lab (5 mins)

Query your data

FROM Transaction SELECT _____

- Count all (*) the Transactions (Throughput) grouped by Transaction name

HINT: FACET name

- What response codes are we seeing?

HINT: FACET HttpStatusCode

- Average duration (response time) of Transactions grouped by Transaction name

HINT: FACET name

----- more advanced queries -----

- Show some percentile breakdowns of Transaction response times

HINT: percentile(duration, 5, 50, 95)

- How many live visitors are on my site right now?

HINT: uniqueCount(session) AS 'Site Visitors'

© 2025 New Relic, Inc. All rights reserved.

Lab (5 mins)



Hands-on Lab answers

Query your data

- Throughput grouped by Transaction

FROM Transaction SELECT count(*) FACET name

- What response codes are we seeing?

FROM Transaction SELECT count(*) FACET httpResponseCode

- Average response time grouped by Transaction

FROM Transaction SELECT average(duration) FACET name

----- more advanced queries -----

- Show some percentile breakdowns of Transaction response times


FROM Transaction SELECT percentile(duration, 5, 50, 95)

- How many live visitors are on my site right now (PageView)?

FROM Transaction SELECT uniqueCount(session)
SINCE 15 minutes ago

© 2025 New Relic, Inc. All rights reserved.

Lab (answers)



Step 4


Get notified about issues

© 2025 New Relic, Inc. All rights reserved.



Alerts terminology & Setting up Alerts

1. Create alert conditions 
 - What do you want to be notified about?
2. Set up workflow and destinations 
 - How do I want people to be notified?



- [Alerts: read the docs](#)
- [Alerts: online course](#)

© 2025 New Relic, Inc. All rights reserved.



Service level indicators vs alert signals

Service level indicator = Signal you use to measure the following over time:


- The quality of service you are providing to the end customer or to other engineering teams.
- The quality of third party services you depend on.

Alert signal = Signal you use to **immediately detect** declines or failures of:

- The services you provide to customer or other teams.
- Third party services.
- Infrastructure monitored by your team.

- [Service Level Indicators: docs](#)
- [Service Level Indicators: online course](#)

© 2025 New Relic, Inc. All rights reserved.



new relic


Hands-on Lab (5 mins)

Creating Alert Conditions using the Guided Mode

- **Initial Setup:** Log into New Relic training account and navigate to Alerts > Alert Conditions, and create a new alert condition.
- **Create First Alert:** Create a new alert policy with a condition to monitor APM service response times, using guided mode to trigger alerts when response times exceed 500ms for 5 or more minutes..
- **Create Second Alert:** Add another condition to your existing alert policy to monitor page load times, triggering alerts when they exceed 2 seconds for 5 or more minutes.
- **Create Custom NRQL Query:** Create a custom NRQL alert for FoodMe orders over \$1000, triggering after 2 minutes with a 5-minute signal loss threshold.

© 2025 New Relic, Inc. All rights reserved.

Lab (5 mins)



Next Steps

© 2025 New Relic, Inc. All rights reserved.




Complete the Online Courses


Post course Activity

> Complete these 3 courses in the next **two weeks**:


[Introduction to the Platform](#)
(30 mins)



[New Relic Instrumentation Guide](#)
(30 mins)



[Introduction to Alerts](#)
(30 mins)



> Completion Tracking

> Access to Q&A sessions after completion

> Do you want to learn more? Get Certified ! Take the New Relic University online courses:


<https://learn.newrelic.com/>

© 2025 New Relic, Inc. All rights reserved.



Q&A Sessions

Post course Activity



Got you stuck?

- Sending data
- Visualising data
- Want guidance on observability practices
- Tracking costs

Join [ASK THE EXPERT Q&A](#) Sessions

Online Resources

Get New Relic Certified!

New Relic Verified Foundation (NVF) Certification

Learning path: eLearning courses & Exam

1.	Introduction to Observability	30 Mins
2.	Introduction to the Platform	30 Mins
3.	Introduction to Performance Monitoring	60 Mins
4.	Introduction to Alerts	30 Mins
5.	Introduction to (NRQL) & Dashboards	30 Mins
6.	Configuring Application Observability	60 Mins
7.	Configuring Infrastructure Observability	90 Mins
8.	Configuring Open Telemetry Observability	45 Mins
9.	New Relic Instrumentation Guide	30 Mins




New Relic Verified Foundation learning path

- [Register for courses on learn.newrelic.com here](https://learn.newrelic.com)

© 2025 New Relic, Inc. All rights reserved.



Use our online documentation



New Relic Docs Website

- Get Started Guide
- Fully Searchable
- In Depth info
- New Relic documentation site: <https://docs.newrelic.com/>

© 2025 New Relic, Inc. All rights reserved.




Where to get Help and Support

© 2025 New Relic, Inc. All rights reserved.



Finding Support



Click on the **"?" circle** in the top right corner of the New Relic platform (next to the Ask AI button).


This help section includes:

- Federated Search with Relevant Results
- [New Relic Diagnostics Tool](#)
- Discuss in the [Forum](#)
- File a Support Case
- Other Resources

© 2025 New Relic, Inc. All rights reserved.



Find help that you need with: **Search**



The Help Focus Panel is **contextual** and will provide you with key information about the page that you access it from.


If you seek more information, please use the search bar.

- Type your query in the prompt bar
- Press enter and allow the search to return relevant results

© 2025 New Relic, Inc. All rights reserved.



Find installation errors with: **Diagnostics**



New Relic Diagnostics CLI is a **self-service tool** that can diagnose and resolve issues with your NR products, all from within the platform.

- Detects common installation and config problems with New Relic agents
- First, choose your account, environment, and agent
- Then, copy and run generated command
- Use permalink to review tool run results

© 2025 New Relic, Inc. All rights reserved.



Find peer discussions: **Support Forum**

[New Topic](#) [Groups](#) [Support](#)

Hi,
Welcome
to New Relic Support.

Join your New Relic community to connect with experts, access in-depth articles from our knowledge base, and stay updated with the latest product insights and tips.

We also welcome you to the New Relic Forum! Post a topic, join a group, or explore new technical solutions with peers.

- [Forum.newrelic.com](https://forum.newrelic.com)
- Check out Product Announcements
- Search for topics, knowledge base articles, and documentation

[Support Forum](#) [Knowledge Base](#) [Contact Support](#)[Popular Topics](#)[Latest Groups](#)[Announcements](#)

© 2025 New Relic, Inc. All rights reserved.



Find more help: Build a Support Case

Support Levels

	Standard	Pro	Enterprise
BENEFITS			
Support Forum Community	✓	✓	✓
Documentation	✓	✓	✓
Support Portal Access at support.newrelic.com	✓	✓	✓
Communication Method	Community Forum	Community Forum, Case, Chat	Community Forum, Case, Chat, Phone, Slack
On-Boarding	On-demand video Training	Webinar/Virtual Training	Technical Account Manager
Designated Support Customer Experience Manager			✓
Priority Case Routing			✓
Critical Date/Event Support			✓
Support Escalation 1-Click Away			✓

These support levels are based on your New Relic contract.

If you don't have case support with your current contract, reach out to your Billing administrator to upgrade your account.

To submit a case using In-Product support:

- Select "?" icon at the top of screen → Help & Support → Create a Support Case.

More information: [File a Support case in the platform.](#)

© 2025 New Relic, Inc. All rights reserved.



Find more help: Build a Support Case

Filling out Support Case details

The screenshot shows the 'Create Case' form with the following sections:

- Create Case**
- Please enter your question or issue ***
Looking for data after upgrading agent
- Tell us more about your question or issue ***
We are missing metrics, based on the what we are seeing it started last week after upgrading.
Here is the query:

```
SELECT sum(something * 1000) FROM Metric WHERE (entity.guid = 'xxxxxxxxxxxxx') FACET someName LIMIT MAX SINCE 30 minutes ago TIMESERIES UNTIL now
```
- Who would you like to include on this case?**
Enter an email and press enter...
- What timezone would you like to be contacted in?**
Pacific/Niue UTC -11:00
- Upload Attachment**
Drag and drop or click to upload attachments. Attachment size should be under 2 GB to be uploaded. Limit 10 attachments per response.
- Take Screenshot**
Screen_Shot_2025-05-01T18:33:11.683Z.png
- Permalink URL**
Add Permalink
- What product or feature is this related to?**
Lambda

More information: [File a Support case in the platform.](#)

© 2025 New Relic, Inc. All rights reserved.

To submit a case using In-Product support:

- Select "?" icon at the top of screen → Help & Support → Create a Support Case.

For all cases, please provide the following:

- Description of the issue and steps to reproduce.
- Troubleshooting steps already taken.
- Related links, logs and/or data captured.
- Preferred time zone and appropriate priority level.

For critical cases:

- Provide the same details as the standard case above.
- Select "P1 Business Critical" from the priority dropdown.
- Indicate the business impact or security risk.

Other support options

New Relic offers a variety of **support** options, including online help, a troubleshooting tool and support assistance in (and out) of the Platform. For more details, please visit the following links:

- Access [support resources](#) in the platform.
- [Contribute](#) to our documentation.
- Don't find what you need? [File a documentation issue](#).
- Check the [status of our systems](#).

© 2025 New Relic, Inc. All rights reserved.