

Enhance Reliability Engineering by Resolving Incidents Faster with New Relic Alerts and AI

New Relic Certification alignment

After completing this online workshop you will receive a **50% discount PROMO code via email** to use on any Associate- or Professional-level New Relic certification.
(Terms and conditions will be provided with the promo code and email)

© 2025 New Relic, Inc. All rights reserved.



New Relic Certified APM Practitioner - Associate (APA)

[Online Workshop] Enhance reliability engineering by resolving incidents faster with New Relic alerts and AI

Monitor, analyze, troubleshoot, and improve the performance of modern applications & distributed architectures using APM and related data sets.

New Relic Certified APM Practitioner - Associate (APA) is for anyone with at least six months of experience in performance analysis using New Relic application performance monitoring.

This workshop contains content that aligns to the following exam sections highlighted in pink

Exam Guide

Section 1: New Relic Fundamentals Focuses on foundational knowledge, benefits and core features of APM	10%
Section 2: Managing Agent Data Focuses on instrumenting applications using APM agents, setting up application names, configuration settings, and tagging	20%
Section 3: Visualising Insights Explores the tools and strategies for visualising and understanding APM data	30%
Section 4: Full Stack Observability Practices with APM Focuses on troubleshooting performance using New Relic APM. Addresses monitoring and management of applications and databases. Uses integrated data sets such as logs, traces, and infrastructure metrics; and shows how to set up alerts and manage notifications	40%



[APA Exam Prep Guide here](#)

[Certification Learning Path here](#)

[Register for Exam here](#)

© 2025 New Relic, Inc. All rights reserved.



New Relic Certified Reliability Engineer - Professional (REP)

[Online Workshop] Enhance reliability engineering by resolving incidents faster with New Relic alerts and AI

Analyze and optimize systems and applications using a broad range of New Relic monitoring and performance management tools, with a focus on exceptional user experience.

The Performance Engineer - Professional (PEP) is for professionals who have 2 or more years of experience in performance analysis and optimization using New Relic monitoring and performance management tools.

This workshop contains content that aligns to the following exam sections highlighted in pink

Exam Guide

Section 1: Alerts and Incident Management

New Relic alert concepts. Custom alert policies, conditions Notification channels and incident workflows. Alert quality management (noise reduction). Incident post-mortem and root cause analysis (RCA)

25%

Section 2: Service Level Management

Managing service levels in New Relic. Understanding SLIs, SLOs, and service level attainment. Service boundaries and prioritizing SLO

25%

Section 3: Infrastructure, Cloud Integration, and Networking Vulnerability management and containerized (Docker and K8s) workloads. Serverless workloads. On-host integrations and common cloud integrations. Advanced tuning of infrastructure agent. With network monitoring correlate and analyze application to reduce MTTR

30%

Section 4: Automation

Create observability fixtures using New Relic APIs & Terraform

20%

© 2025 New Relic, Inc. All rights reserved.



[REP Exam Prep Guide here](#)

[Certification Learning Path here](#)

[Register for Exam here](#)

new relic

Agenda

- 01 Alerts terminology and concepts
- 02 Lab: Creating alert conditions and policies
- 03 Lab: Configuring workflows and destinations
- 04 Muting rules
- 05 Additional resources

© 2023 New Relic, Inc. All rights reserved

new relic


Alerts terminology and concepts

The building blocks of alerts

© 2023 New Relic, Inc. All rights reserved



What is a "Signal"?



© 2023 New Relic, Inc. All rights reserved

Acquisition Detection Noise reduction Routing Notify

Signal

- **Any data** being sent to New Relic
- Result of an **NRQL query** against incoming data
- If you can **query it you can alert** on it!

Faceted signal

- Faceting the query results in **multiple signals**
- Each signal can trigger separate alerts



Signals to alert on

Some ideas:

- Host metrics: CPU, memory, disk space, restarts
- APM golden metrics: Latency, throughput, errors
- Key transactions
- Synthetic journeys: Success rate, duration
- Log data: Error messages, business data
- Business metrics: Customers, sales




© 2023 New Relic, Inc. All rights reserved

 new relic

Conditions

Signal acquisition and evaluation



Some examples

Signal	Threshold
% Error rate	% error > 5%
Average basket value	median(value) < \$20
Login attempts per user	uniqueCount(user) > 10

Acquisition Detection Noise reduction Routing Notify

Signal query

Defined by NRQL query including optional WHERE and FACET clauses.

Guided wizard available to help build.

**Additional non-NRQL conditions soon to be deprecated*

Threshold

Value, which if breached by signal for a defined time period, will trigger an incident to be opened.

A threshold can be set for both **warning** and **critical**


© 2023 New Relic, Inc. All rights reserved

 [Documentation on alert conditions](#)


 new relic

Incidents

Signal breach detection



Incident lifecycle



© 2023 New Relic, Inc. All rights reserved


new relic

Acquisition Detection Noise reduction Routing Notify


- Incidents **open** when a **signal breaches the threshold** defined in a condition.
- Incidents **close automatically** when the signal is no longer in breach.
- There will be some **latency** between signal breaching and incident opening based on condition settings.
- Incident will open for **each signal facet**
- Incidents can be **manually closed** by user

Issues

Incident management and noise reduction



Issue lifecycle



© 2023 New Relic, Inc. All rights reserved

[Documentation about issues](#)

new relic

Acquisition Detection Noise reduction Routing Notify

Incidents are the symptoms of a larger problem (the issue).

Issues **group incidents together**, reducing noise and driving notification workflows.

- Issues are **opened when incidents open**
- Issues can **contain multiple incidents**
based on policy preference or correlation decisions
- Issues **close automatically** when all contained incidents have closed or if inactive for defined period
- Issues can be **manually closed**, which close all contained incidents.

Policies

Predetermined incident grouping

Acquisition

Detection

Noise reduction

Routing

Notify

FEWER
ISSUES

1

Per
Policy



Only one issue will be open at a time for the **entire policy**.

- ❑ Requires immediate action and closing the issues to be effective

2

Per
Condition



One issue will be open at a time for **each condition** in your policy.

- ❑ Useful for policies containing conditions that focus on entities that perform the same job

3

Per
Incident



An issue will be created for **every incident** of **each condition** in your policy.

- ❑ Useful if you need to be notified of every violation or if you have an external system where you want to send alert notifications

MORE
ISSUES

© 2023 New Relic, Inc. All rights reserved

[Documentation on alert policies / issue preference](#)

new relic

Lab: Alert conditions and policy

Perform the following tasks in NRU Training account:

1. Go to *Alerts > Alert Conditions* and create two alert conditions:
 - Create a critical incident if any APM service in the *Production* environment has a response time greater than 500 ms for at least 5 minutes
 - Create a critical incident if the page load time for the New Relic Pet Clinic Browser application is greater than 2 seconds for at least 5 minutes
2. Add the two conditions to a new alert policy. Give it a name you will recognize, such as *[Your Name] Policy*

© 2023 New Relic, Inc. All rights reserved

new relic

Lab: NRQL alert conditions



Perform the following tasks in NRU Training account:

1. Build a query that returns the average CPU utilization for any host running the *New Relic Pet Clinic* APM application
2. Create a *critical* incident if the query returns a value greater than 50% for at least 2 minutes
3. *Optionally*, add a threshold that creates a *warning* incident if CPU utilization is greater than 20% for at least 2 minutes
4. Add the new condition to the alert policy you created earlier

Workflows

Notification triage and routing

- ☐ Control **when** you want to receive notifications about issues
- ☐ **Notify correct teams** based on issue context
- ☐ Channels offer comprehensive **payload templating** options
- ☐ **Enrich notifications** with additional New Relic data



Channels allow **multiple different message payloads** to be sent to **multiple destinations**

Destinations

Notification dispatch

Destination inform **people** or **third party services** about issues state change.

Supported destinations:

- ☐ Email & mobile push
- ☐ Native: Jira*, ServiceNow*, PagerDuty*, Slack
- ☐ Webhook: e.g. OpsGenie, MS Teams, etc..
- ☐ AWS EventBridge

Destinations **setup once per account** and can be used by multiple workflows.



servicenow



PagerDuty

*two way integrations

Lab: Workflows and destinations


Perform the following tasks in **NRU Training** account:

1. Select *Alerts* > *Workflows* and add a workflow
2. Give it a name you will recognize, such as *[Your name] workflow*
3. Under **Filter data**, create a Basic or Advanced filter that matches your high CPU condition
4. Under **Notify**, select *Email* and enter your email address
5. *Optional*: Click *Test workflow*. Did you receive an email?
6. Click the *Activate workflow* button in the lower-right corner

Muting rules

Temporarily mute notifications

- ❑ Mute **issue notifications**, for instance when **performing maintenance** or known **down periods**
- ❑ Issues are **still generated and queryable**, they just don't send notifications.
- ❑ **Filter incidents** by attribute, can target multiple workflows and destinations.
- ❑ Muting rules can be **scheduled and repeatable**



Resources

- [Alerts documentation](#)

Blog posts:

- [Best practices for fixing your alerts](#)
- [Alert! Best practices for alert quality](#)

Documentation links:

- [Alert conditions](#)
- [Issues and incident management](#)
- [Alert policies](#)
- [Issue incident grouping preference](#)
- [Workflows in New Relic](#)
- [Notification destination integrations](#)

Data Bytes

Short how-to videos covering a variety of topics

- [The new alert condition creation form](#)
- [Never miss an alert with New Relic's mobile app](#)
- [Setting muting rules for workflows](#)
- [How to set up webhook destinations for workflows](#)
- [Set up sliding window aggregation in your alert conditions](#)
- [Alert aggregation methods explained](#)

Destination setup guides

- [How to configure workflow email destinations](#)
- [Set up a JIRA workflow destination](#)
- [Send notifications to Slack using workflow destinations](#)
- [How to configure workflow Pagerduty destinations](#)
- [How to configure ServiceNow workflow destinations](#)