

New Relic Platform Overview


Phil Weber

Lead Customer Training Specialist




© 2025 New Relic, Inc. All rights reserved.


New Relic agent and integration landscape



© 2025 New Relic, Inc. All rights reserved.



© 2025 New Relic, Inc. All rights reserved.



- Browser
- Mobile
- Synthetics

© 2025 New Relic, Inc. All rights reserved.




Synthetics

Key capabilities:

- **Verify critical user paths** with scripted browser monitors that capture screenshots at each step.
- **Test API functionality** with scheduled checks that validate response bodies, headers, and status codes.
- **Deploy monitors inside your network** or specific regions to test internal applications.
- **Set performance thresholds** to receive alerts when availability or response times breach SLAs.

© 2025 New Relic, Inc. All rights reserved.



© 2025 New Relic, Inc. All rights reserved.


- APM
- Distributed tracing
- Transaction 360
- Logs in context
- eBPF
- OpenTelemetry

APM

Automatic instrumentation for applications


- Monitor application health metrics including throughput, response time and error rates.
- Troubleshoot production issues with code-level diagnostics and error profiles without impacting performance.
- Track end-to-end transaction performance with distributed tracing across microservices and dependencies.
- Identify slow database queries, external calls, and code bottlenecks with automated root cause analysis.

© 2025 New Relic, Inc. All rights reserved.




Distributed tracing

Shows the path a request takes across multiple services



© 2025 New Relic, Inc. All rights reserved.





- Infrastructure agent
- On-host integrations
- Log forwarding
- K8s monitoring
- Cloud integrations

© 2025 New Relic, Inc. All rights reserved.




Infrastructure, Hosts and Kubernetes

Natively monitor host resources and process metrics

- Create interactive dependency maps showing real-time relationships between hosts, containers, and services.
- Monitor pod health, deployment status, and resource utilization with predefined Kubernetes dashboards.
- Identify unusual infrastructure behavior through AI-powered anomaly detection.
- Correlate infrastructure changes with performance impacts to troubleshoot configuration issues.

© 2025 New Relic, Inc. All rights reserved.




Log Forwarding

Centralize log data from all sources with automatic parsing and intelligent pattern recognition

- Correlate logs with metrics and traces for faster troubleshooting of complex application issues.
- Search and analyze log data with powerful query language and saved search templates.
- Configure custom log alerts based on patterns, thresholds, or anomalies with direct links to relevant data.

© 2025 New Relic, Inc. All rights reserved.



Training account credentials

Log out of other New Relic accounts (or open private browser window)

URL: <https://one.newrelic.com/>

The instructor will provide the email and password


© 2025 New Relic, Inc. All rights reserved.

 new relic

Lab: Explore the APM service summary page


The *Service Summary* page in APM is a set of curated charts to help you diagnose issues and follow links to delve deeper into related metrics, and troubleshoot the problem. Explore this page for a service and answer the questions below:

1. How can you change the time range displayed on the charts?
2. How can you learn what each chart means?
3. How can you see where the application is spending the most time?
4. How can you view the slowest transactions?
5. How can you see other services related to this one?
6. How can you investigate errors?



Common event types

`SELECT` function(attribute) `FROM` EventType `WHERE` condition `FACET` group by



```
SELECT count(*) FROM PageView FACET PageUrl SINCE 1 day ago
```

17

Lab: Data Explorer

5 mins

Build these queries by selecting the following options:

- Event type: **Transaction** > **Count**, **name** > **FACET**
This shows throughput for different Transactions
- Event type: **Transaction** > **Count**, **appName** > **FACET**
This shows throughput for different Applications
 - Try a different chart type (Bar chart, Pie chart, etc.)
Hint: Remove TIMESERIES
- Event type: **Transaction**, **duration** > **max**, **name** > **FACET**
This shows slowest Transactions
- Event type: **PageView**, **duration** > **max**, **pageUrl** > **FACET**
This shows slowest URLs

18

NRQL syntax

SELECT ... FROM

SELECT function(attribute) **FROM** EventType **WHERE** condition **FACET** group by

SELECT count(*) **FROM** Transaction **WHERE** appName = 'Frontend' **FACET** name
FROM Transaction **SELECT** count(*) **WHERE** appName = 'Frontend' **FACET** name

5 mins

Lab: Explore your data

Try these queries

Select Query Your Data

1

SHOW EVENT TYPES

Which event types are reporting?

2

SELECT keyset() FROM Transaction

Explore the attributes. Do you think any of them are custom / business attributes?

3

SELECT count(*) FROM Transaction

Aggregate the data to retrieve a single value

4

SELECT count(*) FROM Transaction FACET appName

Select DISTINCT values (GROUP BY) using FACET

Look up default event types and attributes in the [New Relic data dictionary](#)

NOTE: You can't FACET until you aggregate

☒ SELECT * FROM

☒ SELECT count(*)

5 mins

Lab: NRQL Console

- 1 Add a new chart and type one of these queries in the query builder and explore the results. Choose *Table* view and add one to your dashboard

- `SELECT * FROM Transaction`
- `SELECT * FROM PageView`
- `SELECT * FROM SystemSample`

- 2 Aggregate the data with a `count(*)` function, and group it using the `FACET` clause. Add this chart to your dashboard, for example:

- `SELECT count(*) FROM Transaction FACET appName`

- 3 Try the same query but try different `FACET` clauses (for example: `name`, `httpResponseCode`, etc)

- `SELECT count(*) FROM Transaction FACET httpResponseCode`

10 mins

Lab: More advanced NRQL queries

Try some of these queries in the NRU Training account

Use these event types:

- 1 `PageView`
 - What is the worst (**max**) page load **duration** grouped (**FACET**) by `pageUrl`, `countryCode`, `userAgentName`
- 2 `Transaction`
 - **Count** `http.statusCode` WHERE `http.statusCode > '300'` and group the results by `appName` and `http.statusCode`
- 3 `Transaction`
 - Create a table of average response time (**duration**) labelled AS 'Response time', and average **databaseDuration** AS 'Database time', grouped (**FACET**) by `name` and `request.method`
- 4 `PageView`
 - Using `count(*)`, create a pie chart showing the breakdown of different browsers (**userAgentName**) and **deviceType**
- 5 `SystemSample`
 - Show average **cpuPercent** by `hostname`