




## Quality Inspection Report (Inprocess Inspection)

Report No	QIRI20252848	Select the Appropriate Inspection Stage / Process
Date	05-06-2025	Inspection of Cut length Wire
Production Order	PR025-0586	
Item Code	1.00 CL Wire	
Product Description	Dia 1.00 mm Cut Length Wire 75 mm (Rajaratna)	
DHR No	20251341	
Batch No	WC0055/2025	
Reference Drawing	NA	

Sl.N o.	Parameter	Requirement	Instrument Used	Setup Approval (Actual Readings/Observation)										Result (Complied / Not Complied)	Remarks
				1	2	3	4	5	6	7	8	9	10		
1	Diameter	1.00 ± 0.005 mm	DM	1.05	1.03	1.04	1.03	1.04	1.05	1.05	1.04	1.05	1.04	Complied	OK
2	Length of cut Wires	75 ± 0.50 mm	DVC	74.74	74.57	74.73	74.71	74.69	74.71	74.80	74.70	74.66	74.72	Complied	
3	Straightness	Straight	Rolling Method	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	Complied	
4	Defects Free	Free from rust, burr, Damage.	Microscope	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	Complied	
Inspected By (Name)		LAKSHMI						Signature (with date)				 05-06-2025			

## Quality Inspection Report (Inprocess Inspection)

Sl.N o.	Parameter	Date and Time	Instrument Used	Inprocess Samples Inspection (Put "v" - Complied and "X" - Not Complied)										Inspected by (Signature)	Remarks
				1	2	3	4	5	6	7	8	9	10		
1 2 3 4	Diameter Cutting Length Straightness Defects free	05-06-2025 02:00 PM	DMM DVC Rolling Method Microscope	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Sample Inspected Quantity		200 PCS.	Accepted Batch Quantity		9880 PCS.		Remarks		-						
Defects Observed (Type)		-													
Post Quality Inspection Result				Inspected By (Name)		LAKSHMI		Approved By (Name)		MURIGESHAPPA R					
<input checked="" type="checkbox"/> Batch conform to the requirement and approved <input type="checkbox"/> Batch do not conform to the requirement and not approved				Signature		 06-06-2025		Signature		 06-06-2025					
Note: Annexure to be provided for additional test report (if required)															