

```
ubuntu@ip-172-31-25-193:~/Module-3-deployment$ history
 1  docker login -u fatinw4
 2  docker ps
 3  vi nginx.conf
 4  docker build -t express-app:latest .
 5  docker push fatinw4/express-app:latest
 6  docker build -t fatinw4/express-app:latest .
 7  docker images
 8  docker rmi 121c9006c510
 9  docker images
10  docker push fatinw4/express-app:latest
11  docker manifest inspect fatinw4/express-app:latest
12  vi docker-compose.yml
13  docker compose up -d
14  docker compose ps
15  docker compose logs -f
16  curl http://localhost:8080
17  cat docker-compose.yml
18  ls -la
19  cd ..
20  ls -la
21  cd Module-3-deployment/
22  clear
23  cat nginx.conf
24  history
```

```
services:
  nginx:
    image: nginx:alpine
    container_name: nginx_server
    ports:
      - "8080:80"
    volumes:
      - ./nginx.conf:/etc/nginx/nginx.conf:ro
    restart: unless-stopped

  express-app:
    # build: . ## already built
    image: fatinw4/express-app:latest
    container_name: express_app
    depends_on:
      - nginx          # Ensures Express starts AFTER Nginx
    expose:
      - "5000"
    restart: unless-stopped
```



Explore

My Hub



Search Docker Hub



fatinv4

Your personal account



Repositories



Hardened Images



Collaborations



Settings

Default privacy

Notifications



Billing



Usage

Repositories

All repositories within the fatinv4 namespace.



Search by repository name

All content



Name

Last Pushed ↑

fatinv4/express-app

9 minutes ago

fatinv4/fastapi-celery-redis-sample-project

over 1 year ago ⚠

fatinv4/chocolux-html-alpine

over 1 year ago ⚠

```
ubuntu@ip-172-31-25-193:~/Module-3-deployment$ cat nginx.conf
events {
    worker_connections 1024;
}

http {
    server {
        listen 80;
        server_name localhost;

        location / {
            proxy_pass http://express-app:5000;
            proxy_http_version 1.1;
            proxy_set_header Host $host;
            proxy_set_header X-Real-IP $remote_addr;
            proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
            proxy_set_header X-Forwarded-Proto $scheme;
        }
    }
}
```

```
ubuntu@ip-172-31-18-251:~/Module-3-deployment$ cat Dockerfile
FROM node:18-alpine

WORKDIR /app

COPY package*.json ./

RUN npm install --production

COPY . .

EXPOSE 5000

ENV PORT=5000

CMD ["npm", "start"]ubuntu@ip-172-31-18-251:~/Module-3-deployment$ |
```

Workspace 2Online Courses - A...GRE Vocabulary Fla...Copy of Calculator...Hands-on Labs | La...Professional Ethica...3 DevOps from Z...Kubernetes Zero t...Other favorit...

Not secure100.48.81.171:8080

Workspace 2Online Courses - A...GRE Vocabulary Fla...Copy of Calculator...Hands-on Labs | La...Professional Ethica...3 DevOps from Z...Kubernetes Zero t...Other favorit...

Roy

Network

Filter

AllFetch/XHRDocCSSJSFontImgMediaManifestSocketWasmOther

100 ms200 ms300 ms400 ms500 ms600 ms

Name

100.48.81.171

styles.css

prompt.js

runScript.js

Headers

Preview

Response

Initiator

Timing

General

Request URL

Request Method

Status Code

Remote Address

Referrer Policy

Response headers

Accept-Ranges

Cache-Control

Connection

Date

Etag

Last-Modified

Server

X-Powered-By

Request Headers

Accept

Accept-Encoding

http://100.48.81.171:8080/

GET

304 Not Modified

100.48.81.171:8080

strict-origin-when-cross-origin

☐ Raw

bytes

public, max-age=0

keep-alive

Wed, 24 Jun 2026 05:11:37 GMT

W/"13c-19e80a9298"

Wed, 24 Jun 2026 05:11:43 GMT

nginx/1.31.2

Express

☐ Raw

text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

gzip, deflate

4 requests12.2 kB transferred12.7 kB r