

Eg:- `<body>`
`<div style="background-color: #99ff00; border-radius: 20px;">`
 Hello world `</div>`

``

``

``

`</body>`

`<!-- CSS properties -->`

- Font-Size :- prop used to change size of text/data.

Synt:- `font-size: 10px;`

- Font-Style :- prop used to apply italic format or to remove italic format.

Synt:- `font-style: normal / italic;`

- Font-weight :- prop used to apply bold format or to remove bold format.

Synt:- `font-weight: bold / normal;`

- Font-family :- prop. used to change font model (changing letter styles).

Synt:- font-family: font1, font2, font3, --- fontn;

- text-decoration: - prop. used to underline the text & as well as strike out text & also to draw the line over the text.

Synt:- text-decoration: underline/underline/line-through/none;

Eg:-

```
<body>
<h2 style="font-size: 40px; font-weight: bold;
font-style: italic; font-family: Arial/Tahoma;">
  hellone world how are you </h2>
</body>
```

Eg:-

```
<body>
<a href="https://www.google.com">google</a> <br>
<a href="https://www.google.com" style="text-decoration:
  : line-through;">google</a>
<a href="https://www.google.com" style="text-decoration:
  : overline;">google</a> <br>
<a href="https://www.google.com" style="text-decoration:
  : none;">google</a>
```

<--- CSS properties --->

- Box-shadow: prop. used to apply shadow for elements, means for shape (but not text)

Synt:- box-shadow: xpx xpx xpx color;

• text-shadow: prop. used to apply shadow for text (but not shape)

Synt:- text-shadow : xpx ypx color;

Ex:-

```

<body>
<div style="box-shadow: 3px 3px;">hello</div>
<!-- *3px 3px OR 3px -3px OR -3px 3px -->
</body>
    
```

Ex:-

```

<body>
<h1 style="box-shadow: 5px 5px gray;">hello
would how are you</h1>

    
```

```

<h2 style="text-shadow: 2px 2px pink;">
hello world</h2>
    
```

```

</body>
    
```