

```
from django.db import models

from django.contrib.auth.models import User

from django.contrib.auth.models import AbstractUser

from django.utils.translation import gettext_lazy as _

from simple_history.models import HistoricalRecords

from modeltranslation.translator import TranslationOptions, register
```

```
# Create your models here.
```

```
##### Modèle `ReportAcheteur`
```

```
class ReportAcheteur(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    nom = models.CharField(max_length=1000)

    sigle = models.CharField(max_length=50)

    numero_adresse = models.CharField(max_length=200)

    rue_adresse = models.CharField(max_length=200)

    code_postal = models.CharField(max_length=200)

    telephone1 = models.CharField(max_length=300)

    telephone2 = models.CharField(max_length=300)

    portable = models.CharField(max_length=300)

    fax = models.CharField(max_length=300)

    boite_postale = models.CharField(max_length=200)

    email = models.CharField(max_length=254)

    site_internet = models.CharField(max_length=300, null=True, blank=True)

    code_nace = models.CharField(max_length=100)

    activite_principale = models.TextField()

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True)
```

```

commentaire = models.TextField()

couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,
blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportacheteur_set')

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportacheteur_set', null=True, blank=True)

ville = models.ForeignKey('Ville', on_delete=models.CASCADE)

class Meta:

    db_table = 'report_acheteur'

```

Modèle `ReportAcheteurUpload`

```

class ReportAcheteurUpload(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    upload = models.CharField(max_length=500)

    uploaded_at = models.DateTimeField(auto_now_add=True)

    acheteur = models.ForeignKey(ReportAcheteur, on_delete=models.CASCADE)

class Meta:

    db_table = 'report_acheteurupload'

```

Modèle `ReportActifa`

```

class ReportActifa(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    biens_installations_equipements = models.DecimalField(max_digits=100, decimal_places=5)

```

```

inventaire = models.DecimalField(max_digits=100, decimal_places=5)

creances_commerciales_autres_creances = models.DecimalField(max_digits=100,
decimal_places=5)

actif_impots_courant = models.DecimalField(max_digits=100, decimal_places=5)

caisses_banques = models.DecimalField(max_digits=100, decimal_places=5)

acheteur = models.ForeignKey(ReportAcheteur, on_delete=models.CASCADE)

annee = models.ForeignKey('Annee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportactifa_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportactifa_set', null=True, blank=True)


class Meta:

    db_table = 'report_actifa'

```

Modèle `ReportActifc`

```

class ReportActifc(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    capital_souscrit_non_app = models.DecimalField(max_digits=100, decimal_places=5)

    frais_recherche_developpement = models.DecimalField(max_digits=100, decimal_places=5)

    brevet_licence_logiciels = models.DecimalField(max_digits=100, decimal_places=5)

    fonds_commercial = models.DecimalField(max_digits=100, decimal_places=5)

    autres_immobilisations_incorporelles = models.DecimalField(max_digits=100, decimal_places=5)

    terrains = models.DecimalField(max_digits=100, decimal_places=5)

    constructions = models.DecimalField(max_digits=100, decimal_places=5)

    materiels_et_outils = models.DecimalField(max_digits=100, decimal_places=5)

    materiel_de_transport = models.DecimalField(max_digits=100, decimal_places=5)

```

```
autres_immos_corp = models.DecimalField(max_digits=100, decimal_places=5)
immos_en_cours = models.DecimalField(max_digits=100, decimal_places=5)
avances_et_acptes = models.DecimalField(max_digits=100, decimal_places=5)
participations = models.DecimalField(max_digits=100, decimal_places=5)
prets = models.DecimalField(max_digits=100, decimal_places=5)
autres = models.DecimalField(max_digits=100, decimal_places=5)
stocks_mp = models.DecimalField(max_digits=100, decimal_places=5)
stocks_encours_mp = models.DecimalField(max_digits=100, decimal_places=5)
stocks_pf = models.DecimalField(max_digits=100, decimal_places=5)
stocks_encours_pf = models.DecimalField(max_digits=100, decimal_places=5)
stocks_encours_services = models.DecimalField(max_digits=100, decimal_places=5)
stocks_mses = models.DecimalField(max_digits=100, decimal_places=5)
avances_acptes_verses = models.DecimalField(max_digits=100, decimal_places=5)
clients_et_cptes_rattaches = models.DecimalField(max_digits=100, decimal_places=5)
autres_creances = models.DecimalField(max_digits=100, decimal_places=5)
valeurs_a_encaisser = models.DecimalField(max_digits=100, decimal_places=5)
banques_cheques_postaux_caisse = models.DecimalField(max_digits=100, decimal_places=5)
cca = models.DecimalField(max_digits=100, decimal_places=5)
charges_a_repartir_et_frais_etablissement = models.DecimalField(max_digits=100,
decimal_places=5)
primes_de_rbt = models.DecimalField(max_digits=100, decimal_places=5)
eca = models.DecimalField(max_digits=100, decimal_places=5)
eene = models.DecimalField(max_digits=100, decimal_places=5)
effectif = models.DecimalField(max_digits=100, decimal_places=5)
amortissements = models.DecimalField(max_digits=100, decimal_places=5)
provisions_stocks = models.DecimalField(max_digits=100, decimal_places=5)
provisions_creances = models.DecimalField(max_digits=100, decimal_places=5)
provisions_vmp = models.DecimalField(max_digits=100, decimal_places=5)
acheteur = models.ForeignKey(ReportAcheteur, on_delete=models.CASCADE)
annee = models.ForeignKey('Annee', on_delete=models.CASCADE)
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportactifc_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportactifc_set', null=True, blank=True)
```

```
class Meta:
```

```
db_table = 'report_actifc'
```

```
#### Modèle `ReportActifs`
```

```
class ReportActifs(models.Model):
```

```
id = models.BigAutoField(primary_key=True)
```

```
deleted = models.DateTimeField(null=True, blank=True)
```

```
deleted_by_cascade = models.BooleanField(default=False)
```

```
frais_developpement_prospection = models.DecimalField(max_digits=100, decimal_places=5)
```

```
brevets_licences_logiciels = models.DecimalField(max_digits=100, decimal_places=5)
```

```
droits_propriete_commerciale_baux = models.DecimalField(max_digits=100, decimal_places=5)
```

```
autres_immo_incorporelles = models.DecimalField(max_digits=100, decimal_places=5)
```

```
terrains = models.DecimalField(max_digits=100, decimal_places=5)
```

```
dons_investissements_net = models.DecimalField(max_digits=100, decimal_places=5)
```

```
batiments = models.DecimalField(max_digits=100, decimal_places=5)
```

```
agencements_amenagements_installations = models.DecimalField(max_digits=100,  
decimal_places=5)
```

```
materiel_mobilier_actif_biologiques = models.DecimalField(max_digits=100, decimal_places=5)
```

```
materiel_transport = models.DecimalField(max_digits=100, decimal_places=5)
```

```
avances_acompte_immobilisations = models.DecimalField(max_digits=100, decimal_places=5)
```

```
titres_participation = models.DecimalField(max_digits=100, decimal_places=5)
```

```
autres_immobilisations_financieres = models.DecimalField(max_digits=100, decimal_places=5)
```

```
actif_circulant_hao = models.DecimalField(max_digits=100, decimal_places=5)
```

```
stock_encours = models.DecimalField(max_digits=100, decimal_places=5)
```

```
fournisseurs_avances_versee = models.DecimalField(max_digits=100, decimal_places=5)
```

```

clients = models.DecimalField(max_digits=100, decimal_places=5)

autres_creances = models.DecimalField(max_digits=100, decimal_places=5)

valeurs_mobilieres_placement = models.DecimalField(max_digits=100, decimal_places=5)

disponibilites = models.DecimalField(max_digits=100, decimal_places=5)

banque_cheque_postal_caisse_assimiles = models.DecimalField(max_digits=100,
decimal_places=5)

ecart_conversion_actif = models.DecimalField(max_digits=100, decimal_places=5)

acheteur = models.ForeignKey(ReportAcheteur, on_delete=models.CASCADE)

annee = models.ForeignKey('Annee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportactifs_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportactifs_set', null=True, blank=True)

class Meta:

    db_table = 'report_actifs'

```

Modèle `ReportAdvice`

```

class ReportAdvice(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    points_forts = models.TextField(null=True, blank=True)

    points_faibles = models.TextField(null=True, blank=True)

    dynamisme_court_terme = models.TextField(null=True, blank=True)

    risque_potentiel_court_terme = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportadvice_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportadvice_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_advice'
```

```
### Modèle `ReportAnalyseSectorielle`
```

```
class ReportAnalyseSectorielle(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    impact_covid_19 = models.TextField(null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportanalysesectorielle_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportanalysesectorielle_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_analysesectorielle'
```

```
### Modèle `ReportAnnee`
```

```
class ReportAnnee(models.Model):  
    id = models.BigAutoField(primary_key=True)  
    deleted = models.DateTimeField(null=True, blank=True)  
    deleted_by_cascade = models.BooleanField(default=False)  
    annee = models.IntegerField()
```

```
class Meta:  
    db_table = 'report_annee'
```

Modèle `ReportAntecedantsJuridique`

```
class ReportAntecedantsJuridique(models.Model):  
    id = models.BigAutoField(primary_key=True)  
    deleted = models.DateTimeField(null=True, blank=True)  
    deleted_by_cascade = models.BooleanField(default=False)  
    dossier_faillite = models.CharField(max_length=100, null=True, blank=True)  
    jugement_cour = models.CharField(max_length=100, null=True, blank=True)  
    antecedant_redressement = models.CharField(max_length=100, null=True, blank=True)  
    autre = models.CharField(max_length=100, null=True, blank=True)  
    commentaire = models.TextField(null=True, blank=True)  
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
                                blank=True)  
    couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,  
                                blank=True)  
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)  
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
    related_name='created_reportantecedantsjuridique_set', null=True, blank=True)  
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)  
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
    related_name='updated_reportantecedantsjuridique_set', null=True, blank=True)
```

```
class Meta:
```



```
db_table = 'report_antecedantsjuridique'
```

```
### Modèle `ReportAssets`
```

```
class ReportAssets(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    caisse = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    banques_centrales = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    tresorerie_cpp = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    autres_ets_credit = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    a_terme = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    credits_campagne = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    credits_ordinaire = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    credits_campagne_acc = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    credits_ordinaire_acc = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    creances_ordinaires = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    affacturage = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    titres_placement = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    immobilisation_fin = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    operation_credit_bail = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    immobilisation_incorporelle = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    immobilisation_corporelle = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    actionnaire_ou_associe = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    autres_actifs = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    comptes_commande_divers = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportassets_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportassets_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_assets'
```

```
### Modèle `ReportBanquier`
```

```
class ReportBanquier(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom_banque = models.CharField(max_length=200, null=True, blank=True)
```

```
    numero_compte = models.CharField(max_length=500, null=True, blank=True)
```

```
    type_relation = models.CharField(max_length=200, null=True, blank=True)
```

```
    numero = models.CharField(max_length=200, null=True, blank=True)
```

```
    rue = models.CharField(max_length=200, null=True, blank=True)
```

```
    code_postal = models.CharField(max_length=200, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    ville = models.ForeignKey('Ville', on_delete=models.CASCADE, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_banquier'
```

```
### Modèle `ReportCommande`
```

```

class ReportCommande(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    notre_ref = models.CharField(max_length=100, null=True, blank=True)

    reference_client = models.CharField(max_length=100, null=True, blank=True)

    date_recept_commande = models.DateField(null=True, blank=True)

    date_rapport = models.DateField(null=True, blank=True)

    delais = models.CharField(max_length=100, null=True, blank=True)

    raison_sociale = models.CharField(max_length=100)

    type_rapport = models.CharField(max_length=100)

    credit_demande = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    credit_recommande = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    numero_adresse = models.CharField(max_length=100, null=True, blank=True)

    rue_adresse = models.CharField(max_length=200, null=True, blank=True)

    code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

    telephone = models.CharField(max_length=100, null=True, blank=True)

    email = models.CharField(max_length=100, null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

    client = models.ForeignKey('Client', on_delete=models.CASCADE)

    ville = models.ForeignKey('Ville', on_delete=models.CASCADE)

    devise_credit = models.ForeignKey('DeviseCredit', on_delete=models.CASCADE, null=True,
blank=True)

    imprimer_avec_etats_fin = models.CharField(max_length=20, null=True, blank=True)


    class Meta:

        db_table = 'report_commande'

```

Modèle `ReportCompositionAction`

```

class ReportCompositionAction(models.Model):

```

```

id = models.BigAutoField(primary_key=True)

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

nom = models.CharField(max_length=200, null=True, blank=True)

prenom = models.CharField(max_length=200, null=True, blank=True)

pourcentage = models.DecimalField(max_digits=100, decimal_places=5)

commentaire = models.TextField(null=True, blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,
blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportcompositionaction_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportcompositionaction_set', null=True, blank=True)


class Meta:

    db_table = 'report_compositionaction'

```

Modèle `ReportCompositionCapitalSocial`

```

class ReportCompositionCapitalSocial(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    emis = models.DecimalField(max_digits=100, decimal_places=5)

    publie = models.DecimalField(max_digits=100, decimal_places=5)

    libere = models.DecimalField(max_digits=100, decimal_places=5)

    commentaire = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

```

```
couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True, blank=True)
```

```
devise = models.ForeignKey('Devise', on_delete=models.CASCADE, null=True, blank=True)
```

```
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportcompositioncapitalsocial_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportcompositioncapitalsocial_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_compositioncapitalsocial'
```

```
### Modèle `ReportCompteFinancier`
```

```
class ReportCompteFinancier(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    cabinet = models.CharField(max_length=200, null=True, blank=True)
```

```
    requis_pour_deposer = models.CharField(max_length=200, null=True, blank=True)
```

```
    credibilite_cabinet = models.CharField(max_length=200, null=True, blank=True)
```

```
    source = models.CharField(max_length=200, null=True, blank=True)
```

```
    presentation = models.CharField(max_length=200, null=True, blank=True)
```

```
    date_compte = models.DateField(null=True, blank=True)
```

```
    date_fin = models.DateField(null=True, blank=True)
```

```
    date_compte_n_moins_un = models.DateField(null=True, blank=True)
```

```
    date_fin_n_moins_un = models.DateField(null=True, blank=True)
```

```
    date_compte_n_moins_deux = models.DateField(null=True, blank=True)
```

```
    date_fin_n_moins_deux = models.DateField(null=True, blank=True)
```

```
    type_compte = models.CharField(max_length=200, null=True, blank=True)
```

```
    devise = models.CharField(max_length=20, null=True, blank=True)
```

```

type_bilan = models.CharField(max_length=255, null=True, blank=True)

commentaire = models.TextField(null=True, blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('self', on_delete=models.CASCADE, null=True,
blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportcomptefinancier_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportcomptefinancier_set', null=True, blank=True)


class Meta:

    db_table = 'report_comptefinancier'

```

Modèle `ReportConditionAchat`

```

class ReportConditionAchat(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    les_clients = models.TextField(null=True, blank=True)

    fournisseur = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportconditionachat_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportconditionachat_set', null=True, blank=True)


class Meta:

```

```
db_table = 'report_conditionachat'
```

```
### Modèle `ReportConditionAchatImportation`
```

```
class ReportConditionAchatImportation(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    conditionachat = models.ForeignKey('ReportConditionAchat', on_delete=models.CASCADE)
```

```
    listeconditionachat = models.ForeignKey('ListeConditionAchat', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_conditionachat_importation'
```

```
### Modèle `ReportConditionAchatLocal`
```

```
class ReportConditionAchatLocal(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    conditionachat = models.ForeignKey('ReportConditionAchat', on_delete=models.CASCADE)
```

```
    listeconditionachat = models.ForeignKey('ListeConditionAchat', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_conditionachat_local'
```

```
### Modèle `ReportConditionDeVente`
```

```
class ReportConditionDeVente(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    recouvrement_de_dette_jugement = models.CharField(max_length=255)
```

```
    comportement_de_paiement = models.CharField(max_length=255)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportconditiondevente_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportconditiondevente_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_conditiondevente'
```

```
### Modèle `ReportConditionDeVenteLocal`
```

```
class ReportConditionDeVenteLocal(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    conditiondevente = models.ForeignKey('ReportConditionDeVente', on_delete=models.CASCADE)
```

```
    listeconditionvente = models.ForeignKey('ListeConditionVente', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_conditiondevente_local'
```

```
### Modèle `ReportConseilAdministration`
```

```
class ReportConseilAdministration(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom = models.CharField(max_length=100, null=True, blank=True)
```

```
    fonction_dans_le_conseil = models.CharField(max_length=100, null=True, blank=True)
```

```
    numero_adresse = models.CharField(max_length=200, null=True, blank=True)
```

```
    rue_adresse = models.CharField(max_length=200, null=True, blank=True)
```



```

code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

commentaire = models.TextField()

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportconseiladministration_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportconseiladministration_set', null=True, blank=True)

```

```

class Meta:

```

```

    db_table = 'report_conseiladministration'

```

```

### Modèle `ReportCouleurCommentaire`

```

```

class ReportCouleurCommentaire(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    couleur = models.CharField(max_length=255)

    code = models.CharField(max_length=255)

```

```

class Meta:

```

```

    db_table = 'report_couleurcommentaire'

```

```

### Modèle `ReportDevise`

```

```

class ReportDevise(models.Model):

    id = models.BigAutoField(primary_key=True)

```

```
deleted = models.DateTimeField(null=True, blank=True)
deleted_by_cascade = models.BooleanField(default=False)
nom = models.CharField(max_length=50)
code = models.CharField(max_length=10, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_devise'
```

```
### Modèle `ReportDocDownload`
```

```
class ReportDocDownload(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
    date = models.DateTimeField()
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
    client = models.ForeignKey('Client', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_docdownload'
```

```
### Modèle `ReportDonneesEnregistrement`
```

```
class ReportDonneesEnregistrement(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
    deleted = models.DateTimeField(null=True, blank=True)
    deleted_by_cascade = models.BooleanField(default=False)
    date_creation = models.DateField(null=True, blank=True)
    date_registre = models.DateField(null=True, blank=True)
    forme_juridique = models.CharField(max_length=4000, null=True, blank=True)
    numero_registre_commerce = models.CharField(max_length=50, null=True, blank=True)
    numero_fiscale = models.CharField(max_length=100, null=True, blank=True)
    statut_registre = models.CharField(max_length=4000, null=True, blank=True)
```

```

nom_anterieur = models.CharField(max_length=100)

commentaire = models.TextField()

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportdonneesenregistrement_set', null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportdonneesenregistrement_set', null=True, blank=True)

```

class Meta:

```

    db_table = 'report_donneesenregistrement'

```

Modèle `ReportExpenses`

```

class ReportExpenses(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    interet_charges_assimilee_dette_interbancaire = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    interet_charge_assimilee_dette_clientele = models.DecimalField(max_digits=100,
decimal_places=5)

    interet_charge_assimilee_titre_creance = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

    chargesc_compte_bloque_dactionnaire_emprunt_sub = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    autres_interets_charges_assimilee = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

    charges_sur_op_credit_bail_assimile = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

    commissions = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

```

```
charges_sur_titre_placement = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

charges_sur_operation_change = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

charges_sur_operation_hors_bilan = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

frais_divers_exploitation_bancaire = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

achat_marchandises = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

stocks_vendus = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

variations_stocks_marchanides = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

frais_personnel = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_frais_generaux = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dotations_amortissement_provision_immobilisation = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

solde_perte_creance_hors_bilan = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

excedent_dotation_reprises_fonds_pour_risque_bancaire_generaux =
models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

charges_exceptionnelle = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

pertes_exercice_anterieurs = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

impot_sur_revenu = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportexpenses_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportexpenses_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_expenses'
```

```
### Modèle `ReportGeopolitics`
```

```
class ReportGeopolitics(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    donnees_politiques = models.TextField(null=True, blank=True)
```

```
    donnees_economiques = models.TextField(null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
    efficacite = models.CharField(max_length=4, null=True, blank=True)
```

```
    etat_droit = models.CharField(max_length=4, null=True, blank=True)
```

```
    liberte_expression = models.CharField(max_length=4, null=True, blank=True)
```

```
    qualite = models.CharField(max_length=4, null=True, blank=True)
```

```
    stabilite_politique = models.CharField(max_length=4, null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportgeopolitics_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportgeopolitics_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_geopolitics'
```

```
### Modèle `ReportHistoricalAcheteur`
```

```
class ReportHistoricalAcheteur(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

nom = models.CharField(max_length=1000)

sigle = models.CharField(max_length=50)

numero_adresse = models.CharField(max_length=200)

rue_adresse = models.CharField(max_length=200)

code_postal = models.CharField(max_length=200)

telephone1 = models.CharField(max_length=300)

telephone2 = models.CharField(max_length=300)

portable = models.CharField(max_length=300)

fax = models.CharField(max_length=300)

boite_postale = models.CharField(max_length=200)

email = models.CharField(max_length=254)

site_internet = models.CharField(max_length=300, null=True, blank=True)

code_nace = models.CharField(max_length=100)

activite_principale = models.TextField()

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True)

commentaire = models.TextField()

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalacheteur_set', null=True, blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalacheteur_set', null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalacheteur_set', null=True, blank=True)

ville = models.ForeignKey('Ville', on_delete=models.CASCADE, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalacheteur'
```

```
### Modèle `ReportHistoricalActifc`
```

```
class ReportHistoricalActifc(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    capital_souscrit_non_app = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    frais_recherche_developpement = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    brevet_licence_logiciels = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    fonds_commercial = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    autres_immobilisations_incorporelles = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    terrains = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    constructions = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    materiels_et_outils = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    materiel_de_transport = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    autres_immos_corp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    immos_en_cours = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    avances_et_acptes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    participations = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    prets = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    autres = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
stocks_mp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

stocks_encours_mp = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

stocks_pf = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

stocks_encours_pf = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

stocks_encours_services = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

stocks_mses = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

avances_acptes_verses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

clients_et_cptes_rattaches = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_creances = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

valeurs_a_encaisser = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banques_cheques_postaux_caisse = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

cca = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

charges_a_repartir_et_frais_etablissement = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

primes_de_rbt = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

eca = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

eene = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

effectif = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

amortissements = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

provisions_stocks = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provisions_creances = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provisions_vmp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)
```



```

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE, null=True, blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalactifc_set', null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalactifc_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalactifc_set', null=True, blank=True)

```

class Meta:

```

    db_table = 'report_historicalactifc'

```

Modèle `ReportHistoricalAdvice`

```

class ReportHistoricalAdvice(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    points_forts = models.TextField(null=True, blank=True)

    points_faibles = models.TextField(null=True, blank=True)

    dynamisme_court_terme = models.TextField(null=True, blank=True)

    risque_potentiel_court_terme = models.TextField(null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

```

```

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricaladvice_set', null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricaladvice_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricaladvice_set', null=True, blank=True)

```

```

class Meta:

```

```

    db_table = 'report_historicaladvice'

```

```

### Modèle `ReportHistoricalAnalyseSectorielle`

```

```

class ReportHistoricalAnalyseSectorielle(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    commentaire = models.TextField(null=True, blank=True)

    impact_covid_19 = models.TextField(null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalanalysesectorielle_set', null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalanalysesectorielle_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalanalysesectorielle_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalanalysesectorielle'
```

```
### Modèle `ReportHistoricalAntecedantsJuridique`
```

```
class ReportHistoricalAntecedantsJuridique(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    dossier_faillite = models.CharField(max_length=100, null=True, blank=True)
```

```
    jugement_cour = models.CharField(max_length=100, null=True, blank=True)
```

```
    antecedant_redressement = models.CharField(max_length=100, null=True, blank=True)
```

```
    autre = models.CharField(max_length=100, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',  
on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='history_reporthistoricalantecedantsjuridique_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reporthistoricalantecedantsjuridique_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalantecedantsjuridique_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalantecedantsjuridique'
```

```
### Modèle `ReportHistoricalBanquier`
```

```
class ReportHistoricalBanquier(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom_banque = models.CharField(max_length=200, null=True, blank=True)
```

```
    numero_compte = models.CharField(max_length=500, null=True, blank=True)
```

```
    type_relation = models.CharField(max_length=200, null=True, blank=True)
```

```
    numero = models.CharField(max_length=200, null=True, blank=True)
```

```
    rue = models.CharField(max_length=200, null=True, blank=True)
```

```
    code_postal = models.CharField(max_length=200, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalbanquier_set', null=True, blank=True)
```

```
    ville = models.ForeignKey('Ville', on_delete=models.CASCADE, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalbanquier'
```

Modèle `ReportHistoricalCommande`

```
class ReportHistoricalCommande(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    notre_ref = models.CharField(max_length=100, null=True, blank=True)

    reference_client = models.CharField(max_length=100, null=True, blank=True)

    date_recept_commande = models.DateField(null=True, blank=True)

    date_rapport = models.DateField(null=True, blank=True)

    delais = models.CharField(max_length=100, null=True, blank=True)

    raison_sociale = models.CharField(max_length=100)

    type_rapport = models.CharField(max_length=100)

    credit_demande = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    credit_recommande = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    numero_adresse = models.CharField(max_length=100, null=True, blank=True)

    rue_adresse = models.CharField(max_length=200, null=True, blank=True)

    code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

    telephone = models.CharField(max_length=100, null=True, blank=True)

    email = models.CharField(max_length=100, null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

    client = models.ForeignKey('Client', on_delete=models.CASCADE)

    devise_credit = models.ForeignKey('ReportDevise', on_delete=models.CASCADE, null=True,
blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalcommande_set', null=True, blank=True)

    ville = models.ForeignKey('Ville', on_delete=models.CASCADE)
```

```
imprimer_avec_etats_fin = models.CharField(max_length=20, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalcommande'
```

```
### Modèle `ReportHistoricalCompositionAction`
```

```
class ReportHistoricalCompositionAction(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom = models.CharField(max_length=200, null=True, blank=True)
```

```
    prenom = models.CharField(max_length=200, null=True, blank=True)
```

```
    pourcentage = models.DecimalField(max_digits=100, decimal_places=5)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalcompositionaction_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reporthistoricalcompositionaction_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reporthistoricalcompositionaction_set', null=True, blank=True)
```

```
class Meta:
```

```
db_table = 'report_historicalcompositionaction'
```

```
### Modèle `ReportHistoricalCompositionCapitalSocial`
```

```
class ReportHistoricalCompositionCapitalSocial(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    emis = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    publie = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    libere = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    devise = models.ForeignKey('ReportDevise', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalcompositioncapitalsocial_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reporthistoricalcompositioncapitalsocial_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reporthistoricalcompositioncapitalsocial_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalcompositioncapitalsocial'
```

Modèle `ReportHistoricalCompteFinancier`

```
class ReportHistoricalCompteFinancier(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    cabinet = models.CharField(max_length=200, null=True, blank=True)
```

```
    requis_pour_deposer = models.CharField(max_length=200, null=True, blank=True)
```

```
    credibilite_cabinet = models.CharField(max_length=200, null=True, blank=True)
```

```
    source = models.CharField(max_length=200, null=True, blank=True)
```

```
    presentation = models.CharField(max_length=200, null=True, blank=True)
```

```
    date_compte = models.DateField(null=True, blank=True)
```

```
    date_fin = models.DateField(null=True, blank=True)
```

```
    date_compte_n_moins_un = models.DateField(null=True, blank=True)
```

```
    date_fin_n_moins_un = models.DateField(null=True, blank=True)
```

```
    date_compte_n_moins_deux = models.DateField(null=True, blank=True)
```

```
    date_fin_n_moins_deux = models.DateField(null=True, blank=True)
```

```
    type_compte = models.CharField(max_length=200, null=True, blank=True)
```

```
    devise = models.CharField(max_length=20, null=True, blank=True)
```

```
    type_bilan = models.CharField(max_length=255, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalcomptefinancier_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```



```

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalcomptefinancier_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalcomptefinancier_set', null=True, blank=True)

```

```

class Meta:

```

```

    db_table = 'report_historicalcomptefinancier'

```

```

### Modèle `ReportHistoricalConditionAchat`

```

```

class ReportHistoricalConditionAchat(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    les_clients = models.TextField(null=True, blank=True)

    fournisseur = models.TextField(null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalconditionachat_set', null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalconditionachat_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalconditionachat_set', null=True, blank=True)

```

```

class Meta:

```

```
db_table = 'report_historicalconditionachat'
```

```
### Modèle `ReportHistoricalConditionDeVente`
```

```
class ReportHistoricalConditionDeVente(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    recouvrement_de_dette_jugement = models.CharField(max_length=255)
```

```
    comportement_de_paiement = models.CharField(max_length=255)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalconditiondevente_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reporthistoricalconditiondevente_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reporthistoricalconditiondevente_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalconditiondevente'
```

```
### Modèle `ReportHistoricalConseilAdministration`
```

```
class ReportHistoricalConseilAdministration(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

nom = models.CharField(max_length=100, null=True, blank=True)

fonction_dans_le_conseil = models.CharField(max_length=100, null=True, blank=True)

numero_adresse = models.CharField(max_length=200, null=True, blank=True)

rue_adresse = models.CharField(max_length=200, null=True, blank=True)

code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

commentaire = models.TextField()

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalconseiladministration_set', null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalconseiladministration_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalconseiladministration_set', null=True, blank=True)

```

```
class Meta:
```

```
    db_table = 'report_historicalconseiladministration'
```

```
### Modèle `ReportHistoricalDonneesEnregistrement`
```

```
class ReportHistoricalDonneesEnregistrement(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```

deleted_by_cascade = models.BooleanField(default=False)
date_creation = models.DateField(null=True, blank=True)
date_registre = models.DateField(null=True, blank=True)
forme_juridique = models.CharField(max_length=4000, null=True, blank=True)
numero_registre_commerce = models.CharField(max_length=50, null=True, blank=True)
numero_fiscale = models.CharField(max_length=100, null=True, blank=True)
statut_registre = models.CharField(max_length=4000, null=True, blank=True)
nom_anterieur = models.CharField(max_length=100)
commentaire = models.TextField()
history_id = models.IntegerField()
history_date = models.DateTimeField()
history_change_reason = models.CharField(max_length=100, null=True, blank=True)
history_type = models.CharField(max_length=1)
acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)
couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)
history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricaldonneesenregistrement_set', null=True, blank=True)
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricaldonneesenregistrement_set', null=True, blank=True)
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricaldonneesenregistrement_set', null=True, blank=True)

class Meta:
    db_table = 'report_historicaldonneesenregistrement'

```

Modèle `ReportHistoricalGeopolitics`

```

class ReportHistoricalGeopolitics(models.Model):
    id = models.BigAutoField(primary_key=True)

```

```

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

stabilite_politique = models.CharField(max_length=4, null=True, blank=True)

etat_droit = models.CharField(max_length=4, null=True, blank=True)

efficacite = models.CharField(max_length=4, null=True, blank=True)

qualite = models.CharField(max_length=4, null=True, blank=True)

liberte_expression = models.CharField(max_length=4, null=True, blank=True)

donnees_politiques = models.TextField(null=True, blank=True)

donnees_economiques = models.TextField(null=True, blank=True)

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_report_historicalgeopolitics_set', null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_report_historicalgeopolitics_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_report_historicalgeopolitics_set', null=True, blank=True)

```

```

class Meta:

```

```

    db_table = 'report_historicalgeopolitics'

```

```

### Modèle `ReportHistoricalPassifc`

```

```

class ReportHistoricalPassifc(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

```

```

    deleted = models.DateTimeField(null=True, blank=True)

```

```
deleted_by_cascade = models.BooleanField(default=False)

capital_social = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

primes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

ecarts_de_reevaluation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

reserve = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

report_a_nouveau = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

resultat_exercice = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

subv_invest = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

provision_regl = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

emprunts = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dette_credit_bail_contrat_assimile = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dettes_financiere_diverses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provision_financiere_risque_charge = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dettes_fournisseurs_divers = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

avance_et_acomptes_recu = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dettes_fiscales_sociales = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

banques_credit_escompte = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banque_credit_caisse = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banques_decouvert = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

ecart_conversion_passif = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

history_id = models.IntegerField()
```

```

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE, null=True, blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalpassifc_set', null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalpassifc_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalpassifc_set', null=True, blank=True)

class Meta:

    db_table = 'report_historicalpassifc'

```

Modèle `ReportHistoricalProprieteEtActif`

```

class ReportHistoricalProprieteEtActif(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    branche = models.CharField(max_length=255, null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalproprieteetactif_set', null=True, blank=True)

```

```

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalproprieteetactif_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalproprieteetactif_set', null=True, blank=True)

```

class Meta:

```

    db_table = 'report_historicalproprieteetactif'

```

Modèle `ReportHistoricalResponsableAcheteur`

```

class ReportHistoricalResponsableAcheteur(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    nom = models.CharField(max_length=50, null=True, blank=True)

    prenom = models.CharField(max_length=50, null=True, blank=True)

    sexe = models.CharField(max_length=20, null=True, blank=True)

    poste = models.CharField(max_length=100, null=True, blank=True)

    nationalite = models.CharField(max_length=100, null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    commentaire = models.TextField(null=True, blank=True)

    history_id = models.IntegerField()

    history_date = models.DateTimeField()

    history_change_reason = models.CharField(max_length=100, null=True, blank=True)

    history_type = models.CharField(max_length=1)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalresponsableacheteur_set', null=True, blank=True)

```



```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reporthistoricalresponsableacheteur_set', null=True, blank=True)  
  
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)  
  
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalresponsableacheteur_set', null=True, blank=True)
```

```
class Meta:
```

```
db_table = 'report_historicalresponsableacheteur'
```

```
### Modèle `ReportHistoricalResultatc`
```

```
class ReportHistoricalResultatc(models.Model):
```

```
id = models.BigAutoField(primary_key=True)
```

```
deleted = models.DateTimeField(null=True, blank=True)
```

```
deleted_by_cascade = models.BooleanField(default=False)
```

```
vente_de_mdscs = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
ventes_de_produits_fabriques = models.DecimalField(max_digits=100, decimal_places=5,  
null=True, blank=True)
```

```
travaux_services_vendus = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
produit_accessoires = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
production_imblise = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
subventions_exploitations = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
production_stockee = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
reprises_de_provision = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
transferts_charges = models.DecimalField(max_digits=100, decimal_places=5, null=True,  
blank=True)
```

```
autres_produits = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
achat_mdscs = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
variation_stock_mdses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

achat_mp_autres_appro = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

var_stk_mp_app = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_achats = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

variation_de_stocks_autres_appro = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

transports = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

services_ext = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

impots_taxes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_charges_valeur_ajoutee = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

charges_personnel = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dotation_aux_amorts = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dotation_aux_provisions = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_charges_excedent_brute = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

revenus_fin_assimiles = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

prof_vmp_et_cre_actif_immo = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

interets_produit_assim = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

reprise_prov_et_transfert = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

diff_positive_de_change = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

prod_nets_cessions_vmp = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dap = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

frais_fin_charges_assi = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)
```

```
diff_negatives_de_change = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

ch_nettes_cessions_vmp = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

sur_op_gestion_prod_except = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

sur_op_en_capital_prod_except = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

reprise_prov_transfert = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

sur_op_gestion_charg_except = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

sur_op_en_capital_charg_except = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dap_et_transfert_charg_except = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

participation_salairies = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

impot_sur_benefices = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE, null=True, blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalresultatc_set', null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalresultatc_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalresultatc_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalresultatc'
```

```
### Modèle `ReportHistoricalResume`
```

```
class ReportHistoricalResume(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    capital_social = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)
```

```
    chiffre_affaire = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)
```

```
    resultat_net = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)
```

```
    capitaux_propre = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)
```

```
    nombre_employe = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)
```

```
    date_creation = models.DateField(null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    devise = models.ForeignKey('ReportDevise', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalresume_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reporthistoricalresume_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalresume_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalresume'
```

```
### Modèle `ReportHistoricalRiskManagment`
```

```
class ReportHistoricalRiskManagment(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    professionalisme = models.CharField(max_length=20, null=True, blank=True)
```

```
    organisation = models.CharField(max_length=20, null=True, blank=True)
```

```
    turn_over = models.CharField(max_length=20, null=True, blank=True)
```

```
    greve = models.CharField(max_length=20, null=True, blank=True)
```

```
    degradation_qualite = models.CharField(max_length=20, null=True, blank=True)
```

```
    non_respect_condition = models.CharField(max_length=20, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',  
on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='history_reporthistoricalriskmanagment_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reporthistoricalriskmanagment_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalriskmanagment_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalriskmanagment'
```

```
### Modèle `ReportHistoricalRiskRating`
```

```
class ReportHistoricalRiskRating(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    remboursabilite = models.BooleanField(default=False)
```

```
    situation_liquidite = models.BooleanField(default=False)
```

```
    performance_rentabilite = models.BooleanField(default=False)
```

```
    perspective_secteur = models.BooleanField(default=False)
```

```
    qualite_information_analyse = models.BooleanField(default=False)
```

```
    existence_garantie = models.BooleanField(default=False)
```

```
    terme_financier_duree_pret = models.BooleanField(default=False)
```

```
    mesure_propre_soutenir_credit = models.BooleanField(default=False)
```

```
    interpretation = models.TextField(null=True, blank=True)
```

```
    analyse = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='history_reporthistoricalriskrating_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reporthistoricalriskrating_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalriskrating_set', null=True, blank=True)
```

```
class Meta:
```

```
db_table = 'report_historicalriskrating'
```

```
### Modèle `ReportHistoricalScoring`
```

```
class ReportHistoricalScoring(models.Model):
```

```
id = models.BigAutoField(primary_key=True)
```

```
deleted = models.DateTimeField(null=True, blank=True)
```

```
deleted_by_cascade = models.BooleanField(default=False)
```

```
score = models.CharField(max_length=4, null=True, blank=True)
```

```
commentaire = models.TextField(null=True, blank=True)
```

```
history_id = models.IntegerField()
```

```
history_date = models.DateTimeField()
```

```
history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
history_type = models.CharField(max_length=1)
```

```
acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,  
blank=True)
```

```
annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE, null=True, blank=True)
```

```
history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='history_reporthistoricalscoring_set', null=True, blank=True)
```

```
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reporthistoricalscoring_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reporthistoricalscoring_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalsoring'
```

```
### Modèle `ReportHistoricalSommaireEtAvis`
```

```
class ReportHistoricalSommaireEtAvis(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    history_id = models.IntegerField()
```

```
    history_date = models.DateTimeField()
```

```
    history_change_reason = models.CharField(max_length=100, null=True, blank=True)
```

```
    history_type = models.CharField(max_length=1)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='history_reporthistoricalsommaireetavis_set', null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reporthistoricalsommaireetavis_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reporthistoricalsommaireetavis_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_historicalsommaireetavis'
```

```
### Modèle `ReportHistoricalStructure`
```

```
class ReportHistoricalStructure(models.Model):
```



```

id = models.BigAutoField(primary_key=True)

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

nom = models.CharField(max_length=200, null=True, blank=True)

type_affiliation = models.CharField(max_length=100, null=True, blank=True)

numero_adresse = models.CharField(max_length=200, null=True, blank=True)

rue_adresse = models.CharField(max_length=200, null=True, blank=True)

code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

commentaire = models.TextField(null=True, blank=True)

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricalstructure_set', null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricalstructure_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricalstructure_set', null=True, blank=True)

class Meta:

    db_table = 'report_historicalstructure'

```

```

### Modèle `ReportHistoricalTendance`

```

```

class ReportHistoricalTendance(models.Model):

```

```

id = models.BigAutoField(primary_key=True)

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

plus_informations = models.CharField(max_length=100)

presse_media = models.CharField(max_length=100)

alarmes = models.CharField(max_length=100)

principaux_concurrent = models.TextField()

commentaire = models.TextField()

history_id = models.IntegerField()

history_date = models.DateTimeField()

history_change_reason = models.CharField(max_length=100, null=True, blank=True)

history_type = models.CharField(max_length=1)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

history_user = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='history_reporthistoricaltendance_set', null=True, blank=True)

avis_commercial = models.ForeignKey('ReportAvisCommercial', on_delete=models.CASCADE,
null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporthistoricaltendance_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporthistoricaltendance_set', null=True, blank=True)

class Meta:

    db_table = 'report_historicaltendance'

```

Modèle `ReportLiabilities`

```

class ReportLiabilities(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

```

```
deleted_by_cascade = models.BooleanField(default=False)

tresorerie_ccp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_etablissement_credit = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

a_terme = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

comptes_epargne_court_terme = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

comptes_epargne_terme = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

bons_caisse = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_dette_a_vue = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_dette_a_terme = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

titres_creance_autres_dettes = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

compte_dordre_divers = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provision_pour_risque_charge = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

provision_reglementee = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

emprunt_subordonne_tire_emis = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

subventions_investissement = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

fonds_affecte = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

fonds_pour_risque_bancaire_generaux = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

capital_ou_dotation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

primes_liees_reserve_capital = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

ecarts_reevaluation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

benefices_non_distribue = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)
```

```
resultat_net_exercice = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportliabilities_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportliabilities_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_liabilities'
```

```
### Modèle `ReportListeComportementsPaiement`
```

```
class ReportListeComportementsPaiement(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    libelle = models.TextField()
```

```
class Meta:
```

```
    db_table = 'report_listecomportementspaiement'
```

```
### Modèle `ReportListeConditionAchat`
```

```
class ReportListeConditionAchat(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
nom = models.CharField(max_length=100)
```

```
class Meta:
```

```
    db_table = 'report_listeconditionachat'
```

```
### Modèle `ReportListeConditionVente`
```

```
class ReportListeConditionVente(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom = models.CharField(max_length=100)
```

```
class Meta:
```

```
    db_table = 'report_listeconditionvente'
```

```
### Modèle `ReportListeImportation`
```

```
class ReportListeImportation(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    libelle = models.TextField()
```

```
class Meta:
```

```
    db_table = 'report_listeimportation'
```

```
### Modèle `ReportListeInformationsAvisCommercial`
```

```
class ReportListeInformationsAvisCommercial(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
deleted = models.DateTimeField(null=True, blank=True)
deleted_by_cascade = models.BooleanField(default=False)
libelle = models.TextField()
couleur = models.CharField(max_length=20)
```

```
class Meta:
```

```
    db_table = 'report_listeinformationsaviscommercial'
```

```
### Modèle `ReportListeInformationsRating`
```

```
class ReportListeInformationsRating(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
    deleted = models.DateTimeField(null=True, blank=True)
    deleted_by_cascade = models.BooleanField(default=False)
    libelle = models.TextField()
    couleur = models.CharField(max_length=10)
```

```
class Meta:
```

```
    db_table = 'report_listeinformationsrating'
```

```
### Modèle `ReportLocaux`
```

```
class ReportLocaux(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
    deleted = models.DateTimeField(null=True, blank=True)
    deleted_by_cascade = models.BooleanField(default=False)
    nom = models.CharField(max_length=100)
```

```
class Meta:
```

```
    db_table = 'report_locaux'
```

Modèle `ReportMailAttachment`

```
class ReportMailAttachment(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    upload = models.CharField(max_length=10000)
```

```
    mailinfo = models.ForeignKey('ReportMailInfo', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_mailattachment'
```

Modèle `ReportMailInfo`

```
class ReportMailInfo(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    date_sent = models.DateTimeField()
```

```
    user = models.ForeignKey('auth.User', on_delete=models.CASCADE)
```

```
    success = models.BooleanField(default=False)
```

```
class Meta:
```

```
    db_table = 'report_mailinfo'
```

Modèle `ReportMailInfoCommands`

```
class ReportMailInfoCommands(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    mailinfo = models.ForeignKey('ReportMailInfo', on_delete=models.CASCADE)
```

```
    commande = models.ForeignKey('ReportCommande', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_mailinfo_commands'
```

Modèle `ReportOffBalanceSheet`

```
class ReportOffBalanceSheet(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    en_faveur_des_ets_credit = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    en_faveur_clientele = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    pour_compte_ets_credit = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    pour_compte_clientele = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    engagement_sur_titre = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    recu_ets_credit = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    recu_ets_credit2 = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    recu_clientele = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    engagement_sur_titre2 = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportoffbalancesheet_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportoffbalancesheet_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_offbalancesheet'
```


Modèle `ReportOperationEtHistorique`

```
class ReportOperationEtHistorique(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    commentaire_ratios = models.CharField(max_length=10000000, null=True, blank=True)

    description_complete_activite = models.CharField(max_length=10000000, null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    historique = models.TextField(null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportoperationethistorique_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportoperationethistorique_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_operationethistorique'
```

Modèle `ReportOperationEtHistoriqueImportation`

```
class ReportOperationEtHistoriqueImportation(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)

    operationethistorique = models.ForeignKey('ReportOperationEtHistorique',
on_delete=models.CASCADE)

    listeimportation = models.ForeignKey('ReportListeImportation', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_operationethistorique_importation'
```

Modèle `ReportPassifa`

```
class ReportPassifa(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    capital_reserves = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    capital_declare = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    benefices_non_distribues = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    pret_bancaire = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    compte_courant_administrateurs = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    dettes_commerciales_autres_dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    decouvert_bancaire = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    impots = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportpassifa_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportpassifa_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_passifa'
```

Modèle `ReportPassifc`

```
class ReportPassifc(models.Model):
```

```
id = models.BigAutoField(primary_key=True)

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

capital_social = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

primes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

ecarts_de_reevaluation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

reserve = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

report_a_nouveau = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

resultat_exercice = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

subv_invest = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

provision_regl = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

emprunts = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dette_credit_bail_contrat_assimile = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dettes_financiere_diverses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provision_financiere_risque_charge = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dettes_fournisseurs_divers = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

avance_et_acomptes_recu = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dettes_fiscales_sociales = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

banques_credit_escompte = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banque_credit_caisse = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banques_decouvert = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)
```

```
ecart_conversion_passif = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportpassifc_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportpassifc_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_passifc'
```

```
### Modèle `ReportPassifs`
```

```
class ReportPassifs(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    capital = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    capital_non_appele_apporteurs = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    primes_liees_capital_social = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    ecart_reevaluation = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    reserves_indisponibles = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    reserves_libres = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    report_nouveau = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    resultat_net_exercice = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
subventions_investissements = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provisions_reglees = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

emprunts_dettes_financieres_diverse = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dettes_location_vente = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

provisions_risques_charges = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

passif_circulant_hao = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

clients_avances_recues = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

fournisseurs_exploitation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dettes_fiscales_sociales = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_dettes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

provisions_risques_court_terme = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

banques_credit_escompte = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

banques_etablisements_financiers_credit_caisse = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

ecart_conversion_passif = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportpassifs_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportpassifs_set', null=True, blank=True)
```

```
class Meta:

    db_table = 'report_passifs'
```

Modèle `ReportPays`

```
class ReportPays(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    nom = models.CharField(max_length=50)

    code = models.CharField(max_length=10)

    afficher_au_dashboard = models.BooleanField(default=False)
```

```
class Meta:

    db_table = 'report_pays'
```

Modèle `ReportProducts`

```
class ReportProducts(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    interets_produit_assimile_sur_pret_avance_interbancaire = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    ineterets_produit_assimile_pret_avance_clientele = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    interet_produit_sur_titre_dinvestissement = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    revenu_gains_titre_pret_titre_subordonne = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    autres_interets_produits_assimiles = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)
```

```
produits_leasing_operation_connexes = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

commissions = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

revenus_titre_negociable = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dividendes_produits_assimiles = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

revenus_operation_de_change = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

produits_operations_hors_bilan = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

produits_bancaire_divers = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

marges_vente = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

ventes_marchandises = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

variation_stocks_marchandises = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

produit_dexploitation_generale = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

reprise_damortissement_provisions_sur_immobilisation = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

solde_resultat_correction_valeur_sur_creance_hors_bilan = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

excedent_reprise_fonds_pour_risque_bancaire_generaux = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

produits_exceptionnels = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

benefice_sur_exercice_anterieur = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

perte = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportproducts_set', null=True, blank=True)
```

```
updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportproducts_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_products'
```

```
### Modèle `ReportProprieteEtActif`
```

```
class ReportProprieteEtActif(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    branche = models.CharField(max_length=255, null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportproprieteetactif_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportproprieteetactif_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_proprieteetactif'
```

```
### Modèle `ReportProprieteEtActifLocaux`
```

```
class ReportProprieteEtActifLocaux(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    proprieteetactif = models.ForeignKey('ReportProprieteEtActif', on_delete=models.CASCADE)
```

```
    locaux = models.ForeignKey('ReportLocaux', on_delete=models.CASCADE)
```



```
class Meta:
```

```
    db_table = 'report_proprieteetactif_locaux'
```

```
### Modèle `ReportRapportTelecharger`
```

```
class ReportRapportTelecharger(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    download_at = models.DateTimeField()
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
    downloaded_by = models.ForeignKey('auth.User', on_delete=models.CASCADE)
```

```
    type_rapport = models.CharField(max_length=5, null=True, blank=True)
```

```
    ref_commande_acremac = models.CharField(max_length=255, null=True, blank=True)
```

```
    ref_commande_client = models.CharField(max_length=255, null=True, blank=True)
```

```
    pays_acheteur = models.CharField(max_length=255, null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_rapporttelecharger'
```

```
### Modèle `ReportReferer`
```

```
class ReportReferer(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    source = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE,  
related_name='source_set')
```

```
    target = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE,  
related_name='target_set')
```

```
class Meta:
```

```
    db_table = 'report_referer'
```

Modèle `ReportResponsableAcheteur`

```
class ReportResponsableAcheteur(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    nom = models.CharField(max_length=50)

    prenom = models.CharField(max_length=50)

    sexe = models.CharField(max_length=20, null=True, blank=True)

    poste = models.CharField(max_length=100)

    nationalite = models.CharField(max_length=100)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    commentaire = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportresponsableacheteur_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportresponsableacheteur_set', null=True, blank=True)


class Meta:

    db_table = 'report_responsableacheteur'
```

Modèle `ReportResultata`

```
class ReportResultata(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)
```

```

deleted_by_cascade = models.BooleanField(default=False)

produits_activites_ordinaires = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

ventes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

charges_exploitation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

frais_vente_generaux_administratifs = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

autres_revenus = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

frais_financier = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

charge_impot_sur_revenu = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_elements_resultat_global = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportresultata_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportresultata_set', null=True, blank=True)

class Meta:

    db_table = 'report_resultata'

```

Modèle `ReportResultatc`

```

class ReportResultatc(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    vente_de_mdscs = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

```

```
ventes_de_produits_fabriques = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

travaux_services_vendus = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

produit_accessoires = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

production_imblise = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

subventions_exploitations = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

production_stockee = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

reprises_de_provision = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

transferts_charges = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_produits = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

achat_mdses = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

variation_stock_mdses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

achat_mp_autres_appro = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

var_stk_mp_app = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_achats = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

variation_de_stocks_autres_appro = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

transports = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

services_ext = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

impots_taxes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_charges_valeur_ajoutee = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

charges_personnel = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

dotation_aux_amorts = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)
```

dotation_aux_provisions = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_charges_excedent_brute = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

revenus_fin_assimiles = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

prof_vmp_et_cre_actif_immo = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

interets_produit_assim = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

reprise_prov_et_transfert = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

diff_positive_de_change = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

prod_nets_cessions_vmp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dap = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

frais_fin_charges_assi = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

diff_negatives_de_change = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

ch_nettes_cessions_vmp = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

sur_op_gestion_prod_except = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

sur_op_en_capital_prod_except = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

reprise_prov_transfert = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

sur_op_gestion_charg_except = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

sur_op_en_capital_charg_except = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

dap_et_transfert_charg_except = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

participation_salairies = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

```
    impot_sur_benefices = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportresultatc_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportresultatc_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_resultatc'
```

```
### Modèle `ReportResultats`
```

```
from django.db import models
```

```
class ReportResultats(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    ventes_marchandises_a = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    achats_marchandises = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    variation_stock_marchandises = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    ventes_produits_manufactures = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    travaux_services_vendus_c = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
    produits_accessoires_d = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)
```

```
production_stockee = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

production_immobilisee = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

subvention_exploitation = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

autres_produits = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

transfert_charges_exploitation = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

achats_materieres_premieres_fournitures_connexes = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

variation_stock_materieres_premieres_fournitures_connexes =
models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_achats = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

variation_stock_autres_fournitures = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

transport = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

services_exterieurs = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

impots_taxes = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

autres_depenses = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

frais_personnel = models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

reprise_depreciations_amortissements_provision_pertes_valeurs_p =
models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

reprise_depreciations_amortissements_provision_pertes_valeurs_m =
models.DecimalField(max_digits=100, decimal_places=5, null=True, blank=True)

produits_financiers_assimiles = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

reprise_provision_perte_valeur = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

transfert_charges_financieres = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

charges_financieres_assimilees = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

dotations_provisions_depreciations_financieres = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)
```

```

    produits_cession_immobilisations = models.DecimalField(max_digits=100, decimal_places=5,
null=True, blank=True)

    autres_produits_hao = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    valeur_comptable_cessions_actifs_immobilises = models.DecimalField(max_digits=100,
decimal_places=5, null=True, blank=True)

    autres_charges_hao = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    participation_travailleurs = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    charge_impot_revenu = models.DecimalField(max_digits=100, decimal_places=5, null=True,
blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)

    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportresultats_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportresultats_set', null=True, blank=True)

class Meta:

    db_table = 'report_resultats'

### Modèle `ReportResume`

class ReportResume(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    capital_social = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)

    chiffre_affaire = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)

    resultat_net = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)

    capitaux_propre = models.DecimalField(max_digits=100, decimal_places=0, null=True, blank=True)

```



```

    nombre_employe = models.DecimalField(max_digits=100, decimal_places=0, null=True,
blank=True)

    date_creation = models.DateField(null=True, blank=True)

    commentaire = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

    devise = models.ForeignKey('ReportDevise', on_delete=models.CASCADE, null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportresume_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportresume_set', null=True, blank=True)

```

class Meta:

```

    db_table = 'report_resume'

```

Modèle `ReportRiskManagment`

```

class ReportRiskManagment(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    professionalisme = models.CharField(max_length=20, null=True, blank=True)

    organisation = models.CharField(max_length=20, null=True, blank=True)

    turn_over = models.CharField(max_length=20, null=True, blank=True)

    greve = models.CharField(max_length=20, null=True, blank=True)

    degradation_qualite = models.CharField(max_length=20, null=True, blank=True)

    non_respect_condition = models.CharField(max_length=20, null=True, blank=True)

    commentaire = models.TextField(null=True, blank=True)

```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire', on_delete=models.CASCADE, null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='created_reportriskmanagment_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE, related_name='updated_reportriskmanagment_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_riskmanagment'
```

```
### Modèle `ReportRiskRating`
```

```
class ReportRiskRating(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    remboursabilite = models.BooleanField(default=False)
```

```
    situation_liquidite = models.BooleanField(default=False)
```

```
    performance_rentabilite = models.BooleanField(default=False)
```

```
    perspective_secteur = models.BooleanField(default=False)
```

```
    qualite_information_analyse = models.BooleanField(default=False)
```

```
    existence_garantie = models.BooleanField(default=False)
```

```
    terme_financier_duree_pret = models.BooleanField(default=False)
```

```
    mesure_propre_soutenir_credit = models.BooleanField(default=False)
```

```
    interpretation = models.TextField(null=True, blank=True)
```

```
    analyse = models.TextField(null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True, blank=True)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportriskrating_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportriskrating_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_riskrating'
```

```
### Modèle `ReportScoring`
```

```
class ReportScoring(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    score = models.CharField(max_length=4, null=True, blank=True)
```

```
    commentaire = models.TextField(null=True, blank=True)
```

```
    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE)
```

```
    annee = models.ForeignKey('ReportAnnee', on_delete=models.CASCADE)
```

```
    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)
```

```
    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='created_reportscoring_set', null=True, blank=True)
```

```
    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)
```

```
    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,  
related_name='updated_reportscoring_set', null=True, blank=True)
```

```
class Meta:
```

```
    db_table = 'report_scoring'
```

```
### Modèle `ReportSommaireEtAvis`
```

```
class ReportSommaireEtAvis(models.Model):
```

```

id = models.BigAutoField(primary_key=True)

deleted = models.DateTimeField(null=True, blank=True)

deleted_by_cascade = models.BooleanField(default=False)

commentaire = models.TextField(null=True, blank=True)

acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportsommaireetavis_set', null=True, blank=True)

updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportsommaireetavis_set', null=True, blank=True)


class Meta:

    db_table = 'report_sommaireetavis'

```

Modèle `ReportStructure`

```

class ReportStructure(models.Model):

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    nom = models.CharField(max_length=200, null=True, blank=True)

    type_affiliation = models.CharField(max_length=100, null=True, blank=True)

    numero_adresse = models.CharField(max_length=200, null=True, blank=True)

    rue_adresse = models.CharField(max_length=200, null=True, blank=True)

    code_postale_adresse = models.CharField(max_length=200, null=True, blank=True)

    commentaire = models.TextField(null=True, blank=True)

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

```

```

    couleur_commentaire = models.ForeignKey('ReportCouleurCommentaire',
on_delete=models.CASCADE, null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reportstructure_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reportstructure_set', null=True, blank=True)

```

```

class Meta:

```

```

    db_table = 'report_structure'

```

```

### Modèle `ReportTendance`

```

```

class ReportTendance(models.Model):

```

```

    id = models.BigAutoField(primary_key=True)

    deleted = models.DateTimeField(null=True, blank=True)

    deleted_by_cascade = models.BooleanField(default=False)

    plus_informations = models.CharField(max_length=100)

    presse_media = models.CharField(max_length=100)

    alarmes = models.CharField(max_length=100)

    principaux_concurrent = models.TextField()

    commentaire = models.TextField()

    acheteur = models.ForeignKey('ReportAcheteur', on_delete=models.CASCADE, null=True,
blank=True)

    avis_commercial = models.ForeignKey('ReportAvisCommercial', on_delete=models.CASCADE,
null=True, blank=True)

    created_at = models.DateTimeField(auto_now_add=True, null=True, blank=True)

    created_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='created_reporttendance_set', null=True, blank=True)

    updated_at = models.DateTimeField(auto_now=True, null=True, blank=True)

    updated_by = models.ForeignKey('auth.User', on_delete=models.CASCADE,
related_name='updated_reporttendance_set', null=True, blank=True)

```

```
class Meta:

    db_table = 'report_tendance'
```

```
### Modèle `ReportUser`
```

```
class ReportUser(AbstractUser):

    phone = models.CharField(max_length=100, null=True, blank=True)
    address = models.CharField(max_length=100, null=True, blank=True)
    is_client = models.BooleanField(default=False)
    email_cc = models.CharField(max_length=1000, null=True, blank=True)
```

```
class Meta:

    db_table = 'report_user'
```

```
### Modèle `ReportUserAffectation`
```

```
class ReportUserAffectation(models.Model):

    user = models.ForeignKey('ReportUser', on_delete=models.CASCADE)
    pays = models.ForeignKey('ReportPays', on_delete=models.CASCADE)
```

```
class Meta:

    db_table = 'report_user_affectation'
```

```
### Modèle `ReportUserAffectationPossible`
```

```
class ReportUserAffectationPossible(models.Model):

    user = models.ForeignKey('ReportUser', on_delete=models.CASCADE)
    pays = models.ForeignKey('ReportPays', on_delete=models.CASCADE)
```

```
class Meta:
```

```
db_table = 'report_user_affectation_possible'
```

```
### Modèle `ReportUserGroups`
```

```
class ReportUserGroups(models.Model):
```

```
    user = models.ForeignKey('ReportUser', on_delete=models.CASCADE)
```

```
    group = models.ForeignKey('auth.Group', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_user_groups'
```

```
### Modèle `ReportUserUserPermissions`
```

```
class ReportUserUserPermissions(models.Model):
```

```
    user = models.ForeignKey('ReportUser', on_delete=models.CASCADE)
```

```
    permission = models.ForeignKey('auth.Permission', on_delete=models.CASCADE)
```

```
class Meta:
```

```
    db_table = 'report_user_user_permissions'
```

```
### Modèle `ReportVille`
```

```
class ReportVille(models.Model):
```

```
    id = models.BigAutoField(primary_key=True)
```

```
    deleted = models.DateTimeField(null=True, blank=True)
```

```
    deleted_by_cascade = models.BooleanField(default=False)
```

```
    nom = models.CharField(max_length=50)
```

```
    code = models.CharField(max_length=10)
```

```
    pays = models.ForeignKey('ReportPays', on_delete=models.CASCADE, null=True, blank=True)
```

```
class Meta:
```

```
db_table = 'report_ville'
```