



Client WordPress Access Setup & Verification

Brokk / Bragi workflow access · draft creation · media upload · Yoast fields · scheduling · discussion settings · REST/API verification

What this SOP does

Standardizes how NexTeam sets up and verifies WordPress access for client-specific automation accounts. This version records the completed Aquatrace verification and acts as the reusable checklist for future client onboarding.

NexTeam Studio

Internal admin checklist · secure access-first workflow · approval before publish remains locked

1. Standard access model

Use a **dedicated client-specific WordPress user** with **Application Password** authentication for REST/API workflows. Start with the **Editor** role, test the article workflow, and only raise privileges temporarily if setup proves it is necessary.

Security rules

Do not use the site owner's personal login for automation. Do not paste normal passwords into chat. Use a dedicated user, protect the Application Password, keep privileges minimal, and never publish without explicit client approval.

Required item	What to collect / verify
WordPress admin URL	Login path for site administration
Public site URL	Primary live site address
Dedicated username	Client-specific automation account
Dedicated email	Email tied to the automation account
Yoast status	Confirm Yoast SEO is installed and active
REST/API blockers	Security plugins, firewall rules, or host restrictions
Post type target	Standard Posts or custom post type
Editor environment	Gutenberg, builder, or hybrid editing environment
Permissions	Drafts, edits, media uploads, featured image, scheduling
Application Password	Generate and store securely for API use

2. Standard setup checklist

- **Phase 1 · Intake** — collect the admin URL, public site URL, Yoast status, REST/API restrictions, post type target, and editor environment.
- **Phase 2 · Dedicated user** — create a client-specific user, assign the Editor role first, keep the normal login password private, and avoid using the site owner's personal account.
- **Phase 3 · Application Password** — generate an Application Password for that user and store it only in the approved secure location.
- **Phase 4 · Permission verification** — verify draft creation, editing, media upload, featured image handling, scheduling, discussion controls, and Yoast field access.

- **Phase 5 · API verification** — confirm public /wp-json/ access, then verify authenticated REST access using the dedicated user and Application Password.
- **Phase 6 · Agent readiness** — confirm Bragi can target article draft flow and Brokk can use the same WordPress connection model later for site operations where applicable.

3. Aquatrace verification summary

Area	Status	Notes
Admin URL	Complete	https://aquatraceleak.com/wp-login
Public site URL	Complete	https://aquatraceleak.com
Dedicated user	Complete	Username: aquatrace-bragi · Name: Bragi NexTeam · Role: Editor
Yoast	Verified	Installed, active, visible, and editable
Post type + editor	Verified	Standard WordPress Posts in Gutenberg; site post layout applies automatically
Media + featured image	Verified	Uploads worked and featured image could be set successfully
Scheduling	Verified	Future-date scheduling worked successfully
Discussion controls	Verified	Comments can be closed; pingbacks & trackbacks can be disabled and settings persist
Application Password	Complete	Generated successfully and stored securely
REST/API auth	Verified	Authenticated request returned the aquatrace-bragi user profile successfully

Locked article standard for Bragi

All posts created by any Bragi agent should have comments disabled by default. Pingbacks and trackbacks should be disabled as well. Nothing publishes until the user approves.

4. Verified capability matrix

Capability	Verified	Result
Login to dashboard	Yes	Direct and incognito login both worked with the dedicated user.
Create new post draft	Yes	Posts → Add New opened successfully.
Save + reopen draft	Yes	Drafts can be saved and reopened successfully.
Upload media	Yes	Image upload succeeded.
Set featured image	Yes	Featured image assignment succeeded.

Capability	Verified	Result
Schedule post	Yes	Future date/time scheduling succeeded.
Edit Yoast fields	Yes	SEO title, meta description, and other visible Yoast fields can be edited.
Disable comments	Yes	Discussion can be set to Closed and remains saved.
Disable pingbacks / trackbacks	Yes	Unchecked successfully and persisted after save/update.
Authenticated REST access	Yes	Verified with the dedicated user + Application Password.

5. API test notes and command pattern

The first command-line tests returned **406 Not Acceptable** even though the WordPress setup was valid. Public /wp-json/ access proved the REST API was available. A later request succeeded when the command used a more browser-like request style with `Accept: application/json` and a normal User-Agent.

Recommended authenticated test

```
curl -A "Mozilla/5.0" -H "Accept: application/json" -u  
"aquatrace-bragi:PASTE_APP_PASSWORD_HERE" https://aquatraceleak.com/wp-json/wp/v2/users/me
```

Expected result: JSON for the aquatrace-bragi user profile.

Do not paste the Application Password into chat, docs, or screenshots. Store it only in the approved secure location and revoke/regenerate it if exposure is ever suspected.

Next handoff to Clawdia

Aquatrace WordPress access is now verified. Bragi can move toward real WordPress draft integration using the dedicated user, the saved Application Password, and the locked article workflow rules.

6. Reusable checklist for future clients

- Create a dedicated client-specific WordPress user first.
- Start at Editor; raise permissions only if testing proves it is necessary.
- Use an Application Password for API work instead of the normal login password.
- Verify Gutenberg or the live editor environment the workflow will target.
- Confirm Yoast or the active SEO plugin is installed, active, and editable for that user.
- Verify media upload, featured image, scheduling, and discussion controls.
- Verify authenticated REST access with a clean test before deeper automation work starts.
- Record any host-specific request quirks, such as the need for a browser-like User-Agent or specific headers.

Prepared for NexTeam internal use. This SOP is based on the completed Aquatrace setup and should be used as the starting checklist for future client WordPress access onboarding.