

USB Type B Female Connector Jacks Socket For Pcb Mount Diy





DC power jack/connector

5.5mm jack, with a 2.1mm center pole diameter.

4

5



Copper Laminated double sided board(8"X8")

Double Sided Copper Clad Laminate Circuit Board 10 x 15 cm (Glass Epoxy FR4 PCB)

PCB etching solution

Ferric chloride(FeCl3) 250gm (Solution/Powder)



Crystal Oscillator 16 MHZ Crystal Crystal Oscillator 12 MHZ Crystal 22pF Disck 22pF Capacitors 16 capacitors 100nF Ceramic 100nF Capacitor 16 capacitor(code=104)

47uF/25V Electrolyte capacitor 7805 Voltage Regulator

Electrolyte capacitor 8




Voltage regulator(

regulator(I/p=12 Max,O/p=5V) 4

10



1117 Voltage Regulator Voltage regulator(o/p=3.3V)



560 ohm Resistor


1/4 watt 560 ohm resistor



2.5 mm LED (RED&GREEN)


IC Socket for 28 pin DIP

4



mm LED 2.5 mm LED D&GREEN)

Each colour 10 no's



Single Row 40 Pin 2.54mm Single
Straight Male + Row Straight Male + 1
Female Pin Header



Push Button

Small Push button

