









# Administrator Workbench-Manage Virtues

Mockup history | RSS

## Administrator Workbench: Manage Virtues



## Admin Workbench: Managing Virtues

- "Virtue" will be highlighted in the main navigation to indicate the current location in the web app.
- When the user mouses over "Virtues" a submenu will appear giving the option to either go directly to the Virtues main page or go directly to creating a new virtue.
- Navigating to "Virtues" using the workbench menu, the default view will be the Virtues list page. When no virtues exist, a message indicating no virtues exist will act as a placeholder until virtues have been created.
- Breadcrumbs will provide the current location of where the user is in the web app.
- "Create New" button will navigate to the page where a virtue template can be created. (Please see the screens for "Create a Virtue" below)
- Default Filters will be provided. "All Virtues" will be the default filter view.
- The list of virtues
- The name of the virtue will be a link that will open a page to allow the user to view details OR modify the virtue.
- When the user hovers over the link to the virtue, an options menu will appear. This options menu is for deployed virtues.
- This options menu is for disabled virtues.
- Pagination, Paging, and Total count of virtues will be provided for the list. Paging will be disabled if there is only one page.
- The Create Virtue Page provides the user an interface to "build" a virtue template.
- Field to name the virtue template
- The "Virtual Machines" (VM) section allows the user to attach VMs to a virtue. When there are no VMs attached to the Virtue, a placeholder message will be displayed until VMs are attached. A virtue must contain at least VM to be saved.
- To add a VM, the user will click on the "Add VM" button.
- A modal window will open when the "Add VM" button has been clicked.
- The user will have the option to name the VM. If a name is not provided, a machine name will be automatically assigned to it.
- The "Add Another VM" option allows the user to add another VM without closing and reopening the modal.
- Clicking the "Add VM" button will add the VM to the virtue. If the "Add Another VM" option has not been selected, the modal window will close.
- Clicking the "Cancel" button will cancel the current operation and close the modal window. The user will lose all changes.
- After the user has added a VM to the Virtue, the VM will be listed in the table for the Virtual Machines section.
- The name of the VM will be a link to allow the user to modify the VM. An options menu will also be available to remove the VM from the virtue.

- 23. The VMs will show a list of the programs/applications that are available in the VM.
- 24. Information about the type of operating system
- 25. The "Add Another Virute" option allows the user to add another virtue without closing and reopening the "Create Virtue" page.
- 26.Clicking the "Create Virtue" button will save and create the virtue. If the "Add Another VRitue" option has not been selected, the page will redirect to the main Virtues page.
- 27. Clicking the "Cancel" button will cancel the current operation and close and redirect to the main Virtues page. The user will lose all changes.
- 28. When the user clicks on the name of the VM, a modal will open to allow the user to modify the VM
- 29. The name of the VM will be editable
- 30. Information about the operating system of the VM.
- 31. A list of the applications added to the VM will be listed.
- 32. The user will be able to remove the application using the "X" button.
- 33. More applications may be added to the VM. After an application has been selected, the user will click on "Add" to add it to the VM.
- 34. Clicking the "Save" button will save all changes to the VM.
- 35. Clicking the "Cancel" button will cancel the operation and close the modal window. All changes will be lost.

## Comments

### Add a Comment



☒ Notify project members

You can use [Mockups text formatting](#) markup.  
Ex: ***&-disabled-*** {color:#FF0000}**colored**{color} \* New lines with asterisks for bulleted lists.