NAP Data Pre-processing & Upload Guidelines (SOP)

> **Strict Pre-Processing Rule:** All files **must** be sanitized and realigned based on the **latest official Excel template**. The system will only accept post-processed files. Any unformatted, misaligned, or missing required fields will cause records to be skipped or the upload to fail.

1. Summary Checklist for Uploaders

Before uploading any NAP file, verify that:

- All columns align exactly with the official Excel template (`Provider` , `Barangay` , `Municipality` , `Province` , `Region` , `Lat` , `Lng`).
- All 7 fields are 100% populated with valid, non-empty data.
- `Provider` matches one of the registered **Wired Service Providers** in the QoS database (e.g., `PLDT` , `GLOBE` , `CONVERGE`).
- Coordinate columns (`Lat` , `Lng`) contain **clean decimal numbers only** (WGS84 format, no degree symbols, compass letters, or commas).
- Coordinates fall strictly within valid Philippine geographic boundaries (Latitude: 4.0° to 21.5° N, Longitude: 116.0° to 127.0° E).
- Latitude and Longitude values are **not inverted/swapped** (`Lat` in Col F, `Lng` in Col G).
- Location names (`Barangay` , `Municipality` , `Province` , `Region`) use standard administrative spellings without placeholder characters.
- Empty optional cells are left completely **BLANK** (no `"---"` , `"N/A"` , or `"null"` placeholders).

2. Required Fields (Mandatory Columns)

All 7 columns in the NAP template are **Mandatory Required Fields**. If any cell is blank or invalid, the record will be rejected:

Header Name	Col	Type	Description	Action Required if Missing / Invalid
`Provider`	A	Dropdown	Wired telecommunications provider	Select valid wired ISP from dropdown; do not use custom names
`Barangay`	B	Text	Barangay where the NAP is situated	Populate with official barangay name
`Municipality`	C	Text	City or Municipality of the installation	Populate with official city/municipality name
`Province`	D	Text	Province of the installation	Populate with official province name
`Region`	E	Text	Administrative Region (e.g., `Region X`)	Populate with official region name

Header Name	Col	Type	Description	Action Required if Missing / Invalid
`Lat`	F	Decimal	WGS84 Latitude coordinate	Ensure valid decimal format; delete row if coordinates unavailable
`Lng`	G	Decimal	WGS84 Longitude coordinate	Ensure valid decimal format; delete row if coordinates unavailable

Caution: If a row is missing valid geographic coordinates or location details and valid data cannot be verified, **delete the entire row** from the spreadsheet before uploading.

3. Geographic Coordinates Standardization (Lat, Lng)

Mandatory Format: WGS84 Decimal Degrees

- **Latitude Example:** `8.48222` (Valid Philippine range: 4.0 to 21.5)
- **Longitude Example:** `124.64722` (Valid Philippine range: 116.0 to 127.0)

⚠️ **Common Coordinate Errors to Avoid:**

1. **Inverted Coordinates (Swapped Lat/Lng):** Entering Longitude (~124.x) into `Lat` causes an immediate failure since latitude cannot exceed 90.0.
2. **DMS Format:** Values like `8°28'56"N` or `124°38'50"E` are **unsupported**. Convert them to decimal degrees.
3. **Leading / Trailing Whitespace:** Remove all spaces (e.g., `" 8.48222 "` → `8.48222`).

4. Numeric & Decimal Value Sanitization

Coordinate fields (`Lat` , `Lng`) must contain **clean numeric data only**:

- **No Extra Spaces:** Remove leading, trailing, or embedded spaces.
- **Use Period (.) for Decimals:** Replace commas with periods (e.g., `8,4822` → `8.4822`).
- **No Directional Letters:** Remove letters such as `N` , `S` , `E` , `W` , or degree symbols (e.g., `8.4822N` → `8.4822`).

5. Service Provider Validation

Column	Allowed Values / Standard	Action Required
`Provider`	Official Registered Wired Telco (e.g., `PLDT` , `GLOBE` , `CONVERGE` , `DITO`)	Select directly from the template dropdown list. If all records fail to match an active wired provider, the upload is aborted.

Wired vs. Wireless Discrepancy: NAP uploads only accept **Wired** service providers. If a provider in the file is categorized strictly as wireless or does not exist in the database, records for that provider will be skipped.

6. Duplicate Handling & Address Resolution

Scenario	Definition	System Action
Identical NAP Record	A NAP with the same Provider, Address (`Barangay, Municipality, Province, Region`), and coordinate already exists.	**Automatically Skipped:** The duplicate record is bypassed safely to prevent data inflation.
New Point / Updated Facility	A NAP with unique coordinates or a new address for that provider.	**Inserted:** New NAP facility is added to the spatial database.
Scheduled Processing	Upon successful batch insertion of NAP records.	**Automated Assessment:** Triggers connectivity gap assessments in the background.

7. Post-Upload Support

If your file encounters processing errors even after following this guide:

1. Check the upload status dialog in the **NAP** tab of the QoS portal.
2. Note any reported row numbers, missing provider warnings, or out-of-bounds coordinate notices.
3. Review the template alignment and field types for those specific rows.
4. Contact the system administrator with the file name and error message for further assistance.