PhilHealth's Konsultasyong Sulit at Tama (Konsulta) Implementation Guide

PKA v1.1
20220815

APPROVAL SHEET

This document along with its attachments have been approved as the Official Implementation Guide for the PhilHealth Konsulta Benefit Package.

Following approval of this document, the documents will be distributed to Health Care Institutions and HIS/EMR Service Providers for compliance to the said project.

Prepared by:

08/31/2022

NISE G. LEGASPI
Systems Analyst, AOST

Reviewed by:

08/31/22

ZIA NICOLE LLANTO
Scrum Master, AOST

Reviewed by:

8/31/22

JOCELYN S. PABLO
OIC-DC, ISMD-ITMD

Approved by:

8/31/22

NELSON S. DE VERA
ASM, ITMD

JEANIE T. BERNOLIA
ASVP-CIO, IMS

Amendment History

Version	Date	Remarks
Version 1.0	02/16/2021	Parameters for Phase 1: Konsulta Implementation
Version 1.1	08/15/2022	• Updated valid values for the parameter pDeliveryTyp under PREGHIST • Added parameter 'pOthMedDrugGrouping' under MEDICINE • Enhanced validation of parameters under MEDICINE and DIAGNOSTIC EXAM RESULTS from number to varchar • Enhanced validation of ZScore as not required

TABLE OF CONTENTS

1. INTRODUCTION *1*

2. PREPARATIONS *2*

3. PhilHealth Konsulta Application Programming Interface (API) *3*

Module 1: Authentication of Application **5**

Module 2: Konsulta Registration Validation **6**

Module 3: Konsulta Reporting **10**

4. ANNEXES *14*

Annex A: Konsulta Data Dictionary **15**

Annex B: Sample Konsulta XML Report (First Tranche) **40**

Annex C: Sample Konsulta XML Report (Second Tranche) **43**

Annex D: Guidelines for the Encryption and Decryption of XML **49**

Annex E: Non-Disclosure Agreement **51**

Annex F: Software Testing and Validation **52**

1. INTRODUCTION

Philippine Health Insurance Corporation (PhilHealth), Republic of the Philippines (2012)

Copyright to this material belongs to PhilHealth. Apart from any fair dealing for personal, academic, research or non-commercial use, no part may be reproduced without written permission of PhilHealth. PhilHealth is under no obligation to grant this permission. Please acknowledge the Philippine Health Insurance Corporation when reproducing or quoting material from this source

Important Disclaimer:
All information and content in this Material is provided in good faith by PhilHealth, and is based on sources believed to be reliable and accurate at the time of development. The Philippine Health Insurance Corporation, and their respective officers, employees and agents, do not accept legal liability or responsibility for the Material, or any consequences arising from its use.

The primary care benefit package or most commonly referred to as the PCB1 was implemented last 2012 replacing the outpatient benefit package at the time as denoted in PhilHealth Circular No. 10 s-2012 "Implementing Guidelines for Universal Health Care Primary Care Benefit I (PCB1) Package for Transition Period CY 2012-2013. The said circular initially covers members under the Sponsored Program, Organized Group and Overseas Workers Program to avail of the services through the Rural Health Units.

In October 2018, the PCB1 benefit package was expanded to members under the formal economy (private and government employees), senior citizens and lifetime members thru the PhilHealth Circular No. 17 s-2018. And with the Corporation remaining true to its mandate of providing health insurance coverage and ensure affordable, acceptable, available and accessible healthcare services for all citizens of the Philippines, the PhilHealth Konsulta Benefit Package integrates the existing Primary Care Benefit I (PCB1) and expanded Primary Care Benefit 1 (ePCB) that shall be made available for all Filipinos.

To ensure ease of availment at the point of care for all its beneficiaries, PhilHealth has partnered with existing electronic medical record (EMR) providers to automate the submission of reporting requirements necessary for the processing of provider payments. Said venture has been established through the issuance of PhilHealth Advisory 2016-0040 introducing the implementation of Electronic Medical Records for the Primary Care Benefit by January 1, 2017.

Being that more data will be required from the Konsulta providers for the Konsulta implementation, PhilHealth will be opening direct transmission of Konsulta data which will integrate or be similar with the eClaims architecture. Among the list of services which will be offered to Konsulta providers and service providers are as follows:

- **Phase I: Authentication of Application**
  - Get Token Method (GTM)

- **Phase II: Konsulta Registration Validation**
  - Member/Dependent Registration Check (MDRC)
  - Extract Registration List (ERL)
  - Authorization Transaction Code Validation (ATCV)

- **Phase III: Konsulta Reporting**
  - Validate Konsulta Report (VER)
  - Submit Konsulta Report (SER)

CERTIFIED ISO 9001:2015 COMPANY

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

Republic Act 8792 or the e-Commerce Act was signed into law on June 14, 2000, and mandated all government agencies to, among others, transact government business and perform government functions using electronic data messages or electronic documents. It therefore provides for the legal recognition of electronic documents, data messages, electronic signatures and electronic contracts. RA 8792 provides the legal framework and environment for the PhilHealth Konsulta environment.

The Konsulta Benefit Package shall be included in the PhilHealth Konsulta environment to provide an efficient and effective reporting and processing of availment for the primary care benefit.

The Konsulta system shall introduce the following features, to wit: 1) a paper-free transaction through a fully electronic and/or online submission of Konsulta report by accredited health providers; 2) online evaluation and processing of Konsulta in PhilHealth Regional and Service offices; and 3) online tracking or status verification of Konsulta availments.

This document applies to accredited Konsulta health care providers and Service Provider (SP), which will serve as conduits between PhilHealth and the HCPs and HCIs with in-house software solutions, which will provide utilities to enable access to the PhilHealth Konsulta API or PKA.

CERTIFIED ISO 9001:2015 COMPANY

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

2. PREPARATIONS

PROCEDURES ON HOW TO CONNECT TO PHILHEALTH KONSULTA API (PKA)

Step 1. Check for internet connectivity requirements

a. A good internet connection between the system of the HCP and PKA of PhilHealth is needed. HCP should have at least a bandwidth of 1mbps. HCP should have an internet connection dedicated to PKA.

Step 2. Submit the public IP address

a. HCP should have a public IP

A good internet connection between the system of the HCP and PKA of PhilHealth is needed. HCP should have at least a bandwidth of 1mbps. HCP should have an internet connection dedicated to PKA. HCP should have a public ID.

CERTIFIED ISO 9001:2015 COMPANY

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

3. PhilHealth Konsulta Application Programming Interface (API)

This section shows the PhilHealth Konsulta Application Programming Interface (API). The input and output parameters of the different methods of the web service are defined here. The different available methods are loosely grouped based the following "modules"

1. Module 1: Authentication of Application
2. Module 2: Konsulta Registration Validation
3. Module 3: Konsulta Reporting

ABOUT THE SOFTWARE CERTIFICATION ID

Starting with version 1.0 of PKA, all applications that will access the said services shall be required to be certified by PhilHealth. Each certification is targeted for a specific version of PKA. To check whether an application calling a service method of PKA is certified, the calling application should indicate the Software Certification ID issued by PhilHealth after an application has been certified.

USE OF ACCESS TOKEN

Access tokens are used in token-based authentication to allow an application to access PKA. The application receives an access token after a user successfully authenticates and authorizes access, then passes the access token as a credential when it calls the target service method. Each method call will require token included in the header request. In the header request, use "Token" for the key and the generated access token for the value.

ENCRYPTION AND DECRYPTION OF THE XML PAYLOAD DATA

For added security measures, starting with version 1.0 of PKA, HCI applications should encrypt all input parameters that are to be encoded as XML text. HCI applications should also decrypt all output parameters that are returned in XML format.

Please refer to the "Guidelines for the Encryption and Decryption of XML" included in the development kit.

CERTIFIED ISO 9001:2015 COMPANY
PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

MODULE 1: AUTHENTICATION OF APPLICATION

The Authentication Module shall contain Get Token Method (GTM) as shown below:

<table>
<tr><th>Module</th><th>Module Details</th></tr>
<tr><td rowspan="4">Module 1-A: Get Token Method (GTM)</td><td>The getToken method will allow generation of Access Token that will be used for consuming the service methods available in PKA.

This token must be included on every method request. Use “Token” for the key and the generated access token for the value.</td></tr>
<tr><td>WEB SERVICE METHOD

getToken (pUsername, pUserPassword, pSoftwareCertificationId, pHospitalCode)</td></tr>
<tr><td>PARAMETER DEFINITION

<table>
<tr><th>Name</th><th>Length (Size)</th><th>Description</th><th>Remarks</th></tr>
<tr><td>pUserName*</td><td>String(30)</td><td>User Name</td><td>To be provided by PhilHealth</td></tr>
<tr><td>pUserPassword*</td><td>String(30)</td><td>User Password</td><td>To be provided by PhilHealth</td></tr>
<tr><td>pSoftwareCertificationId*</td><td>String(30)</td><td>Software Certification ID</td><td>To be provided by PhilHealth</td></tr>
<tr><td>pHospitalCode*</td><td>String(9)</td><td>Facility Accreditation Number</td><td></td></tr>
</table>
</td></tr>
<tr><td>RESPONSE DEFINITION

<table>
<tr><th>Transaction Type</th><th>Response</th></tr>
<tr><td>Successful</td><td>Returns the Access Token to be used for consuming the service methods.</td></tr>
<tr><td>Unsuccessful</td><td>The following shall be displayed based on scenario:

<table>
<tr><th>Scenario</th><th>Resulting Response / Message</th></tr>
<tr><td>Incorrect User Name or User Password</td><td>Invalid credentials</td></tr>
<tr><td>Incorrect Software Certification ID</td><td>Software Certification ID not found</td></tr>
<tr><td>Invalid PAN</td><td>No Accreditation Record Found</td></tr>
<tr><td>Not registered user of the software</td><td>HCI is not a registered user of the certified software</td></tr>
</table>
</td></tr>
</table>
</td></tr>
</table>

MODULE 2: REGISTRATION VALIDATION

The Registration Validation Module shall contain several web service methods as shown below:

Module 2-A: Member/Dependent Registration Check (MDRC)
Module 2-B: Extract Registration List (ERL)
Module 2-C: Authorization Transaction Code Validation (ATCV)

<table>
<tr><th>Module</th><th>Module Details</th></tr>
<tr><td rowspan="4">Module 2-A: Member/ Dependent Registration Check (MDRC)</td><td>This method will check whether the member/dependent has already registered to the accredited health care provider for the current year.</td></tr>
<tr><td>WEB SERVICE METHOD

isMemberDependentRegistered (pPin, pType)</td></tr>
<tr><td>PARAMETER DEFINITION

<table>
<tr><th>Name</th><th>Length (Size)</th><th>Description</th><th>Remarks</th></tr>
<tr><td>pPIN*</td><td>String(12)</td><td>PhilHealth Identification Number – a unique 12 digit number assigned to a member or dependent.</td><td>The last character in the PIN is a modulus 11 check digit.</td></tr>
<tr><td>pType*</td><td>String(2)</td><td>• ‘MM’-Member
• ‘DD’-Dependent</td><td></td></tr>
</table>
</td></tr>
<tr><td>RESPONSE DEFINITION

<table>
<tr><th>Transaction Type</th><th>Response</th></tr>
<tr><td>Successful</td><td>Displays the message “YES” for PIN with current registration for the year.</td></tr>
<tr><td>Unsuccessful</td><td>Returns “NO’ if member/dependent PIN is invalid or not yet registered.</td></tr>
</table>
</td></tr>
<tr><td>Module 2-B: Extract Registration List (ERL)</td><td>The ERL service may be used to determine whether a member or dependent has been registered to the concerned health care provider through the resulting XML file.

To get list of all beneficiaries that are already registered to a given provider for a specified period, use the pStartDate and pEndDate parameter.</td></tr>
</table>

WEB SERVICE METHOD

extractRegistrationList (pStartDate, pEndDate)

PARAMETER DEFINITION

Name	Length (Size)	Description	Remarks
pStartDate*	Date	Starting coverage date to be used for the extraction.	Date Format should be : 'mm/dd/yyyy'
pEndDate*	Date	Ending coverage date to be used for the extraction.	Date Format should be : 'mm/dd/yyyy'

RESPONSE DEFINITION

Transaction Type	Response
Successful	Return details of the member and dependent in encrypted XML format.
Unsuccessful	The following shall be displayed based on scenario:

Scenario	Resulting Response / Message
No available record within the selected date range	No record found
Invalid PAN	No Accreditation Record Found

Module 2-C: Authorization Transaction Code Validation (ATCV)

This service will allow validation of the Authorization Transaction Code (ATC) provided by the member/dependent and ensure that ATC is valid within the date of appointment.

WEB SERVICE METHOD

isATCValid (pPIN, pATC, pEffectivityDate)

PARAMETER DEFINITION

Name	Length (Size)	Description	Remarks
pPIN*	String(12)	PhilHealth Identification Number – a unique 12 digit	The last character in the PIN is a modulus 11 check digit.

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

	number assigned to a member or dependent.		
pATC*	String(12)	Authorization Transaction Code – a unique code given to a member that is incorporated within the selected date of appointment	To be provided by the member
pEffectivityDate*	String(10)	Effectivity Date of ATC	Date Format should be : 'mm/dd/yyyy'

RESPONSE DEFINITION

Transaction Type	Response
Successful	Displays the message "YES" for Authorization Transaction Code (ATC) that is match with the PIN and Date of Effectivity.
Unsuccessful	Returns "NO" for invalid ATC.

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

MODULE 3: KONSULTA REPORTING

Module 3 of the PKA shall include the services to be used for the reporting requirements of the program. The following services shall be made available:

Module 3-A: Validate Konsulta Report (VKR)
Module 3-B: Submit Konsulta Report (SKR)

<table>
<tr><th>Module</th><th>Module Details</th></tr>
<tr><td rowspan="3">Module 3-A: Validate Konsulta Report (VKR)</td><td>This service will allow validation of the Konsulta Report without uploading the XML.</td></tr>
<tr><td>WEB SERVICE METHOD

validateReport (pReport, pReportTagging)</td></tr>
<tr><td>PARAMETER DEFINITION
<table>
<tr><th>Name</th><th>Length (Size)</th><th>Description</th><th>Remarks</th></tr>
<tr><td>pReport*</td><td>String(2MB)</td><td>Data requirements based on the defined Konsulta XML Report</td><td>See Annex A</td></tr>
<tr><td>pReportTagging*</td><td>String(1)</td><td>Tagging to identify XML report if :
• 1-first patient encounter data
• 2- first patient encounter data, consultations, diagnostic exam results and drug/medicines</td><td></td></tr>
</table></td></tr>
<tr><td></td><td>RESPONSE DEFINITION
<table>
<tr><th>Transaction Type</th><th>Response</th></tr>
<tr><td>Successful</td><td>Returns successful message. This will also return the validated Konsulta XML with an updated value in pReportStatus attributes as "V" (Validated) to indicate that the records have passed the validation based on the predefined requirements.</td></tr>
<tr><td>Unsuccessful</td><td>Returns the error message. This will also return the validated Konsulta XML with an updated value in the pReportStatus attributes as "F" (Failed), and in the pDeficiencyRemarks attributes for the error description.</td></tr>
</table></td></tr>
</table>

Module 3-B: Submit Konsulta Report (SKR)

This service will be used to submit or transmit the reporting requirements for the Konsulta based on a predefined XML format.

WEB SERVICE METHOD

submitReport (pTransmittalId, pReport, pReportTagging)

PARAMETER DEFINITION

Name	Length (Size)	Description	Remarks
pTransmittalID*	String(21)	EMR generated transmittal reference number of the report submitted	R + accreditation no (9) + date of extraction (yyyymm) + sequence no (5)
pReport*	String(2MB)	Data requirements based on the defined Konsulta XML Report	See Annex A
pReportTagging*	String(1)	Tagging to identify XML report if : • 1-first patient encounter data • 2- first patient encounter data, consultations, diagnostic exam results, and drug/medicines	

RESPONSE DEFINITION

Transaction Type	Response
Successful	Returns the transaction number for the submitted report.
Unsuccessful	The following shall be displayed based on scenario:

Scenario	Resulting Response / Message
Non-compliance to requirements	Display unsuccessful uploading message and returns the validated XML.
Duplicate Report	Report already uploaded.

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

4. CONFIDENTIALITY

Given the nature PhilHealth mandate, it is vital that we maintain the confidentiality of patient information. PhilHealth is committed in ensuring utmost confidentiality of health records and related information of all patient because the right to privacy is personal and fundamental; likewise it is the responsibility of PhilHealth to safeguard all confidential information.

Confidential Information

Confidential information includes, but is not limited to, protected health information, personal financial information, patient records, or information gained from committee meetings, hospital or facility visits during accreditation and investigation, inquiries from members, patients or other PhilHealth employees. Example include: data contained on claim forms, past and current medical and psychiatric record member employment data, patient insurance and billing of records, computerized patient data, visual observation of patients/members or any verbal information provided by or about a patient. These information may be contained via any communication medium, including verbal, written or electronic. 1

Protection Policies and Procedures

All information that can be used to identify a Patient or a commercial entity in a commercially sensitive context is considered Confidential Health Information (CHI).

It is required that all partners develop, institute, educate staff and periodically update standard operating policies and procedures that protect CHI. The policies and procedures must be available for inspection and their use must be demonstrate upon request. PhilHealth will make available default policies and procedures.

Necessary and authorized access. Each party is required to ensure that only minimum necessary personnel have access to CHI. Additionally, each party must have appropriate means to secure CHI and its use within its operations including when exchanging CHI with other partners. Each party must provide a means to authenticate authorized users.

Unauthorized access. Every party should keep CHI from unauthorized access. PhilHealth must be notified, however, as soon as unauthorized access is detected. This notice must include what was disclosed, how it was obtained (means and methods), who gained unauthorized access if known, if the data has been subsequently unlawfully disclosed and the risk mitigation plan the party is now pursuing to prevent any further unauthorized access. Confidentiality breaches can occur from external and internal sources. Each party must have a published sanction policy and ensure that is effectively communicated to staff periodically. For external breaches appropriate law enforcement officials will be involved in the investigation and prosecution as necessary.

Storage of CHI. Each party is required to develop, maintain and implement policies and procedures for protecting CHI stored electronically or via paper. This is especially true for off-site storage in the case of paper records and back-ups, archives and live storage of electronic records. The storage policies and procedures apply irrespective of the purpose of storage, for instance whether the CHI is stored on a CD for archiving or transmission purposes.

---

1 PhilHealth Office Order 0050, s.,2011

CERTIFIED ISO 9001:2015 COMPANY

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

Transmission of CHI. Each party must protect CHI during the full life cycle of transformations, whether electronic or not. This includes preparation of data transmission, transmitting data, and receiving transmitted data. For the electronic transmission of CHI

- If the public internet is used for electronic data exchange, policies and procedures should cover the secure transmission of data, which includes encryption of data.
- If private secure point-to-point connections are used for electronic data exchange, policies and procedures should cover their provisioning and maintenance. Data encryption is recommended even when using secure private point-to-point connections**2**

2 www.shafafiya.org/HAAD, s2008

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

4. ANNEXES

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

D A T A D I C T I O N A R Y

ANNEX A

DATABASE	DOCUMENTOR	REVISION NUMBER	DATE OF REVISION
	ISMD – ITMD	14	08/17/2022
SCHEMA	**OFFICE**	**DATE CREATED**	**PAGE**
KONSULTA	ISMD – ITMD	12/15/2019	Page **1** of **26**

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
PCB	pUsername	VARCHAR2	30 BYTE	HCI User ID --to be provided by PhilHealth	Y	Y						
	pPassword	VARCHAR2	30 BYTE	HCI User Password --to be provided by PhilHealth	Y	Y						
	pHciAccreNo	VARCHAR2	9 BYTE	Accreditation Number of Health Care Institution (HCI)	Y	Y						
	pPMCCNo	VARCHAR2	6 BYTE	PMCC Number of Health Care Institution (HCI)	Y	Y						
	pEnlistTotalCnt	NUMBER		Total Count of Enlistments	Y	Y						
	pProfileTotalCnt	NUMBER		Total Count of Profiles	Y	Y						
	pSoapTotalCnt	NUMBER		Total Count of Consultations	Y	Y						
	pCertificationId	VARCHAR2	21 BYTE	Software Certificate ID	Y	Y						
	pHciTransmittalNumber	VARCHAR2	21 BYTE	Health Care Institution (HCI) Transmittal Number – generated by the HCI own batching system. This should be unique per hospital.	Y	Y			R+ACCRE_NO + date of extraction (YYYYMM) + 5 digit series number = R+XXXXXXXXX+YYYY+MM+99999			
ENLISTMENT	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number for the Whole Patient Record	Y	Y			T+ACCRE_NO+YYYY+MM+4 digits series number = T+XXXXXXXXX+YYYY+MM+99999			
	pHciTransNo	VARCHAR2	21 BYTE	Enlistment Reference Number	Y	Y	PK		E+ACCRE_NO+YYYY+MM+5 digits series number = E+XXXXXXXXX+YYYY+MM+99999			
	pEffYear	VARCHAR2	4 BYTE	Effectivity Year of Enlistment	Y	Y			YYYY-MM-DD			
	pEnlistStat	VARCHAR2	1 BYTE	Status of Enlistment	Y	Y						1 – Active; 2 – Cancelled; 3 – Transferred
	pEnlistDate	DATE		Date of Enlistment	Y	Y			YYYY-MM-DD			
	pPackageType	VARCHAR2	1 BYTE	Enlistment Type	Y	Y					"K" – KONSULTA Package	"P" – PCB1; "E" – Expanded PCB; "K" – KONSULTA Package
	pMemPin	VARCHAR2	12 BYTE	Philhealth Identification Number (PIN) of Primary Member	Y	Y						
	pMemFname	VARCHAR2	30 BYTE	First Name of Primary Member	Y	Y						
	pMemMname	VARCHAR2	30 BYTE	Middle Name of Primary Member	N	N						
	pMemLname	VARCHAR2	30 BYTE	Last Name of Primary Member	Y	Y						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
	pMemExtname	VARCHAR2	30 BYTE	Extension Name of Primary Member	N	N						
	pMemDob	DATE		Date of Birth of Primary Number	Y	Y			YYYY-MM-DD			
	pPatientPin	VARCHAR2	12 BYTE	Refer to Member's PIN if patient type is MM; Refer to Dependent's PIN if type is DD	Y	Y						
	pPatientFname	VARCHAR2	30 BYTE	First Name of Patient Refer to Member's First Name if patient type is MM; Refer to Dependent's First Name if type is DD	Y	Y						
	pPatientMname	VARCHAR2	30 BYTE	Middle Name of Patient Refer to Member's Middle Name if patient type is MM; Refer to Dependent's Middle Name if type is DD	N	N						
	pPatientLname	VARCHAR2	30 BYTE	Last Name of Patient Refer to Member's Last Name if patient type is MM; Refer to Dependent's Last Name if type is DD	Y	Y						
	pPatientExtname	VARCHAR2	30 BYTE	Extension Name of Patient Refer to Member's Extension Name if patient type is MM; Refer to Dependent's Extension Name if type is DD	N	N						
	pPatientSex	VARCHAR2	1 BYTE	Sex of Patient	Y	Y						"F" – Female; "M" – Male
	pPatientDob	DATE		Date of Birth of Patient	Y	Y			YYYY-MM-DD			
	pPatientType	VARCHAR2	2 BYTE	Patient Type	Y	Y						"MM" – Member; "DD" – Dependent
	pPatientMobileNo	VARCHAR2	15 BYTE	Mobile No. Of Patient	Y	Y						
	pPatientLandlineNo	VARCHAR2	15 BYTE	Landline No. Of Patient	N	N						
	pWithConsent	VARCHAR2	1 BYTE	Flag for with Consent	Y	Y						"Y "– Yes; "N "– No "X "– Not Applicable
	pTransDate	DATE		Date when the record inserted	Y	Y			YYYY-MM-DD			
	pCreatedBy	VARCHAR2	30 BYTE	User who created the record	Y	Y						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
PROFILE	pHciTransNo	VARCHAR2	21 BYTE	Profiling / Health Screening & Assessment Reference Number	Y	Y	PK		P+ACCRE_NO+YYYY+MM+5 digits series number = P+XXXXXXXXX+YYYY+MM+99999			
	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number	Y	Y	FK	ENLISTMENT TABLE				
	pProfDate	DATE		Profiling Date	Y	Y			YYYY-MM-DD			
	pPatientPin	VARCHAR2	12 BYTE	PhilHealth Identification Number of Patient	Y	Y						
	pPatientType	VARCHAR2	2 BYTE	Patient Type	Y	Y						”MM” – Member; ”DD” – Dependent;
	pPatientAge	VARCHAR2		Age of Patient	Y	Y						
	pMemPin	VARCHAR2	12 BYTE	PhilHealth Identification Number of Primary Member	Y	Y						
	pEffYear	VARCHAR2	4 BYTE	Effectivity Year	Y	Y						
	pATC	VARCHAR2	10 BYTE	Authorization Transaction Code Note: Use ‘WALKEDIN’ as value if pWalkedIn is ‘Y’	Y	Y						
	pIsWalkedIn	VARCHAR2	1 BYTE	Is Patient Walked In	Y	Y						“Y” – Yes; “N” - No
	pTransDate	DATE		Date when the record inserted	Y	Y			YYYY-MM-DD			
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
MEDHIST (Patient Past Medical History)	pMdiseaseCode	VARCHAR2	3 BYTE	Disease Code	Y	Y		lib_mdisease				
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
MHSPECIFIC (Patient Specific Disease Description in Past Medical History)	pMdiseaseCode	VARCHAR2	3 BYTE	Selected Disease Code in the Patient Medical History	N	N		lib_mdisease				
	pSpecificDesc	VARCHAR2	2000 BYTE	Value for Specific Description of Disease Code Selected	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
SURGHIST (Patient Surgical History)	pSurgDesc	VARCHAR2	500 BYTE	Description of Surgical Operation	N	N						
	pSurgDate	DATE		Date of Surgical Operation	N	N			YYYY-MM-DD			
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
FAMHIST (Family Medical History)	pMdiseaseCode	VARCHAR2	3 BYTE	Disease Code for Family Medical/Disease History	Y	N		lib_mdisease				
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
FHSPECIFIC (Specific Disease Description in Patient Family Medical History)	pMdiseaseCode	VARCHAR2	3 BYTE	Disease Code	N	N		lib_mdisease				
	pSpecificDesc	VARCHAR2	2000 BYTE	Value for Specific Description Code Selected	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
SOCHIST (Patient Social/ Personal History)	pIsSmoker	VARCHAR2	1 BYTE	Is Patient is Smoker	Y	Y						”Y ”– Yes; ”N ”– No; “X” - Quit
	pNoCigpk	NUMBER		Refer to the number of Cigarette Pack Consumed per Year – Required if pIsSmoker = ‘Y’	N	N						
	pIsAdrinker	VARCHAR2	1 BYTE	If Patient is Alcohol Drinker	Y	Y						”Y ”– Yes; ”N ”– No “X” – Quit
	pNoBottles	NUMBER		Refer to the number of bottles consumed per day – Required if pIsADrinker = ‘Y’	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pIllDrugUser	VARCHAR2	1 BYTE	If the patient is illicit Drug User	Y	Y						"Y "– Yes; "N "– No
	pIsSexuallyActive	VARCHAR2	1 BYTE	If the patient is Sexually Active	Y	Y						"Y "– Yes; "N "– No
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
IMMUNIZATION (Patient Immunization Record)	pChildImmcode	VARCHAR2	3 BYTE	Children Immunization Code	N	N		lib_immchild				
	pYoungwImmcode	VARCHAR2	3 BYTE	Young Immunization Code	N	N		lib_immyoungw				
	pPregwImmcode	VARCHAR2	3 BYTE	Pregnant Immunization Code	N	N		lib_immpregw				
	pElderlyImmcode	VARCHAR2	3 BYTE	Elderly Immunization Code	N	N		lib_immaelderly				
	pOtherImm	VARCHAR2	2000 BYTE	Other Immunization not found in the list provided by the system	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
MENSHIST (Patient Menstrual History – For Female Patient Only)	pMenarchePeriod	NUMBER		Age of First Menstruation (Menarche)	N	N						
	pLastMensPeriod	DATE		Date of Last Menstrual Period	N	N			YYYY-MM-DD			
	pPeriodDuration	NUMBER		Duration of Menstrual Period in Number of Days	N	N						
	pMensInterval	NUMBER		Interval/Cycle of Menstruation in Number of Days	N	N						
	pPadsPerDay	NUMBER		Number of Pads/Napkins Used per Day during Menstruation	N	N						
	pOnsetSexIc	NUMBER		Onset of Sexual Intercourse (Age of First Sexual Intercourse)	N	N						
	pBirthCtrlMethod	VARCHAR2	21 BYTE	Birth Control Method Used	N	N						
	pIsMenopause	VARCHAR2	1 BYTE	Is Menopause?	N	N						"Y "– Yes; "N "– No
	pMenopauseAge	NUMBER		If Menopause, Age of Menopause	N	N						
	pIsApplicable	VARCHAR2	1 BYTE	If Patient Menstrual History Applicable	Y	Y						"Y "– Yes; "N "– No
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
PREGHIST (Patient Pregnancy History – For Female Patient Only)	pPregCnt	NUMBER		Number of Pregnancy to Date – Gravity Chief	N	N						
	pDeliveryCnt	NUMBER		Number of Delivery to Date –Parity	N	N						
	pDeliveryTyp	VARCHAR2	1 BYTE	Type of Delivery	N	N						"N" – Normal (NSD) *"O" – Operative (CSD)* "B" – Both Normal & Operative (NSD & CSD) "X" – Not Applicable
	pFullTermCnt	NUMBER		Number of Full Term Pregnancy	N	N						
	pPrematureCnt	NUMBER		Number of Premature Pregnancy	N	N						
	pAbortionCnt	NUMBER		Number of Abortion	N	N						
	pLivChildrenCnt	NUMBER		Number of Living Children	N	N						
	pWPregIndhyp	VARCHAR2	1 BYTE	If Pregnancy – Induced Hypertension (Pre – Eclampsia)	N	N						"Y "– Yes; "N "– No/Nonr
	pWFamPlan	VARCHAR2	1 BYTE	If with access to Family Planning Counselling	Y	Y						"Y "– Yes; "N "– No/None
	pIsApplicable	VARCHAR2	1 BYTE	If Pregnancy History Applicable	Y	Y						"Y "– Yes; "N "– No
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PEPERT (Physical Examination Findings for BP Measurements, Heart and Respiratory Rate, Body Measurements and Vision)	pSystolic	NUMBER		Systolic Blood Pressure of Adult Patient –mmHG	Y	Y						
	pDiastolic	NUMBER		Diastolic Blood Pressure of Adult Patient	Y	Y						
	pHr	NUMBER		Heart Rate of Patient per Minute	Y	Y						
	pRr	NUMBER		Respiratory Rate of Patient per Minute	Y	Y						
	pTemp	NUMBER		Temperature in Celsius	Y	Y						
	pHeight	NUMBER		Height of Patient in cm	Y	Y						
	pWeight	NUMBER		Weight of Patient in kg	Y	Y						
	pBMI	NUMBER		Body Mass Index Computation: weight (kg)/ height(m)*height(m)	Y	Y						
	pZScore	VARCHAR2	10 BYTE	*Value is no longer required, parameters can be left empty. This will be computed thru back-end and the required fields to compute are*	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
				height\length, weight, age and sex of the patient, 60 months old and below.								
	pLeftVision	VARCHAR2	12 BYTE	Left Eye Visual Acuity (Vision) of Patient	N	N						
	pRightVision	VARCHAR2	12 BYTE	Right Eye Visual Acuity (Vision) of Patient	N	N						
	pLength	NUMBER		Length of Patient in cm - for Pediatric Patient only age 0-24 Months Note: Required for Pediatric Patient only age 0-24 Months	N	N						
	pHeadCirc	NUMBER		Head Circumference of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pSkinfoldThickness	NUMBER		Skinfold Thickness of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pWaist	NUMBER		Waist of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pHip	NUMBER		Hip of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pLimbs	NUMBER		Limbs of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pMidUpperArmCirc	NUMBER		Middle and Upper Arm Circumference Note: Required for Pediatric Patient only age 0-24 Months	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
BLOODTYPE (Patient Blood type Details)	pBloodType	VARCHAR2	3 BYTE	Patient Blood Type	N	N						A+; B+; AB+; O+; A-; B-; AB-; O-;
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
PEGENSURVEY (Physical Examination General Survey)	pGenSurveyId	VARCHAR2	1 BYTE	General Survey	N	N						1 – Awake and Alert; 2 – Altered Sensorium
	pGenSurveyRem	VARCHAR2	2000 BYTE	Remarks for GenSurvey, if pGenSurveyId ==2	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PEMISC (Physical Examination Findings for Skin, HEENT, Chest, Heart, Abdomen, Neuro, Rectal and Genitourinary)	pSkinId	VARCHAR2	3 BYTE	Skin / Extremities Description ID	N	N		lib_skin_extremities				
	pHeentId	VARCHAR2	3 BYTE	HEENT (Head, Eyes, Ears, Nose, Throat) Description ID	N	N		lib_heent				
	pChestId	VARCHAR2	3 BYTE	Chest Description ID	N	N		lib_chest				
	pHeartId	VARCHAR2	3 BYTE	Heart Description ID	N	N		lib_heart				
	pAbdomenId	VARCHAR2	3 BYTE	Abdomen Description ID	N	N		lib_abdomen				
	pNeuroId	VARCHAR2	3 BYTE	Neurological Description ID	N	N		lib_neuro				
	pRectalId	VARCHAR2	3 BYTE	Digital Rectal Description ID	N	N		lib_digital_rectal				
	pGuId	VARCHAR2	3 BYTE	Genitourinary Description ID	N	N		lib_genitourinary				
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PESPECIFIC (Remarks in Patient Physical Examination Findings for Skin, HEENT, Chest, Heart, Abdomen, Neuro, Rectal and Genitourinary)	pSkinRem	VARCHAR2	2000 BYTE	Additional Findings in Skin	N	N						
	pHeentRem	VARCHAR2	2000 BYTE	Additional Findings in HEENT	N	N						
	pChestRem	VARCHAR2	2000 BYTE	Additional Findings in Chest/Lungs	N	N						
	pHeartRem	VARCHAR2	2000 BYTE	Additional Findings in Heart	N	N						
	pAbdomenRem	VARCHAR2	2000 BYTE	Additional Findings in Abdomen	N	N						
	pNeuroRem	VARCHAR2	2000 BYTE	Additional Findings in Neurological	N	N						
	pRectalRem	VARCHAR2	2000 BYTE	Additional Findings in Digital Rectal	N	N						
	pGuRem	VARCHAR2	2000 BYTE	Additional Findings in Genitourinary	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
NCDQANS (Patient Answer to NCD Questionnaires – For Patient Aged 25 Years Old)	pQid1_Yn	VARCHAR2	1 BYTE	Answer for QID1	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid2_Yn	VARCHAR2	1 BYTE	Answer for QID2	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid3_Yn	VARCHAR2	1 BYTE	Answer for QID3	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid4_Yn	VARCHAR2	1 BYTE	Answer for QID4	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid5_Ynx	VARCHAR2	1 BYTE	Answer for QID21	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No ”X” – Don’t Know
	pQid6_Yn	VARCHAR2	1 BYTE	Answer for QID6	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid7_Yn	VARCHAR2	1 BYTE	Answer for QID7	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid8_Yn	VARCHAR2	1 BYTE	Answer for QID8	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid9_Yn	VARCHAR2	1 BYTE	Answer for QID9	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid10_Yn	VARCHAR2	1 BYTE	Answer for QID10	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid11_Yn	VARCHAR2	1 BYTE	Answer for QID11	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid12_Yn	VARCHAR2	1 BYTE	Answer for QID12	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid13_Yn	VARCHAR2	1 BYTE	Answer for QID13	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid14_Yn	VARCHAR2	1 BYTE	Answer for QID14	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid15_Yn	VARCHAR2	1 BYTE	Answer for QID15	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid16_Yn	VARCHAR2	1 BYTE	Answer for QID16	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid17_Abcde	VARCHAR2	1 BYTE	Answer for QID17: Risk Level Percentage	N	N		lib_ncdq				A - <10% ; B: 10% to 20%; C: 20% to 30%; D : 30% to 40%; E: =>40%
	pQid18_Yn	VARCHAR2	1 BYTE	Answer for QID18: (With / Without Medication for Diabetes)	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No
	pQid19_Yn	VARCHAR2	1 BYTE	Answer for QID19	N	N		lib_ncdq				”Y ”– Yes; ”N ”– No

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pQid19_Fbsmg	VARCHAR2	*50 BYTE*	Answer for QID19: FBS/RBS in mg/dL	N	N		lib_ncdq				
	pQid19_Fbsmmol	VARCHAR2	*50 BYTE*	Answer for QID19: FBS/RBS in mmol/L	N	N		lib_ncdq				
	pQid19_Fbsdate	DATE		Answer for QIDI19: Date when is the FBS/RBS value was taken	N	N		lib_ncdq	YYYY-MM-DD			
	pQid20_Yn	VARCHAR2	1 BYTE	Answer for QID20	N	N		lib_ncdq				"Y "– Yes; "N "– No
	pQid20_Choleval	VARCHAR2	3 BYTE	Answer for QID20: Total Cholesterol value in mg/dL	N	N		lib_ncdq				
	pQid20_Choledate	DATE		Answer for QID20: Date when is the FBS/RBS Value was taken	N	N		lib_ncdq	YYYY-MM-DD			
	pQid21_Yn	VARCHAR2	1 BYTE	Answer for QID21	N	N		lib_ncdq				"Y "– Yes; "N "– No
	pQid21_Ketonval	VARCHAR2	3 BYTE	Answer for QID21: Urine Ketones Value	N	N		lib_ncdq				
	pQid21_Ketondate	DATE		Answer for QID21: Date when is the Urine Ketones Value was taken	N	N		lib_ncdq	YYYY-MM-DD			
	pQid22_Yn	VARCHAR2	1 BYTE	Answer for QID22	N	N		lib_ncdq				"Y "– Yes; "N "– No
	pQid22_Proteinval	VARCHAR2	3 BYTE	Answer for QID22: Urine Protein Value in mg/dL	N	N		lib_ncdq				
	pQid22_Proteindate	DATE		Answer for QID22: Date when the Urine Protein Value was taken	N	N		lib_ncdq	YYYY-MM-DD			
	pQid23_Yn	VARCHAR2	1 BYTE	Answer for QID23	N	N		lib_ncdq				"Y "– Yes; "N "– No
	pQid24_Yn	VARCHAR2	1 BYTE	Answer for QID24	N	N		lib_ncdq				"Y "– Yes; "N "– No
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
SOAP (Consultation)	pHciTransNo	VARCHAR2	21 BYTE	SOAP / Consultation Reference Number	N	Y	PK		S+ACCRE_NO+YYYY+MM+5 digits series number = S+XXXXXXXXX+YYYY+MM+99999			
	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number	N	Y	FK	ENLISTMENT TABLE				
	pSoapDate	DATE		SOAP Date	N	Y			YYYY-MM-DD			
	pPatientPin	VARCHAR2	12 BYTE	Philhealth Identification Number of Patient	N	Y						
	pPatientType	VARCHAR2	2 BYTE	Patient Type	N	Y						"MM" – Member; "DD" – Dependent
	pMemPin	VARCHAR2	12 BYTE	Philhealth Identification Card of Primary Member	N	Y						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pEffYear	VARCHAR2	4 BYTE	Effectivity Year	N	Y						
	pATC	VARCHAR2	10 BYTE	Authorization Transaction Code Note: Use 'WALKEDIN' as value if pWalkedIn is 'Y'	N	Y						
	pIsWalkedIn	VARCHAR2	1 BYTE	Is Patient Walked In	N	Y						"Y" – Yes; "N" - No
	pCoPay	VARCHAR2	15 BYTE	Patient Co-Payment Amount	N	Y						
	pTransDate	DATE		Date when the record inserted	N	Y			YYYY-MM-DD			
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
SUBJECTIVE (Record of Patient Chief Complaint and History of Illness)	pIllnessHistory	VARCHAR2	2000 BYTE	History of Patient Illnesses	N	Y						
	pSignsSymptoms	VARCHAR2	2000 BYTE	Pertinent Signs and Symptoms on Admission ID	N	Y		lib_signssymptoms	For multiple entries: use semi-colon ";" as delimiter			
	pOtherComplaint	VARCHAR2	2000 BYTE	Other Complaint Note: Required if 'X' is included in pSignsSymptoms	N	N						
	pPainSite	VARCHAR2	500 BYTE	Site of Pain if Pain Element in Pertinent Signs and Symptoms on Admission is checked Note: Required if '38' is included in pSignsSymptoms	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PEPERT (Physical Examination Findings for BP Measurements, Heart and Respiratory Rate, Body	pSystolic	NUMBER		Systolic Blood Pressure of Adult Patient –mmHG	N	Y						
	pDiastolic	NUMBER		Diastolic Blood Pressure of Adult Patient	N	Y						
	pHr	NUMBER		Heart Rate of Patient per Minute	N	Y						
	pRr	NUMBER		Respiratory Rate of Patient per Minute	N	Y						
	pTemp	NUMBER		Temperature in Celsius	N	Y						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
Measurements and Vision)	pHeight	NUMBER		Height of Patient in cm	N	Y						
	pWeight	NUMBER		Weight of Patient in kg	N	Y						
	pBMI	NUMBER		Body Mass Index Computation: weight (kg)/ height(m)*height(m)	N	Y						
	pZScore	VARCHAR2	10 BYTE	*Value is no longer required, parameters can be left empty. This will be computed thru back-end and the required fields to compute are height\length, weight, age and sex of the patient, 60 months old and below.*	N	N						
	pLeftVision	VARCHAR2	12 BYTE	Left Eye Visual Acuity (Vision) of Patient	N	N						
	pRightVision	VARCHAR2	12 BYTE	Right Eye Visual Acuity (Vision) of Patient	N	N						
	pLength	NUMBER		Length or Height of Patient in cm - for Pediatric Patient only age 0-24 Months Note: Required for Pediatric Patient only age 0-24 Months	N	N						
	pHeadCirc	NUMBER		Head Circumference of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pSkinfoldThickness	NUMBER		Skinfold Thickness of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pWaist	NUMBER		Waist of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pHip	NUMBER		Hip of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pLimbs	NUMBER		Limbs of Patient in cm - for Pediatric Patient only age 0-24 Months	N	N						
	pMidUpperArmCirc	NUMBER		Middle and Upper Arm Circumference Note: Required for Pediatric Patient only age 0-24 Months	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PEMISC (Physical Examination Findings for Skin, HEENT, Chest, Heart, Abdomen, Neuro, Rectal and Genitourinary)	pSkinId	VARCHAR2	3 BYTE	Skin / Extremities Description ID	N	Y		lib_skin_extremities				
	pHeentId	VARCHAR2	3 BYTE	HEENT (Head, Eyes, Ears, Nose, Throat) Description ID	N	Y		lib_heent				
	pChestId	VARCHAR2	3 BYTE	Chest Description ID	N	Y		lib_chest				
	pHeartId	VARCHAR2	3 BYTE	Heart Description ID	N	Y		lib_heart				
	pAbdomenId	VARCHAR2	3 BYTE	Abdomen Description ID	N	Y		lib_abdomen				
	pNeuroId	VARCHAR2	3 BYTE	Neurological Description ID	N	Y		lib_neuro				
	pRectalId	VARCHAR2	3 BYTE	Digital Rectal Description ID	N	Y		lib_digital_rectal				
	pGuId	VARCHAR2	3 BYTE	Genitourinary Description ID	N	Y		lib_genitourinary				
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
PESPECIFIC (Remarks in Patient Physical Examination Findings for Skin, HEENT, Chest, Heart, Abdomen, Neuro, Rectal and Genitourinary)	pSkinRem	VARCHAR2	2000 BYTE	Additional Findings in Skin	N	N						
	pHeentRem	VARCHAR2	2000 BYTE	Additional Findings in HEENT	N	N						
	pChestRem	VARCHAR2	2000 BYTE	Additional Findings in Chest/Lungs	N	N						
	pHeartRem	VARCHAR2	2000 BYTE	Additional Findings in Heart	N	N						
	pAbdomenRem	VARCHAR2	2000 BYTE	Additional Findings in Abdomen	N	N						
	pNeuroRem	VARCHAR2	2000 BYTE	Additional Findings in Extremities	N	N						
	pRectalRem	VARCHAR2	2000 BYTE	Location of Palpable Mass –If Palpable Mass is Selected in HEENT	N	N						
	pGuRem	VARCHAR2	2000 BYTE	Description of Deformity and Laterality –If Present / Absent is selected under Extremities	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
ICD (List of ICD-10 Codes For Patient Diagnosis)	pIcdCode	VARCHAR2	10 BYTE	ICD 10 Codes for Patient Diagnosis	N	Y		lib_icd				
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
DIAGNOSTIC (Prescribed Laboratory to the Patient)	pDiagnosticId	VARCHAR2	3 BYTE	Code for Diagnostic	N	Y		lib_diagnostic			“0” – Not Applicable	
	pOthRemarks	VARCHAR2	500 BYTE	Other Diagnostic Exam not included in Essential Services	N	N						
	pIsPhysicianRecommendation	VARCHAR2	1 BYTE	Is diagnostic exam recommended by Physician?	N	Y						“Y” – Yes “N” – No “X” – None/ Not Applicable
	pPatientRemarks	VARCHAR2	2 BYTE	Patient Remarks per diagnostic exam	N	Y						“RQ” – Request “RF” - Refuse “XX” – None / Not Applicable
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
MANAGEMENT (Patient Plan/Management Record)	pManagementId	VARCHAR2	1 BYTE	Code for Plan / Management done in the Patient	N	Y		lib_management			“0” – Not Applicable	
	pOthRemarks		500 BYTE	Other Remarks	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
ADVICE (Doctor’s Advice to Patient)	pRemarks	VARCHAR2	2000 BYTE	Remarks or additional instruction on Drug/Medicine for Patient	N	Y					If no prescribed medicine then default value “NOT APPLICABLE ”	
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					”U” – Unvalidated	”V” – Validated ”U” – Unvalidated ”F” – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
MEDICINE (List of Prescribed Drugs to the Patient)	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number	N	Y	FK	Enlistment Table				
	pHciTransNo	VARCHAR2	21 BYTE	SOAP Reference Number	N	Y	FK	SOAP Table				

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
	pCategory	VARCHAR2	50 BYTE	Drug/ Medicine Category	N	N		lib_medicine				
	pDrugCode	VARCHAR2	30 BYTE	Complete Drug Code Note: Use 'NOMED00000000000000000000000000' if no medicine record	N	N		lib_medicine				
	pGenericCode	VARCHAR2	5 BYTE	Generic Code of Medicine Note: Use 'NOMED' if no medicine record	N	N		lib_medicine_generic				
	pSaltCode	VARCHAR2	5 BYTE	Salt Code of Medicine Note: Use '00000' if no medicine record	N	N		lib_medicine_salt				
	pStrengthCode	VARCHAR2	5 BYTE	Strength / Dosage Code of Medicine Note: Use '00000' if no medicine record	N	N		lib_medicine_strength				
	pFormCode	VARCHAR2	5 BYTE	Form Code of Medicine Note: Use '00000' if no medicine record	N	N		lib_medicine_form				
	pUnitCode	VARCHAR2	5 BYTE	Unit Code of Medicine Note: Use '00000' if no medicine record	N	N		lib_medicine_unit				
	pPackageCode	VARCHAR2	5 BYTE	Package Code of Medicine Note : Use '00000' if no medicine record	N	N		lib_medicine_package				
	pOtherMedicine	VARCHAR2	500 BYTE	Complete Drug Description, if Medicine is not listed on the library	N	N						
	pOthMedDrugGrouping	VARCHAR2	50 BYTE	Drug Grouping for other medicine not listed in the library Note: Required if pOtherMedicine is with value and pIsApplicable is "Y"	N	N						"NCD"; "ANTIBIOTIC"; "OTHERS"
	pRoute	VARCHAR2	500 BYTE	Medicine Route	N	N						
	pQuantity	NUMBER		Number of Medicines Prescribed	N	N					0	
	pActualUnitPrice	NUMBER		Drug Actual Price Look	N	N					0.00	
	pTotalAmtPrice	NUMBER		Total Amount Price of Medicine Issued (Quantity * Unit Price)	N	N					0.00	
	pInstructionQuantity	*VARCHAR2*	*50*	Number of Medicines per Instruction	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pInstructionStrength	VARCHAR2	50	Stock Dosage of Medicine per Instruction	N	N						
	pInstructionFrequency	VARCHAR2	50	Frequency of Medicine per Instruction	N	N						
	pPrescribingPhysician	VARCHAR	200 BYTE	Prescribing Physician/Doctor	N	N						
	pIsDispensed	VARCHAR	1 BYTE	If medicine dispensed	N	Y						
	pDateDispensed	DATE		Date the medicine dispensed	N	N			YYYY-MM-DD			
	pDispensingPersonnel	VARCHAR	200 BYTE	Dispensing Personnel	N	N						
	pIsApplicable	VARCHAR	1 BYTE	If applicable	N	Y					If no prescribed medicine then default value "N"	"Y "– Yes; "N "– No
	pDateAdded	DATE		Date the record was added	N	N			YYYY-MM-DD			
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Status Report	N	N						
DIAGNOSTICEXAM RESULT	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number	N	Y	FK	Enlistment Table				
	pHciTransNo	VARCHAR2	21 BYTE	Profile/SOAP Reference Number	N	Y	FK	SOAP Table				
	pPatientPin	VARCHAR2	12 BYTE	Refer to Member's Pin if patient type is MM; Refer to Dependent's Pin if type is DD	N	Y						
	pPatientType	VARCHAR2	2 BYTE	Patient Type	N	Y						"MM" – Member; "DD" – Dependent;
	pMemPin	VARCHAR2	12 BYTE	Philhealth Identification Number (PIN) of Primary Member	N	Y						
	pEffYear	VARCHAR2	4 BYTE	Effectivity Year of Enlistment	N	Y						
CBC (Complete Blood Count)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for CBC	N	N			YYYY-MM-DD			
	pHematocrit	*VARCHAR2*	*50 BYTE*	Value for Hematocrit	N	N						
	pHemoglobinG	*VARCHAR2*	*50 BYTE*	Value for Hemoglobin in g/dL	N	N						
	pHemoglobinMmol	*VARCHAR2*	*50 BYTE*	Value for Hemoglobin in mmol/L	N	N						
	pMhcPg	*VARCHAR2*	*50 BYTE*	Value for MHC in pg/cell	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pMhcFmol	*VARCHAR2*	*50 BYTE*	Value for MHC in fmol/cell	N	N						
	pMchcGhb	*VARCHAR2*	*50 BYTE*	Value for MCHC in fmol/cell	N	N						
	pMchcMmol	*VARCHAR2*	*50 BYTE*	Value for MCHC in mmol/Hb/L	N	N						
	pMcvUm	*VARCHAR2*	*50 BYTE*	Value for MCV in um^3	N	N						
	pMcvFl	*VARCHAR2*	*50 BYTE*	Value for MCV In fL	N	N						
	pWbc1000	*VARCHAR2*	*50 BYTE*	Value for WBC in X 1000 cells/mm^3uL	N	N						
	pWbc10	*VARCHAR2*	*50 BYTE*	Value for WBC in X 10^9 cells/L	N	N						
	pMyelocyte	*VARCHAR2*	*50 BYTE*	Percentage Value of Myelocyte in Leukocyte Differential	N	N						
	pNeutrophilsBnd	*VARCHAR2*	*50 BYTE*	Percentage Value of Neutrophil Bands in Leukocyte Differential	N	N						
	pNeutrophilsSeg	*VARCHAR2*	*50 BYTE*	Percentage Value of Neutrophil Segmenters in Leukocyte Differential	N	N						
	pLymphocytes	*VARCHAR2*	*50 BYTE*	Percentage Value of Lymphocytes in Leukocyte Differential	N	N						
	pMonocytes	*VARCHAR2*	*50 BYTE*	Percentage Value of Monocytes in Leukocyte Differential	N	N						
	pEosinophils	*VARCHAR2*	*50 BYTE*	Percentage Value of Eosinophils in Leukocyte Differential	N	N						
	pBasophils	*VARCHAR2*	*50 BYTE*	Percentage Value of Basophils in Leukocyte Differential	N	N						
	pPlatelet	*VARCHAR2*	*50 BYTE*	Percentage Value of Platelet in Leukocyte Differential	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
URINALYSIS	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Urinalysis	N	N			YYYY-MM-DD			
	pGravity	*VARCHAR2*	*50 BYTE*	Specific Gravity of Urine	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
	pAppearance	VARCHAR2	50 BYTE	Appearance of Urine	N	N						
	pColor	VARCHAR2	50 BYTE	Color of Urine	N	N						
	pGlucose	VARCHAR2	50 BYTE	Count of Glucose in Urine	N	N						
	pProteins	VARCHAR2	50 BYTE	Count of Proteins in Urine	N	N						
	pKetones	VARCHAR2	50 BYTE	Count of Ketones in Urine	N	N						
	pPh	*VARCHAR2*	*50 BYTE*	Count of PH in Urine	N	N						
	pRbCells	*VARCHAR2*	*50 BYTE*	Count of Red Blood Cells in Urine (/hpf)	N	N						
	pWbCells	*VARCHAR2*	*50 BYTE*	Count of White Blood Cells in Urine (/hpf)	N	N						
	pBacteria	*VARCHAR2*	*50 BYTE*	Count of Bacteria in Urine (/hpf)	N	N						
	pCrystals	*VARCHAR2*	*50 BYTE*	Count of Crystals in Urine (/hpf)	N	N						
	pBladderCell	*VARCHAR2*	*50 BYTE*	Count of Bladder Cells in Urine (/hpf)	N	N						
	pSquamousCell	*VARCHAR2*	*50 BYTE*	Count of Squamous Cells in Urine (/hpf)	N	N						
	pTubularCell	*VARCHAR2*	*50 BYTE*	Count of Tubular Cells in Urine (/hpf)	N	N						
	pBroadCasts	*VARCHAR2*	*50 BYTE*	Count of Broad Cast in Urine (/hpf)	N	N						
	pEpithelialCast	*VARCHAR2*	*50 BYTE*	Count of Epithelial Cell Casts in Urine (/hpf)	N	N						
	pGranularCast	*VARCHAR2*	*50 BYTE*	Count of Granular Casts in Urine (/hpf)	N	N						
	pHyalineCast	*VARCHAR2*	*50 BYTE*	Count of Hyaline Casts in Urine (/hpf)	N	N						
	pRbcCast	*VARCHAR2*	*50 BYTE*	Count of RBC Casts in Urine (/hpf)	N	N						
	pWaxyCast	*VARCHAR2*	*50 BYTE*	Count of Waxy Casts in Urine (/hpf)	N	N						
	pWcCast	*VARCHAR2*	*50 BYTE*	Count of WC Casts in Urine (/hpf)	N	N						
	pAlbumin	*VARCHAR2*	*50 BYTE*	Count of Albumin in Urine (/mg/dl)	N	N						
	pPusCells	*VARCHAR2*	*50 BYTE*	Count of PUS Cell	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
												"X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
CHESTXRAY	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Chest X-Ray	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	3 BYTE	Chest X-ray Findings ID	N	N		lib_chestxray_findings				
	pRemarksFindings	VARCHAR2	2000 BYTE	Supplemental remarks on chest x-ray if with findings id == 99	N	N						
	pObservation	VARCHAR2	100 BYTE	Observations based on chest x–ray result ID	N	N		lib_chestxray_observation	For multiple entry: Use semi-colon ";" as delimiter			
	pRemarksObservation	VARCHAR2	2000 BYTE	Supplemental remarks for x-ray if with observation id = 99	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
SPUTUM (Sputum Microscopy)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Sputum Microscopy	N	N			YYYY-MM-DD			
	pDataCollection	VARCHAR	1 BYTE	Sequence number of Sputum Microscopy Completed	N	N					X – Not Applicable	1 – First Collection; 2 – Second Collection; 3 – Third Collection X – Not Applicable
	pFindings	NUMBER		Findings/Result of Sputum Microscopy	N	N						1 – Essentially Normal; 2 – With Findings
	pRemarks	VARCHAR2	2000 BYTE		N	N						
	pNoPlusses	VARCHAR2	5 BYTE	Number of Plusses(+)	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
LIPIDPROFILE	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Lipid Profile	N	N			YYYY-MM-DD			
	pLdl	*VARCHAR2*	*50 BYTE*	Value for LDL (mg/dL)	N	N						
	pHdl	*VARCHAR2*	*50 BYTE*	Value for HDL (mg/dL)	N	N						
	pTotal	*VARCHAR2*	*50 BYTE*	Total Value of Cholesterol (mg/dL)	N	N						
	pCholesterol	*VARCHAR2*	*50 BYTE*	Total Value of Cholesterol (mg/dL)	N	N						
	pTriglycerides	*VARCHAR2*	*50 BYTE*	Total Value of Triglycerides (mg/dL)	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
FBS (Fasting Blood Sugar)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for FBS	N	N			YYYY-MM-DD			
	pGlucoseMg	*VARCHAR2*	*50 BYTE*	Value for Glucose in md/Dl	N	N						
	pGlucoseMmol	*VARCHAR2*	*50 BYTE*	Value for Glucose in mmol/L	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
												"W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
RBS (Random Blood Sugar)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for RBS	N	N			YYYY-MM-DD			
	pGlucoseMg	*VARCHAR2*	*50 BYTE*	Value for Glucose in md/Dl	N	N						
	pGlucoseMmol	*VARCHAR2*	*50 BYTE*	Value for Glucose in mmol/L	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
ECG (Electrocardiogram)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for ECG	N	N			YYYY-MM-DD			
	pFindings	NUMBER		Findings/Result of ECG Laboratory	N	N						1 – Essentially Normal; 2 – With Findings
	pRemarks	VARCHAR2	1000 BYTE	Remarks if with Findings (Findings = 2)	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
FECALYSIS	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Fecalysis	N	N			YYYY-MM-DD			
	pColor	NUMBER		Refer to the Color of Stool	N	N						1 – Brown; 2 – Black; 3 – Red; 4 – White/Grey; 5 – Yellow; 6 – Green;
	pConsistency	NUMBER		Refer to the Consistency of Stool	N	N						1 – Soft; 2 – Well-Formed; 3 – Semi-Formed; 4 – Watery; 5 – Mucoid; 6 – Hard
	pRbc	*VARCHAR2*	*50 BYTE*	Value for RBC (/hpf)	N	N						
	pWbc	*VARCHAR2*	*50 BYTE*	Value for WBC(/hpf)	N	N						
	pOva	*VARCHAR2*	*50 BYTE*	Value for RBC (=/-)	N	N						
	pParasite	*VARCHAR2*	*50 BYTE*	Value for Parasite (=/-)	N	N						
	pBlood	NUMBER		Presence of Blood in Stool	N	N						"P" – Present; "A" – Absent
	pPusCells	*VARCHAR2*	*50 BYTE*	Value for PUS Cells	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
PAPSMEAR	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory form Papsmear	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	500 BYTE	Findings/ Result in Papsmear	N	N						
	pImpression	VARCHAR2	500 BYTE	Impression in Papsmear	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
OGTT (Oral Glucose Tolerance Test)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for OGTT	N	N			YYYY-MM-DD			
	pExamFastingMg	VARCHAR2	50 BYTE	Result in Fasting Examination (mg/dL)	N	N						
	pExamFastingMmol	VARCHAR2	50 BYTE	Result in Fasting Examination (mmol/L)	N	N						
	pExamOgttOneHrMg	VARCHAR2	50 BYTE	Result in OGTT 1 Hour Examination (mg/dL)	N	N						
	pExamOgttOneHrMmol	VARCHAR2	50 BYTE	Result in OGTT 1 Hour Examination (mmol/L)	N	N						
	pExamOgttTwoHrMg	VARCHAR2	50 BYTE	Result in OGTT 2 Hours Examination (mg/dL)	N	N						
	pExamOgttTwoHrMmol	VARCHAR2	50 BYTE	Result in OGTT 2 Hours Examination (mmol/L)	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
FOBT (Fecal Occult Blood Test)	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for FOBT	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	1 BYTE	Findings/ Result in FOBT	N	N						"P" – Positive "N" – Negative
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No)		CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
					1	2						
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
CREATININE	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Creatinine	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	100 BYTE	Findings/ Result in Creatinine (mg/dL)	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
PPDTest	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for PPD Test	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	1 BYTE	Findings/ Result in PPD Test	N	N						"P" – Positive "N" – Negative
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
HbA1c	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for HbA1c	N	N			YYYY-MM-DD			
	pFindings	VARCHAR2	1000 BYTE	Findings/ Result in HbA1c (mmol/mol)	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
OTHERDIAGEXAM	pReferralFacility	VARCHAR2	1000 BYTE	Name of Referral Facility, if referred	N	N						
	pLabDate	DATE		Date of Laboratory for Other Diagnostic Exam	N	N			YYYY-MM-DD			
	pOthDiagExam	VARCHAR2	1000 BYTE	Description of Other Diagnostic Exam not included in Essential Services	N	N						
	pFindings	VARCHAR2	1000 BYTE	Findings/ Result in Other Diagnostic Exam	N	N						
	pDateAdded	DATE		Date the Record was Added	N	N			YYYY-MM-DD			
	pStatus	VARCHAR2	1 BYTE	Status of Laboratory/Imaging Results	N	N						"D" – Done "N" – Not yet done "X" – Deferred "W" – Waived
	pDiagnosticLabFee	NUMBER		Diagnostic Lab Fee	N	N						
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	Y	Y					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						
DOCUMENT	pHciCaseNo	VARCHAR2	21 BYTE	Patient Transaction Reference Number	N	N	FK	Enlistment Table				
	pHciTransNo	VARCHAR2	21 BYTE	Profiling / SOAP Reference Number	N	N	FK	SOAP Table				
	pPatientPin	VARCHAR2	12 BYTE	Refer to Member's PIN if patient type is MM; Refer to Dependent's PIN if type is DD	N	N						
	pPatientType	VARCHAR2	2 BYTE	Patient Type	N	N						"MM" – Member; "DD" – Dependent;
	pMemPin	VARCHAR2	12 BYTE	Philhealth Identification Number (PIN) of Primary Member	N	N						
	pDocumentType	VARCHAR2	10 BYTE	Document attachment type	N	N						"EKAS" – electronic KonSulTa Slip "EPRESS" – electronic Prescription Slip" "OTH" - Others
	pDocumentUrl	CLOB		URL of document attachment where can be downloaded	N	N						

DATA GROUP	PARAMETER NAME	TYPE	SIZE	DESCRIPTION	REQUIRED (Yes/No) 1	REQUIRED (Yes/No) 2	CONSTRAINT	TABLE REFERENCE	FORMAT	STANDARD	DEFAULT	VALID VALUES
	pTransDate	DATE		Date when the record inserted	N	N			YYYY-MM-DD			
	pReportStatus	VARCHAR2	1 BYTE	Report Status of Generated XML Report	N	N					"U" – Unvalidated	"V" – Validated "U" – Unvalidated "F" – Failed
	pDeficiencyRemarks	VARCHAR2	2000 BYTE	Remarks of the Report Status	N	N						

Note:

- *All parameters highlighted with:*
  - *Updated parameters for Konsulta Report Data Dictionary Revision 14*
  - *Valid values are required for XML submission of the Konsulta first tranche.*
    - *Highlighted parameters under the DIAGNOSTICEXAMRESULT must be required if pMdiseaseCode under FAMHIST is 'Diabetes Mellitus'*
- *For the DTD Validation, all pReportStatus parameters in the Konsulta first tranche XML must have the default value.*
- *DOCUMENT parameters are not yet required and only included for future reference.*

ANNEX B: SAMPLE KONSULTA XML REPORT (FIRST TRANCHE)

```
<PCB pUsername="" pPassword="" pHciAccreNo="H90000001" pPMCCNo="P00001" pEnlistTotalCnt="1"
pProfileTotalCnt="1" pSoapTotalCnt="1" pCertificationId="KON-DUMMYSCERTP00001"
pHciTransmittalNumber="RH9000000120220800001">
  <ENLISTMENTS>
    <ENLISTMENT pHciCaseNo="TH9000000120220800001" pHciTransNo="PH9000000120220800001"
pEffYear="2022" pEnlistStat="1" pEnlistDate="2022-08-26" pPackageType="K"
pMemPin="030263078507" pMemFname="MEMFIRSTNAME" pMemMname="MIDDLENAME" pMemLname="LASTNAME"
pMemExtname="" pMemDob="1970-01-01" pPatientPin="242500004774" pPatientFname="DEPFIRSTNAME"
pPatientMname="MIDDLENAME" pPatientLname="LASTNAME" pPatientExtname="" pPatientSex="M"
pPatientDob="2021-08-01" pPatientType="DD" pPatientMobileNo="09090000000"
pPatientLandlineNo="" pWithConsent="Y" pTransDate="2022-08-26" pCreatedBy="TEST01"
pReportStatus="U" pDeficiencyRemarks=""/>
  </ENLISTMENTS>
  <PROFILING>
    <PROFILE pHciTransNo="PH9000000120220800001" pHciCaseNo="TH9000000120220800001"
pProfDate="2022-08-26" pPatientPin="242500004774" pPatientType="DD" pPatientAge="1 YR(S), 0
MO(S), 25 DAY(S)" pMemPin="030263078507" pEffYear="2022" pATC="JruBaQ2Y" pIsWalkedIn="N"
pTransDate="2022-08-27" pReportStatus="U" pDeficiencyRemarks="">
      <MEDHISTS>
        <MEDHIST pMdiseaseCode="001" pReportStatus="U" pDeficiencyRemarks=""/>
        <MEDHIST pMdiseaseCode="002" pReportStatus="U" pDeficiencyRemarks=""/>
      </MEDHISTS>
      <MHSPECIFICS>
        <MHSPECIFIC pMdiseaseCode="001" pSpecificDesc="SAMPLE ALLERGY" pReportStatus="U"
pDeficiencyRemarks=""/>
      </MHSPECIFICS>
      <SURGHISTS>
        <SURGHIST pSurgDesc="SAMPLE OPERATION" pSurgDate="2022-06-01" pReportStatus="U"
pDeficiencyRemarks=""/>
      </SURGHISTS>
      <FAMHISTS>
        <FAMHIST pMdiseaseCode="002" pReportStatus="U" pDeficiencyRemarks=""/>
        <FAMHIST pMdiseaseCode="006" pReportStatus="U" pDeficiencyRemarks=""/>
      </FAMHISTS>
      <FHSPECIFICS>
        <FHSPECIFIC pMdiseaseCode="" pSpecificDesc="" pReportStatus="U"
pDeficiencyRemarks=""/>
      </FHSPECIFICS>
      <SOCHIST pIsSmoker="N" pNoCigpk="" pIsAdrinker="N" pNoBottles="" pIllDrugUser="N"
pIsSexuallyActive="N" pReportStatus="U" pDeficiencyRemarks=""/>
      <IMMUNIZATIONS>
        <IMMUNIZATION pChildImmcode="C01" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="C02" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="C04" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="C08" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="C09" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="C13" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="999" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="" pPregwImmcode="999"
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="999" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
      </IMMUNIZATIONS>
```

```
      <MENSHIST pMenarchePeriod="0" pLastMensPeriod="" pPeriodDuration="0"
pMensInterval="0" pPadsPerDay="0" pOnsetSexIc="0" pBirthCtrlMethod="" pIsMenopause=""
pMenopauseAge="" pIsApplicable="N" pReportStatus="U" pDeficiencyRemarks=""/>
      <PREGHIST pPregCnt="0" pDeliveryCnt="0" pDeliveryTyp="X" pFullTermCnt="0"
pPrematureCnt="0" pAbortionCnt="0" pLivChildrenCnt="0" pWPregIndhyp="N" pWFamPlan="N"
pIsApplicable="N" pReportStatus="U" pDeficiencyRemarks=""/>
      <PEPERT pSystolic="95" pDiastolic="58" pHr="110" pRr="30" pTemp="36.10" pHeight="0"
pWeight="8.9" pBMI="0" pZScore="&gt; +3SD" pLeftVision="20" pRightVision="20" pLength="63"
pHeadCirc="46" pSkinfoldThickness="46" pWaist="48" pHip="50" pLimbs="40"
pMidUpperArmCirc="" pReportStatus="U" pDeficiencyRemarks=""/>
      <BLOODTYPE pBloodType="B+" pReportStatus="U" pDeficiencyRemarks=""/>
      <PEGENSURVEY pGenSurveyId="1" pGenSurveyRem="" pReportStatus="U"
pDeficiencyRemarks=""/>
      <PEMISCS>
        <PEMISC pSkinId="" pHeentId="11" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="8" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="5" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="7" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="99" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="3" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="1" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId="6"
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
      </PEMISCS>
      <PESPECIFIC pSkinRem="" pHeentRem="" pChestRem="" pHeartRem="" pAbdomenRem=""
pNeuroRem="" pRectalRem="" pGuRem="SAMPLE REMARKS" pReportStatus="U"
pDeficiencyRemarks=""/>
      <NCDQANS pQid1_Yn="" pQid2_Yn="" pQid3_Yn="" pQid4_Yn="" pQid5_Ynx="" pQid6_Yn=""
pQid7_Yn="" pQid8_Yn="" pQid9_Yn="" pQid10_Yn="" pQid11_Yn="" pQid12_Yn="" pQid13_Yn=""
pQid14_Yn="" pQid15_Yn="" pQid16_Yn="" pQid17_Abcde="" pQid18_Yn="" pQid19_Yn=""
pQid19_Fbsmg="" pQid19_Fbsmmol="" pQid19_Fbsdate="" pQid20_Yn="" pQid20_Choleval=""
pQid20_Choledate="" pQid21_Yn="" pQid21_Ketonval="" pQid21_Ketondate="" pQid22_Yn=""
pQid22_Proteinval="" pQid22_Proteindate="" pQid23_Yn="" pQid24_Yn="" pReportStatus="U"
pDeficiencyRemarks=""/>
    </PROFILE>
  </PROFILING>
  <SOAPS>
    <SOAP pHciCaseNo="" pHciTransNo="" pSoapDate="" pPatientPin="" pPatientType=""
pMemPin="" pEffYear="" pATC="" pIsWalkedIn="" pCoPay="" pTransDate="" pReportStatus="U"
pDeficiencyRemarks="">
      <SUBJECTIVE pIllnessHistory="" pSignsSymptoms="" pOtherComplaint="" pPainSite=""
pReportStatus="U" pDeficiencyRemarks=""/>
      <PEPERT pSystolic="" pDiastolic="" pHr="" pRr="" pTemp="" pHeight="" pWeight=""
pBMI="" pZScore="" pLeftVision="" pRightVision="" pLength="" pHeadCirc=""
pSkinfoldThickness="" pWaist="" pHip="" pLimbs="" pMidUpperArmCirc="" pReportStatus="U"
pDeficiencyRemarks=""/>
      <PEMISCS>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
      </PEMISCS>
      <PESPECIFIC pSkinRem="" pHeentRem="" pChestRem="" pHeartRem="" pAbdomenRem=""
pNeuroRem="" pRectalRem="" pGuRem="" pReportStatus="U" pDeficiencyRemarks=""/>
      <ICDS>
        <ICD pIcdCode="" pReportStatus="U" pDeficiencyRemarks=""/>
      </ICDS>
      <DIAGNOSTICS>
        <DIAGNOSTIC pDiagnosticId="" pOthRemarks="" pIsPhysicianRecommendation=""
pPatientRemarks="" pReportStatus="U" pDeficiencyRemarks=""/>
      </DIAGNOSTICS>
         <MANAGEMENTS>
```


PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

```
        <MANAGEMENT pManagementId="" pOthRemarks="" pReportStatus="U"
pDeficiencyRemarks=""/>
      </MANAGEMENTS>
      <ADVICE pRemarks="" pReportStatus="U" pDeficiencyRemarks=""/>
    </SOAP>
  </SOAPS>
  <DIAGNOSTICEXAMRESULTS>
    <DIAGNOSTICEXAMRESULT pHciCaseNo="TH9000000120220800001"
pHciTransNo="PH9000000120220800001" pPatientPin="242500004774" pPatientType="DD"
pMemPin="030263078507" pEffYear="2022">
      <FBSS>
        <FBS pReferralFacility="SAMPLE REFERRAL FACILITY" pLabDate="2022-08-26"
pGlucoseMg="45" pGlucoseMmol="7.8" pDateAdded="2022-08-27" pStatus="D"
pDiagnosticLabFee="0.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </FBSS>
      <RBSS>
        <RBS pReferralFacility="" pLabDate="2022-08-26" pGlucoseMg="45" pGlucoseMmol="7.8"
pDateAdded="2022-08-27" pStatus="D" pDiagnosticLabFee="0.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </RBSS>
    </DIAGNOSTICEXAMRESULT>
  </DIAGNOSTICEXAMRESULTS>
  <MEDICINES>
    <MEDICINE pHciCaseNo="" pHciTransNo="" pCategory="" pDrugCode="" pGenericCode=""
pSaltCode="" pStrengthCode="" pFormCode="" pUnitCode="" pPackageCode="" pOtherMedicine=""
pRoute="" pQuantity="" pActualUnitPrice="" pTotalAmtPrice="" pInstructionQuantity=""
pInstructionStrength="" pInstructionFrequency="" pPrescribingPhysician="" pIsDispensed=""
pDateDispensed="" pDispensingPersonnel="" pIsApplicable="" pDateAdded="" pReportStatus="U"
pDeficiencyRemarks=""/>
  </MEDICINES>
</PCB>
```


PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

```
<PCB pUsername="" pPassword="" pHciAccreNo="H90000001" pPMCCNo="P00001" pEnlistTotalCnt="1"
pProfileTotalCnt="1" pSoapTotalCnt="1" pCertificationId="KON-DUMMYSCERTP00001"
pHciTransmittalNumber="RH9000000120220800002">
  <ENLISTMENTS>
    <ENLISTMENT pHciCaseNo="TH9000000120220800002" pHciTransNo="EH9000000120220800002"
pEffYear="2022" pEnlistStat="1" pEnlistDate="2022-08-26" pPackageType="K"
pMemPin="030263078507" pMemFname="MEMFIRSTNAME" pMemMname="MIDDLENAME" pMemLname="LASTNAME"
pMemExtname="" pMemDob="1995-02-14" pPatientPin="030263078507" pPatientFname="MEMFIRSTNAME"
pPatientMname="MIDDLENAME" pPatientLname="LASTNAME" pPatientExtname="" pPatientSex="F"
pPatientDob="1995-02-14" pPatientType="MM" pPatientMobileNo="09000000000"
pPatientLandlineNo="" pWithConsent="Y" pTransDate="2022-08-31" pCreatedBy="TEST01"
pReportStatus="U" pDeficiencyRemarks=""/>
  </ENLISTMENTS>
  <PROFILING>
    <PROFILE pHciTransNo="PH9000000120220800002" pHciCaseNo="TH9000000120220800002"
pProfDate="2022-08-26" pPatientPin="030263078507" pPatientType="MM" pPatientAge="27 YR(S),
6 MO(S), 12 DAY(S)" pMemPin="030263078507" pEffYear="2022" pATC="WALKEDIN" pIsWalkedIn="Y"
pTransDate="2022-08-31" pReportStatus="U" pDeficiencyRemarks="">
      <MEDHISTS>
        <MEDHIST pMdiseaseCode="011" pReportStatus="U" pDeficiencyRemarks=""/>
      </MEDHISTS>
      <MHSPECIFICS>
        <MHSPECIFIC pMdiseaseCode="011" pSpecificDesc="140 / 90 MMHG" pReportStatus="U"
pDeficiencyRemarks=""/>
      </MHSPECIFICS>
      <SURGHISTS>
        <SURGHIST pSurgDesc="SAMPLE SURGERY" pSurgDate="2010-08-01" pReportStatus="U"
pDeficiencyRemarks=""/>
        <SURGHIST pSurgDesc="SAMPLE SURGERY" pSurgDate="2012-10-01" pReportStatus="U"
pDeficiencyRemarks=""/>
      </SURGHISTS>
      <FAMHISTS>
        <FAMHIST pMdiseaseCode="006" pReportStatus="U" pDeficiencyRemarks=""/>
        <FAMHIST pMdiseaseCode="011" pReportStatus="U" pDeficiencyRemarks=""/>
      </FAMHISTS>
      <FHSPECIFICS>
        <FHSPECIFIC pMdiseaseCode="011" pSpecificDesc="140/90 MMHG" pReportStatus="U"
pDeficiencyRemarks=""/>
      </FHSPECIFICS>
      <SOCHIST pIsSmoker="Y" pNoCigpk="10" pIsAdrinker="Y" pNoBottles="2" pIllDrugUser="Y"
pIsSexuallyActive="Y" pReportStatus="U" pDeficiencyRemarks=""/>
      <IMMUNIZATIONS>
        <IMMUNIZATION pChildImmcode="999" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="Y01" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="Y02" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="" pPregwImmcode="999"
pElderlyImmcode="" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="999" pOtherImm="" pReportStatus="U" pDeficiencyRemarks=""/>
        <IMMUNIZATION pChildImmcode="" pYoungwImmcode="" pPregwImmcode=""
pElderlyImmcode="" pOtherImm="COVID VACCINE" pReportStatus="U" pDeficiencyRemarks=""/>
      </IMMUNIZATIONS>
      <MENSHIST pMenarchePeriod="13" pLastMensPeriod="2022-08-02" pPeriodDuration="5"
pMensInterval="28" pPadsPerDay="5" pOnsetSexIc="19" pBirthCtrlMethod="none"
pIsMenopause="N" pMenopauseAge="" pIsApplicable="Y" pReportStatus="U"
pDeficiencyRemarks=""/>
      <PREGHIST pPregCnt="1" pDeliveryCnt="1" pDeliveryTyp="N" pFullTermCnt="1"
pPrematureCnt="0" pAbortionCnt="0" pLivChildrenCnt="1" pWPregIndhyp="N" pWFamPlan="Y"
pIsApplicable="Y" pReportStatus="U" pDeficiencyRemarks=""/>
```

```
      <PEPERT pSystolic="140" pDiastolic="90" pHr="60" pRr="18" pTemp="36.20" pHeight="153"
pWeight="49" pBMI="20.93" pZScore="" pLeftVision="125" pRightVision="150" pLength=""
pHeadCirc="" pSkinfoldThickness="" pWaist="" pHip="" pLimbs="" pMidUpperArmCirc=""
pReportStatus="U" pDeficiencyRemarks=""/>
      <BLOODTYPE pBloodType="B+" pReportStatus="U" pDeficiencyRemarks=""/>
      <PEGENSURVEY pGenSurveyId="1" pGenSurveyRem="" pReportStatus="U"
pDeficiencyRemarks=""/>
      <PEMISCS>
        <PEMISC pSkinId="" pHeentId="11" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="6" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="6" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="3" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="7" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="8" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="4" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="9" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="99" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="3" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="99" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="7" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="10" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="99" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId="6"
pRectalId="" pGuId="" pReportStatus="U" pDeficiencyRemarks=""/>
      </PEMISCS>
      <PESPECIFIC pSkinRem="SAMPLE REMARKS" pHeentRem="" pChestRem="" pHeartRem=""
pAbdomenRem="" pNeuroRem="" pRectalRem="SAMPLE REMARKS" pGuRem="" pReportStatus="U"
pDeficiencyRemarks=""/>
      <NCDQANS pQid1_Yn="Y" pQid2_Yn="Y" pQid3_Yn="Y" pQid4_Yn="Y" pQid5_Ynx="Y"
pQid6_Yn="Y" pQid7_Yn="Y" pQid8_Yn="Y" pQid9_Yn="Y" pQid10_Yn="Y" pQid11_Yn="Y"
pQid12_Yn="Y" pQid13_Yn="Y" pQid14_Yn="" pQid15_Yn="Y" pQid16_Yn="Y" pQid17_Abcde="D"
pQid18_Yn="Y" pQid19_Yn="Y" pQid19_Fbsmg="126" pQid19_Fbsmmol="7" pQid19_Fbsdate="2022-08-
26" pQid20_Yn="Y" pQid20_Choleval="240" pQid20_Choledate="2022-08-26" pQid21_Yn="Y"
pQid21_Ketonval="30" pQid21_Ketondate="2022-08-26 00:00:00" pQid22_Yn="Y"
pQid22_Proteinval="150" pQid22_Proteindate="" pQid23_Yn="Y" pQid24_Yn="N" pReportStatus="U"
pDeficiencyRemarks=""/>
    </PROFILE>
  </PROFILING>
  <SOAPS>
    <SOAP pHciCaseNo="TH9000000120220800002" pHciTransNo="SH9000000120220800002"
pSoapDate="2022-08-27" pPatientPin="030263078507" pPatientType="MM" pMemPin="030263078507"
pEffYear="2022" pATC="WALKEDIN" pIsWalkedIn="Y" pCoPay="0" pTransDate="2022-08-31"
pReportStatus="U" pDeficiencyRemarks="">
      <SUBJECTIVE pIllnessHistory="SAMPLE HISTORY OF ILLNESS" pSignsSymptoms="37;38;X"
pOtherComplaint="SAMPLE CHIEF COMPLAINT" pPainSite="HEAD" pReportStatus="U"
pDeficiencyRemarks=""/>
      <PEPERT pSystolic="140" pDiastolic="90" pHr="60" pRr="18" pTemp="36.20" pHeight="153"
pWeight="49" pBMI="20.93" pZScore="" pLeftVision="125" pRightVision="150" pLength=""
pHeadCirc="" pSkinfoldThickness="" pWaist="" pHip="" pLimbs="" pMidUpperArmCirc=""
pReportStatus="U" pDeficiencyRemarks=""/>
      <PEMISCS>
        <PEMISC pSkinId="" pHeentId="11" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
    pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
```


PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

```
        <PEMISC pSkinId="" pHeentId="" pChestId="6" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="6" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="3" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="7" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="8" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="4" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="9" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="99" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="8" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="9" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="3" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="99" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="7" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="10" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="99" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId=""
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
        <PEMISC pSkinId="" pHeentId="" pChestId="" pHeartId="" pAbdomenId="" pNeuroId="6"
pGuId="" pRectalId="" pReportStatus="U" pDeficiencyRemarks=""/>
      </PEMISCS>
      <PESPECIFIC pSkinRem="" pHeentRem="" pChestRem="" pHeartRem="" pAbdomenRem=""
pNeuroRem="" pRectalRem="" pGuRem="" pReportStatus="U" pDeficiencyRemarks=""/>
      <ICDS>
        <ICD pIcdCode="E14.9" pReportStatus="U" pDeficiencyRemarks=""/>
        <ICD pIcdCode="I10.9" pReportStatus="U" pDeficiencyRemarks=""/>
      </ICDS>
      <DIAGNOSTICS>
        <DIAGNOSTIC pDiagnosticId="19" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="1" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="4" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="8" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="9" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="7" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="15" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="3" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="18" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="6" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="14" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="13" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="17" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
```

```
        <DIAGNOSTIC pDiagnosticId="5" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="2" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
        <DIAGNOSTIC pDiagnosticId="99" pOthRemarks="" pIsPhysicianRecommendation="Y"
pPatientRemarks="RQ" pReportStatus="U" pDeficiencyRemarks=""/>
      </DIAGNOSTICS>
      <MANAGEMENTS>
        <MANAGEMENT pManagementId="1" pOthRemarks="" pReportStatus="U"
pDeficiencyRemarks=""/>
        <MANAGEMENT pManagementId="3" pOthRemarks="" pReportStatus="U"
pDeficiencyRemarks=""/>
        <MANAGEMENT pManagementId="4" pOthRemarks="" pReportStatus="U"
pDeficiencyRemarks=""/>
        <MANAGEMENT pManagementId="X" pOthRemarks="SAMPLE MANAGEMENT" pReportStatus="U"
pDeficiencyRemarks=""/>
      </MANAGEMENTS>
      <ADVICE pRemarks="SAMPLE REMARKS" pReportStatus="U" pDeficiencyRemarks=""/>
    </SOAP>
  </SOAPS>
  <DIAGNOSTICEXAMRESULTS>
    <DIAGNOSTICEXAMRESULT pHciCaseNo="TH90000000120220800002"
pHciTransNo="PH90000000120220800002" pPatientPin="030263078507" pPatientType="MM"
pMemPin="030263078507" pEffYear="2022">
      <FBSS>
        <FBS pReferralFacility="SAMPLE PARTNER FACILITY" pLabDate="2022-08-26"
pGlucoseMg="126" pGlucoseMmol="7" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="80.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </FBSS>
      <RBSS>
        <RBS pReferralFacility="" pLabDate="2022-08-26" pGlucoseMg="126" pGlucoseMmol="7"
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="80.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </RBSS>
    </DIAGNOSTICEXAMRESULT>
    <DIAGNOSTICEXAMRESULT pHciCaseNo="TH90000000120220800002"
pHciTransNo="SH90000000120220800002" pPatientPin="030263078507" pPatientType="MM"
pMemPin="030263078507" pEffYear="2022">
      <CBCS>
        <CBC pReferralFacility="" pLabDate="2022-08-27" pHematocrit="35"
pHemoglobinG="11.9" pHemoglobinMmol="-" pMhcPg="32.5" pMhcFmol="-" pMchcGhb="32.5"
pMchcMmol="-" pMcvUm="82.5" pMcvFl="-" pWbc1000="3.9" pWbc10="-" pMyelocyte="0"
pNeutrophilsBnd="0-5" pNeutrophilsSeg="40-60" pLymphocytes="20-40" pMonocytes="4-8"
pEosinophils="1-3" pBasophils="0-1" pPlatelet="200,000-500,000" pDateAdded="2022-08-31"
pStatus="D" pDiagnosticLabFee="120.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </CBCS>
      <URINALYSISS>
        <URINALYSIS pReferralFacility="" pLabDate="2022-08-27" pGravity="1.015"
pAppearance="clear" pColor="yellow" pGlucose="0" pProteins="0" pKetones="0" pPh="6"
pRbcCells="3" pWbCells="3" pBacteria="6" pCrystals="0" pBladderCell="0" pSquamousCell="0"
pTubularCell="0" pBroadCasts="0" pEpithelialCast="0" pGranularCast="0" pHyalineCast="0"
pRbcCast="0" pWaxyCast="0" pWcCast="0" pAlbumin="20" pPusCells="0" pDateAdded="2022-08-31
17:53:29" pStatus="D" pDiagnosticLabFee="70.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </URINALYSISS>
      <CHESTXRAYS>
        <CHESTXRAY pReferralFacility="SAMPLE FACILITY" pLabDate="2022-08-27" pFindings="99"
pRemarksFindings="SAMPLE REMARKS" pObservation="3;99" pRemarksObservation=""
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="100.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </CHESTXRAYS>
      <SPUTUMS>
        <SPUTUM pReferralFacility="" pLabDate="2022-08-27" pDataCollection="1"
pFindings="2" pRemarks="SAMPLE FINDINGS" pNoPlusses="0" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="120.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </SPUTUMS>
      <LIPIDPROFILES>
```

```
        <LIPIDPROFILE pReferralFacility="" pLabDate="2022-08-27" pLdl="80" pHdl="65"
pTotal="" pCholesterol="160" pTriglycerides="145" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="120.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </LIPIDPROFILES>
      <FBSS>
        <FBS pReferralFacility="" pLabDate="2022-08-27" pGlucoseMg="126" pGlucoseMmol="7"
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="80.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </FBSS>
      <RBSS>
        <RBS pReferralFacility="" pLabDate="2022-08-27" pGlucoseMg="126" pGlucoseMmol="7"
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="80.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </RBSS>
      <ECGS>
        <ECG pReferralFacility="" pLabDate="2022-08-27" pFindings="2" pRemarks="SAMPLE
FINDINGS" pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="250.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </ECGS>
      <FECALYSISS>
        <FECALYSIS pReferralFacility="" pLabDate="2022-08-27" pColor="1" pConsistency="3"
pRbc="0-1" pWbc="4-5" pOva="NOPS" pParasite="NOPS" pBlood="P" pPusCells="0-2"
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="60.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </FECALYSISS>
      <PAPSMEARS>
        <PAPSMEAR pReferralFacility="" pLabDate="2022-08-27" pFindings="SAMPLE FINDINGS"
pImpression="SAMPLE IMPRESSION" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="95.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </PAPSMEARS>
      <OGTTS>
        <OGTT pReferralFacility="" pLabDate="2022-08-27" pExamFastingMg="95"
pExamFastingMmol="5.3" pExamOgttOneHrMg="180" pExamOgttOneHrMmol="10"
pExamOgttTwoHrMg="140" pExamOgttTwoHrMmol="7.8" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="120.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </OGTTS>
      <FOBTS>
        <FOBT pReferralFacility="" pLabDate="2022-08-27" pFindings="N" pDateAdded="2022-08-
31 17:53:30" pStatus="D" pDiagnosticLabFee="100.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </FOBTS>
      <CREATININES>
        <CREATININE pReferralFacility="" pLabDate="2022-08-27" pFindings="1.1"
pDateAdded="2022-08-31" pStatus="D" pDiagnosticLabFee="120.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </CREATININES>
      <PPDTests>
        <PPDTest pReferralFacility="" pLabDate="2022-08-27" pFindings="N" pDateAdded="2022-
08-31" pStatus="D" pDiagnosticLabFee="100.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </PPDTests>
      <HbA1cs>
        <HbA1c pReferralFacility="SAMPLE FACILITY" pLabDate="2022-08-27" pFindings="42.1"
pDateAdded="2022-08-31 17:53:30" pStatus="D" pDiagnosticLabFee="120.00" pReportStatus="U"
pDeficiencyRemarks=""/>
      </HbA1cs>
      <OTHERDIAGEXAMS>
        <OTHERDIAGEXAM pReferralFacility="SAMPLE FACILITY" pLabDate="2022-08-27"
pOthDiagExam="other diagnostic" pFindings="" pDateAdded="2022-08-31" pStatus="D"
pDiagnosticLabFee="60.00" pReportStatus="U" pDeficiencyRemarks=""/>
      </OTHERDIAGEXAMS>
    </DIAGNOSTICEXAMRESULT>
  </DIAGNOSTICEXAMRESULTS>
  <MEDICINES>
    <MEDICINE pHciCaseNo="TH9000000120220800002" pHciTransNo="SH9000000120220800002"
pCategory="-" pDrugCode="FELOD0000000069TAB490000000000" pGenericCode="FELOD"
pSaltCode="00000" pStrengthCode="00069" pFormCode="TAB49" pUnitCode="00000"
   pPackageCode="00000" pOtherMedicine="" pOthMedDrugGrouping="" pRoute=""
```


PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

```
pQuantity="10.00" pActualUnitPrice="50.00" pTotalAmtPrice="500.00" pInstructionQuantity="1"
pInstructionStrength="10 MG" pInstructionFrequency="" pPrescribingPhysician="SAMPLE
PHYSICIAN" pIsDispensed="Y" pDateDispensed="2022-08-27" pDispensingPersonnel="SAMPLE
DISPENSING PERSONNEL" pIsApplicable="Y" pDateAdded="2022-08-31" pReportStatus="U"
pDeficiencyRemarks=""/>
    <MEDICINE pHciCaseNo="TH90000001202208000002" pHciTransNo="SH90000001202208000002"
pCategory="-" pDrugCode="" pGenericCode="" pSaltCode="" pStrengthCode="" pFormCode=""
pUnitCode="" pPackageCode="" pOtherMedicine="SAMPLE ANTIBIOTICS" pOthMedDrugGrouping="NCD"
pRoute="" pQuantity="10.00" pActualUnitPrice="20.00" pTotalAmtPrice="200.00"
pInstructionQuantity="2" pInstructionStrength="N/A" pInstructionFrequency=""
pPrescribingPhysician="SAMPLE PHYSICIAN" pIsDispensed="Y" pDateDispensed="2022-08-27"
pDispensingPersonnel="SAMPLE DISPENSING PERSONNEL" pIsApplicable="Y" pDateAdded="2022-08-
31" pReportStatus="U" pDeficiencyRemarks=""/>
  </MEDICINES>
</PCB>
```


PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

ANNEX D: GUIDELINES FOR THE ENCRYPTION AND DECRYPTION OF XML

GUIDELINES AND PROCEDURES

- The application of HCI should encrypt input parameters that are supposed to be passed as XML. HCI applications should also decrypt all the output parameters that are supposed to be returned by PKA as XML.
- The input and output parameters that are to be passed as XML text will be referred in this section as XML payload data.

ENCRYPTION OF THE XML PAYLOAD DATA

1. The procedures for the encryption of the XML payload data will be similar to the procedures in the encryption of the image files of the supporting documents of electronically submitted claims. The difference is that encryption of the XML payload data will not use public-key encryption.
2. The XML payload data will be encrypted using "AES-256-CBC" algorithm.
3. PhilHealth will issue the passphrase/password/cipher key to be used by each HCI. The password should be hashed using SHA-256 algorithm. The first 32 bytes of the hashed value should be passed as the password for the AES encryption. If the resulting hashed value is less than 32-bytes, the value should be padded with '0x00' or null character.
4. An array of random 128 bytes should be used as the initialization vector.
5. Before encrypting the data, compute for the hash of file using SHA-256 hash method. (This hash will be compared to the hash that will be computed later after the file has been extracted on from decrypted file on PhilHealth side. If the hash values match, it assures that the file has been encrypted
6. The expected output of these encryption procedures is to be encoded in JSON. The figure below shows the expected key-value pairs that are to be included in the JSON text.
    a. The "docMimeType" key, should have fixed value of "<text/xml>".
    b. The value for the "hash" item is the computed hash of the raw unencrypted XML text using the SHA-256 hash algorithm.
    c. The value for "key1" should be an empty string.
    d. The value for "key2" should also be set to empty string.
    e. The value for "iv" key should be the base-64 encoded value of the initialization vector mentioned in Step#6.
    f. The value for the "doc" key should the base-64 encoded value of the result of the AES-256 encryption of the XML payload data.

```
{
"docMimeType": "<text/xml>",
"hash": "<SHA-256 hash of the XML text (before encryption)>",
"key1" : "",
"key2" : "",
"iv" : "<Encoded in Base64 format, the public key encrypted initialization vector>",
"doc" : "<Encoded in Base64 format, AES-256-CBC encrypted image file data>
```

Figure 1: Format/Layout of encrypted data

7. SPs/HCIs may use their preferred programming language or tools in doing the encryption and decryption. The development kit includes sample codes in C# and PHP. For the sample source codes

CERTIFIED ISO 9001:2015 COMPANY
PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

in PHP, the `encryptXmlPayloadData` method of the `PhilHealthEClaimsEncryptor` class contains an implementation of the encryption procedures outlined above.

DECRYPTION OF THE XML PAYLOAD DATA

The decryption process is just the reverse of the encryption process outlined in previous section.For the service methods that are supposed to return an XML, PKA will encrypt the supposed XML data and return a text encoded in JSON whose key-value pairs as described in the previous section.

1. After receiving the JSON text, the HCI application should parse it.
2. Get the value of the "iv" key. That is the base-64 encoded value of the initialization vector used in the AES-256 encryption of the XML payload data. Decode the value of the initialization vector from base-64 encoding to its corresponding raw array of bytes.
3. Get the password, passphrase or cipher key of the HCI.
4. Get the SHA-256 hash value of that value. . If the length in bytes of the resulting hashed value is less than 32, pad the value with '\0" or null character.
5. Get the value of the "doc" key. That value is the base-64 encoding of the encrypted data. Decode the data from base-64 encoding to the raw array of bytes of the encrypted data, With values of the passphrase, initialization vector and actual encrypted data, decrypt the data using AES-256-CBC.
6. You may get the hash value of the decrypted data and compare it with the value of the "hash" key.
7. After the decryption, the application of HCI may now process and parse the target XML data.

SPs/HCIs may use their preferred programming language or tools in doing the encryption and decryption. The development kit includes sample codes in C# and PHP. For the sample source codes in PHP, the `decryptPayloadDataToXmlmethod` of the `PhilHealthEClaimsEncryptor` class contains an implementation of the decryption procedures outlined above.

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

Non- Disclosure Agreement

This Non Disclosure Agreement (NDA) is for the purpose of preventing the unauthorized disclosure of Confidential Information as defined below:

1. **Definition of Confidential Information.** For purposes of this Agreement, "Confidential Information" is defined in accordance with PhilHealth Circular No. 29 s-2015 which provides as follows:

   Confidential information includes, but is not limited to, protected health information, personal financial information, patient records, or information gained from committee meetings, hospital or facility visits during accreditation and investigation, inquiries from members, patients or other PhilHealth employees and partners. The definition is further expanded to include the following:

   - ✓ Member and their dependents' personal and financial information including photographs and biometric identifiers, such as retinas or iris scans, fingerprints, voiceprints, or scan of hand for face geometry;
   - ✓ Privileged health information, such as patient records, medical diagnoses, medical procedures, and related documents; and
   - ✓ Personal information of accredited health care professionals and providers, except those relating to the delivery of services or practice of profession, such as provider or clinic addresses, accreditation status, or duration of accreditation.

2. **Obligations of Partner.** Partner shall hold and maintain the Confidential Information in strictest confidence for the sole and exclusive benefit of the Corporation. In this regard, as a partner, I agree that:

   - ➢ I WILL uphold the Corporation's commitment towards the confidentiality and privacy of the above-mentioned confidential information at all times;
   - ➢ I WILL only access information that I need in the performance of my assigned tasks and duties;
   - ➢ I WILL keep my user account such as username and password secret and I will never share this information with anyone;
   - ➢ I WILL be accountable for my use or misuse of confidential information;
   - ➢ I WILL report any unauthorized use of disclosure of confidential information.
   - ➢ I WILL hold and maintain all confidential information in trust and confidence and shall use reasonable efforts to protect them from any harm, tampering, unauthorized access, sabotage, exploitation, manipulation, modification, interference, misuse or misappropriation;
   - ➢ I WILL NEITHER use these confidential information for my own benefit NOR give, review, publish, sell, copy, dispose or otherwise disclose to others, or permit the use by others for their benefit or to the detriment of the Corporation;
   - ➢ I WILL NOT use anyone else's user account to access any PhilHealth information system;
   - ➢ I WILL NOT disclose any confidential information if I am no longer connected with PhilHealth; and
   - ➢ I KNOW that confidential information I learn in the job is a result of providing contracted services and does not belong to me.

I fully understand the concepts regarding confidentiality and privacy of confidential health information. In addition, I also know and agree that my failure to fulfill any of the agreements set forth in this Agreement and/or my violation of any terms of this Agreement shall result in my being subject to appropriate disciplinary and/or legal actions including termination of employment.

Signature:			Date Signed:
Print Full Name:			
Office:		Position:	
Name and Signature of Immediate Supervisor (if applicable):			Date Signed:

In Duplicate:

(1) Information Technology Management Department
(2) Legal Sector
(3) Risk Management Department
(4)

PhilHealth Your Partner in Health	SOFTWARE SOLUTION VALIDATION TEST FORM
Software	PhilHealth Konsulta API
Version	1.1

Name of Health Care Institution / Facility			
☐ **In-House** ☐ **Outsourced**	**Name of Service Provider**		
Software Name/Title		**Version #**	
Date of Test		**Time of Test**	

	CRITERIA	Cycle # ____			Cycle # ____			Cycle # ____		
		P	F	Remarks	P	F	Remarks	P	F	Remarks
	STAGE 1 (For PhilHealth Regional Offices Use)									
A	**DATA COMPLETENESS**									
	Captures Provider Accreditation Number									
	Captures Member PIN									
	Captures Dependent PIN (for Dependent Beneficiary)									
	Captures Health Screening & Assessment Data									
	Captures Consultation, Medicine, and Diagnostic Exam Result									
	Compliance to PhilHealth Libraries									
	Captures and Implements recommended services per age group of the beneficiary with the option to request or refuse service									
B	**PROCESS REQUIREMENT**									
	Download and Upload Registration Masterlist (XML)									
	Validates Member/Dependent Registration									
	Validates Authorization Transaction Code (ATC)									
	Submit First Tranche Konsulta Report (XML)									
	Submit Second Tranche Konsulta Report (XML)									
	Generates Transmittal ID per XML Submission									
	Captures Transaction Number returned upon XML Submission									
	Generates and prints an Electronic Konsulta Availment Slip (eKAS)									
	Generates and prints an Electronic Konsulta Prescription Slip (ePresS)									
	Upload Konsulta XML feature to facilitate data transfer from another Service Provider (per individual record and batch record)									
C	**CONTROLS / VALIDATION REQUIREMENT**									
	Length of PhilHealth Identification Number (PIN) is 12									
	All data extracted is in upper case									
	PIN is required for PhilHealth Konsulta Beneficiary									
	Patient type is defined (MM-Member, DD-Dependent) for PhilHealth members and dependents									
	Implementation of Cipher Key									
	Implementation of Authorization Transaction Code (ATC)									

	STAGE 2 (For PhilHealth Central Office Use)	Remarks
D	**SECURITY REQUIREMENT**	
	Implementation of Token	
	Implementation of User Name and Password	
	Encryption of XML	
	Decryption of XML	

PhilHealthofficial teamphilhealth actioncenter@philhealth.gov.ph

E	**ENCRYPTED XML**	
	Encrypted XML can be decrypted using PhilHealth decryption utility	
	Decrypted XML matches the data in the Raw XML	
	XML can be uploaded in PhilHealth system	
F	**KONSULTA DATA**	
	XML data matches the uploaded in the Konsulta database	

E. SECURE / ADEQUATE LINK / BANDWIDTH

- ISP Provider : _____
- Type of Connection (Dedicated/not Personal) : _____
- Bandwidth (Minimum of 1Mbps) : _____

FINAL RESULT: **PASSED / FAILED:** _____
EVALUATORS:

CYCLE # _____	CYCLE # _____	CYCLE # _____
_____ Signature above Name _____ Position	_____ Signature above Name _____ Position	_____ Signature above Name _____ Position
_____ Signature above Name _____ Position	_____ Signature above Name _____ Position	_____ Signature above Name _____ Position
_____ Signature above Name _____ Position	_____ Signature above Name _____ Position	_____ Signature above Name _____ Position