

# Installed Skills Catalog

1527 agentic skills installed under `.claude/skills/`

|              |                                              |
|--------------|----------------------------------------------|
| Total skills | 1527                                         |
| Source       | antigravity-awesome-skills (catalog v12.3.0) |
| Install path | .claude/skills/                              |
| Generated    | 2026-06-11                                   |

## Installation History

| Session | Commit  | What was installed                                                                                                                                                             |
|---------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | ce5f832 | <b>ui-ux-pro-max</b> — UI/UX Pro Max design intelligence (50+ styles, 97 palettes, 57 font pairings, 99 UX guidelines, 25 chart types, 9 stacks). Installed as a single skill. |
| 2       | e0d93e2 | <b>antigravity-awesome-skills</b> library — the full catalog (v12.3.0). Added the remaining skills and updated ui-ux-pro-max to the catalog version.                           |

## # (8)

| Skill                         | Description                                                                                                                                                                                      | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 00-andruia-consultant         | Arquitecto de Soluciones Principal y Consultor Tecnológico de Andru.ia.                                                                                                                          | safe     |
| 007                           | Security audit, hardening, threat modeling (STRIDE/PASTA), Red/Blue Team, OWASP checks, code review, incident response, and infrastructure security for any project.                             | critical |
| 10-andruia-skill-smith        | Ingeniero de Sistemas de Andru.ia.                                                                                                                                                               | safe     |
| 20-andruia-niche-intelligence | Estratega de Inteligencia de Dominio de Andru.ia.                                                                                                                                                | safe     |
| 2d-games                      | 2D game development principles.                                                                                                                                                                  | none     |
| 2slides-ppt-generator         | AI-powered presentation generation via the 2slides API — create slides from text, match a reference image style, summarize documents into decks, add AI voice narration, and export pages/audio. | safe     |
| 3d-games                      | 3D game development principles.                                                                                                                                                                  | unknown  |
| 3d-web-experience             | Expert in building 3D experiences for the web - Three.js, React Three Fiber, Spline, WebGL, and interactive 3D scenes.                                                                           | unknown  |

## A (252)

| Skill                                        | Description                                                                                                                                                                                                                                        | Risk      |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| ab-test-setup                                | Structured guide for setting up A/B tests with mandatory gates for hypothesis, metrics, and execution readiness.                                                                                                                                   | unknown   |
| acceptance-orchestrator                      | Use when a coding task should be driven end-to-end from issue intake through implementation, review, deployment, and acceptance verification with minimal human re-intervention.                                                                   | safe      |
| accessibility-compliance-accessibility-audit | You are an accessibility expert specializing in WCAG compliance, inclusive design, and assistive technology compatibility.                                                                                                                         | safe      |
| accesslint-audit                             | Find and fix WCAG 2.2 accessibility issues.                                                                                                                                                                                                        | safe      |
| accesslint-diff                              | Diff a live page's accessibility violations against a baseline — by default compares uncommitted changes (stash-based), or pass --branch [<name>] to diff against a branch.                                                                        | safe      |
| accesslint-scan                              | Audit a live page for accessibility issues, locate each WCAG violation precisely, and return a selector-grounded fix worklist without editing.                                                                                                     | safe      |
| active-directory-attacks                     | Provide comprehensive techniques for attacking Microsoft Active Directory environments.                                                                                                                                                            | offensive |
| activecampaign-automation                    | Automate ActiveCampaign tasks via Rube MCP (Composio): manage contacts, tags, list subscriptions, automation enrollment, and tasks.                                                                                                                | critical  |
| ad-creative                                  | Create, iterate, and scale paid ad creative for Google Ads, Meta, LinkedIn, TikTok, and similar platforms.                                                                                                                                         | unknown   |
| address-github-comments                      | Use when you need to address review or issue comments on an open GitHub Pull Request using the gh CLI.                                                                                                                                             | unknown   |
| adhx                                         | Fetch any X/Twitter post as clean LLM-friendly JSON.                                                                                                                                                                                               | safe      |
| advanced-evaluation                          | This skill should be used when the user asks to "implement LLM-as-judge", "compare model outputs", "create evaluation rubrics", "mitigate evaluation bias", or mentions direct scoring, pairwise comparison, position bias, evaluation pipeline... | safe      |
| advogado-criminal                            | Advogado criminalista especializado em Maria da Penha, violencia domestica, feminicidio, direito penal brasileiro, medidas protetivas, inquerito policial e acao penal.                                                                            | safe      |
| advogado-especialista                        | Advogado especialista em todas as areas do Direito brasileiro: familia, criminal, trabalhista, tributario, consumidor, imobiliario, empresarial, civil e constitucional.                                                                           | safe      |
| aegisops-ai                                  | Autonomous DevSecOps & FinOps Guardrails.                                                                                                                                                                                                          | safe      |



| Skill                          | Description                                                                                                                                                                                                                             | Risk      |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| ai-studio-image                | Geracao de imagens humanizadas via Google AI Studio (Gemini).                                                                                                                                                                           | safe      |
| ai-wrapper-product             | Expert in building products that wrap AI APIs (OpenAI, Anthropic, etc.                                                                                                                                                                  | unknown   |
| airflow-dag-patterns           | Build production Apache Airflow DAGs with best practices for operators, sensors, testing, and deployment.                                                                                                                               | safe      |
| airtable-automation            | Automate Airtable tasks via Rube MCP (Composio): records, bases, tables, fields, views.                                                                                                                                                 | critical  |
| akf-trust-metadata             | The AI native file format.                                                                                                                                                                                                              | safe      |
| algolia-search                 | Expert patterns for Algolia search implementation, indexing strategies, React InstantSearch, and relevance tuning                                                                                                                       | unknown   |
| algorithmic-art                | Algorithmic philosophies are computational aesthetic movements that are then expressed through code.                                                                                                                                    | unknown   |
| alpha-vantage                  | Access 20+ years of global financial data: equities, options, forex, crypto, commodities, economic indicators, and 50+ technical indicators.                                                                                            | unknown   |
| amazon-alexa                   | Integracao completa com Amazon Alexa para criar skills de voz inteligentes, transformar Alexa em assistente com Claude como cerebro (projeto Auri) e integrar com AWS ecosystem (Lambda, DynamoDB, Polly, Transcribe, Lex, Smart Home). | safe      |
| amplitude-automation           | Automate Amplitude tasks via Rube MCP (Composio): events, user activity, cohorts, user identification.                                                                                                                                  | critical  |
| analytics-product              | Analytics de produto — PostHog, Mixpanel, eventos, funnels, cohorts, retencao, north star metric, OKRs e dashboards de produto.                                                                                                         | none      |
| analytics-tracking             | Design, audit, and improve analytics tracking systems that produce reliable, decision-ready data.                                                                                                                                       | unknown   |
| analyze-project                | Forensic root cause analyzer for Antigravity sessions.                                                                                                                                                                                  | unknown   |
| andrej-karpathy                | Behavioral guidelines to reduce common LLM coding mistakes.                                                                                                                                                                             | safe      |
| android-dev                    | Production-grade Android app development guide covering native (Kotlin/Java), cross-platform (Flutter, RN, KMM), and hybrid architectures.                                                                                              | safe      |
| android-jetpack-compose-expert | Expert guidance for building modern Android UIs with Jetpack Compose, covering state management, navigation, performance, and Material Design 3.                                                                                        | safe      |
| android_ui_verification        | Automated end-to-end UI testing and verification on an Android Emulator using ADB.                                                                                                                                                      | safe      |
| angular                        | Modern Angular (v20+) expert with deep knowledge of Signals, Standalone Components, Zoneless applications, SSR/Hydration, and reactive patterns.                                                                                        | safe      |
| angular-best-practices         | Angular performance optimization and best practices guide.                                                                                                                                                                              | safe      |
| angular-migration              | Master AngularJS to Angular migration, including hybrid apps, component conversion, dependency injection changes, and routing migration.                                                                                                | unknown   |
| angular-state-management       | Master modern Angular state management with Signals, NgRx, and RxJS.                                                                                                                                                                    | safe      |
| angular-ui-patterns            | Modern Angular UI patterns for loading states, error handling, and data display.                                                                                                                                                        | safe      |
| animejs-animation              | Advanced JavaScript animation library skill for creating complex, high-performance web animations.                                                                                                                                      | safe      |
| anti-reversing-techniques      | AUTHORIZED USE ONLY: This skill contains dual-use security techniques.                                                                                                                                                                  | offensive |
| anti-sycophancy                | Eliminate sycophantic agreement patterns in AI responses.                                                                                                                                                                               | safe      |
| antigravity-agent-manager      | Configure and orchestrate parallel agents using the standalone Antigravity 2.0 Agent Manager and Antigravity IDE.                                                                                                                       | critical  |
| antigravity-design-expert      | Core UI/UX engineering skill for building highly interactive, spatial, weightless, and glassmorphism-based web interfaces using GSAP and 3D CSS.                                                                                        | safe      |
| antigravity-skill-orchestrator | A meta-skill that understands task requirements, dynamically selects appropriate skills, tracks successful skill combinations using agent-memory-mcp, and prevents skill overuse for simple tasks.                                      | safe      |
| antigravity-workflows          | Orchestrate multiple Antigravity skills through guided workflows for SaaS MVP delivery, security audits, AI agent builds, and browser QA.                                                                                               | none      |

| Skill                                                   | Description                                                                                                                                                                    | Risk      |
|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>aomi-transact</b>                                    | Build natural-language crypto/DeFi agents and EVM MCP plugins (Claude Code, Cursor, Codex, Gemini).                                                                            | critical  |
| <b>api-design-principles</b>                            | Master REST and GraphQL API design principles to build intuitive, scalable, and maintainable APIs that delight developers and stand the test of time.                          | safe      |
| <b>api-documentation</b>                                | API documentation workflow for generating OpenAPI specs, creating developer guides, and maintaining comprehensive API documentation.                                           | safe      |
| <b>api-documentation-generator</b>                      | Generate comprehensive, developer-friendly API documentation from code, including endpoints, parameters, examples, and best practices                                          | unknown   |
| <b>api-documenter</b>                                   | Master API documentation with OpenAPI 3.1, AI-powered tools, and modern developer experience practices.                                                                        | unknown   |
| <b>api-endpoint-builder</b>                             | Builds production-ready REST API endpoints with validation, error handling, authentication, and documentation.                                                                 | safe      |
| <b>api-fuzzing-bug-bounty</b>                           | Provide comprehensive techniques for testing REST, SOAP, and GraphQL APIs during bug bounty hunting and penetration testing engagements.                                       | offensive |
| <b>api-patterns</b>                                     | API design principles and decision-making.                                                                                                                                     | unknown   |
| <b>api-security-best-practices</b>                      | Implement secure API design patterns including authentication, authorization, input validation, rate limiting, and protection against common API vulnerabilities               | unknown   |
| <b>api-security-testing</b>                             | API security testing workflow for REST and GraphQL APIs covering authentication, authorization, rate limiting, input validation, and security best practices.                  | safe      |
| <b>api-testing-observability-api-mock</b>               | You are an API mocking expert specializing in realistic mock services for development, testing, and demos.                                                                     | unknown   |
| <b>apify-actor-development</b>                          | Important: Before you begin, fill in the generatedBy property in the meta section of .actor/actor.json.                                                                        | unknown   |
| <b>apify-actorization</b>                               | Actorization converts existing software into reusable serverless applications compatible with the Apify platform.                                                              | unknown   |
| <b>apify-audience-analysis</b>                          | Understand audience demographics, preferences, behavior patterns, and engagement quality across Facebook, Instagram, YouTube, and TikTok.                                      | unknown   |
| <b>apify-brand-reputation-monitoring</b>                | Scrape reviews, ratings, and brand mentions from multiple platforms using Apify Actors.                                                                                        | unknown   |
| <b>apify-competitor-intelligence</b>                    | Analyze competitor strategies, content, pricing, ads, and market positioning across Google Maps, Booking.com, Facebook, Instagram, YouTube, and TikTok.                        | unknown   |
| <b>apify-content-analytics</b>                          | Track engagement metrics, measure campaign ROI, and analyze content performance across Instagram, Facebook, YouTube, and TikTok.                                               | unknown   |
| <b>apify-ecommerce</b>                                  | Extract product data, prices, reviews, and seller information from any e-commerce platform using Apify's E-commerce Scraping Tool.                                             | unknown   |
| <b>apify-influencer-discovery</b>                       | Find and evaluate influencers for brand partnerships, verify authenticity, and track collaboration performance across Instagram, Facebook, YouTube, and TikTok.                | unknown   |
| <b>apify-lead-generation</b>                            | Scrape leads from multiple platforms using Apify Actors.                                                                                                                       | unknown   |
| <b>apify-market-research</b>                            | Analyze market conditions, geographic opportunities, pricing, consumer behavior, and product validation across Google Maps, Facebook, Instagram, Booking.com, and TripAdvisor. | unknown   |
| <b>apify-trend-analysis</b>                             | Discover and track emerging trends across Google Trends, Instagram, Facebook, YouTube, and TikTok to inform content strategy.                                                  | unknown   |
| <b>apify-ultimate-scraper</b>                           | AI-driven data extraction from 55+ Actors across all major platforms.                                                                                                          | unknown   |
| <b>app-builder</b>                                      | Main application building orchestrator.                                                                                                                                        | unknown   |
| <b>app-store-changelog</b>                              | Generate user-facing App Store release notes from git history since the last tag.                                                                                              | safe      |
| <b>app-store-optimization</b>                           | Complete App Store Optimization (ASO) toolkit for researching, optimizing, and tracking mobile app performance on Apple App Store and Google Play Store                        | unknown   |
| <b>appdeploy</b>                                        | Deploy web apps with backend APIs, database, and file storage.                                                                                                                 | safe      |
| <b>application-performance-performance-optimization</b> | Optimize end-to-end application performance with profiling, observability, and backend/frontend tuning.                                                                        | unknown   |

| Skill                           | Description                                                                                                                                                                                   | Risk      |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| architect-review                | Master software architect specializing in modern architecture                                                                                                                                 | unknown   |
| architecture                    | Architectural decision-making framework.                                                                                                                                                      | safe      |
| architecture-decision-records   | Comprehensive patterns for creating, maintaining, and managing Architecture Decision Records (ADRs) that capture the context and rationale behind significant technical decisions.            | unknown   |
| architecture-patterns           | Master proven backend architecture patterns including Clean Architecture, Hexagonal Architecture, and Domain-Driven Design to build maintainable, testable, and scalable systems.             | none      |
| arm-cortex-expert               | Senior embedded software engineer specializing in firmware and driver development for ARM Cortex-M microcontrollers (Teensy, STM32, nRF52, SAMD).                                             | unknown   |
| article-illustrations           | Generate hand-drawn 16:9 article illustrations with the Grav character IP, sparse annotations, and absurd but clear visual metaphors.                                                         | safe      |
| asana-automation                | Automate Asana tasks via Rube MCP (Composio): tasks, projects, sections, teams, workspaces.                                                                                                   | unknown   |
| ask-questions-if-underspecified | Clarify requirements before implementing.                                                                                                                                                     | unknown   |
| astro                           | Build content-focused websites with Astro — zero JS by default, islands architecture, multi-framework components, and Markdown/MDX support.                                                   | safe      |
| astropy                         | Astropy is the core Python package for astronomy, providing essential functionality for astronomical research and data analysis.                                                              | unknown   |
| async-python-patterns           | Comprehensive guidance for implementing asynchronous Python applications using asyncio, concurrent programming patterns, and async/await for building high-performance, non-blocking systems. | safe      |
| attack-tree-construction        | Build comprehensive attack trees to visualize threat paths.                                                                                                                                   | offensive |
| audio-transcriber               | Transform audio recordings into professional Markdown documentation with intelligent summaries using LLM integration                                                                          | safe      |
| audit-context-building          | Enables ultra-granular, line-by-line code analysis to build deep architectural context before vulnerability or bug finding.                                                                   | unknown   |
| audit-skills                    | Expert security auditor for AI Skills and Bundles.                                                                                                                                            | safe      |
| auri-core                       | Auri: asistente de voz inteligente (Alexa + Claude claude-opus-4-20250805).                                                                                                                   | none      |
| auth-implementation-patterns    | Build secure, scalable authentication and authorization systems using industry-standard patterns and modern best practices.                                                                   | unknown   |
| autonomous-agent-patterns       | Design patterns for building autonomous coding agents, inspired by [Cline](https://github.com/cline/cline) and [OpenAI Codex](https://github.com/openai/codex).                               | critical  |
| autonomous-agents               | Autonomous agents are AI systems that can independently decompose goals, plan actions, execute tools, and self-correct without constant human guidance.                                       | unknown   |
| avalonia-layout-zafiro          | Guidelines for modern Avalonia UI layout using Zafiro.Avalonia, emphasizing shared styles, generic components, and avoiding XAML redundancy.                                                  | unknown   |
| avalonia-viewmodels-zafiro      | Optimal ViewModel and Wizard creation patterns for Avalonia using Zafiro and ReactiveUI.                                                                                                      | none      |
| avalonia-zafiro-development     | Mandatory skills, conventions, and behavioral rules for Avalonia UI development using the Zafiro toolkit.                                                                                     | safe      |
| avoid-ai-writing                | Audit and rewrite content to remove 21 categories of AI writing patterns with a 43-entry replacement table                                                                                    | none      |
| awareness-stage-mapper          | One sentence - what this skill does and when to invoke it                                                                                                                                     | safe      |
| aws-compliance-checker          | Automated compliance checking against CIS, PCI-DSS, HIPAA, and SOC 2 benchmarks                                                                                                               | safe      |
| aws-cost-cleanup                | Automated cleanup of unused AWS resources to reduce costs                                                                                                                                     | safe      |
| aws-cost-optimizer              | Comprehensive AWS cost analysis and optimization recommendations using AWS CLI and Cost Explorer                                                                                              | safe      |



| Skill                                | Description                                                                                                                                       | Risk      |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| aws-iam-best-practices               | IAM policy review, hardening, and least privilege implementation                                                                                  | safe      |
| aws-penetration-testing              | Provide comprehensive techniques for penetration testing AWS cloud environments.                                                                  | offensive |
| aws-secrets-rotation                 | Automate AWS secrets rotation for RDS, API keys, and credentials                                                                                  | safe      |
| aws-security-audit                   | Comprehensive AWS security posture assessment using AWS CLI and security best practices                                                           | safe      |
| aws-serverless                       | Specialized skill for building production-ready serverless applications on AWS.                                                                   | unknown   |
| aws-skills                           | AWS development with infrastructure automation and cloud architecture patterns                                                                    | safe      |
| awt-e2e-testing                      | AI-powered E2E web testing — eyes and hands for AI coding tools.                                                                                  | unknown   |
| axiom                                | First-principles assumption auditor.                                                                                                              | safe      |
| azd-deployment                       | Deploy containerized frontend + backend applications to Azure Container Apps with remote builds, managed identity, and idempotent infrastructure. | critical  |
| azure-ai-agents-persistent-dotnet    | Azure AI Agents Persistent SDK for .NET.                                                                                                          | unknown   |
| azure-ai-agents-persistent-java      | Azure AI Agents Persistent SDK for Java.                                                                                                          | unknown   |
| azure-ai-anomalydetector-java        | Build anomaly detection applications with Azure AI Anomaly Detector SDK for Java.                                                                 | unknown   |
| azure-ai-contentssafety-java         | Build content moderation applications using the Azure AI Content Safety SDK for Java.                                                             | unknown   |
| azure-ai-contentssafety-py           | Azure AI Content Safety SDK for Python.                                                                                                           | unknown   |
| azure-ai-contentssafety-ts           | Analyze text and images for harmful content with customizable blocklists.                                                                         | unknown   |
| azure-ai-contentunderstanding-py     | Azure AI Content Understanding SDK for Python.                                                                                                    | unknown   |
| azure-ai-documentintelligence-dotnet | Azure AI Document Intelligence SDK for .NET.                                                                                                      | unknown   |
| azure-ai-documentintelligence-ts     | Extract text, tables, and structured data from documents using prebuilt and custom models.                                                        | unknown   |
| azure-ai-formrecognizer-java         | Build document analysis applications using the Azure AI Document Intelligence SDK for Java.                                                       | unknown   |
| azure-ai-ml-py                       | Azure Machine Learning SDK v2 for Python.                                                                                                         | unknown   |
| azure-ai-openai-dotnet               | Azure OpenAI SDK for .NET.                                                                                                                        | unknown   |
| azure-ai-projects-dotnet             | Azure AI Projects SDK for .NET.                                                                                                                   | unknown   |
| azure-ai-projects-java               | Azure AI Projects SDK for Java.                                                                                                                   | unknown   |
| azure-ai-projects-py                 | Build AI applications on Microsoft Foundry using the azure-ai-projects SDK.                                                                       | unknown   |
| azure-ai-projects-ts                 | High-level SDK for Azure AI Foundry projects with agents, connections, deployments, and evaluations.                                              | unknown   |
| azure-ai-textanalytics-py            | Azure AI Text Analytics SDK for sentiment analysis, entity recognition, key phrases, language detection, PII, and healthcare NLP.                 | unknown   |
| azure-ai-transcription-py            | Azure AI Transcription SDK for Python.                                                                                                            | unknown   |
| azure-ai-translation-document-py     | Azure AI Document Translation SDK for batch translation of documents with format preservation.                                                    | unknown   |
| azure-ai-translation-text-py         | Azure AI Text Translation SDK for real-time text translation, transliteration, language detection, and dictionary lookup.                         | unknown   |
| azure-ai-translation-ts              | Text and document translation with REST-style clients.                                                                                            | unknown   |
| azure-ai-vision-imageanalysis-java   | Build image analysis applications with Azure AI Vision SDK for Java.                                                                              | unknown   |
| azure-ai-vision-imageanalysis-py     | Azure AI Vision Image Analysis SDK for captions, tags, objects, OCR, people detection, and smart cropping.                                        | unknown   |

| Skill                                   | Description                                                                                                                                                         | Risk    |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| azure-ai-voicelive-dotnet               | Azure AI Voice Live SDK for .NET.                                                                                                                                   | unknown |
| azure-ai-voicelive-java                 | Azure AI VoiceLive SDK for Java.                                                                                                                                    | unknown |
| azure-ai-voicelive-py                   | Build real-time voice AI applications with bidirectional WebSocket communication.                                                                                   | unknown |
| azure-ai-voicelive-ts                   | Azure AI Voice Live SDK for JavaScript/TypeScript.                                                                                                                  | unknown |
| azure-appconfiguration-java             | Azure App Configuration SDK for Java.                                                                                                                               | unknown |
| azure-appconfiguration-py               | Azure App Configuration SDK for Python.                                                                                                                             | unknown |
| azure-appconfiguration-ts               | Centralized configuration management with feature flags and dynamic refresh.                                                                                        | unknown |
| azure-communication-callautomation-java | Build server-side call automation workflows including IVR systems, call routing, recording, and AI-powered interactions.                                            | unknown |
| azure-communication-callingserver-java  | ■■ DEPRECATED: This SDK has been renamed to Call Automation.                                                                                                        | safe    |
| azure-communication-chat-java           | Build real-time chat applications with thread management, messaging, participants, and read receipts.                                                               | unknown |
| azure-communication-common-java         | Azure Communication Services common utilities for Java.                                                                                                             | unknown |
| azure-communication-sms-java            | Send SMS messages with Azure Communication Services SMS Java SDK.                                                                                                   | safe    |
| azure-compute-batch-java                | Azure Batch SDK for Java.                                                                                                                                           | unknown |
| azure-containerregistry-py              | Azure Container Registry SDK for Python.                                                                                                                            | unknown |
| azure-cosmos-db-py                      | Build production-grade Azure Cosmos DB NoSQL services following clean code, security best practices, and TDD principles.                                            | unknown |
| azure-cosmos-java                       | Azure Cosmos DB SDK for Java.                                                                                                                                       | unknown |
| azure-cosmos-py                         | Azure Cosmos DB SDK for Python (NoSQL API).                                                                                                                         | unknown |
| azure-cosmos-rust                       | Azure Cosmos DB SDK for Rust (NoSQL API).                                                                                                                           | unknown |
| azure-cosmos-ts                         | Azure Cosmos DB JavaScript/TypeScript SDK (@azure/cosmos) for data plane operations.                                                                                | unknown |
| azure-data-tables-java                  | Build table storage applications using the Azure Tables SDK for Java.                                                                                               | unknown |
| azure-data-tables-py                    | Azure Tables SDK for Python (Storage and Cosmos DB).                                                                                                                | unknown |
| azure-eventgrid-dotnet                  | Azure Event Grid SDK for .NET.                                                                                                                                      | unknown |
| azure-eventgrid-java                    | Build event-driven applications with Azure Event Grid SDK for Java.                                                                                                 | unknown |
| azure-eventgrid-py                      | Azure Event Grid SDK for Python.                                                                                                                                    | unknown |
| azure-eventhub-dotnet                   | Azure Event Hubs SDK for .NET.                                                                                                                                      | unknown |
| azure-eventhub-java                     | Build real-time streaming applications with Azure Event Hubs SDK for Java.                                                                                          | unknown |
| azure-eventhub-py                       | Azure Event Hubs SDK for Python streaming.                                                                                                                          | unknown |
| azure-eventhub-rust                     | Azure Event Hubs SDK for Rust.                                                                                                                                      | unknown |
| azure-eventhub-ts                       | High-throughput event streaming and real-time data ingestion.                                                                                                       | unknown |
| azure-functions                         | Expert patterns for Azure Functions development including isolated worker model, Durable Functions orchestration, cold start optimization, and production patterns. | none    |
| azure-identity-dotnet                   | Azure Identity SDK for .NET.                                                                                                                                        | unknown |
| azure-identity-java                     | Authenticate Java applications with Azure services using Microsoft Entra ID (Azure AD).                                                                             | unknown |
| azure-identity-py                       | Azure Identity SDK for Python authentication.                                                                                                                       | unknown |
| azure-identity-rust                     | Azure Identity SDK for Rust authentication.                                                                                                                         | unknown |
| azure-identity-ts                       | Authenticate to Azure services with various credential types.                                                                                                       | unknown |
| azure-keyvault-certificates-rust        | Azure Key Vault Certificates SDK for Rust.                                                                                                                          | unknown |



| Skill                                      | Description                                                                                                            | Risk    |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------|
| azure-keyvault-keys-rust                   | Azure Key Vault Keys SDK for Rust.                                                                                     | unknown |
| azure-keyvault-keys-ts                     | Manage cryptographic keys using Azure Key Vault Keys SDK for JavaScript (@azure/keyvault-keys).                        | unknown |
| azure-keyvault-py                          | Azure Key Vault SDK for Python.                                                                                        | unknown |
| azure-keyvault-secrets-rust                | Azure Key Vault Secrets SDK for Rust.                                                                                  | unknown |
| azure-keyvault-secrets-ts                  | Manage secrets using Azure Key Vault Secrets SDK for JavaScript (@azure/keyvault-secrets).                             | unknown |
| azure-maps-search-dotnet                   | Azure Maps SDK for .NET.                                                                                               | unknown |
| azure-messaging-webpubsub-java             | Build real-time web applications with Azure Web PubSub SDK for Java.                                                   | unknown |
| azure-messaging-webpubsubservice-py        | Azure Web PubSub Service SDK for Python.                                                                               | unknown |
| azure-mgmt-apicenter-dotnet                | Azure API Center SDK for .NET.                                                                                         | unknown |
| azure-mgmt-apicenter-py                    | Azure API Center Management SDK for Python.                                                                            | unknown |
| azure-mgmt-apimanagement-dotnet            | Azure Resource Manager SDK for API Management in .NET.                                                                 | unknown |
| azure-mgmt-apimanagement-py                | Azure API Management SDK for Python.                                                                                   | unknown |
| azure-mgmt-applicationinsights-dotnet      | Azure Application Insights SDK for .NET.                                                                               | unknown |
| azure-mgmt-arizeaiobservabilityeval-dotnet | Azure Resource Manager SDK for Arize AI Observability and Evaluation (.NET).                                           | unknown |
| azure-mgmt-botservice-dotnet               | Azure Resource Manager SDK for Bot Service in .NET.                                                                    | unknown |
| azure-mgmt-botservice-py                   | Azure Bot Service Management SDK for Python.                                                                           | unknown |
| azure-mgmt-fabric-dotnet                   | Azure Resource Manager SDK for Fabric in .NET.                                                                         | unknown |
| azure-mgmt-fabric-py                       | Azure Fabric Management SDK for Python.                                                                                | unknown |
| azure-mgmt-mongodbatlas-dotnet             | Manage MongoDB Atlas Organizations as Azure ARM resources with unified billing through Azure Marketplace.              | unknown |
| azure-mgmt-weightsandbiases-dotnet         | Azure Weights & Biases SDK for .NET.                                                                                   | unknown |
| azure-microsoft-playwright-testing-ts      | Run Playwright tests at scale with cloud-hosted browsers and integrated Azure portal reporting.                        | unknown |
| azure-monitor-ingestion-java               | Azure Monitor Ingestion SDK for Java.                                                                                  | unknown |
| azure-monitor-ingestion-py                 | Azure Monitor Ingestion SDK for Python.                                                                                | unknown |
| azure-monitor-opentelemetry-exporter-java  | Azure Monitor OpenTelemetry Exporter for Java.                                                                         | unknown |
| azure-monitor-opentelemetry-exporter-py    | Azure Monitor OpenTelemetry Exporter for Python.                                                                       | unknown |
| azure-monitor-opentelemetry-py             | Azure Monitor OpenTelemetry Distro for Python.                                                                         | unknown |
| azure-monitor-opentelemetry-ts             | Auto-instrument Node.js applications with distributed tracing, metrics, and logs.                                      | unknown |
| azure-monitor-query-java                   | Azure Monitor Query SDK for Java.                                                                                      | safe    |
| azure-monitor-query-py                     | Azure Monitor Query SDK for Python.                                                                                    | unknown |
| azure-postgres-ts                          | Connect to Azure Database for PostgreSQL Flexible Server from Node.js/TypeScript using the pg (node-postgres) package. | unknown |

| Skill                                     | Description                                                                                           | Risk    |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------|---------|
| azure-resource-manager-cosmosdb-dotnet    | Azure Resource Manager SDK for Cosmos DB in .NET.                                                     | unknown |
| azure-resource-manager-durabletask-dotnet | Azure Resource Manager SDK for Durable Task Scheduler in .NET.                                        | unknown |
| azure-resource-manager-mysql-dotnet       | Azure MySQL Flexible Server SDK for .NET.                                                             | unknown |
| azure-resource-manager-playwright-dotnet  | Azure Resource Manager SDK for Microsoft Playwright Testing in .NET.                                  | unknown |
| azure-resource-manager-postgresql-dotnet  | Azure PostgreSQL Flexible Server SDK for .NET.                                                        | unknown |
| azure-resource-manager-redis-dotnet       | Azure Resource Manager SDK for Redis in .NET.                                                         | unknown |
| azure-resource-manager-sql-dotnet         | Azure Resource Manager SDK for Azure SQL in .NET.                                                     | unknown |
| azure-search-documents-dotnet             | Azure AI Search SDK for .NET (Azure.Search.Documents).                                                | unknown |
| azure-search-documents-python             | Azure AI Search SDK for Python.                                                                       | unknown |
| azure-search-documents-ts                 | Build search applications with vector, hybrid, and semantic search capabilities.                      | unknown |
| azure-security-keyvault-keys-dotnet       | Azure Key Vault Keys SDK for .NET.                                                                    | unknown |
| azure-security-keyvault-keys-java         | Azure Key Vault Keys Java SDK for cryptographic key management.                                       | unknown |
| azure-security-keyvault-secrets-java      | Azure Key Vault Secrets Java SDK for secret management.                                               | unknown |
| azure-servicebus-dotnet                   | Azure Service Bus SDK for .NET.                                                                       | unknown |
| azure-servicebus-py                       | Azure Service Bus SDK for Python messaging.                                                           | unknown |
| azure-servicebus-ts                       | Enterprise messaging with queues, topics, and subscriptions.                                          | unknown |
| azure-speech-to-text-rest-python          | Azure Speech to Text REST API for short audio (Python).                                               | unknown |
| azure-storage-blob-java                   | Build blob storage applications using the Azure Storage Blob SDK for Java.                            | unknown |
| azure-storage-blob-py                     | Azure Blob Storage SDK for Python.                                                                    | unknown |
| azure-storage-blob-rust                   | Azure Blob Storage SDK for Rust.                                                                      | unknown |
| azure-storage-blob-ts                     | Azure Blob Storage JavaScript/TypeScript SDK (@azure/storage-blob) for blob operations.               | unknown |
| azure-storage-file-datalake-py            | Azure Data Lake Storage Gen2 SDK for Python.                                                          | unknown |
| azure-storage-file-share-py               | Azure Storage File Share SDK for Python.                                                              | unknown |
| azure-storage-file-share-ts               | Azure File Share JavaScript/TypeScript SDK (@azure/storage-file-share) for SMB file share operations. | unknown |
| azure-storage-queue-py                    | Azure Queue Storage SDK for Python.                                                                   | unknown |
| azure-storage-queue-ts                    | Azure Queue Storage JavaScript/TypeScript SDK (@azure/storage-queue) for message queue operations.    | unknown |
| azure-web-pubsub-ts                       | Real-time messaging with WebSocket connections and pub/sub patterns.                                  | unknown |

**B** (54)

| Skill                                          | Description                                                                                                                                                                                                                                        | Risk     |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>backend-architect</b>                       | Expert backend architect specializing in scalable API design, microservices architecture, and distributed systems.                                                                                                                                 | unknown  |
| <b>backend-dev-guidelines</b>                  | You are a senior backend engineer operating production-grade services under strict architectural and reliability constraints.                                                                                                                      | unknown  |
| <b>backend-development-feature-development</b> | Orchestrate end-to-end backend feature development from requirements to deployment.                                                                                                                                                                | unknown  |
| <b>backend-security-coder</b>                  | Expert in secure backend coding practices specializing in input validation, authentication, and API security.                                                                                                                                      | unknown  |
| <b>backtesting-frameworks</b>                  | Build robust, production-grade backtesting systems that avoid common pitfalls and produce reliable strategy performance estimates.                                                                                                                 | safe     |
| <b>bamboohr-automation</b>                     | Automate BambooHR tasks via Rube MCP (Composio): employees, time-off, benefits, dependents, employee updates.                                                                                                                                      | critical |
| <b>base</b>                                    | Database management, forms, reports, and data operations with LibreOffice Base.                                                                                                                                                                    | safe     |
| <b>basecamp-automation</b>                     | Automate Basecamp project management, to-dos, messages, people, and to-do list organization via Rube MCP (Composio).                                                                                                                               | critical |
| <b>baseline-ui</b>                             | Validates animation durations, enforces typography scale, checks component accessibility, and prevents layout anti-patterns in Tailwind CSS projects.                                                                                              | unknown  |
| <b>bash-defensive-patterns</b>                 | Master defensive Bash programming techniques for production-grade scripts.                                                                                                                                                                         | safe     |
| <b>bash-linux</b>                              | Bash/Linux terminal patterns.                                                                                                                                                                                                                      | unknown  |
| <b>bash-pro</b>                                | Master of defensive Bash scripting for production automation, CI/CD pipelines, and system utilities.                                                                                                                                               | critical |
| <b>bash-scripting</b>                          | Bash scripting workflow for creating production-ready shell scripts with defensive patterns, error handling, and testing.                                                                                                                          | safe     |
| <b>bats-testing-patterns</b>                   | Master Bash Automated Testing System (Bats) for comprehensive shell script testing.                                                                                                                                                                | unknown  |
| <b>bazel-build-optimization</b>                | Optimize Bazel builds for large-scale monorepos.                                                                                                                                                                                                   | unknown  |
| <b>bdi-mental-states</b>                       | This skill should be used when the user asks to "model agent mental states", "implement BDI architecture", "create belief-desire-intention models", "transform RDF to beliefs", "build cognitive agent", or mentions BDI ontology, mental state... | unknown  |
| <b>bdistill-behavioral-xray</b>                | X-ray any AI model's behavioral patterns — refusal boundaries, hallucination tendencies, reasoning style, formatting defaults.                                                                                                                     | safe     |
| <b>bdistill-knowledge-extraction</b>           | Extract structured domain knowledge from AI models in-session or from local open-source models via Ollama.                                                                                                                                         | safe     |
| <b>beautiful-prose</b>                         | A hard-edged writing style contract for timeless, forceful English prose without modern AI tics.                                                                                                                                                   | unknown  |
| <b>behavioral-modes</b>                        | AI operational modes (brainstorm, implement, debug, review, teach, ship, orchestrate).                                                                                                                                                             | unknown  |
| <b>bevy-ecs-expert</b>                         | Master Bevy's Entity Component System (ECS) in Rust, covering Systems, Queries, Resources, and parallel scheduling.                                                                                                                                | safe     |
| <b>bilig-workpaper</b>                         | Use formula-backed WorkPaper JSON and MCP tools for agent spreadsheet tasks without driving Excel or a browser UI.                                                                                                                                 | critical |
| <b>bill-gates</b>                              | Agente que simula Bill Gates — cofundador da Microsoft, arquiteto da industria de software comercial, estrategista tecnologico global, investidor sistêmico e filantropo baseado em dados.                                                         | safe     |
| <b>billing-automation</b>                      | Master automated billing systems including recurring billing, invoice generation, dunning management, proration, and tax calculation.                                                                                                              | safe     |
| <b>binary-analysis-patterns</b>                | Comprehensive patterns and techniques for analyzing compiled binaries, understanding assembly code, and reconstructing program logic.                                                                                                              | unknown  |
| <b>biopython</b>                               | Biopython is a comprehensive set of freely available Python tools for biological computation.                                                                                                                                                      | unknown  |
| <b>bitbucket-automation</b>                    | Automate Bitbucket repositories, pull requests, branches, issues, and workspace management via Rube MCP (Composio).                                                                                                                                | critical |

| Skill                                | Description                                                                                                                                                                                                                                      | Risk      |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>blockchain-developer</b>          | Build production-ready Web3 applications, smart contracts, and decentralized systems.                                                                                                                                                            | unknown   |
| <b>blockrun</b>                      | BlockRun works with Claude Code and Google Antigravity.                                                                                                                                                                                          | unknown   |
| <b>blog-writing-guide</b>            | This skill enforces Sentry's blog writing standards across every post — whether you're helping an engineer write their first blog post or a marketer draft a product announcement.                                                               | unknown   |
| <b>blueprint</b>                     | Turn a one-line objective into a step-by-step construction plan any coding agent can execute cold.                                                                                                                                               | safe      |
| <b>box-automation</b>                | Automate Box operations including file upload/download, content search, folder management, collaboration, metadata queries, and sign requests through Composio's Box toolkit.                                                                    | critical  |
| <b>brainstorming</b>                 | Use before creative or constructive work (features, architecture, behavior).                                                                                                                                                                     | unknown   |
| <b>brand-guidelines</b>              | Write copy following Sentry brand guidelines.                                                                                                                                                                                                    | unknown   |
| <b>brand-guidelines-anthropic</b>    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                                                                                               | unknown   |
| <b>brand-guidelines-community</b>    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                                                                                               | unknown   |
| <b>brand-perception-psychologist</b> | One sentence - what this skill does and when to invoke it                                                                                                                                                                                        | safe      |
| <b>brevo-automation</b>              | Automate Brevo (formerly Sendinblue) email marketing operations through Composio's Brevo toolkit via Rube MCP.                                                                                                                                   | critical  |
| <b>broken-authentication</b>         | Identify and exploit authentication and session management vulnerabilities in web applications.                                                                                                                                                  | unknown   |
| <b>brooks-lint</b>                   | AI code reviewer grounded in classic software engineering books for catching design smells, coupling issues, and architectural risks.                                                                                                            | safe      |
| <b>browser-automation</b>            | Browser automation powers web testing, scraping, and AI agent interactions.                                                                                                                                                                      | unknown   |
| <b>browser-extension-builder</b>     | Expert in building browser extensions that solve real problems - Chrome, Firefox, and cross-browser extensions.                                                                                                                                  | unknown   |
| <b>bug-hunter</b>                    | Systematically finds and fixes bugs using proven debugging techniques.                                                                                                                                                                           | safe      |
| <b>build</b>                         | build                                                                                                                                                                                                                                            | unknown   |
| <b>building-native-ui</b>            | Complete guide for building beautiful apps with Expo Router.                                                                                                                                                                                     | unknown   |
| <b>bulletmind</b>                    | Convert input into clean, structured, hierarchical bullet points for summarization, note-taking, and structured thinking.                                                                                                                        | safe      |
| <b>bullmq-specialist</b>             | BullMQ expert for Redis-backed job queues, background processing, and reliable async execution in Node.js/TypeScript applications.                                                                                                               | none      |
| <b>bumblebee</b>                     | Run Bumblebee supply-chain inventory and exposure scans on macOS/Linux to detect compromised packages, extensions, and MCP host configs.                                                                                                         | safe      |
| <b>bun-development</b>               | Fast, modern JavaScript/TypeScript development with the Bun runtime, inspired by [oven-sh/bun](https://github.com/oven-sh/bun).                                                                                                                  | critical  |
| <b>burp-suite-testing</b>            | Execute comprehensive web application security testing using Burp Suite's integrated toolset, including HTTP traffic interception and modification, request analysis and replay, automated vulnerability scanning, and manual testing workflows. | offensive |
| <b>burpsuite-project-parser</b>      | Searches and explores Burp Suite project files (.burp) from the command line.                                                                                                                                                                    | unknown   |
| <b>business-analyst</b>              | Master modern business analysis with AI-powered analytics, real-time dashboards, and data-driven insights.                                                                                                                                       | unknown   |
| <b>busybox-on-windows</b>            | How to use a Win32 build of BusyBox to run many of the standard UNIX command line tools on Windows.                                                                                                                                              | safe      |
| <b>buywhere-product-catalog</b>      | Use BuyWhere's MCP and API surfaces to add product search, price comparison, and deal discovery to AI shopping agents.                                                                                                                           | safe      |

| Skill                                      | Description                                                                                                                                                                       | Risk     |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>c-pro</b>                               | Write efficient C code with proper memory management, pointer                                                                                                                     | unknown  |
| <b>c4-architecture-c4-architecture</b>     | Generate comprehensive C4 architecture documentation for an existing repository/codebase using a bottom-up analysis approach.                                                     | unknown  |
| <b>c4-code</b>                             | Expert C4 Code-level documentation specialist.                                                                                                                                    | unknown  |
| <b>c4-component</b>                        | Expert C4 Component-level documentation specialist.                                                                                                                               | unknown  |
| <b>c4-container</b>                        | Expert C4 Container-level documentation specialist.                                                                                                                               | unknown  |
| <b>c4-context</b>                          | Expert C4 Context-level documentation specialist.                                                                                                                                 | unknown  |
| <b>cal-com-automation</b>                  | Automate Cal.com tasks via Rube MCP (Composio): manage bookings, check availability, configure webhooks, and handle teams.                                                        | critical |
| <b>calc</b>                                | Spreadsheet creation, format conversion (ODS/XLSX/CSV), formulas, data automation with LibreOffice Calc.                                                                          | safe     |
| <b>calendly-automation</b>                 | Automate Calendly scheduling, event management, invitee tracking, availability checks, and organization administration via Rube MCP (Composio).                                   | critical |
| <b>canva-automation</b>                    | Automate Canva tasks via Rube MCP (Composio): designs, exports, folders, brand templates, autofill.                                                                               | critical |
| <b>canvas-design</b>                       | These are instructions for creating design philosophies - aesthetic movements that are then EXPRESSED VISUALLY.                                                                   | unknown  |
| <b>carrier-relationship-management</b>     | Codified expertise for managing carrier portfolios, negotiating freight rates, tracking carrier performance, allocating freight, and maintaining strategic carrier relationships. | safe     |
| <b>cc-skill-backend-patterns</b>           | Backend architecture patterns, API design, database optimization, and server-side best practices for Node.js, Express, and Next.js API routes.                                    | unknown  |
| <b>cc-skill-clickhouse-io</b>              | ClickHouse database patterns, query optimization, analytics, and data engineering best practices for high-performance analytical workloads.                                       | unknown  |
| <b>cc-skill-coding-standards</b>           | Universal coding standards, best practices, and patterns for TypeScript, JavaScript, React, and Node.js development.                                                              | unknown  |
| <b>cc-skill-continuous-learning</b>        | Development skill from everything-claude-code                                                                                                                                     | none     |
| <b>cc-skill-frontend-patterns</b>          | Frontend development patterns for React, Next.js, state management, performance optimization, and UI best practices.                                                              | unknown  |
| <b>cc-skill-project-guidelines-example</b> | Project Guidelines Skill (Example)                                                                                                                                                | unknown  |
| <b>cc-skill-security-review</b>            | This skill ensures all code follows security best practices and identifies potential vulnerabilities.                                                                             | unknown  |
| <b>cc-skill-strategic-compact</b>          | Development skill from everything-claude-code                                                                                                                                     | none     |
| <b>cdk-patterns</b>                        | Common AWS CDK patterns and constructs for building cloud infrastructure with TypeScript, Python, or Java.                                                                        | unknown  |
| <b>changelog-automation</b>                | Automate changelog generation from commits, PRs, and releases following Keep a Changelog format.                                                                                  | unknown  |
| <b>chat-widget</b>                         | Build a real-time support chat system with a floating widget for users and an admin dashboard for support staff.                                                                  | unknown  |
| <b>chrome-extension-developer</b>          | Expert in building Chrome Extensions using Manifest V3.                                                                                                                           | safe     |
| <b>churn-prevention</b>                    | Reduce voluntary and involuntary churn with cancel flows, save offers, dunning, win-back tactics, and retention strategy.                                                         | unknown  |
| <b>cicd-automation-workflow-automate</b>   | You are a workflow automation expert specializing in creating efficient CI/CD pipelines, GitHub Actions workflows, and automated development processes.                           | unknown  |
| <b>circleci-automation</b>                 | Automate CircleCI tasks via Rube MCP (Composio): trigger pipelines, monitor workflows/jobs, retrieve artifacts and test metadata.                                                 | critical |

| Skill                                     | Description                                                                                                                                                                                   | Risk      |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>cirq</b>                               | Cirq is Google Quantum AI's open-source framework for designing, simulating, and running quantum circuits on quantum computers and simulators.                                                | unknown   |
| <b>citation-management</b>                | Manage citations systematically throughout the research and writing process.                                                                                                                  | unknown   |
| <b>claimable-postgres</b>                 | Provision instant temporary Postgres databases via Claimable Postgres by Neon (pg.new).                                                                                                       | unknown   |
| <b>clarity-gate</b>                       | > Pre-ingestion verification for epistemic quality in RAG systems.                                                                                                                            | unknown   |
| <b>clarvia-aeo-check</b>                  | Score any MCP server, API, or CLI for agent-readiness using Clarvia AEO (Agent Experience Optimization).                                                                                      | safe      |
| <b>claude-ally-health</b>                 | A health assistant skill for medical information analysis, symptom tracking, and wellness guidance.                                                                                           | safe      |
| <b>claude-api</b>                         | Build apps with the Claude API or Anthropic SDK.                                                                                                                                              | unknown   |
| <b>claude-code-expert</b>                 | Especialista profundo em Claude Code - CLI da Anthropic.                                                                                                                                      | none      |
| <b>claude-code-guide</b>                  | To provide a comprehensive reference for configuring and using Claude Code (the agentic coding tool) to its full potential.                                                                   | unknown   |
| <b>claude-d3js-skill</b>                  | This skill provides guidance for creating sophisticated, interactive data visualisations using d3.js.                                                                                         | unknown   |
| <b>claude-in-chrome-troubles hooting</b>  | Diagnose and fix Claude in Chrome MCP extension connectivity issues.                                                                                                                          | critical  |
| <b>claude-monitor</b>                     | Monitor de performance do Claude Code e sistema local.                                                                                                                                        | safe      |
| <b>claude-scientific-skills</b>           | Scientific research and analysis skills                                                                                                                                                       | safe      |
| <b>claude-settings-audit</b>              | Analyze a repository to generate recommended Claude Code settings.json permissions.                                                                                                           | unknown   |
| <b>claude-speed-reader</b>                | -Speed read Claude's responses at 600+ WPM using RSVP with Spritz-style ORP highlighting                                                                                                      | safe      |
| <b>claude-win11-speckit-upda te-skill</b> | Windows 11 system management                                                                                                                                                                  | safe      |
| <b>clean-code</b>                         | This skill embodies the principles of \"Clean Code\" by Robert C.                                                                                                                             | safe      |
| <b>clerk-auth</b>                         | Expert patterns for Clerk auth implementation, middleware, organizations, webhooks, and user sync                                                                                             | safe      |
| <b>clickup-automation</b>                 | Automate ClickUp project management including tasks, spaces, folders, lists, comments, and team operations via Rube MCP (Composio).                                                           | critical  |
| <b>close-automation</b>                   | Automate Close CRM tasks via Rube MCP (Composio): create leads, manage calls/SMS, handle tasks, and track notes.                                                                              | critical  |
| <b>closed-loop-delivery</b>               | Use when a coding task must be completed against explicit acceptance criteria with minimal user re-intervention across implementation, review feedback, deployment, and runtime verification. | safe      |
| <b>cloud-architect</b>                    | Expert cloud architect specializing in AWS/Azure/GCP multi-cloud infrastructure design, advanced IaC (Terraform/OpenTofu/CDK), FinOps cost optimization, and modern architectural patterns.   | unknown   |
| <b>cloud-devops</b>                       | Cloud infrastructure and DevOps workflow covering AWS, Azure, GCP, Kubernetes, Terraform, CI/CD, monitoring, and cloud-native development.                                                    | safe      |
| <b>cloud-penetration-testing</b>          | Conduct comprehensive security assessments of cloud infrastructure across Microsoft Azure, Amazon Web Services (AWS), and Google Cloud Platform (GCP).                                        | offensive |
| <b>cloudflare-workers-expert</b>          | Expert in Cloudflare Workers and the Edge Computing ecosystem.                                                                                                                                | safe      |
| <b>cloudformation-best-practi ces</b>     | CloudFormation template optimization, nested stacks, drift detection, and production-ready patterns.                                                                                          | unknown   |
| <b>coda-automation</b>                    | Automate Coda tasks via Rube MCP (Composio): manage docs, pages, tables, rows, formulas, permissions, and publishing.                                                                         | critical  |
| <b>code-documentation-code-explain</b>    | You are a code education expert specializing in explaining complex code through clear narratives, visual diagrams, and step-by-step breakdowns.                                               | safe      |



| Skill                                   | Description                                                                                                                                            | Risk     |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>code-documentation-doc-generate</b>  | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                           | safe     |
| <b>code-refactoring-context-restore</b> | Use when working with code refactoring context restore                                                                                                 | unknown  |
| <b>code-refactoring-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.        | unknown  |
| <b>code-refactoring-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                        | unknown  |
| <b>code-review-ai-ai-review</b>         | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices. | unknown  |
| <b>code-review-checklist</b>            | Comprehensive checklist for conducting thorough code reviews covering functionality, security, performance, and maintainability                        | unknown  |
| <b>code-review-excellence</b>           | Transform code reviews from gatekeeping to knowledge sharing through constructive feedback, systematic analysis, and collaborative improvement.        | safe     |
| <b>code-reviewer</b>                    | Elite code review expert specializing in modern AI-powered code                                                                                        | unknown  |
| <b>code-simplifier</b>                  | Simplifies and refines code for clarity, consistency, and maintainability while preserving all functionality.                                          | unknown  |
| <b>codebase-audit-pre-push</b>          | Deep audit before GitHub push: removes junk files, dead code, security holes, and optimization issues.                                                 | safe     |
| <b>codebase-cleanup-deps-audit</b>      | You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security.                            | unknown  |
| <b>codebase-cleanup-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.        | safe     |
| <b>codebase-cleanup-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                        | unknown  |
| <b>codebase-to-wordpress-converter</b>  | Expert skill for converting any codebase (React/HTML/Next.js) into a pixel-perfect, SEO-optimized, and dynamic WordPress theme.                        | safe     |
| <b>codex-review</b>                     | Professional code review with auto CHANGELOG generation, integrated with Codex AI.                                                                     | unknown  |
| <b>cold-email</b>                       | Write B2B cold emails and follow-up sequences that earn replies.                                                                                       | unknown  |
| <b>comfyui-gateway</b>                  | REST API gateway for ComfyUI servers.                                                                                                                  | safe     |
| <b>commit</b>                           | ALWAYS use this skill when committing code changes — never commit directly without it.                                                                 | critical |
| <b>competitive-landscape</b>            | Comprehensive frameworks for analyzing competition, identifying differentiation opportunities, and developing winning market positioning strategies.   | safe     |
| <b>competitor-alternatives</b>          | You are an expert in creating competitor comparison and alternative pages.                                                                             | unknown  |
| <b>complexity-cuts</b>                  | Lower Big-O on existing code via a one-transformation-at-a-time playbook with verify-revert-stop.                                                      | safe     |
| <b>composition-patterns</b>             | Use when working with composition-patterns tasks or workflows                                                                                          | safe     |
| <b>comprehensive-review-full-review</b> | Use when working with comprehensive review full review                                                                                                 | unknown  |
| <b>comprehensive-review-pr-enhance</b>  | > Generate structured PR descriptions from diffs, add review checklists, risk assessments, and test coverage summaries.                                | unknown  |
| <b>computer-use-agents</b>              | Build AI agents that interact with computers like humans do - viewing screens, moving cursors, clicking buttons, and typing text.                      | unknown  |
| <b>computer-vision-expert</b>           | SOTA Computer Vision Expert (2026).                                                                                                                    | unknown  |
| <b>concise-planning</b>                 | Use when a user asks for a plan for a coding task, to generate a clear, actionable, and atomic checklist.                                              | unknown  |
| <b>conductor-implement</b>              | Execute tasks from a track's implementation plan following TDD workflow                                                                                | critical |
| <b>conductor-manage</b>                 | Manage track lifecycle: archive, restore, delete, rename, and cleanup                                                                                  | unknown  |

| Skill                              | Description                                                                                                                                                                           | Risk     |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| conductor-new-track                | Create a new track with specification and phased implementation plan                                                                                                                  | unknown  |
| conductor-revert                   | Git-aware undo by logical work unit (track, phase, or task)                                                                                                                           | critical |
| conductor-setup                    | Configure a Rails project to work with Conductor (parallel coding agents)<br>allowed-tools: Bash(chmod *), Bash(bundle *), Bash(npm *), Bash(script/server)                           | unknown  |
| conductor-status                   | Display project status, active tracks, and next actions                                                                                                                               | unknown  |
| conductor-validator                | Validates Conductor project artifacts for completeness, consistency, and correctness.                                                                                                 | safe     |
| confluence-automation              | Automate Confluence page creation, content search, space management, labels, and hierarchy navigation via Rube MCP (Composio).                                                        | critical |
| constant-time-analysis             | Analyze cryptographic code to detect operations that leak secret data through execution timing variations.                                                                            | unknown  |
| container-security-hardening       | > Harden Docker/container images and runtime deployments with secure base images, non-root users, CVE scanning, SBOM/signing, seccomp/AppArmor, and Kubernetes pod security controls. | safe     |
| content-creator                    | Professional-grade brand voice analysis, SEO optimization, and platform-specific content frameworks.                                                                                  | unknown  |
| content-marketer                   | Elite content marketing strategist specializing in AI-powered content creation, omnichannel distribution, SEO optimization, and data-driven performance marketing.                    | unknown  |
| content-strategy                   | Plan a content strategy, topic clusters, editorial roadmap, and content mix for traffic, authority, and lead generation.                                                              | unknown  |
| context-agent                      | Agente de contexto para continuidade entre sessoes.                                                                                                                                   | safe     |
| context-compression                | When agent sessions generate millions of tokens of conversation history, compression becomes mandatory.                                                                               | unknown  |
| context-degradation                | Language models exhibit predictable degradation patterns as context length increases.                                                                                                 | unknown  |
| context-driven-development         | Guide for implementing and maintaining context as a managed artifact alongside code, enabling consistent AI interactions and team alignment through structured project documentation. | unknown  |
| context-fundamentals               | Context is the complete state available to a language model at inference time.                                                                                                        | unknown  |
| context-guardian                   | Guardiao de contexto que preserva dados criticos antes da compactacao automatica.                                                                                                     | safe     |
| context-management-context-restore | Use when working with context management context restore                                                                                                                              | unknown  |
| context-management-context-save    | Use when working with context management context save                                                                                                                                 | unknown  |
| context-manager                    | Elite AI context engineering specialist mastering dynamic context management, vector databases, knowledge graphs, and intelligent memory systems.                                     | unknown  |
| context-optimization               | Context optimization extends the effective capacity of limited context windows through strategic compression, masking, caching, and partitioning.                                     | unknown  |
| context-window-management          | Strategies for managing LLM context windows including summarization, trimming, routing, and avoiding context rot                                                                      | unknown  |
| context7-auto-research             | Automatically fetch latest library/framework documentation for Claude Code via Context7 API.                                                                                          | unknown  |
| conversation-memory                | Persistent memory systems for LLM conversations including short-term, long-term, and entity-based memory                                                                              | unknown  |
| convertkit-automation              | Automate ConvertKit (Kit) tasks via Rube MCP (Composio): manage subscribers, tags, broadcasts, and broadcast stats.                                                                   | critical |
| convex                             | Convex reactive backend expert: schema design, TypeScript functions, real-time subscriptions, auth, file storage, scheduling, and deployment.                                         | safe     |
| copilot-sdk                        | Build applications that programmatically interact with GitHub Copilot.                                                                                                                | unknown  |

| Skill                           | Description                                                                                                                                                                  | Risk     |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| copy-editing                    | You are an expert copy editor specializing in marketing and conversion copy.                                                                                                 | unknown  |
| copywriting                     | Write rigorous, conversion-focused marketing copy for landing pages and emails.                                                                                              | unknown  |
| copywriting-psychologist        | One sentence - what this skill does and when to invoke it                                                                                                                    | safe     |
| core-components                 | Core component library and design system patterns.                                                                                                                           | unknown  |
| cost-optimization               | Strategies and patterns for optimizing cloud costs across AWS, Azure, and GCP.                                                                                               | unknown  |
| cpp-pro                         | Write idiomatic C++ code with modern features, RAII, smart pointers, and STL algorithms.                                                                                     | unknown  |
| cqrs-implementation             | Implement Command Query Responsibility Segregation for scalable architectures.                                                                                               | unknown  |
| create-branch                   | Create a git branch following Sentry naming conventions.                                                                                                                     | critical |
| create-issue-gate               | Use when starting a new implementation task and an issue must be created with strict acceptance criteria gating before execution.                                            | safe     |
| create-pr                       | Alias for sentry-skills:pr-writer.                                                                                                                                           | unknown  |
| cred-omega                      | CISO operacional enterprise para gestao total de credenciais e segredos.                                                                                                     | critical |
| crewai                          | Expert in CrewAI - the leading role-based multi-agent framework used by 60% of Fortune 500 companies.                                                                        | unknown  |
| crypto-bd-agent                 | Production-tested patterns for building AI agents that autonomously discover, > evaluate, and acquire token listings for cryptocurrency exchanges.                           | safe     |
| csharp-pro                      | Write modern C# code with advanced features like records, pattern matching, and async/await.                                                                                 | unknown  |
| customer-psychographic-profiler | One sentence - what this skill does and when to invoke it                                                                                                                    | safe     |
| customer-support                | Elite AI-powered customer support specialist mastering conversational AI, automated ticketing, sentiment analysis, and omnichannel support experiences.                      | unknown  |
| customs-trade-compliance        | Codified expertise for customs documentation, tariff classification, duty optimisation, restricted party screening, and regulatory compliance across multiple jurisdictions. | safe     |
| cv-generator                    | Generate professional, ATS-optimized CVs for FlowCV, Canva, Google Docs, or Word.                                                                                            | safe     |

## D (79)

| Skill                                | Description                                                                                                                                                                       | Risk    |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| daily                                | Documentation and capabilities reference for Daily                                                                                                                                | safe    |
| daily-gift                           | Relationship-aware daily gift engine with five-stage creative pipeline — editorial judgment, synthesis, concept generation, visual strategy, and rendering in H5, image, or video | unknown |
| daily-news-report                    | Scrapes content based on a preset URL list, filters high-quality technical information, and generates daily Markdown reports.                                                     | unknown |
| data-engineer                        | Build scalable data pipelines, modern data warehouses, and real-time streaming architectures.                                                                                     | unknown |
| data-engineering-data-driven-feature | Build features guided by data insights, A/B testing, and continuous measurement using specialized agents for analysis, implementation, and experimentation.                       | unknown |
| data-engineering-data-pipeline       | You are a data pipeline architecture expert specializing in scalable, reliable, and cost-effective data pipelines for batch and streaming data processing.                        | unknown |
| data-quality-frameworks              | Implement data quality validation with Great Expectations, dbt tests, and data contracts.                                                                                         | unknown |
| data-scientist                       | Expert data scientist for advanced analytics, machine learning, and statistical modeling.                                                                                         | unknown |
| data-storytelling                    | Transform raw data into compelling narratives that drive decisions and inspire action.                                                                                            | safe    |

| Skill                                              | Description                                                                                                                                                                | Risk     |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>data-structure-protocol</b>                     | Give agents persistent structural memory of a codebase — navigate dependencies, track public APIs, and understand why connections exist without re-reading the whole repo. | safe     |
| <b>database</b>                                    | Database development and operations workflow covering SQL, NoSQL, database design, migrations, optimization, and data engineering.                                         | safe     |
| <b>database-admin</b>                              | Expert database administrator specializing in modern cloud databases, automation, and reliability engineering.                                                             | unknown  |
| <b>database-architect</b>                          | Expert database architect specializing in data layer design from scratch, technology selection, schema modeling, and scalable database architectures.                      | unknown  |
| <b>database-cloud-optimization-cost-optimize</b>   | You are a cloud cost optimization expert specializing in reducing infrastructure expenses while maintaining performance and reliability.                                   | safe     |
| <b>database-design</b>                             | Database design principles and decision-making.                                                                                                                            | safe     |
| <b>database-migration</b>                          | Master database schema and data migrations across ORMs (Sequelize, TypeORM, Prisma), including rollback strategies and zero-downtime deployments.                          | unknown  |
| <b>database-migrations-migration-observability</b> | Migration monitoring, CDC, and observability infrastructure                                                                                                                | unknown  |
| <b>database-migrations-sql-migrations</b>          | SQL database migrations with zero-downtime strategies for PostgreSQL, MySQL, and SQL Server.                                                                               | unknown  |
| <b>database-optimizer</b>                          | Expert database optimizer specializing in modern performance tuning, query optimization, and scalable architectures.                                                       | unknown  |
| <b>datadog-automation</b>                          | Automate Datadog tasks via Rube MCP (Composio): query metrics, search logs, manage monitors/dashboards, create events and downtimes.                                       | critical |
| <b>dbos-golang</b>                                 | Guide for building reliable, fault-tolerant Go applications with DBOS durable workflows.                                                                                   | safe     |
| <b>dbos-python</b>                                 | Guide for building reliable, fault-tolerant Python applications with DBOS durable workflows.                                                                               | safe     |
| <b>dbos-typescript</b>                             | Guide for building reliable, fault-tolerant TypeScript applications with DBOS durable workflows.                                                                           | safe     |
| <b>dbt-transformation-patterns</b>                 | Production-ready patterns for dbt (data build tool) including model organization, testing strategies, documentation, and incremental processing.                           | none     |
| <b>ddd-context-mapping</b>                         | Map relationships between bounded contexts and define integration contracts using DDD context mapping patterns.                                                            | safe     |
| <b>ddd-strategic-design</b>                        | Design DDD strategic artifacts including subdomains, bounded contexts, and ubiquitous language for complex business domains.                                               | safe     |
| <b>ddd-tactical-patterns</b>                       | Apply DDD tactical patterns in code using entities, value objects, aggregates, repositories, and domain events with explicit invariants.                                   | safe     |
| <b>debug-buttercup</b>                             | All pods run in namespace crs.                                                                                                                                             | unknown  |
| <b>debugger</b>                                    | Debugging specialist for errors, test failures, and unexpected behavior.                                                                                                   | safe     |
| <b>debugging-strategies</b>                        | Transform debugging from frustrating guesswork into systematic problem-solving with proven strategies, powerful tools, and methodical approaches.                          | safe     |
| <b>debugging-toolkit</b>                           | Use when working with debugging toolkit smart debug (Alias for debugging-toolkit-smart-debug)                                                                              | unknown  |
| <b>debugging-toolkit-smart-debug</b>               | Use when working with debugging toolkit smart debug                                                                                                                        | unknown  |
| <b>decision-navigator</b>                          | Guide stuck or overwhelmed users through targeted branching questions until they reach concrete next steps.                                                                | safe     |
| <b>deep-research</b>                               | Run autonomous research tasks that plan, search, read, and synthesize information into comprehensive reports.                                                              | safe     |
| <b>defi-protocol-templates</b>                     | Implement DeFi protocols with production-ready templates for staking, AMMs, governance, and lending systems.                                                               | unknown  |
| <b>defuddle</b>                                    | Extract clean markdown content from web pages using Defuddle CLI, removing clutter and navigation to save tokens.                                                          | unknown  |

| Skill                                        | Description                                                                                                                                                            | Risk     |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>dependency-management-deps-audit</b>      | You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security.                                            | unknown  |
| <b>dependency-upgrade</b>                    | Master major dependency version upgrades, compatibility analysis, staged upgrade strategies, and comprehensive testing approaches.                                     | critical |
| <b>deploy-to-vercel</b>                      | Deploy applications and websites to Vercel.                                                                                                                            | safe     |
| <b>deployment-engineer</b>                   | Expert deployment engineer specializing in modern CI/CD pipelines, GitOps workflows, and advanced deployment automation.                                               | critical |
| <b>deployment-pipeline-design</b>            | Architecture patterns for multi-stage CI/CD pipelines with approval gates and deployment strategies.                                                                   | critical |
| <b>deployment-procedures</b>                 | Production deployment principles and decision-making.                                                                                                                  | critical |
| <b>deployment-validation-config-validate</b> | You are a configuration management expert specializing in validating, testing, and ensuring the correctness of application configurations.                             | critical |
| <b>design-md</b>                             | Analyze Stitch projects and synthesize a semantic design system into DESIGN.md files                                                                                   | safe     |
| <b>design-orchestration</b>                  | Orchestrates design workflows by routing work through brainstorming, multi-agent review, and execution readiness in the correct order.                                 | unknown  |
| <b>design-spells</b>                         | Curated micro-interactions and design details that add "magic" and personality to websites and apps.                                                                   | safe     |
| <b>design-taste-frontend</b>                 | Use when building high-agency frontend interfaces with strict design taste, calibrated color, responsive layout, and motion rules.                                     | safe     |
| <b>devcontainer-setup</b>                    | Creates devcontainers with Claude Code, language-specific tooling (Python/Node/Rust/Go), and persistent volumes.                                                       | safe     |
| <b>development</b>                           | Comprehensive web, mobile, and backend development workflow bundling frontend, backend, full-stack, and mobile development skills for end-to-end application delivery. | safe     |
| <b>devops-deploy</b>                         | DevOps e deploy de aplicacoes — Docker, CI/CD com GitHub Actions, AWS Lambda, SAM, Terraform, infraestrutura como codigo e monitoramento.                              | critical |
| <b>devops-troubleshooter</b>                 | Expert DevOps troubleshooter specializing in rapid incident response, advanced debugging, and modern observability.                                                    | unknown  |
| <b>diary</b>                                 | Unified Diary System: A context-preserving automated logger for multi-project development.                                                                             | safe     |
| <b>differential-review</b>                   | Security-focused code review for PRs, commits, and diffs.                                                                                                              | unknown  |
| <b>discord-automation</b>                    | Automate Discord tasks via Rube MCP (Composio): messages, channels, roles, webhooks, reactions.                                                                        | critical |
| <b>discord-bot-architect</b>                 | Specialized skill for building production-ready Discord bots.                                                                                                          | unknown  |
| <b>dispatching-parallel-agents</b>           | Use when facing 2+ independent tasks that can be worked on without shared state or sequential dependencies                                                             | unknown  |
| <b>distributed-debugging-debug-trace</b>     | You are a debugging expert specializing in setting up comprehensive debugging environments, distributed tracing, and diagnostic tools.                                 | unknown  |
| <b>distributed-tracing</b>                   | Implement distributed tracing with Jaeger and Tempo for request flow visibility across microservices.                                                                  | critical |
| <b>django-access-review</b>                  | django-access-review                                                                                                                                                   | unknown  |
| <b>django-perf-review</b>                    | Django performance code review.                                                                                                                                        | unknown  |
| <b>django-pro</b>                            | Master Django 5.x with async views, DRF, Celery, and Django Channels.                                                                                                  | unknown  |
| <b>doc-coauthoring</b>                       | This skill provides a structured workflow for guiding users through collaborative document creation.                                                                   | unknown  |
| <b>doc2math</b>                              | Convert narrative technical documents into grounded Mathematical Problem Specifications with variables, constraints, objectives, and uncertainty.                      | safe     |

| Skill                                        | Description                                                                                                                                                                                                                                        | Risk     |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>docker-expert</b>                         | You are an advanced Docker containerization expert with comprehensive, practical knowledge of container optimization, security hardening, multi-stage builds, orchestration patterns, and production deployment strategies based on current ind... | unknown  |
| <b>docs-architect</b>                        | Creates comprehensive technical documentation from existing codebases.                                                                                                                                                                             | unknown  |
| <b>documentation</b>                         | Documentation generation workflow covering API docs, architecture docs, README files, code comments, and technical writing.                                                                                                                        | safe     |
| <b>documentation-generation-doc-generate</b> | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                                                                                                                       | safe     |
| <b>documentation-templates</b>               | Documentation templates and structure guidelines.                                                                                                                                                                                                  | safe     |
| <b>docusign-automation</b>                   | Automate DocuSign tasks via Rube MCP (Composio): templates, envelopes, signatures, document management.                                                                                                                                            | unknown  |
| <b>docx-official</b>                         | A user may ask you to create, edit, or analyze the contents of a .docx file.                                                                                                                                                                       | unknown  |
| <b>domain-driven-design</b>                  | Plan and route Domain-Driven Design work from strategic modeling to tactical implementation and evented architecture patterns.                                                                                                                     | safe     |
| <b>dotnet-architect</b>                      | Expert .NET backend architect specializing in C#, ASP.NET Core, Entity Framework, Dapper, and enterprise application patterns.                                                                                                                     | unknown  |
| <b>dotnet-backend</b>                        | Build ASP.NET Core 8+ backend services with EF Core, auth, background jobs, and production API patterns.                                                                                                                                           | safe     |
| <b>dotnet-backend-patterns</b>               | Master C#/.NET patterns for building production-grade APIs, MCP servers, and enterprise backends with modern best practices (2024/2025).                                                                                                           | safe     |
| <b>draw</b>                                  | Vector graphics and diagram creation, format conversion (ODG/SVG/PDF) with LibreOffice Draw.                                                                                                                                                       | safe     |
| <b>drizzle-orm-expert</b>                    | Expert in Drizzle ORM for TypeScript — schema design, relational queries, migrations, and serverless database integration.                                                                                                                         | safe     |
| <b>dropbox-automation</b>                    | Automate Dropbox file management, sharing, search, uploads, downloads, and folder operations via Rube MCP (Composio).                                                                                                                              | critical |
| <b>dwarf-expert</b>                          | Provides expertise for analyzing DWARF debug files and understanding the DWARF debug format/standard (v3-v5).                                                                                                                                      | unknown  |
| <b>dx-optimizer</b>                          | Developer Experience specialist.                                                                                                                                                                                                                   | unknown  |

## E (43)

| Skill                            | Description                                                                                                                                                                        | Risk     |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>e2e-testing</b>               | End-to-end testing workflow with Playwright for browser automation, visual regression, cross-browser testing, and CI/CD integration.                                               | safe     |
| <b>e2e-testing-patterns</b>      | Build reliable, fast, and maintainable end-to-end test suites that provide confidence to ship code quickly and catch regressions before users do.                                  | safe     |
| <b>earllm-build</b>              | Build, maintain, and extend the EarLLM One Android project — a Kotlin/Compose app that connects Bluetooth earbuds to an LLM via voice pipeline.                                    | safe     |
| <b>ejentum-reasoning-harness</b> | MCP server exposing four cognitive harness modes (reasoning, code, anti-deception, memory).                                                                                        | critical |
| <b>electron-development</b>      | Master Electron desktop app development with secure IPC, contextIsolation, preload scripts, multi-process architecture, electron-builder packaging, code signing, and auto-update. | safe     |
| <b>elixir-pro</b>                | Write idiomatic Elixir code with OTP patterns, supervision trees, and Phoenix LiveView.                                                                                            | unknown  |
| <b>elon-musk</b>                 | Agente que simula Elon Musk com profundidade psicologica e comunicacional de alta fidelidade.                                                                                      | safe     |
| <b>email-sequence</b>            | You are an expert in email marketing and automation.                                                                                                                               | unknown  |
| <b>email-systems</b>             | Email has the highest ROI of any marketing channel.                                                                                                                                | none     |









| Skill                                                 | Description                                                                                                                                                                                                 | Risk     |
|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>framework-migration-deps-upgrade</b>               | You are a dependency management expert specializing in safe, incremental upgrades of project dependencies.                                                                                                  | critical |
| <b>framework-migration-legacy-modernize</b>           | Orchestrate a comprehensive legacy system modernization using the strangler fig pattern, enabling gradual replacement of outdated components while maintaining continuous business operations through ex    | unknown  |
| <b>free-tool-strategy</b>                             | You are an expert in engineering-as-marketing strategy.                                                                                                                                                     | unknown  |
| <b>freshdesk-automation</b>                           | Automate Freshdesk helpdesk operations including tickets, contacts, companies, notes, and replies via Rube MCP (Composio).                                                                                  | critical |
| <b>freshservice-automation</b>                        | Automate Freshservice ITSM tasks via Rube MCP (Composio): create/update tickets, bulk operations, service requests, and outbound emails.                                                                    | critical |
| <b>frontend-api-integration-patterns</b>              | Production-ready patterns for integrating frontend applications with backend APIs, including race condition handling, request cancellation, retry strategies, error normalization, and UI state management. | safe     |
| <b>frontend-design</b>                                | You are a frontend designer-engineer, not a layout generator.                                                                                                                                               | unknown  |
| <b>frontend-dev-guidelines</b>                        | You are a senior frontend engineer operating under strict architectural and performance standards.                                                                                                          | unknown  |
| <b>frontend-developer</b>                             | Build React components, implement responsive layouts, and handle client-side state management.                                                                                                              | unknown  |
| <b>frontend-mobile-development-component-scaffold</b> | You are a React component architecture expert specializing in scaffolding production-ready, accessible, and performant components.                                                                          | unknown  |
| <b>frontend-mobile-security-xss-scan</b>              | You are a frontend security specialist focusing on Cross-Site Scripting (XSS) vulnerability detection and prevention.                                                                                       | unknown  |
| <b>frontend-security-coder</b>                        | Expert in secure frontend coding practices specializing in XSS prevention, output sanitization, and client-side security patterns.                                                                          | unknown  |
| <b>frontend-slides</b>                                | Create stunning, animation-rich HTML presentations from scratch or by converting PowerPoint files.                                                                                                          | safe     |
| <b>frontend-ui-dark-ts</b>                            | A modern dark-themed React UI system using Tailwind CSS and Framer Motion.                                                                                                                                  | unknown  |
| <b>full-output-enforcement</b>                        | Use when a task requires exhaustive unabridged output, complete files, or strict prevention of placeholders and skipped code.                                                                               | safe     |
| <b>full-stack-orchestration-full-stack-feature</b>    | Use when working with full stack orchestration full stack feature                                                                                                                                           | unknown  |

## G (52)

| Skill                         | Description                                                                                                                                      | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>game-art</b>               | Game art principles.                                                                                                                             | unknown  |
| <b>game-audio</b>             | Game audio principles.                                                                                                                           | unknown  |
| <b>game-design</b>            | Game design principles.                                                                                                                          | unknown  |
| <b>game-development</b>       | Game development orchestrator.                                                                                                                   | unknown  |
| <b>gcp-cloud-run</b>          | Specialized skill for building production-ready serverless applications on GCP.                                                                  | unknown  |
| <b>gdb-cli</b>                | GDB debugging assistant for AI agents - analyze core dumps, debug live processes, investigate crashes and deadlocks with source code correlation | critical |
| <b>gdpr-data-handling</b>     | Practical implementation guide for GDPR-compliant data processing, consent management, and privacy controls.                                     | safe     |
| <b>gemini-api-dev</b>         | The Gemini API provides access to Google's most advanced AI models.                                                                              | unknown  |
| <b>gemini-api-integration</b> | Use when integrating Google Gemini API into projects.                                                                                            | safe     |
| <b>geminiignore-finops</b>    | Configure and optimize .geminiignore files for AI context window efficiency and token cost reduction (FinOps).                                   | safe     |
| <b>geo-fundamentals</b>       | Generative Engine Optimization for AI search engines (ChatGPT, Claude, Perplexity).                                                              | unknown  |







| Skill                               | Description                                                                                                                                                                                   | Risk      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>hig-components-menus</b>         | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown   |
| <b>hig-components-search</b>        | Apple HIG guidance for navigation-related components including search fields, page controls, and path controls.                                                                               | safe      |
| <b>hig-components-status</b>        | Apple HIG guidance for status and progress UI components including progress indicators, status bars, and activity rings.                                                                      | unknown   |
| <b>hig-components-system</b>        | Apple HIG guidance for system experience components: widgets, live activities, notifications, complications, home screen quick actions, top shelf, watch faces, app clips, and app shortcuts. | unknown   |
| <b>hig-foundations</b>              | Apple Human Interface Guidelines design foundations.                                                                                                                                          | unknown   |
| <b>hig-inputs</b>                   | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown   |
| <b>hig-patterns</b>                 | Apple Human Interface Guidelines interaction and UX patterns.                                                                                                                                 | unknown   |
| <b>hig-platforms</b>                | Apple Human Interface Guidelines for platform-specific design.                                                                                                                                | unknown   |
| <b>hig-project-context</b>          | Create or update a shared Apple design context document that other HIG skills use to tailor guidance.                                                                                         | unknown   |
| <b>hig-technologies</b>             | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | safe      |
| <b>high-end-visual-design</b>       | Use when designing expensive agency-grade interfaces with premium fonts, spatial rhythm, soft depth, and fluid microinteractions.                                                             | safe      |
| <b>hono</b>                         | Build ultra-fast web APIs and full-stack apps with Hono — runs on Cloudflare Workers, Deno, Bun, Node.js, and any WinterCG-compatible runtime.                                                | safe      |
| <b>hosted-agents</b>                | Build background agents in sandboxed environments.                                                                                                                                            | unknown   |
| <b>hosted-agents-v2-py</b>          | Build hosted agents using Azure AI Projects SDK with ImageBasedHostedAgentDefinition.                                                                                                         | unknown   |
| <b>hr-pro</b>                       | Professional, ethical HR partner for hiring, onboarding/offboarding, PTO and leave, performance, compliant policies, and employee relations.                                                  | unknown   |
| <b>html-injection-testing</b>       | Identify and exploit HTML injection vulnerabilities that allow attackers to inject malicious HTML content into web applications.                                                              | offensive |
| <b>hubspot-automation</b>           | Automate HubSpot CRM operations (contacts, companies, deals, tickets, properties) via Rube MCP using Composio integration.                                                                    | critical  |
| <b>hubspot-integration</b>          | Expert patterns for HubSpot CRM integration including OAuth authentication, CRM objects, associations, batch operations, webhooks, and custom objects.                                        | unknown   |
| <b>hugging-face-cli</b>             | Use the Hugging Face Hub CLI ('hf') to download, upload, and manage models, datasets, and Spaces.                                                                                             | unknown   |
| <b>hugging-face-community-evals</b> | Run local evaluations for Hugging Face Hub models with inspect-ai or lighteval.                                                                                                               | unknown   |
| <b>hugging-face-dataset-viewer</b>  | Query Hugging Face datasets through the Dataset Viewer API for splits, rows, search, filters, and parquet links.                                                                              | unknown   |
| <b>hugging-face-datasets</b>        | Create and manage datasets on Hugging Face Hub.                                                                                                                                               | unknown   |
| <b>hugging-face-evaluation</b>      | Add and manage evaluation results in Hugging Face model cards.                                                                                                                                | unknown   |
| <b>hugging-face-gradio</b>          | Build or edit Gradio apps, layouts, components, and chat interfaces in Python.                                                                                                                | unknown   |
| <b>hugging-face-jobs</b>            | Run workloads on Hugging Face Jobs with managed CPUs, GPUs, TPUs, secrets, and Hub persistence.                                                                                               | unknown   |
| <b>hugging-face-model-trainer</b>   | Train or fine-tune TRL language models on Hugging Face Jobs, including SFT, DPO, GRPO, and GGUF export.                                                                                       | unknown   |
| <b>hugging-face-paper-publisher</b> | Publish and manage research papers on Hugging Face Hub.                                                                                                                                       | unknown   |
| <b>hugging-face-papers</b>          | Read and analyze Hugging Face paper pages or arXiv papers with markdown and papers API metadata.                                                                                              | unknown   |
| <b>hugging-face-tool-builder</b>    | Your purpose is now is to create reusable command line scripts and utilities for using the Hugging Face API, allowing chaining, piping and intermediate processing where helpful.             | unknown   |

| Skill                               | Description                                                                                                                                 | Risk    |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>hugging-face-trackio</b>         | Track ML experiments with Trackio using Python logging, alerts, and CLI metric retrieval.                                                   | unknown |
| <b>hugging-face-vision-trainer</b>  | Train or fine-tune vision models on Hugging Face Jobs for detection, classification, and SAM or SAM2 segmentation.                          | unknown |
| <b>humanize-chinese</b>             | Detect and rewrite AI-like Chinese text with a practical workflow for scoring, humanization, academic AIGC reduction, and style conversion. | safe    |
| <b>hybrid-cloud-architect</b>       | Expert hybrid cloud architect specializing in complex multi-cloud solutions across AWS/Azure/GCP and private clouds (OpenStack/VMware).     | unknown |
| <b>hybrid-cloud-networking</b>      | Configure secure, high-performance connectivity between on-premises and cloud environments using VPN, Direct Connect, and ExpressRoute.     | safe    |
| <b>hybrid-search-implementation</b> | Combine vector and keyword search for improved retrieval.                                                                                   | safe    |

## I (38)

| Skill                                      | Description                                                                                                                                                                                                                                        | Risk      |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>i18n-localization</b>                   | Internationalization and localization patterns.                                                                                                                                                                                                    | safe      |
| <b>iconsax-library</b>                     | Extensive icon library and AI-driven icon generation skill for premium UI/UX design.                                                                                                                                                               | safe      |
| <b>idea-darwin</b>                         | Darwinian idea evolution engine — toss rough ideas onto an evolution island, let them compete, crossbreed, and mutate through structured rounds to surface your strongest concepts.                                                                | safe      |
| <b>idea-os</b>                             | Five-phase pipeline (triage → clarify → research → PRD → plan) that turns a raw idea into four linked files: clarifying questions, deep research, a PRD with non-goals and metrics, and a phased execution plan with mermaid user journey and k... | safe      |
| <b>identity-mirror</b>                     | One sentence - what this skill does and when to invoke it                                                                                                                                                                                          | safe      |
| <b>idor-testing</b>                        | Provide systematic methodologies for identifying and exploiting Insecure Direct Object Reference (IDOR) vulnerabilities in web applications.                                                                                                       | offensive |
| <b>ii-commons</b>                          | Deterministic search across arXiv, PubMed/PMC, and US policy corpora with daily freshness cutoffs.                                                                                                                                                 | safe      |
| <b>ilya-sutskever</b>                      | Agente que simula Ilya Sutskever — co-fundador da OpenAI, ex-Chief Scientist, fundador da SSL.                                                                                                                                                     | safe      |
| <b>image-studio</b>                        | Studio de geracao de imagens inteligente — roteamento automatico entre ai-studio-image (fotos humanizadas/influencer) e stability-ai (arte/ilustracao/edicao).                                                                                     | safe      |
| <b>imagen</b>                              | AI image generation skill powered by Google Gemini, enabling seamless visual content creation for UI placeholders, documentation, and design assets.                                                                                               | safe      |
| <b>impress</b>                             | Presentation creation, format conversion (ODP/PPTX/PDF), slide automation with LibreOffice Impress.                                                                                                                                                | safe      |
| <b>incident-responder</b>                  | Expert SRE incident responder specializing in rapid problem resolution, modern observability, and comprehensive incident management.                                                                                                               | unknown   |
| <b>incident-response-incident-response</b> | Use when working with incident response incident response                                                                                                                                                                                          | unknown   |
| <b>incident-response-smart-fix</b>         | [Extended thinking: This workflow implements a sophisticated debugging and resolution pipeline that leverages AI-assisted debugging tools and observability platforms to systematically diagnose and res                                           | unknown   |
| <b>incident-runbook-templates</b>          | Production-ready templates for incident response runbooks covering detection, triage, mitigation, resolution, and communication.                                                                                                                   | critical  |
| <b>indexing-issue-auditor</b>              | High-level technical SEO and site architecture auditor.                                                                                                                                                                                            | safe      |
| <b>industrial-brutalist-ui</b>             | Use when creating raw industrial or tactical telemetry UIs with rigid grids, stark typography, CRT effects, and high-density data.                                                                                                                 | safe      |

| Skill                            | Description                                                                                                                                                                       | Risk     |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>infinite-gratitude</b>        | Multi-agent research skill for parallel research execution (10 agents, battle-tested with real case studies).                                                                     | safe     |
| <b>ingest-youtube</b>            | Pull a YouTube video transcript into a queryable markdown vault with yt-dlp subtitle discovery, VTT cleanup, metadata frontmatter, and capture-seed stubs.                        | safe     |
| <b>inngest</b>                   | Inngest expert for serverless-first background jobs, event-driven workflows, and durable execution without managing queues or workers.                                            | none     |
| <b>instagram</b>                 | Integracao completa com Instagram via Graph API.                                                                                                                                  | critical |
| <b>instagram-automation</b>      | Automate Instagram tasks via Rube MCP (Composio): create posts, carousels, manage media, get insights, and publishing limits.                                                     | critical |
| <b>interactive-portfolio</b>     | Expert in building portfolios that actually land jobs and clients - not just showing work, but creating memorable experiences.                                                    | unknown  |
| <b>intercom-automation</b>       | Automate Intercom tasks via Rube MCP (Composio): conversations, contacts, companies, segments, admins.                                                                            | unknown  |
| <b>internal-comms</b>            | Write internal communications such as status reports, leadership updates, 3P updates, newsletters, FAQs, incident reports, and project updates using repeatable internal formats. | unknown  |
| <b>internal-comms-anthropic</b>  | To write internal communications, use this skill for:                                                                                                                             | unknown  |
| <b>internal-comms-community</b>  | To write internal communications, use this skill for:                                                                                                                             | unknown  |
| <b>interview-coach</b>           | Full job search coaching system — JD decoding, resume, storybank, mock interviews, transcript analysis, comp negotiation.                                                         | safe     |
| <b>invariant-guard</b>           | Correctness-first: forces writing the function contract, loop invariant, termination argument, and edge cases BEFORE code.                                                        | safe     |
| <b>inventory-demand-planning</b> | Codified expertise for demand forecasting, safety stock optimisation, replenishment planning, and promotional lift estimation at multi-location retailers.                        | safe     |
| <b>ios-debugger-agent</b>        | Debug the current iOS project on a booted simulator with XcodeBuildMCP.                                                                                                           | safe     |
| <b>ios-developer</b>             | Develop native iOS applications with Swift/SwiftUI.                                                                                                                               | unknown  |
| <b>issues</b>                    | Interact with GitHub issues - create, list, and view issues.                                                                                                                      | unknown  |
| <b>istio-traffic-management</b>  | Comprehensive guide to Istio traffic management for production service mesh deployments.                                                                                          | unknown  |
| <b>it-manager-hospital</b>       | World-class Hospital IT Management Advisor specializing in clinical safety, digital maturity (HIMSS/ONA/JCI), and HIS/PEP ecosystems.                                             | safe     |
| <b>it-manager-pro</b>            | Elite IT Management Advisor specializing in data-driven strategy, executive communication, and human-centric leadership for the 2026 digital era.                                 | safe     |
| <b>iterate-pr</b>                | Iterate on a PR until CI passes.                                                                                                                                                  | critical |
| <b>itil-expert</b>               | Expert advisor for ITIL 4 and ITIL 5 (2026 digital product paradigm), specialized in AI-native governance, sustainability, and value co-creation.                                 | safe     |

## J (12)

| Skill                                            | Description                                                                                                                                              | Risk    |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>java-pro</b>                                  | Master Java 21+ with modern features like virtual threads, pattern matching, and Spring Boot 3.x.                                                        | unknown |
| <b>javascript-mastery</b>                        | 33+ essential JavaScript concepts every developer should know, inspired by [33-js-concepts](https://github.com/leonardoms/33-js-concepts).               | unknown |
| <b>javascript-pro</b>                            | Master modern JavaScript with ES6+, async patterns, and Node.js APIs.                                                                                    | safe    |
| <b>javascript-testing-patterns</b>               | Comprehensive guide for implementing robust testing strategies in JavaScript/TypeScript applications using modern testing frameworks and best practices. | safe    |
| <b>javascript-typescript-typescript-scaffold</b> | You are a TypeScript project architecture expert specializing in scaffolding production-ready Node.js and frontend applications.                         | unknown |

| Skill                   | Description                                                                                                                                          | Risk     |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| jira-automation         | Automate Jira tasks via Rube MCP (Composio): issues, projects, sprints, boards, comments, users.                                                     | critical |
| jobgpt                  | Job search automation, auto apply, resume generation, application tracking, salary intelligence, and recruiter outreach using the JobGPT MCP server. | safe     |
| jobs-to-be-done-analyst | One sentence - what this skill does and when to invoke it                                                                                            | safe     |
| jq                      | Expert jq usage for JSON querying, filtering, transformation, and pipeline integration.                                                              | safe     |
| json-canvas             | Create and edit JSON Canvas files (.canvas) with nodes, edges, groups, and connections.                                                              | unknown  |
| julia-pro               | Master Julia 1.10+ with modern features, performance optimization, multiple dispatch, and production-ready practices.                                | unknown  |
| junta-leiloeiros        | Coleta e consulta dados de leiloeiros oficiais de todas as 27 Juntas Comerciais do Brasil.                                                           | safe     |

## K (12)

| Skill                    | Description                                                                                                                                                | Risk     |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| k6-load-testing          | Comprehensive k6 load testing skill for API, browser, and scalability testing.                                                                             | safe     |
| k8s-manifest-generator   | Step-by-step guidance for creating production-ready Kubernetes manifests including Deployments, Services, ConfigMaps, Secrets, and PersistentVolumeClaims. | unknown  |
| k8s-security-policies    | Comprehensive guide for implementing NetworkPolicy, PodSecurityPolicy, RBAC, and Pod Security Standards in Kubernetes.                                     | unknown  |
| kaizen                   | Guide for continuous improvement, error proofing, and standardization.                                                                                     | unknown  |
| keyword-extractor        | > Extracts up to 50 highly relevant SEO keywords from text.                                                                                                | safe     |
| klaviyo-automation       | Automate Klaviyo tasks via Rube MCP (Composio): manage email/SMS campaigns, inspect campaign messages, track tags, and monitor send jobs.                  | safe     |
| kotler-macro-analyzer    | Professional PESTEL/SWOT analysis agent based on Kotler's methodology for strategic market audits.                                                         | safe     |
| kotlin-coroutines-expert | Expert patterns for Kotlin Coroutines and Flow, covering structured concurrency, error handling, and testing.                                              | safe     |
| kpi-dashboard-design     | Comprehensive patterns for designing effective Key Performance Indicator (KPI) dashboards that drive business decisions.                                   | unknown  |
| kubernetes-architect     | Expert Kubernetes architect specializing in cloud-native infrastructure, advanced GitOps workflows (ArgoCD/Flux), and enterprise container orchestration.  | unknown  |
| kubernetes-deployment    | Kubernetes deployment workflow for container orchestration, Helm charts, service mesh, and production-ready K8s configurations.                            | safe     |
| kubestellar-console      | Multi-cluster Kubernetes dashboard with AI-powered operations via MCP server and 10+ built-in agent skills                                                 | critical |

## L (51)

| Skill                   | Description                                                                                                                          | Risk    |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------|
| lambda-lang             | Native agent-to-agent language for compact multi-agent messaging.                                                                    | safe    |
| lambdatest-agent-skills | Production-grade test automation skills for 46 frameworks across E2E, unit, mobile, BDD, visual, and cloud testing in 15+ languages. | safe    |
| landing-page-generator  | Generates high-converting Next.js/React landing pages with Tailwind CSS.                                                             | safe    |
| langchain-architecture  | Master the LangChain framework for building sophisticated LLM applications with agents, chains, memory, and tool integration.        | unknown |
| langfuse                | Expert in Langfuse - the open-source LLM observability platform.                                                                     | unknown |

| Skill                                | Description                                                                                                                                                                                                                             | Risk      |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>langgraph</b>                     | Expert in LangGraph - the production-grade framework for building stateful, multi-actor AI applications.                                                                                                                                | unknown   |
| <b>laravel-expert</b>                | Senior Laravel Engineer role for production-grade, maintainable, and idiomatic Laravel solutions.                                                                                                                                       | safe      |
| <b>laravel-security-audit</b>        | Security auditor for Laravel applications.                                                                                                                                                                                              | safe      |
| <b>last30days</b>                    | Research a topic from the last 30 days on Reddit + X + Web, become an expert, and write copy-paste-ready prompts for the user's target tool.                                                                                            | unknown   |
| <b>latex-paper-conversion</b>        | This skill should be used when the user asks to convert an academic paper in LaTeX from one format (e.g., Springer, IPOL) to another format (e.g., MDPI, IEEE, Nature).                                                                 | safe      |
| <b>launch-strategy</b>               | You are an expert in SaaS product launches and feature announcements.                                                                                                                                                                   | unknown   |
| <b>lead-magnets</b>                  | Plan and optimize lead magnets for email capture and lead generation.                                                                                                                                                                   | unknown   |
| <b>legacy-modernizer</b>             | Refactor legacy codebases, migrate outdated frameworks, and implement gradual modernization.                                                                                                                                            | safe      |
| <b>legal-advisor</b>                 | Draft privacy policies, terms of service, disclaimers, and legal notices.                                                                                                                                                               | unknown   |
| <b>leiloeiro-avaliacao</b>           | Avaliacao pericial de imoveis em leilao.                                                                                                                                                                                                | safe      |
| <b>leiloeiro-edital</b>              | Analise e auditoria de editais de leilao judicial e extrajudicial.                                                                                                                                                                      | safe      |
| <b>leiloeiro-ia</b>                  | Especialista em leiloes judiciais e extrajudiciais de imoveis.                                                                                                                                                                          | safe      |
| <b>leiloeiro-juridico</b>            | Analise juridica de leiloes: nulidades, bem de familia, alienacao fiduciaria, CPC arts 829-903, Lei 9514/97, onus reais, embargos e jurisprudencia.                                                                                     | safe      |
| <b>leiloeiro-mercado</b>             | Analise de mercado imobiliario para leiloes.                                                                                                                                                                                            | safe      |
| <b>leiloeiro-risco</b>               | Analise de risco em leiloes de imoveis.                                                                                                                                                                                                 | safe      |
| <b>lemmaly</b>                       | Algorithm-first discipline: state Big-O, data structure, and algorithm family BEFORE writing loops, queries, or recursion.                                                                                                              | safe      |
| <b>lex</b>                           | Centralized 'Truth Engine' for cross-jurisdictional legal context (US, EU, CA) and contract scaffolding.                                                                                                                                | safe      |
| <b>lightning-architecture-review</b> | Review Bitcoin Lightning Network protocol designs, compare channel factory approaches, and analyze Layer 2 scaling tradeoffs.                                                                                                           | safe      |
| <b>lightning-channel-factories</b>   | Technical reference on Lightning Network channel factories, multi-party channels, LSP architectures, and Bitcoin Layer 2 scaling without soft forks.                                                                                    | safe      |
| <b>lightning-factory-explainer</b>   | Explain Bitcoin Lightning channel factories and the SuperScalar protocol — scalable Lightning onboarding using shared UTXOs, Decker-Wattenhofer trees, timeout-signature trees, MuSig2, and Taproot.                                    | safe      |
| <b>linear-automation</b>             | Automate Linear tasks via Rube MCP (Composio): issues, projects, cycles, teams, labels.                                                                                                                                                 | critical  |
| <b>linear-claude-skill</b>           | Manage Linear issues, projects, and teams                                                                                                                                                                                               | safe      |
| <b>linkedin-automation</b>           | Automate LinkedIn tasks via Rube MCP (Composio): create posts, manage profile, company info, comments, and image uploads.                                                                                                               | critical  |
| <b>linkedin-cli</b>                  | Use when automating LinkedIn via CLI: fetch profiles, search people/companies, send messages, manage connections, create posts, and Sales Navigator.                                                                                    | safe      |
| <b>linkedin-content-generator</b>    | AI-powered LinkedIn content suite: generate posts, carousels, newsletters, and 30-day calendars with niche-specific SEO rules and a reinforcement-learning personal memory system.                                                      | safe      |
| <b>linkedin-profile-optimizer</b>    | High-intent expert for LinkedIn profile checks, authority building, and SEO optimization.                                                                                                                                               | safe      |
| <b>linkerd-patterns</b>              | Production patterns for Linkerd service mesh - the lightweight, security-first service mesh for Kubernetes.                                                                                                                             | critical  |
| <b>lint-and-validate</b>             | MANDATORY: Run appropriate validation tools after EVERY code change.                                                                                                                                                                    | unknown   |
| <b>linux-privilege-escalation</b>    | Execute systematic privilege escalation assessments on Linux systems to identify and exploit misconfigurations, vulnerable services, and security weaknesses that allow elevation from low-privilege user access to root-level control. | offensive |

| Skill                               | Description                                                                                                                                                                                                 | Risk     |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| linux-shell-scripting               | Provide production-ready shell script templates for common Linux system administration tasks including backups, monitoring, user management, log analysis, and automation.                                  | unknown  |
| linux-troubleshooting               | Linux system troubleshooting workflow for diagnosing and resolving system issues, performance problems, and service failures.                                                                               | safe     |
| llm-app-patterns                    | Production-ready patterns for building LLM applications, inspired by [Dify](https://github.com/langgenius/dify) and industry best practices.                                                                | unknown  |
| llm-application-dev-ai-assistant    | You are an AI assistant development expert specializing in creating intelligent conversational interfaces, chatbots, and AI-powered applications.                                                           | safe     |
| llm-application-dev-langchain-agent | You are an expert LangChain agent developer specializing in production-grade AI systems using LangChain 0.1+ and LangGraph.                                                                                 | unknown  |
| llm-application-dev-prompt-optimize | You are an expert prompt engineer specializing in crafting effective prompts for LLMs through advanced techniques including constitutional AI, chain-of-thought reasoning, and model-specific optimization. | unknown  |
| llm-evaluation                      | Master comprehensive evaluation strategies for LLM applications, from automated metrics to human evaluation and A/B testing.                                                                                | unknown  |
| llm-ops                             | LLM Operations -- RAG, embeddings, vector databases, fine-tuning, prompt engineering avanzado, custos de LLM, evals de qualidade e arquiteturas de IA para producao.                                        | safe     |
| llm-prompt-optimizer                | Use when improving prompts for any LLM.                                                                                                                                                                     | safe     |
| llm-structured-output               | > Get reliable JSON, enums, and typed objects from LLMs using response_format, tool_use, and schema-constrained decoding across OpenAI, Anthropic, and Google APIs.                                         | safe     |
| local-legal-seo-audit               | Audit and improve local SEO for law firms, attorneys, forensic experts and legal/professional services sites with local presence, focusing on GBP, directories, E-E-A-T and practice/location pages.        | safe     |
| local-llm-expert                    | Master local LLM inference, model selection, VRAM optimization, and local deployment using Ollama, llama.cpp, vLLM, and LM Studio.                                                                          | safe     |
| logic-lens                          | AI-powered Claude Code skill that performs deep code review using formal logic and reasoning frameworks to detect bugs, anti-patterns, and security risks beyond what linters catch.                        | safe     |
| logistics-exception-management      | Codified expertise for handling freight exceptions, shipment delays, damages, losses, and carrier disputes.                                                                                                 | safe     |
| loki-mode                           | Version 2.35.0   PRD to Production   Zero Human Intervention > Research-enhanced: OpenAI SDK, DeepMind, Anthropic, AWS Bedrock, Agent SDK, HN Production (2025)                                             | unknown  |
| longbridge                          | 125+ agent skills for Longbridge Securities — real-time quotes, charts, fundamentals, portfolio analysis, options, and more for HK/US/A-share/SG markets.                                                   | critical |
| loss-aversion-designer              | One sentence - what this skill does and when to invoke it                                                                                                                                                   | safe     |

## M (84)

| Skill                            | Description                                                                   | Risk    |
|----------------------------------|-------------------------------------------------------------------------------|---------|
| m365-agents-dotnet               | Microsoft 365 Agents SDK for .NET.                                            | unknown |
| m365-agents-py                   | Microsoft 365 Agents SDK for Python.                                          | unknown |
| m365-agents-ts                   | Microsoft 365 Agents SDK for TypeScript/Node.js.                              | unknown |
| machine-learning-ops-ml-pipeline | Design and implement a complete ML pipeline for: \$ARGUMENTS                  | unknown |
| macos-menubar-tuist-app          | Build, refactor, or review SwiftUI macOS menubar apps that use Tuist.         | safe    |
| macos-spm-app-packaging          | Scaffold, build, sign, and package SwiftPM macOS apps without Xcode projects. | safe    |



| Skill                         | Description                                                                                                                                                                                      | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>magic-animator</b>         | AI-powered animation tool for creating motion in logos, UI, icons, and social media assets.                                                                                                      | safe     |
| <b>magic-ui-generator</b>     | Utilizes Magic by 21st.dev to generate, compare, and integrate multiple production-ready UI component variations.                                                                                | safe     |
| <b>mailchimp-automation</b>   | Automate Mailchimp email marketing including campaigns, audiences, subscribers, segments, and analytics via Rube MCP (Composio).                                                                 | critical |
| <b>make-automation</b>        | Automate Make (Integromat) tasks via Rube MCP (Composio): operations, enums, language and timezone lookups.                                                                                      | critical |
| <b>makepad-animation</b>      | CRITICAL: Use for Makepad animation system.                                                                                                                                                      | safe     |
| <b>makepad-basics</b>         | CRITICAL: Use for Makepad getting started and app structure.                                                                                                                                     | unknown  |
| <b>makepad-deployment</b>     | CRITICAL: Use for Makepad packaging and deployment.                                                                                                                                              | critical |
| <b>makepad-dsl</b>            | CRITICAL: Use for Makepad DSL syntax and inheritance.                                                                                                                                            | safe     |
| <b>makepad-event-action</b>   | CRITICAL: Use for Makepad event and action handling.                                                                                                                                             | safe     |
| <b>makepad-font</b>           | CRITICAL: Use for Makepad font and text rendering.                                                                                                                                               | safe     |
| <b>makepad-layout</b>         | CRITICAL: Use for Makepad layout system.                                                                                                                                                         | safe     |
| <b>makepad-platform</b>       | CRITICAL: Use for Makepad cross-platform support.                                                                                                                                                | unknown  |
| <b>makepad-reference</b>      | This category provides reference materials for debugging, code quality, and advanced layout patterns.                                                                                            | unknown  |
| <b>makepad-shaders</b>        | CRITICAL: Use for Makepad shader system.                                                                                                                                                         | unknown  |
| <b>makepad-skills</b>         | Makepad UI development skills for Rust apps: setup, patterns, shaders, packaging, and troubleshooting.                                                                                           | safe     |
| <b>makepad-splash</b>         | CRITICAL: Use for Makepad Splash scripting language.                                                                                                                                             | unknown  |
| <b>makepad-widgets</b>        | Version: makepad-widgets (dev branch)   Last Updated: 2026-01-19 > > Check for updates: <a href="https://crates.io/crates/makepad-widgets">https://crates.io/crates/makepad-widgets</a>          | safe     |
| <b>malware-analyst</b>        | Expert malware analyst specializing in defensive malware research, threat intelligence, and incident response.                                                                                   | unknown  |
| <b>manage-skills</b>          | Discover, list, create, edit, toggle, copy, move, and delete AI agent skills across 11 tools (Cursor, Claude, Agents, Windsurf, Copilot, Codex, Cline, Aider, Continue, Roo Code, Augment)       | critical |
| <b>manifest</b>               | Install and configure the Manifest observability plugin for your agents.                                                                                                                         | unknown  |
| <b>market-sizing-analysis</b> | Comprehensive market sizing methodologies for calculating Total Addressable Market (TAM), Serviceable Available Market (SAM), and Serviceable Obtainable Market (SOM) for startup opportunities. | safe     |
| <b>marketing-ideas</b>        | Provide proven marketing strategies and growth ideas for SaaS and software products, prioritized using a marketing feasibility scoring system.                                                   | safe     |
| <b>marketing-psychology</b>   | Apply behavioral science and mental models to marketing decisions, prioritized using a psychological leverage and feasibility scoring system.                                                    | unknown  |
| <b>matematico-tao</b>         | Matemático ultra-avançado inspirado em Terence Tao.                                                                                                                                              | none     |
| <b>mathguard</b>              | Math-heavy escalation for $n \geq 10^6$ — Bloom, HyperLogLog, Count-Min, MinHash/LSH, FFT, JL projection, sweep line.                                                                            | safe     |
| <b>matplotlib</b>             | Matplotlib is Python's foundational visualization library for creating static, animated, and interactive plots.                                                                                  | unknown  |
| <b>maxia</b>                  | Connect to MAXIA AI-to-AI marketplace on Solana.                                                                                                                                                 | unknown  |
| <b>mcp-builder</b>            | Create MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools.                                                                     | unknown  |
| <b>mcp-builder-ms</b>         | Use this skill when building MCP servers to integrate external APIs or services, whether in Python (FastMCP) or Node/TypeScript (MCP SDK).                                                       | unknown  |
| <b>mcp-tool-developer</b>     | Build Model Context Protocol (MCP) servers and tools from scratch.                                                                                                                               | safe     |
| <b>memory-forensics</b>       | Comprehensive techniques for acquiring, analyzing, and extracting artifacts from memory dumps for incident response and malware analysis.                                                        | unknown  |



| Skill                                     | Description                                                                                                                                                                                                                                        | Risk     |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>monday-automation</b>                  | Automate Monday.com work management including boards, items, columns, groups, subitems, and updates via Rube MCP (Composio).                                                                                                                       | critical |
| <b>monetization</b>                       | Estrategia e implementacao de monetizacao para produtos digitais - Stripe, subscriptions, pricing experiments, freemium, upgrade flows, churn prevention, revenue optimization e modelos de negocio SaaS.                                          | none     |
| <b>monorepo-architect</b>                 | Expert in monorepo architecture, build systems, and dependency management at scale.                                                                                                                                                                | safe     |
| <b>monorepo-management</b>                | Build efficient, scalable monorepos that enable code sharing, consistent tooling, and atomic changes across multiple packages and applications.                                                                                                    | safe     |
| <b>monte-carlo-monitor-creation</b>       | Guides creation of Monte Carlo monitors via MCP tools, producing monitors-as-code YAML for CI/CD deployment.                                                                                                                                       | safe     |
| <b>monte-carlo-prevent</b>                | Surfaces Monte Carlo data observability context (table health, alerts, lineage, blast radius) before SQL/dbt edits.                                                                                                                                | safe     |
| <b>monte-carlo-push-ingestion</b>         | Expert guide for pushing metadata, lineage, and query logs to Monte Carlo from any data warehouse.                                                                                                                                                 | safe     |
| <b>monte-carlo-validation-notebook</b>    | Generates SQL validation notebooks for dbt PR changes with before/after comparison queries.                                                                                                                                                        | safe     |
| <b>moodle-external-api-development</b>    | This skill guides you through creating custom external web service APIs for Moodle LMS, following Moodle's external API framework and coding standards.                                                                                            | unknown  |
| <b>moyu</b>                               | > Anti-over-engineering guardrail that activates when an AI coding agent expands scope, adds abstractions, or changes files the user did not request.                                                                                              | safe     |
| <b>mtls-configuration</b>                 | Configure mutual TLS (mTLS) for zero-trust service-to-service communication.                                                                                                                                                                       | unknown  |
| <b>multi-advisor</b>                      | Conselho de especialistas — consulta multiplos agentes do ecossistema em paralelo para analise multi-perspectiva de qualquer topico.                                                                                                               | none     |
| <b>multi-agent-architect</b>              | Design and optimize production-grade multi-agent systems with LangGraph, LangChain, and DeepAgents for complex AI workflows.                                                                                                                       | safe     |
| <b>multi-agent-brainstorming</b>          | Simulate a structured peer-review process using multiple specialized agents to validate designs, surface hidden assumptions, and identify failure modes before implementation.                                                                     | unknown  |
| <b>multi-agent-patterns</b>               | This skill should be used when the user asks to "design multi-agent system", "implement supervisor pattern", "create swarm architecture", "coordinate multiple agents", or mentions multi-agent patterns, context isolation, agent handoffs, su... | unknown  |
| <b>multi-agent-task-orchestrator</b>      | Route tasks to specialized AI agents with anti-duplication, quality gates, and 30-minute heartbeat monitoring                                                                                                                                      | safe     |
| <b>multi-cloud-architecture</b>           | Decision framework and patterns for architecting applications across AWS, Azure, and GCP.                                                                                                                                                          | safe     |
| <b>multi-platform-apps-multi-platform</b> | Build and deploy the same feature consistently across web, mobile, and desktop platforms using API-first architecture and parallel implementation strategies.                                                                                      | unknown  |
| <b>multiplayer</b>                        | Multiplayer game development principles.                                                                                                                                                                                                           | unknown  |

## N (32)

| Skill                         | Description                                                     | Risk    |
|-------------------------------|-----------------------------------------------------------------|---------|
| <b>n8n-code-javascript</b>    | Write JavaScript code in n8n Code nodes.                        | unknown |
| <b>n8n-code-python</b>        | Write Python code in n8n Code nodes.                            | unknown |
| <b>n8n-expression-syntax</b>  | Validate n8n expression syntax and fix common errors.           | unknown |
| <b>n8n-mcp-tools-expert</b>   | Expert guide for using n8n-mcp MCP tools effectively.           | unknown |
| <b>n8n-node-configuration</b> | Operation-aware node configuration guidance.                    | unknown |
| <b>n8n-validation-expert</b>  | Expert guide for interpreting and fixing n8n validation errors. | unknown |
| <b>n8n-workflow-patterns</b>  | Proven architectural patterns for building n8n workflows.       | unknown |









| Skill                                                | Description                                                                                                                                                                                                                           | Risk      |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>pakistan-payments-stack</b>                       | Design and implement production-grade Pakistani payment integrations (JazzCash, Easypaisa, bank/PSP rails, optional Raast) for SaaS with PKR billing, webhook reliability, and reconciliation.                                        | safe      |
| <b>parallel-agents</b>                               | Multi-agent orchestration patterns.                                                                                                                                                                                                   | unknown   |
| <b>payment-integration</b>                           | Integrate Stripe, PayPal, and payment processors.                                                                                                                                                                                     | unknown   |
| <b>paypal-integration</b>                            | Master PayPal payment integration including Express Checkout, IPN handling, recurring billing, and refund workflows.                                                                                                                  | unknown   |
| <b>paywall-upgrade-cro</b>                           | You are an expert in in-app paywalls and upgrade flows.                                                                                                                                                                               | unknown   |
| <b>pc-games</b>                                      | PC and console game development principles.                                                                                                                                                                                           | safe      |
| <b>pci-compliance</b>                                | Master PCI DSS (Payment Card Industry Data Security Standard) compliance for secure payment processing and handling of cardholder data.                                                                                               | unknown   |
| <b>pdf-conversion-router</b>                         | Use when converting a PDF into another format such as Markdown, HTML, text, JSON, DOCX, or structured notes and the agent must choose the best extraction route, settings, and cleanup strategy for maximum fidelity and readability. | safe      |
| <b>pdf-official</b>                                  | This guide covers essential PDF processing operations using Python libraries and command-line tools.                                                                                                                                  | unknown   |
| <b>pentest-checklist</b>                             | Provide a comprehensive checklist for planning, executing, and following up on penetration tests.                                                                                                                                     | offensive |
| <b>pentest-commands</b>                              | Provide a comprehensive command reference for penetration testing tools including network scanning, exploitation, password cracking, and web application testing.                                                                     | offensive |
| <b>performance-engineer</b>                          | Expert performance engineer specializing in modern observability,                                                                                                                                                                     | unknown   |
| <b>performance-optimizer</b>                         | Identifies and fixes performance bottlenecks in code, databases, and APIs.                                                                                                                                                            | safe      |
| <b>performance-profiling</b>                         | Performance profiling principles.                                                                                                                                                                                                     | unknown   |
| <b>performance-testing-review-ai-review</b>          | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices.                                                                                | unknown   |
| <b>performance-testing-review-multi-agent-review</b> | Use when working with performance testing review multi agent review                                                                                                                                                                   | unknown   |
| <b>permission-manager</b>                            | Manage opencode permissions: review always-allow lists, suggest safe read-only commands, configure permission patterns                                                                                                                | critical  |
| <b>personal-tool-builder</b>                         | Expert in building custom tools that solve your own problems first.                                                                                                                                                                   | critical  |
| <b>phase-gated-debugging</b>                         | Use when debugging any bug.                                                                                                                                                                                                           | safe      |
| <b>photopea-embedded-editor</b>                      | Embed Photopea in web apps using photopea.js.                                                                                                                                                                                         | safe      |
| <b>php-pro</b>                                       | Write idiomatic PHP code with generators, iterators, SPL data structures, and modern OOP features.                                                                                                                                    | unknown   |
| <b>pipecat-friday-agent</b>                          | Build a low-latency, Iron Man-inspired tactical voice assistant (F.R.I.D.A.Y.) using Pipecat, Gemini, and OpenAI.                                                                                                                     | safe      |
| <b>pipedrive-automation</b>                          | Automate Pipedrive CRM operations including deals, contacts, organizations, activities, notes, and pipeline management via Rube MCP (Composio).                                                                                       | critical  |
| <b>pitch-psychologist</b>                            | One sentence - what this skill does and when to invoke it                                                                                                                                                                             | safe      |
| <b>plaid-fintech</b>                                 | Expert patterns for Plaid API integration including Link token flows, transactions sync, identity verification, Auth for ACH, balance checks, webhook handling, and fintech compliance best practices.                                | unknown   |
| <b>plan-writing</b>                                  | Structured task planning with clear breakdowns, dependencies, and verification criteria.                                                                                                                                              | unknown   |
| <b>planning-with-files</b>                           | Work like Manus: Use persistent markdown files as your "working memory on disk."                                                                                                                                                      | unknown   |
| <b>playwright-java</b>                               | Scaffold, write, debug, and enhance enterprise-grade Playwright E2E tests in Java using Page Object Model, JUnit 5, Allure reporting, and parallel execution.                                                                         | safe      |
| <b>playwright-skill</b>                              | IMPORTANT - Path Resolution: This skill can be installed in different locations (plugin system, manual installation, global, or project-specific).                                                                                    | unknown   |

| Skill                        | Description                                                                                                                                                                                              | Risk     |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| plotly                       | Interactive visualization library.                                                                                                                                                                       | unknown  |
| podcast-generation           | Generate real audio narratives from text content using Azure OpenAI's Realtime API.                                                                                                                      | unknown  |
| polars                       | Fast in-memory DataFrame library for datasets that fit in RAM.                                                                                                                                           | unknown  |
| polis-protocol               | Coordinate multi-vendor AI agents as a self-improving team — a learning router assigns work by track record and citizens can amend the protocol's own rules.                                             | critical |
| popup-cro                    | Create and optimize popups, modals, overlays, slide-ins, and banners to increase conversions without harming user experience or brand trust.                                                             | unknown  |
| posix-shell-pro              | Expert in strict POSIX sh scripting for maximum portability across Unix-like systems.                                                                                                                    | critical |
| postgres-best-practices      | Postgres performance optimization and best practices from Supabase.                                                                                                                                      | safe     |
| postgresql                   | Design a PostgreSQL-specific schema.                                                                                                                                                                     | unknown  |
| postgresql-optimization      | PostgreSQL database optimization workflow for query tuning, indexing strategies, performance analysis, and production database management.                                                               | safe     |
| posthog-automation           | Automate PostHog tasks via Rube MCP (Composio): events, feature flags, projects, user profiles, annotations.                                                                                             | critical |
| postmark-automation          | Automate Postmark email delivery tasks via Rube MCP (Composio): send templated emails, manage templates, monitor delivery stats and bounces.                                                             | critical |
| postmortem-writing           | Comprehensive guide to writing effective, blameless postmortems that drive organizational learning and prevent incident recurrence.                                                                      | unknown  |
| powershell-windows           | PowerShell Windows patterns.                                                                                                                                                                             | unknown  |
| pptx-official                | A user may ask you to create, edit, or analyze the contents of a .pptx file.                                                                                                                             | unknown  |
| pr-writer                    | Create pull requests following Sentry's engineering practices.                                                                                                                                           | unknown  |
| price-psychology-strategy    | One sentence - what this skill does and when to invoke it                                                                                                                                                | safe     |
| pricing-strategy             | Design pricing, packaging, and monetization strategies based on value, customer willingness to pay, and growth objectives.                                                                               | unknown  |
| prisma-expert                | You are an expert in Prisma ORM with deep knowledge of schema design, migrations, query optimization, relations modeling, and database operations across PostgreSQL, MySQL, and SQLite.                  | unknown  |
| privacy-by-design            | Use when building apps that collect user data.                                                                                                                                                           | safe     |
| privilege-escalation-methods | Provide comprehensive techniques for escalating privileges from a low-privileged user to root/administrator access on compromised Linux and Windows systems.                                             | unknown  |
| product-design               | Design de produto nível Apple — sistemas visuais, UX flows, acessibilidade, linguagem visual proprietária, design tokens, prototipagem e handoff.                                                        | none     |
| product-inventor             | Product Inventor e Design Alchemist de nível máximo — combina Product Thinking, Design Systems, UI Engineering, Psicologia Cognitiva, Storytelling e execução impecável nível Jobs/Apple.                | none     |
| product-manager              | Senior PM agent with 6 knowledge domains, 30+ frameworks, 12 templates, and 32 SaaS metrics with formulas.                                                                                               | safe     |
| product-manager-toolkit      | Essential tools and frameworks for modern product management, from discovery to delivery.                                                                                                                | unknown  |
| product-marketing-context    | Create or update a reusable product marketing context document with positioning, audience, ICP, use cases, and messaging.                                                                                | unknown  |
| production-audit             | Audit a shipped repo for production-readiness gaps across RLS, webhooks, secrets, grants, Stripe idempotency, mobile UX, and deployment health.                                                          | critical |
| production-code-audit        | Autonomously deep-scan entire codebase line-by-line, understand architecture and patterns, then systematically transform it to production-grade, corporate-level professional quality with optimizations | unknown  |

| Skill                                     | Description                                                                                                                                                                             | Risk     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>production-scheduling</b>              | Codified expertise for production scheduling, job sequencing, line balancing, changeover optimisation, and bottleneck resolution in discrete and batch manufacturing.                   | safe     |
| <b>professional-proofreader</b>           | > Use when a user asks to "proofread", "review and correct", "fix grammar", "improve readability while keeping my voice", and to proofread a document file and save an updated version. | safe     |
| <b>programmatic-seo</b>                   | Design and evaluate programmatic SEO strategies for creating SEO-driven pages at scale using templates and structured data.                                                             | unknown  |
| <b>progressive-estimation</b>             | Estimate AI-assisted and hybrid human+agent development work with research-backed PERT statistics and calibration feedback loops                                                        | safe     |
| <b>progressive-web-app</b>                | Build Progressive Web Apps (PWAs) with offline support, installability, and caching strategies.                                                                                         | safe     |
| <b>project-development</b>                | This skill covers the principles for identifying tasks suited to LLM processing, designing effective project architectures, and iterating rapidly using agent-assisted development.     | unknown  |
| <b>project-skill-audit</b>                | Audit a project and recommend the highest-value skills to add or update.                                                                                                                | safe     |
| <b>projection-patterns</b>                | Build read models and projections from event streams.                                                                                                                                   | safe     |
| <b>prometheus-configuration</b>           | Complete guide to Prometheus setup, metric collection, scrape configuration, and recording rules.                                                                                       | unknown  |
| <b>prompt-caching</b>                     | Caching strategies for LLM prompts including Anthropic prompt caching, response caching, and CAG (Cache Augmented Generation)                                                           | none     |
| <b>prompt-engineer</b>                    | Transforms user prompts into optimized prompts using frameworks (RTF, RISEN, Chain of Thought, RODES, Chain of Density, RACE, RISE, STAR, SOAP, CLEAR, GROW)                            | safe     |
| <b>prompt-engineering</b>                 | Expert guide on prompt engineering patterns, best practices, and optimization techniques.                                                                                               | unknown  |
| <b>prompt-engineering-patterns</b>        | Master advanced prompt engineering techniques to maximize LLM performance, reliability, and controllability.                                                                            | unknown  |
| <b>prompt-library</b>                     | A comprehensive collection of battle-tested prompts inspired by [awesome-chatgpt-prompts](https://github.com/f/awesome-chatgpt-prompts) and community best practices.                   | unknown  |
| <b>protect-mcp-governance</b>             | Agent governance skill for MCP tool calls — Cedar policy authoring, shadow-to-enforce rollout, and Ed25519 receipt verification.                                                        | safe     |
| <b>protocol-reverse-engineering</b>       | Comprehensive techniques for capturing, analyzing, and documenting network protocols for security research, interoperability, and debugging.                                            | safe     |
| <b>pubmed-database</b>                    | Direct REST API access to PubMed.                                                                                                                                                       | unknown  |
| <b>puzzle-activity-planner</b>            | Plan puzzle-based activities for classrooms, parties, and events with pre-configured generator links                                                                                    | safe     |
| <b>pydantic-ai</b>                        | Build production-ready AI agents with PydanticAI — type-safe tool use, structured outputs, dependency injection, and multi-model support.                                               | safe     |
| <b>pydantic-models-py</b>                 | Create Pydantic models following the multi-model pattern for clean API contracts.                                                                                                       | unknown  |
| <b>pypict-skill</b>                       | Pairwise test generation                                                                                                                                                                | safe     |
| <b>python-development</b>                 | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                          | critical |
| <b>python-development-python-scaffold</b> | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                          | critical |
| <b>python-fastapi-development</b>         | Python FastAPI backend development with async patterns, SQLAlchemy, Pydantic, authentication, and production API patterns.                                                              | safe     |
| <b>python-packaging</b>                   | Comprehensive guide to creating, structuring, and distributing Python packages using modern packaging tools, pyproject.toml, and publishing to PyPI.                                    | safe     |
| <b>python-patterns</b>                    | Python development principles and decision-making.                                                                                                                                      | unknown  |

| Skill                                  | Description                                                                                                            | Risk    |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------|
| <b>python-performance-optimization</b> | Profile and optimize Python code using cProfile, memory profilers, and performance best practices.                     | safe    |
| <b>python-pptx-generator</b>           | Generate complete Python scripts that build polished PowerPoint decks with python-pptx and real slide content.         | safe    |
| <b>python-pro</b>                      | Master Python 3.12+ with modern features, async programming, performance optimization, and production-ready practices. | unknown |
| <b>python-testing-patterns</b>         | Implement comprehensive testing strategies with pytest, fixtures, mocking, and test-driven development.                | safe    |

## Q (3)

| Skill                         | Description                                                                                                                                                                | Risk    |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>qiskit</b>                 | Qiskit is the world's most popular open-source quantum computing framework with 13M+ downloads.                                                                            | unknown |
| <b>quality-nonconformance</b> | Codified expertise for quality control, non-conformance investigation, root cause analysis, corrective action, and supplier quality management in regulated manufacturing. | safe    |
| <b>quant-analyst</b>          | Build financial models, backtest trading strategies, and analyze market data.                                                                                              | safe    |

## R (48)

| Skill                              | Description                                                                                                                                                        | Risk    |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>radix-ui-design-system</b>      | Build accessible design systems with Radix UI primitives.                                                                                                          | safe    |
| <b>rag-engineer</b>                | Expert in building Retrieval-Augmented Generation systems.                                                                                                         | unknown |
| <b>rag-implementation</b>          | RAG (Retrieval-Augmented Generation) implementation workflow covering embedding selection, vector database setup, chunking strategies, and retrieval optimization. | safe    |
| <b>rayden-code</b>                 | Generate React code with Rayden UI components using correct props, tokens, and premium layout patterns                                                             | safe    |
| <b>rayden-use</b>                  | Build and maintain Rayden UI components and screens in Figma via Figma MCP with full design token enforcement                                                      | safe    |
| <b>react-best-practices</b>        | Comprehensive performance optimization guide for React and Next.js applications, maintained by Vercel.                                                             | safe    |
| <b>react-component-performance</b> | Diagnose slow React components and suggest targeted performance fixes.                                                                                             | safe    |
| <b>react-flow-architect</b>        | Build production-ready ReactFlow applications with hierarchical navigation, performance optimization, and advanced state management.                               | unknown |
| <b>react-flow-node-ts</b>          | Create React Flow node components following established patterns with proper TypeScript types and store integration.                                               | unknown |
| <b>react-modernization</b>         | Master React version upgrades, class to hooks migration, concurrent features adoption, and codemods for automated transformation.                                  | safe    |
| <b>react-native-architecture</b>   | Production-ready patterns for React Native development with Expo, including navigation, state management, native modules, and offline-first architecture.          | safe    |
| <b>react-native-skills</b>         | Use when working with react-native-skills tasks or workflows                                                                                                       | safe    |
| <b>react-nextjs-development</b>    | React and Next.js 14+ application development with App Router, Server Components, TypeScript, Tailwind CSS, and modern frontend patterns.                          | safe    |
| <b>react-patterns</b>              | Modern React patterns and principles.                                                                                                                              | safe    |
| <b>react-state-management</b>      | Master modern React state management with Redux Toolkit, Zustand, Jotai, and React Query.                                                                          | unknown |
| <b>react-ui-patterns</b>           | Modern React UI patterns for loading states, error handling, and data fetching.                                                                                    | unknown |



| Skill    | Description                                                                                                            | Risk    |
|----------|------------------------------------------------------------------------------------------------------------------------|---------|
| rust-pro | Master Rust 1.75+ with modern async patterns, advanced type system features, and production-ready systems programming. | unknown |

## S (177)

| Skill                                                | Description                                                                                                                                                                                                                     | Risk     |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| saas-multi-tenant                                    | Design and implement multi-tenant SaaS architectures with row-level security, tenant-scoped queries, shared-schema isolation, and safe cross-tenant admin patterns in PostgreSQL and TypeScript.                                | safe     |
| saas-mvp-launcher                                    | Use when planning or building a SaaS MVP from scratch.                                                                                                                                                                          | safe     |
| saga-orchestration                                   | Patterns for managing distributed transactions and long-running business processes.                                                                                                                                             | unknown  |
| sales-automator                                      | Draft cold emails, follow-ups, and proposal templates.                                                                                                                                                                          | unknown  |
| sales-enablement                                     | Create sales collateral such as decks, one-pagers, objection docs, demo scripts, playbooks, and proposal templates.                                                                                                             | unknown  |
| salesforce-automation                                | Automate Salesforce tasks via Rube MCP (Composio): leads, contacts, accounts, opportunities, SOQL queries.                                                                                                                      | critical |
| salesforce-development                               | Expert patterns for Salesforce platform development including Lightning Web Components (LWC), Apex triggers and classes, REST/Bulk APIs, Connected Apps, and Salesforce DX with scratch orgs and 2nd generation packages (2GP). | safe     |
| sam-altman                                           | Agente que simula Sam Altman — CEO da OpenAI, ex-presidente da Y Combinator, arquiteto da era AGI.                                                                                                                              | safe     |
| sankhya-dashboard-html-js<br>p-custom-best-practices | This skill should be used when the user asks for patterns, best practices, creation, or fixing of Sankhya dashboards using HTML, JSP, Java, and SQL.                                                                            | safe     |
| sast-configuration                                   | Static Application Security Testing (SAST) tool setup, configuration, and custom rule creation for comprehensive security scanning across multiple programming languages.                                                       | unknown  |
| satori                                               | Clinically informed wisdom companion blending psychology and philosophy into a structured thinking partner                                                                                                                      | safe     |
| scala-pro                                            | Master enterprise-grade Scala development with functional programming, distributed systems, and big data processing.                                                                                                            | safe     |
| scanning-tools                                       | Master essential security scanning tools for network discovery, vulnerability assessment, web application testing, wireless security, and compliance validation.                                                                | unknown  |
| scanpy                                               | Scanpy is a scalable Python toolkit for analyzing single-cell RNA-seq data, built on AnnData.                                                                                                                                   | unknown  |
| scarcity-urgency-psychologist                        | One sentence - what this skill does and when to invoke it                                                                                                                                                                       | safe     |
| schema-markup                                        | Design, validate, and optimize schema.org structured data for eligibility, correctness, and measurable SEO impact.                                                                                                              | unknown  |
| schema-markup-generator                              | Generate and implement JSON-LD structured data for web apps, blogs, FAQs, and SaaS sites.                                                                                                                                       | safe     |
| scientific-writing                                   | This is the core skill for the deep research and writing tool—combining AI-driven deep research with well-formatted written outputs.                                                                                            | unknown  |
| scikit-learn                                         | Machine learning in Python with scikit-learn.                                                                                                                                                                                   | unknown  |
| screen-reader-testing                                | Practical guide to testing web applications with screen readers for comprehensive accessibility validation.                                                                                                                     | safe     |
| screenshots                                          | Generate marketing screenshots of your app using Playwright.                                                                                                                                                                    | safe     |
| scroll-experience                                    | Expert in building immersive scroll-driven experiences - parallax storytelling, scroll animations, interactive narratives, and cinematic web experiences.                                                                       | unknown  |
| seaborn                                              | Seaborn is a Python visualization library for creating publication-quality statistical graphics.                                                                                                                                | unknown  |



| Skill                                   | Description                                                                                                                                                                                                          | Risk     |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| search-specialist                       | Expert web researcher using advanced search techniques and                                                                                                                                                           | unknown  |
| secrets-management                      | Secure secrets management practices for CI/CD pipelines using Vault, AWS Secrets Manager, and other tools.                                                                                                           | unknown  |
| security-audit                          | Comprehensive security auditing workflow covering web application testing, API security, penetration testing, vulnerability scanning, and security hardening.                                                        | safe     |
| security-auditor                        | Expert security auditor specializing in DevSecOps, comprehensive cybersecurity, and compliance frameworks.                                                                                                           | unknown  |
| security-bluebook-builder               | Build a minimal but real security policy for sensitive apps.                                                                                                                                                         | unknown  |
| security-compliance-compliance-check    | You are a compliance expert specializing in regulatory requirements for software systems including GDPR, HIPAA, SOC2, PCI-DSS, and other industry standards.                                                         | safe     |
| security-requirement-extraction         | Derive security requirements from threat models and business context.                                                                                                                                                | safe     |
| security-scanning-security-dependencies | You are a security expert specializing in dependency vulnerability analysis, SBOM generation, and supply chain security.                                                                                             | safe     |
| security-scanning-security-hardening    | Coordinate multi-layer security scanning and hardening across application, infrastructure, and compliance controls.                                                                                                  | unknown  |
| security-scanning-security-sast         | Static Application Security Testing (SAST) for code vulnerability analysis across multiple languages and frameworks                                                                                                  | unknown  |
| seek-and-analyze-video                  | Seek and analyze video content using Memories.ai Large Visual Memory Model for persistent video intelligence                                                                                                         | safe     |
| segment-automation                      | Automate Segment tasks via Rube MCP (Composio): track events, identify users, manage groups, page views, aliases, batch operations.                                                                                  | critical |
| segment-cdp                             | Expert patterns for Segment Customer Data Platform including Analytics.js, server-side tracking, tracking plans with Protocols, identity resolution, destinations configuration, and data governance best practices. | safe     |
| semgrep-rule-creator                    | Creates custom Semgrep rules for detecting security vulnerabilities, bug patterns, and code patterns.                                                                                                                | unknown  |
| semgrep-rule-variant-creator            | Creates language variants of existing Semgrep rules.                                                                                                                                                                 | unknown  |
| sendblue-api                            | Send and receive iMessage, SMS, and RCS from application code via the Sendblue HTTP API — text, media, group messages, send styles, reactions, typing indicators, status callbacks, and inbound webhooks.            | critical |
| sendblue-cli                            | Send iMessage and SMS from the shell via the @sendblue/cli npm package — outbound sends, contact management, and account setup with no API client or webhook server required.                                        | critical |
| sendblue-notify                         | Text the user's phone when a long-running task, agent turn, or scheduled job finishes — via @sendblue/cli for outbound, optionally wired to a Claude Code Stop hook for automatic fire.                              | critical |
| sendgrid-automation                     | Automate SendGrid email delivery workflows including marketing campaigns (Single Sends), contact and list management, sender identity setup, and email analytics through Composio's SendGrid toolkit.                | critical |
| senior-architect                        | Complete toolkit for senior architect with modern tools and best practices.                                                                                                                                          | critical |
| senior-frontend                         | Frontend development skill for React, Next.js, TypeScript, and Tailwind CSS applications.                                                                                                                            | safe     |
| senior-fullstack                        | Complete toolkit for senior fullstack with modern tools and best practices.                                                                                                                                          | critical |
| sentry-automation                       | Automate Sentry tasks via Rube MCP (Composio): manage issues/events, configure alerts, track releases, monitor projects and teams.                                                                                   | critical |
| seo                                     | Run a broad SEO audit across technical SEO, on-page SEO, schema, sitemaps, content quality, AI search readiness, and GEO.                                                                                            | unknown  |
| seo-aeo-blog-writer                     | Writes long-form blog posts with TL;DR block, definition sentence, comparison table, and 5-question FAQ for SEO ranking and AEO citation.                                                                            | safe     |

| Skill                              | Description                                                                                                                                                     | Risk    |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| seo-aeo-content-cluster            | Builds a topical authority map with a pillar page, prioritised cluster articles, content types, internal link map, and content gap analysis.                    | safe    |
| seo-aeo-content-quality-auditor    | Audits content for SEO and AEO performance with scored reports, severity-ranked fix lists, and projected scores after fixes.                                    | safe    |
| seo-aeo-internal-linking           | Maps internal link opportunities between pages with anchor text, placement instructions, orphan page detection, and cannibalization checks.                     | safe    |
| seo-aeo-keyword-research           | Researches and prioritises SEO keywords with AEO question queries, difficulty tiers, cannibalization checks, and a content map.                                 | safe    |
| seo-aeo-landing-page-writer        | Writes complete, structured landing pages optimized for SEO ranking, AEO citation, and visitor conversion.                                                      | safe    |
| seo-aeo-meta-description-generator | Writes 3 title tag variants and 3 meta description variants per page with SERP preview, OG tags, and Twitter Card tags.                                         | safe    |
| seo-aeo-schema-generator           | Generates valid JSON-LD structured data for 10 schema types with rich result eligibility validation and implementation-ready script blocks.                     | safe    |
| seo-audit                          | Diagnose and audit SEO issues affecting crawlability, indexation, rankings, and organic performance.                                                            | safe    |
| seo-authority-builder              | Analyzes content for E-E-A-T signals and suggests improvements to build authority and trust.                                                                    | unknown |
| seo-cannibalization-detector       | Analyzes multiple provided pages to identify keyword overlap and potential cannibalization issues.                                                              | unknown |
| seo-competitor-pages               | > Generate SEO-optimized competitor comparison and alternatives pages.                                                                                          | unknown |
| seo-content                        | > Content quality and E-E-A-T analysis with AI citation readiness assessment.                                                                                   | unknown |
| seo-content-auditor                | Analyzes provided content for quality, E-E-A-T signals, and SEO best practices.                                                                                 | safe    |
| seo-content-planner                | Creates comprehensive content outlines and topic clusters for SEO.                                                                                              | unknown |
| seo-content-refresher              | Identifies outdated elements in provided content and suggests updates to maintain freshness.                                                                    | unknown |
| seo-content-writer                 | Writes SEO-optimized content based on provided keywords and topic briefs.                                                                                       | unknown |
| seo-dataforseo                     | Use DataForSEO for live SERPs, keyword metrics, backlinks, competitor analysis, on-page checks, and AI visibility data.                                         | unknown |
| seo-forensic-incident-response     | Investigate sudden drops in organic traffic or rankings and run a structured forensic SEO incident response with triage, root-cause analysis and recovery plan. | safe    |
| seo-fundamentals                   | Core principles of SEO including E-E-A-T, Core Web Vitals, technical foundations, content quality, and how modern search engines evaluate pages.                | safe    |
| seo-geo                            | Optimize content for AI Overviews, ChatGPT, Perplexity, and other AI search systems.                                                                            | unknown |
| seo-hreflang                       | > Hreflang and international SEO audit, validation, and generation.                                                                                             | unknown |
| seo-image-gen                      | Generate SEO-focused images such as OG cards, hero images, schema assets, product visuals, and infographics.                                                    | unknown |
| seo-images                         | > Image optimization analysis for SEO and performance.                                                                                                          | safe    |
| seo-keyword-strategist             | Analyzes keyword usage in provided content, calculates density, suggests semantic variations and LSI keywords based on the topic.                               | unknown |
| seo-meta-optimizer                 | Creates optimized meta titles, descriptions, and URL suggestions based on character limits and best practices.                                                  | unknown |
| seo-page                           | > Deep single-page SEO analysis covering on-page elements, content quality, technical meta tags, schema, images, and performance.                               | safe    |
| seo-plan                           | > Strategic SEO planning for new or existing websites.                                                                                                          | unknown |
| seo-programmatic                   | Plan and audit programmatic SEO pages generated at scale from structured data.                                                                                  | unknown |
| seo-schema                         | > Detect, validate, and generate Schema.org structured data.                                                                                                    | unknown |
| seo-sitemap                        | > Analyze existing XML sitemaps or generate new ones with industry templates.                                                                                   | unknown |
| seo-snippet-hunter                 | Formats content to be eligible for featured snippets and SERP features.                                                                                         | unknown |

| Skill                      | Description                                                                                                                                                                                                    | Risk     |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| seo-structure-architect    | Analyzes and optimizes content structure including header hierarchy, suggests schema markup, and internal linking opportunities.                                                                               | unknown  |
| seo-technical              | Audit technical SEO across crawlability, indexability, security, URLs, mobile, Core Web Vitals, structured data, JavaScript rendering, and related platform signals like robots.txt and AI crawler access.     | unknown  |
| sequence-psychologist      | One sentence - what this skill does and when to invoke it                                                                                                                                                      | safe     |
| server-management          | Server management principles and decision-making.                                                                                                                                                              | safe     |
| service-mesh-expert        | Expert service mesh architect specializing in Istio, Linkerd, and cloud-native networking patterns.                                                                                                            | safe     |
| service-mesh-observability | Complete guide to observability patterns for Istio, Linkerd, and service mesh deployments.                                                                                                                     | critical |
| sexual-health-analyzer     | Sexual Health Analyzer                                                                                                                                                                                         | unknown  |
| shadcn                     | Manages shadcn/ui components and projects, providing context, documentation, and usage patterns for building modern design systems.                                                                            | safe     |
| shader-programming-glsl    | Expert guide for writing efficient GLSL shaders (Vertex/Fragment) for web and game engines, covering syntax, uniforms, and common effects.                                                                     | safe     |
| sharp-edges                | sharp-edges                                                                                                                                                                                                    | unknown  |
| shellcheck-configuration   | Master ShellCheck static analysis configuration and usage for shell script quality.                                                                                                                            | unknown  |
| shodan-reconnaissance      | Provide systematic methodologies for leveraging Shodan as a reconnaissance tool during penetration testing engagements.                                                                                        | unknown  |
| shopify-apps               | Expert patterns for Shopify app development including Remix/React Router apps, embedded apps with App Bridge, webhook handling, GraphQL Admin API, Polaris components, billing, and app extensions.            | safe     |
| shopify-automation         | Automate Shopify tasks via Rube MCP (Composio): products, orders, customers, inventory, collections.                                                                                                           | unknown  |
| shopify-development        | Build Shopify apps, extensions, themes using GraphQL Admin API, Shopify CLI, Polaris UI, and Liquid.                                                                                                           | unknown  |
| signup-flow-cro            | You are an expert in optimizing signup and registration flows.                                                                                                                                                 | unknown  |
| similarity-search-patterns | Implement efficient similarity search with vector databases.                                                                                                                                                   | safe     |
| simplify-code              | Review a diff for clarity and safe simplifications, then optionally apply low-risk fixes.                                                                                                                      | safe     |
| site-architecture          | Plan or restructure website hierarchy, navigation, URL patterns, breadcrumbs, and internal linking.                                                                                                            | unknown  |
| skill-audit                | Pre-install security scanner for AI agent skills.                                                                                                                                                              | safe     |
| skill-check                | Validate Claude Code skills against the agentskills specification.                                                                                                                                             | safe     |
| skill-creator              | To create new CLI skills following Anthropic's official best practices with zero manual configuration.                                                                                                         | safe     |
| skill-creator-ms           | Guide for creating effective skills for AI coding agents working with Azure SDKs and Microsoft Foundry services.                                                                                               | unknown  |
| skill-developer            | Comprehensive guide for creating and managing skills in Claude Code with auto-activation system, following Anthropic's official best practices including the 500-line rule and progressive disclosure pattern. | unknown  |
| skill-improver             | Iteratively improve a Claude Code skill using the skill-reviewer agent until it meets quality standards.                                                                                                       | unknown  |
| skill-installer            | Instala, valida, registra e verifica novas skills no ecossistema.                                                                                                                                              | safe     |
| skill-issue                | Find out why a coding-agent skill won't fire — grade each SKILL.md A–F on activation, simulate which skill a prompt triggers, and flag collisions where one silently shadows another.                          | safe     |
| skill-optimizer            | Diagnose and optimize Agent Skills (SKILL.md) with real session data and research-backed static analysis.                                                                                                      | safe     |
| skill-rails-upgrade        | Analyze Rails apps and provide upgrade assessments                                                                                                                                                             | safe     |



| Skill                                          | Description                                                                                                                                                                                             | Risk      |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| sql-injection-testing                          | Execute comprehensive SQL injection vulnerability assessments on web applications to identify database security flaws, demonstrate exploitation techniques, and validate input sanitization mechanisms. | offensive |
| sql-optimization-patterns                      | Transform slow database queries into lightning-fast operations through systematic optimization, proper indexing, and query plan analysis.                                                               | safe      |
| sql-pro                                        | Master modern SQL with cloud-native databases, OLTP/OLAP optimization, and advanced query techniques.                                                                                                   | unknown   |
| sqlmap-database-pentesting                     | Provide systematic methodologies for automated SQL injection detection and exploitation using SQLMap.                                                                                                   | unknown   |
| square-automation                              | Automate Square tasks via Rube MCP (Composio): payments, orders, invoices, locations.                                                                                                                   | critical  |
| squirrel                                       | Full-cycle AI coding skill: plans, builds, tests, lints, fixes bugs, and writes production-grade docs.                                                                                                  | safe      |
| sred-project-organizer                         | Take a list of projects and their related documentation, and organize them into the SRED format for submission.                                                                                         | unknown   |
| sred-work-summary                              | Go back through the previous year of work and create a Notion doc that groups relevant links into projects that can then be documented as SRED projects.                                                | unknown   |
| ssh-penetration-testing                        | Conduct comprehensive SSH security assessments including enumeration, credential attacks, vulnerability exploitation, tunneling techniques, and post-exploitation activities.                           | offensive |
| stability-ai                                   | Geracao de imagens via Stability AI (SD3.5, Ultra, Core).                                                                                                                                               | safe      |
| startup-analyst                                | Expert startup business analyst specializing in market sizing, financial modeling, competitive analysis, and strategic planning for early-stage companies.                                              | unknown   |
| startup-business-analyst-business-case         | Generate comprehensive investor-ready business case document with market, solution, financials, and strategy                                                                                            | unknown   |
| startup-business-analyst-financial-projections | Create detailed 3-5 year financial model with revenue, costs, cash flow, and scenarios                                                                                                                  | unknown   |
| startup-business-analyst-market-opportunity    | Generate comprehensive market opportunity analysis with TAM/SAM/SOM calculations                                                                                                                        | unknown   |
| startup-financial-modeling                     | Build comprehensive 3-5 year financial models with revenue projections, cost structures, cash flow analysis, and scenario planning for early-stage startups.                                            | unknown   |
| startup-metrics-framework                      | Comprehensive guide to tracking, calculating, and optimizing key performance metrics for different startup business models from seed through Series A.                                                  | safe      |
| statsmodels                                    | Statsmodels is Python's premier library for statistical modeling, providing tools for estimation, inference, and diagnostics across a wide range of statistical methods.                                | unknown   |
| steve-jobs                                     | Agente que simula Steve Jobs — cofundador da Apple, CEO da Pixar, fundador da NeXT, o maior designer de produtos tecnologicos da historia e o mais influente apresentador de produtos do mundo.         | safe      |
| stitch-design-taste                            | Use when generating Google Stitch DESIGN.md systems for premium typography, color, layout, motion intent, and anti-generic UI rules.                                                                    | safe      |
| stitch-loop                                    | Teaches agents to iteratively build websites using Stitch with an autonomous baton-passing loop pattern allowed-tools: - "stitch*:*" - "chrome*:*" - "Read" - "Write" - "Bash"                          | unknown   |
| stitch-ui-design                               | Expert guidance for crafting effective prompts in Google Stitch, the AI-powered UI design tool by Google Labs.                                                                                          | safe      |
| stride-analysis-patterns                       | Apply STRIDE methodology to systematically identify threats.                                                                                                                                            | safe      |
| stripe-automation                              | Automate Stripe tasks via Rube MCP (Composio): customers, charges, subscriptions, invoices, products, refunds.                                                                                          | critical  |
| stripe-integration                             | Master Stripe payment processing integration for robust, PCI-compliant payment flows including checkout, subscriptions, webhooks, and refunds.                                                          | unknown   |
| subagent-driven-development                    | Use when executing implementation plans with independent tasks in the current session                                                                                                                   | unknown   |





| Skill                                   | Description                                                                                                                                                                                                    | Risk     |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>team-collaboration-issue</b>         | You are a GitHub issue resolution expert specializing in systematic bug investigation, feature implementation, and collaborative development workflows.                                                        | safe     |
| <b>team-collaboration-standup-notes</b> | You are an expert team communication specialist focused on async-first standup practices, AI-assisted note generation from commit history, and effective remote team coordination patterns.                    | critical |
| <b>team-composition-analysis</b>        | Design optimal team structures, hiring plans, compensation strategies, and equity allocation for early-stage startups from pre-seed through Series A.                                                          | unknown  |
| <b>technical-change-tracker</b>         | Track code changes with structured JSON records, state machine enforcement, and AI session handoff for bot continuity                                                                                          | safe     |
| <b>telegram</b>                         | Integracao completa com Telegram Bot API.                                                                                                                                                                      | critical |
| <b>telegram-automation</b>              | Automate Telegram tasks via Rube MCP (Composio): send messages, manage chats, share photos/documents, and handle bot commands.                                                                                 | critical |
| <b>telegram-bot-builder</b>             | Expert in building Telegram bots that solve real problems - from simple automation to complex AI-powered bots.                                                                                                 | unknown  |
| <b>telegram-mini-app</b>                | Expert in building Telegram Mini Apps (TWA) - web apps that run inside Telegram with native-like experience.                                                                                                   | unknown  |
| <b>templates</b>                        | Project scaffolding templates for new applications.                                                                                                                                                            | unknown  |
| <b>temporal-golang-pro</b>              | Use when building durable distributed systems with Temporal Go SDK.                                                                                                                                            | safe     |
| <b>temporal-python-pro</b>              | Master Temporal workflow orchestration with Python SDK.                                                                                                                                                        | unknown  |
| <b>temporal-python-testing</b>          | Comprehensive testing approaches for Temporal workflows using pytest, progressive disclosure resources for specific testing scenarios.                                                                         | unknown  |
| <b>terraform-aws-modules</b>            | Terraform module creation for AWS — reusable modules, state management, and HCL best practices.                                                                                                                | unknown  |
| <b>terraform-infrastructure</b>         | Terraform infrastructure as code workflow for provisioning cloud resources, creating reusable modules, and managing infrastructure at scale.                                                                   | safe     |
| <b>terraform-module-library</b>         | Production-ready Terraform module patterns for AWS, Azure, and GCP infrastructure.                                                                                                                             | unknown  |
| <b>terraform-skill</b>                  | Terraform infrastructure as code best practices                                                                                                                                                                | safe     |
| <b>terraform-specialist</b>             | Expert Terraform/OpenTofu specialist mastering advanced IaC automation, state management, and enterprise infrastructure patterns.                                                                              | unknown  |
| <b>test-automator</b>                   | Master AI-powered test automation with modern frameworks, self-healing tests, and comprehensive quality engineering.                                                                                           | unknown  |
| <b>test-driven-development</b>          | Use when implementing any feature or bugfix, before writing implementation code                                                                                                                                | unknown  |
| <b>test-fixing</b>                      | Systematically identify and fix all failing tests using smart grouping strategies.                                                                                                                             | safe     |
| <b>testing-patterns</b>                 | Jest testing patterns, factory functions, mocking strategies, and TDD workflow.                                                                                                                                | unknown  |
| <b>testing-qa</b>                       | Comprehensive testing and QA workflow covering unit testing, integration testing, E2E testing, browser automation, and quality assurance.                                                                      | safe     |
| <b>textme</b>                           | Text Claude from your phone — set up the njerschow/textme daemon so inbound iMessages drive a Claude Code session on your laptop, with voice notes, image input, code execution, and a phone-number whitelist. | critical |
| <b>theme-factory</b>                    | This skill provides a curated collection of professional font and color themes themes, each with carefully selected color palettes and font pairings.                                                          | unknown  |
| <b>threat-mitigation-mapping</b>        | Map identified threats to appropriate security controls and mitigations.                                                                                                                                       | safe     |
| <b>threat-modeling-expert</b>           | Expert in threat modeling methodologies, security architecture review, and risk assessment.                                                                                                                    | unknown  |
| <b>threejs-animation</b>                | Three.js animation - keyframe animation, skeletal animation, morph targets, animation mixing.                                                                                                                  | unknown  |
| <b>threejs-fundamentals</b>             | Three.js scene setup, cameras, renderer, Object3D hierarchy, coordinate systems.                                                                                                                               | unknown  |
| <b>threejs-geometry</b>                 | Three.js geometry creation - built-in shapes, BufferGeometry, custom geometry, instancing.                                                                                                                     | unknown  |

[illegible]

| Skill                             | Description                                                                                                                                                                                              | Risk                                          |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| <b>ui-a11y</b>                    | Audit a StyleSeed-based component or page for WCAG 2.2 AA issues and apply practical accessibility fixes where the code makes them safe.                                                                 | safe                                          |
| <b>ui-component</b>               | Generate a new UI component that follows StyleSeed Toss conventions for structure, tokens, accessibility, and component ergonomics.                                                                      | safe                                          |
| <b>ui-page</b>                    | Scaffold a new mobile-first page using StyleSeed Toss layout patterns, section rhythm, and existing shell components.                                                                                    | safe                                          |
| <b>ui-pattern</b>                 | Generate reusable UI patterns such as card sections, grids, lists, forms, and chart wrappers using StyleSeed Toss primitives.                                                                            | safe                                          |
| <b>ui-review</b>                  | Review UI code for StyleSeed design-system compliance, accessibility, mobile ergonomics, spacing discipline, and implementation quality.                                                                 | safe                                          |
| <b>ui-setup</b>                   | Interactive StyleSeed setup wizard for choosing app type, brand color, visual style, typography, and the first screen scaffold.                                                                          | safe                                          |
| <b>ui-skills</b>                  | Opinionated, evolving constraints to guide agents when building interfaces                                                                                                                               | safe                                          |
| <b>ui-tokens</b>                  | List, add, and update StyleSeed design tokens while keeping JSON sources, CSS variables, and dark-mode values in sync.                                                                                   | safe                                          |
| <b>ui-ux-designer</b>             | Create interface designs, wireframes, and design systems.                                                                                                                                                | unknown                                       |
| <b>ui-ux-pro-max</b>              | Comprehensive design guide for web and mobile applications.                                                                                                                                              | unknown                                       |
| <b>ui-visual-validator</b>        | Rigorous visual validation expert specializing in UI testing, design system compliance, and accessibility verification.                                                                                  | unknown                                       |
| <b>uncle-bob-craft</b>            | Use when performing code review, writing or refactoring code, or discussing architecture; complements clean-code and does not replace project linter/formatter.                                          | safe                                          |
| <b>uniprot-database</b>           | Direct REST API access to UniProt.                                                                                                                                                                       | safe                                          |
| <b>unit-testing-test-generate</b> | Generate comprehensive, maintainable unit tests across languages with strong coverage and edge case focus.                                                                                               | unknown                                       |
| <b>unity-ai-game-creator</b>      | Transform raw game ideas into complete Unity projects with AI-powered asset generation, scene blueprints, music/SFX prompts, and step-by-step development procedures using Unity 6+ and modern AI tools. | safe                                          |
| <b>unity-developer</b>            | Build Unity games with optimized C# scripts, efficient rendering, and proper asset management.                                                                                                           | unknown                                       |
| <b>unity-ecs-patterns</b>         | Production patterns for Unity's Data-Oriented Technology Stack (DOTS) including Entity Component System, Job System, and Burst Compiler.                                                                 | safe                                          |
| <b>unreal-engine-cpp-pro</b>      | Expert guide for Unreal Engine 5.x C++ development, covering UObject hygiene, performance patterns, and best practices.                                                                                  | safe                                          |
| <b>unship</b>                     | Compare AI agent-made UI variants locally in a real app, then keep one and clean up unused temporary code.                                                                                               | safe                                          |
| <b>unslop</b>                     | Post-process AI-generated text through the unslop CLI to strip AI writing patterns before publishing                                                                                                     | safe                                          |
| <b>unsplash-integration</b>       | Integration skill for searching and fetching high-quality, free-to-use professional photography from Unsplash.                                                                                           | safe                                          |
| <b>upgrading-expo</b>             | Upgrade Expo SDK versions                                                                                                                                                                                | safe                                          |
| <b>upstash-qstash</b>             | Upstash QStash expert for serverless message queues, scheduled jobs, and reliable HTTP-based task delivery without managing infrastructure.                                                              | unknown                                       |
| <b>user-thoughts</b>              | >- Persist user decisions and project constraints to mdbase across sessions.                                                                                                                             | safe allow<br>ed-tools:<br>read write<br>bash |
| <b>using-git-worktrees</b>        | Git worktrees create isolated workspaces sharing the same repository, allowing work on multiple branches simultaneously without switching.                                                               | critical                                      |
| <b>using-neon</b>                 | Neon is a serverless Postgres platform that separates compute and storage to offer autoscaling, branching, instant restore, and scale-to-zero.                                                           | safe                                          |
| <b>using-superpowers</b>          | Use when starting any conversation - establishes how to find and use skills, requiring Skill tool invocation before ANY response including clarifying questions                                          | unknown                                       |

| Skill                         | Description                                                                                                                                                              | Risk |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>uv-package-manager</b>     | Comprehensive guide to using uv, an extremely fast Python package installer and resolver written in Rust, for modern Python project management and dependency workflows. | safe |
| <b>ux-audit</b>               | Audit screens against Nielsen's heuristics and mobile UX best practices using the StyleSeed Toss design language as the implementation context.                          | safe |
| <b>ux-copy</b>                | Generate UX microcopy in StyleSeed's Toss-inspired voice for buttons, empty states, errors, toasts, confirmations, and form guidance.                                    | safe |
| <b>ux-feedback</b>            | Add loading, empty, error, and success feedback states to StyleSeed components and pages with practical mobile-first rules.                                              | safe |
| <b>ux-flow</b>                | Design user flows and screen structure using StyleSeed UX patterns such as progressive disclosure, hub-and-spoke navigation, and information pyramids.                   | safe |
| <b>ux-persuasion-engineer</b> | One sentence - what this skill does and when to invoke it                                                                                                                | safe |
| <b>uxui-principles</b>        | Evaluate interfaces against 168 research-backed UX/UI principles, detect antipatterns, and inject UX context into AI coding sessions.                                    | safe |

## V (31)

| Skill                                   | Description                                                                                                                                           | Risk     |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>variant-analysis</b>                 | Find similar vulnerabilities and bugs across codebases using pattern-based analysis.                                                                  | unknown  |
| <b>varlock</b>                          | Secure-by-default environment variable management for Claude Code sessions.                                                                           | critical |
| <b>varlock-claude-skill</b>             | Secure environment variable management ensuring secrets are never exposed in Claude sessions, terminals, logs, or git commits                         | safe     |
| <b>vector-database-engineer</b>         | Expert in vector databases, embedding strategies, and semantic search implementation.                                                                 | unknown  |
| <b>vector-index-tuning</b>              | Optimize vector index performance for latency, recall, and memory.                                                                                    | safe     |
| <b>vercel-ai-sdk-expert</b>             | Expert in the Vercel AI SDK.                                                                                                                          | safe     |
| <b>vercel-automation</b>                | Automate Vercel tasks via Rube MCP (Composio): manage deployments, domains, DNS, env vars, projects, and teams.                                       | critical |
| <b>vercel-cli-with-tokens</b>           | Deploy and manage projects on Vercel using token-based authentication.                                                                                | safe     |
| <b>vercel-deployment</b>                | Expert knowledge for deploying to Vercel with Next.js                                                                                                 | safe     |
| <b>vercel-optimize</b>                  | Audit deployed Vercel apps for cost and performance issues using metrics, project config, code scans, and version-aware recommendations.              | safe     |
| <b>vercel-react-view-transitions</b>    | Guide React and Next.js view transitions, shared element animations, route transitions, transition types, and reduced-motion-safe UI state animation. | safe     |
| <b>verification-before-completion</b>   | Claiming work is complete without verification is dishonesty, not efficiency.                                                                         | unknown  |
| <b>vexor</b>                            | Vector-powered CLI for semantic file search with a Claude/Codex skill                                                                                 | safe     |
| <b>vexor-cli</b>                        | Semantic file discovery via `vexor`.                                                                                                                  | unknown  |
| <b>vibe-code-auditor</b>                | Audit rapidly generated or AI-produced code for structural flaws, fragility, and production risks.                                                    | safe     |
| <b>vibe-code-cleanup</b>                | Safe production cleanup and hardening for vibe-coded fullstack apps (Next.js, React, Node.js, etc.).                                                  | safe     |
| <b>vibecode-production-qa-validator</b> | End-to-end production QA, build verification, and launch-readiness checklist for fullstack Next.js apps.                                              | safe     |
| <b>vibers-code-review</b>               | Human review workflow for AI-generated GitHub projects with spec-based feedback, security review, and follow-up PRs from the Vibers service.          | critical |
| <b>viboscope</b>                        | Psychological compatibility matching — find cofounders, collaborators, and friends through validated psychometrics                                    | safe     |



| Skill                                                         | Description                                                                                                                                                                                                                                        | Risk      |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>whatsapp-automation</b>                                    | Automate WhatsApp Business tasks via Rube MCP (Composio): send messages, manage templates, upload media, and handle contacts.                                                                                                                      | unknown   |
| <b>whatsapp-cloud-api</b>                                     | Integracao com WhatsApp Business Cloud API (Meta).                                                                                                                                                                                                 | critical  |
| <b>wiki-architect</b>                                         | You are a documentation architect that produces structured wiki catalogues and onboarding guides from codebases.                                                                                                                                   | unknown   |
| <b>wiki-changelog</b>                                         | Generate structured changelogs from git history.                                                                                                                                                                                                   | unknown   |
| <b>wiki-onboarding</b>                                        | Generate two complementary onboarding documents that together give any engineer — from newcomer to principal — a complete understanding of a codebase.                                                                                             | unknown   |
| <b>wiki-page-writer</b>                                       | You are a senior documentation engineer that generates comprehensive technical documentation pages with evidence-based depth.                                                                                                                      | unknown   |
| <b>wiki-qa</b>                                                | Answer repository questions grounded entirely in source code evidence.                                                                                                                                                                             | safe      |
| <b>wiki-researcher</b>                                        | You are an expert software engineer and systems analyst.                                                                                                                                                                                           | safe      |
| <b>wiki-vitepress</b>                                         | Transform generated wiki Markdown files into a polished VitePress static site with dark theme and interactive Mermaid diagrams.                                                                                                                    | unknown   |
| <b>windows-privilege-escalation</b>                           | Provide systematic methodologies for discovering and exploiting privilege escalation vulnerabilities on Windows systems during penetration testing engagements.                                                                                    | offensive |
| <b>windows-shell-reliability</b>                              | Reliable command execution on Windows: paths, encoding, and common binary pitfalls.                                                                                                                                                                | safe      |
| <b>wireshark-analysis</b>                                     | Execute comprehensive network traffic analysis using Wireshark to capture, filter, and examine network packets for security investigations, performance optimization, and troubleshooting.                                                         | unknown   |
| <b>wordpress</b>                                              | Complete WordPress development workflow covering theme development, plugin creation, WooCommerce integration, performance optimization, and security hardening.                                                                                    | safe      |
| <b>wordpress-centric-high-seo-optimized-blogwriting-skill</b> | Generate clean, human-sounding, SEO-optimized WordPress blog posts with optional Yoast metadata, JSON-LD schema markup, and image SEO planning.                                                                                                    | safe      |
| <b>wordpress-penetration-testing</b>                          | Assess WordPress installations for common vulnerabilities and WordPress 7.0 attack surfaces.                                                                                                                                                       | offensive |
| <b>wordpress-plugin-development</b>                           | WordPress plugin development workflow covering plugin architecture, hooks, admin interfaces, REST API, security best practices, and WordPress 7.0 features: Real-Time Collaboration, AI Connectors, Abilities API, DataViews, and PHP-only bloc... | safe      |
| <b>wordpress-theme-development</b>                            | WordPress theme development workflow covering theme architecture, template hierarchy, custom post types, block editor support, responsive design, and WordPress 7.0 features: DataViews, Pattern Editing, Navigation Overlays, and admin refres... | safe      |
| <b>wordpress-woocommerce-development</b>                      | WooCommerce store development workflow covering store setup, payment integration, shipping configuration, customization, and WordPress 7.0 features: AI connectors, DataViews, and collaboration tools.                                            | safe      |
| <b>workflow-automation</b>                                    | Workflow automation is the infrastructure that makes AI agents reliable.                                                                                                                                                                           | critical  |
| <b>workflow-orchestration-patterns</b>                        | Master workflow orchestration architecture with Temporal, covering fundamental design decisions, resilience patterns, and best practices for building reliable distributed systems.                                                                | unknown   |
| <b>workflow-patterns</b>                                      | Use this skill when implementing tasks according to Conductor's TDD workflow, handling phase checkpoints, managing git commits for tasks, or understanding the verification protocol.                                                              | safe      |
| <b>wrike-automation</b>                                       | Automate Wrike project management via Rube MCP (Composio): create tasks/folders, manage projects, assign work, and track progress.                                                                                                                 | critical  |
| <b>writer</b>                                                 | Document creation, format conversion (ODT/DOCX/PDF), mail merge, and automation with LibreOffice Writer.                                                                                                                                           | safe      |



| Skill          | Description                                                                          | Risk     |
|----------------|--------------------------------------------------------------------------------------|----------|
| writing-plans  | Use when you have a spec or requirements for a multi-step task, before touching code | critical |
| writing-skills | Use when creating, updating, or improving agent skills.                              | unknown  |

## X (7)

| Skill                          | Description                                                                                                                                                                                                                                        | Risk      |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| x-article-publisher-skill      | Publish articles to X/Twitter                                                                                                                                                                                                                      | safe      |
| x-twitter-scraper              | X/Twitter automation skill for tweet search, follower export, posting, DMS, webhooks, MCP, SDKs, Hermes Tweet, and TweetClaw.                                                                                                                      | critical  |
| x402-express-wrapper           | Wrapper oficial de M2MCent (Node.js) para inyectar muros de pago x402 en APIs o servidores Model Context Protocol (MCP).                                                                                                                           | critical  |
| xiaohongshu-content-strategist | Create viral Xiaohongshu (小红书) content with platform-native strategy, save-rate optimization, trending formats, and search SEO for China's #1 lifestyle platform.                                                                                  | safe      |
| xlsx-official                  | Unless otherwise stated by the user or existing template                                                                                                                                                                                           | unknown   |
| xss-html-injection             | Execute comprehensive client-side injection vulnerability assessments on web applications to identify XSS and HTML injection flaws, demonstrate exploitation techniques for session hijacking and credential theft, and validate input sanitiza... | offensive |
| xvary-stock-research           | Thesis-driven equity analysis from public SEC EDGAR and market data; /analyze, /score, /compare workflows with bundled Python tools (Claude Code, Cursor, Codex).                                                                                  | safe      |

## Y (9)

| Skill                | Description                                                                                                                                                                    | Risk     |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| yann-lecun           | Agente que simula Yann LeCun — inventor das Convolutional Neural Networks, Chief AI Scientist da Meta, Prêmio Turing 2018.                                                     | safe     |
| yann-lecun-debate    | Sub-skill de debates e posições de Yann LeCun.                                                                                                                                 | safe     |
| yann-lecun-filosofia | Sub-skill filosófica e pedagógica de Yann LeCun.                                                                                                                               | safe     |
| yann-lecun-tecnico   | Sub-skill técnica de Yann LeCun.                                                                                                                                               | safe     |
| yes-md               | 6-layer AI governance: safety gates, evidence-based debugging, anti-slack detection, and machine-enforced hooks.                                                               | safe     |
| yield-intelligence   | Passive income portfolio analysis — activate when user asks about dividend yields, Treasury rates, REIT income, monthly passive income goals, or portfolio yield optimization. | safe     |
| youtube-automation   | Automate YouTube tasks via Rube MCP (Composio): upload videos, manage playlists, search content, get analytics, and handle comments.                                           | critical |
| youtube-full         | Fetch YouTube transcripts, search videos, browse channels, and extract playlists via TranscriptAPI — no yt-dlp, no Google API key, works from any cloud server.                | safe     |
| youtube-summarizer   | Extract transcripts from YouTube videos and generate comprehensive, detailed summaries using intelligent analysis frameworks                                                   | safe     |

## Z (8)

| Skill                | Description                                                                             | Risk     |
|----------------------|-----------------------------------------------------------------------------------------|----------|
| zapier-make-patterns | No-code automation democratizes workflow building.                                      | unknown  |
| zendesk-automation   | Automate Zendesk tasks via Rube MCP (Composio): tickets, users, organizations, replies. | critical |

| Skill                        | Description                                                                                                                                                                              | Risk     |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>zeroize-audit</b>         | "Detects missing zeroization of sensitive data in source code and identifies zeroization removed by compiler optimizations, with assembly-level analysis, and control-flow verification. | unknown  |
| <b>zipai-optimizer</b>       | Adaptive token optimizer: intelligent filtering, surgical output, ambiguity-first, context-window-aware, VCS-aware, MCP-aware.                                                           | safe     |
| <b>zod-validation-expert</b> | Expert in Zod — TypeScript-first schema validation.                                                                                                                                      | safe     |
| <b>zoho-crm-automation</b>   | Automate Zoho CRM tasks via Rube MCP (Composio): create/update records, search contacts, manage leads, and convert leads.                                                                | critical |
| <b>zoom-automation</b>       | Automate Zoom meeting creation, management, recordings, webinars, and participant tracking via Rube MCP (Composio).                                                                      | critical |
| <b>zustand-store-ts</b>      | Create Zustand stores following established patterns with proper TypeScript types and middleware.                                                                                        | unknown  |