

# Installed Skills

Combined Catalog — by category and alphabetical

|              |                                                              |
|--------------|--------------------------------------------------------------|
| Total skills | 1527                                                         |
| Source       | antigravity-awesome-skills (catalog v12.3.0) + ui-ux-pro-max |
| Install path | .claude/skills/                                              |
| Generated    | 2026-06-11                                                   |
| Contents     | Installation history · Part I: by category · Part II: A–Z    |

## Installation History

| Session | Commit  | What was installed                                                                                                                                |
|---------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | ce5f832 | <b>ui-ux-pro-max</b> — UI/UX Pro Max design intelligence (50+ styles, 97 palettes, 57 font pairings, 99 UX guidelines, 25 chart types, 9 stacks). |
| 2       | e0d93e2 | <b>antigravity-awesome-skills</b> library — the full catalog (v12.3.0); added the remaining skills and updated ui-ux-pro-max.                     |

# Part I

## Skills by Category

| Category                          | Skills      |
|-----------------------------------|-------------|
| AI Agents, LLM & Prompting        | 188         |
| Security & Pentesting             | 102         |
| Cloud SDKs (Azure / AWS / GCP)    | 118         |
| DevOps, Infra & Observability     | 71          |
| Databases & Data Stores           | 69          |
| Data Engineering, ML & Science    | 50          |
| Web Frontend & UI Frameworks      | 107         |
| Design & UX                       | 59          |
| Mobile Development                | 30          |
| Backend & APIs                    | 102         |
| Testing & QA                      | 58          |
| SEO, Marketing & Growth           | 116         |
| Content, Writing & Docs           | 58          |
| Productivity, SaaS & Integrations | 108         |
| Shell, OS & CLI                   | 11          |
| Blockchain, Web3 & Crypto         | 11          |
| Finance, Business & Strategy      | 48          |
| Game & 3D / Creative Media        | 36          |
| Health & Lifestyle                | 18          |
| Project, Git & Code Workflow      | 80          |
| Skill & Agent Tooling (meta)      | 50          |
| Other / Miscellaneous             | 37          |
| <b>Total</b>                      | <b>1527</b> |

## AI Agents, LLM & Prompting (188)

[illegible]

| Skill                                      | Description                                                                                                                                                                                                | Risk     |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| ai-md                                      | Convert human-written CLAUDE.md into AI-native structured-label format.                                                                                                                                    | safe     |
| ai-ml                                      | AI and machine learning workflow covering LLM application development, RAG implementation, agent architecture, ML pipelines, and AI-powered features.                                                      | safe     |
| ai-native-cli                              | Design spec with 98 rules for building CLI tools that AI agents can safely use.                                                                                                                            | safe     |
| ai-studio-image                            | Geracao de imagens humanizadas via Google AI Studio (Gemini).                                                                                                                                              | safe     |
| ai-wrapper-product                         | Expert in building products that wrap AI APIs (OpenAI, Anthropic, etc.                                                                                                                                     | unknown  |
| andrej-karpathy                            | Behavioral guidelines to reduce common LLM coding mistakes.                                                                                                                                                | safe     |
| anti-sycophancy                            | Eliminate sycophantic agreement patterns in AI responses.                                                                                                                                                  | safe     |
| antigravity-agent-manager                  | Configure and orchestrate parallel agents using the standalone Antigravity 2.0 Agent Manager and Antigravity IDE.                                                                                          | critical |
| apify-influencer-discovery                 | Find and evaluate influencers for brand partnerships, verify authenticity, and track collaboration performance across Instagram, Facebook, YouTube, and TikTok.                                            | unknown  |
| audit-context-building                     | Enables ultra-granular, line-by-line code analysis to build deep architectural context before vulnerability or bug finding.                                                                                | unknown  |
| autonomous-agent-patterns                  | Design patterns for building autonomous coding agents, inspired by [Cline](https://github.com/cline/cline) and [OpenAI Codex](https://github.com/openai/codex).                                            | critical |
| autonomous-agents                          | Autonomous agents are AI systems that can independently decompose goals, plan actions, execute tools, and self-correct without constant human guidance.                                                    | unknown  |
| azure-ai-agents-persistent-dotnet          | Azure AI Agents Persistent SDK for .NET.                                                                                                                                                                   | unknown  |
| azure-ai-agents-persistent-java            | Azure AI Agents Persistent SDK for Java.                                                                                                                                                                   | unknown  |
| azure-ai-ml-py                             | Azure Machine Learning SDK v2 for Python.                                                                                                                                                                  | unknown  |
| azure-mgmt-arizeaiobservabilityeval-dotnet | Azure Resource Manager SDK for Arize AI Observability and Evaluation (.NET).                                                                                                                               | unknown  |
| azure-storage-blob-java                    | Build blob storage applications using the Azure Storage Blob SDK for Java.                                                                                                                                 | unknown  |
| azure-storage-blob-py                      | Azure Blob Storage SDK for Python.                                                                                                                                                                         | unknown  |
| azure-storage-blob-rust                    | Azure Blob Storage SDK for Rust.                                                                                                                                                                           | unknown  |
| azure-storage-blob-ts                      | Azure Blob Storage JavaScript/TypeScript SDK (@azure/storage-blob) for blob operations.                                                                                                                    | unknown  |
| azure-storage-file-datalake-py             | Azure Data Lake Storage Gen2 SDK for Python.                                                                                                                                                               | unknown  |
| azure-storage-file-share-py                | Azure Storage File Share SDK for Python.                                                                                                                                                                   | unknown  |
| azure-storage-file-share-ts                | Azure File Share JavaScript/TypeScript SDK (@azure/storage-file-share) for SMB file share operations.                                                                                                      | unknown  |
| azure-storage-queue-py                     | Azure Queue Storage SDK for Python.                                                                                                                                                                        | unknown  |
| azure-storage-queue-ts                     | Azure Queue Storage JavaScript/TypeScript SDK (@azure/storage-queue) for message queue operations.                                                                                                         | unknown  |
| bdi-mental-states                          | This skill should be used when the user asks to "model agent mental states", "implement BDI architecture", "create belief-desire-intention models", "transform RDF to beliefs", "build cognitive agent"... | unknown  |
| bdistill-behavioral-xray                   | X-ray any AI model's behavioral patterns — refusal boundaries, hallucination tendencies, reasoning style, formatting defaults.                                                                             | safe     |
| bilig-workpaper                            | Use formula-backed WorkPaper JSON and MCP tools for agent spreadsheet tasks without driving Excel or a browser UI.                                                                                         | critical |
| bullmq-specialist                          | BullMQ expert for Redis-backed job queues, background processing, and reliable async execution in Node.js/TypeScript applications.                                                                         | none     |
| bumblebee                                  | Run Bumblebee supply-chain inventory and exposure scans on macOS/Linux to detect compromised packages, extensions, and MCP host configs.                                                                   | safe     |

| Skill                                      | Description                                                                                                                                                                           | Risk     |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>buywhere-product-catalog</b>            | Use BuyWhere's MCP and API surfaces to add product search, price comparison, and deal discovery to AI shopping agents.                                                                | safe     |
| <b>clarity-gate</b>                        | > Pre-ingestion verification for epistemic quality in RAG systems.                                                                                                                    | unknown  |
| <b>claude-api</b>                          | Build apps with the Claude API or Anthropic SDK.                                                                                                                                      | unknown  |
| <b>claude-in-chrome-troubles hooting</b>   | Diagnose and fix Claude in Chrome MCP extension connectivity issues.                                                                                                                  | critical |
| <b>code-refactoring-context-re store</b>   | Use when working with code refactoring context restore                                                                                                                                | unknown  |
| <b>computer-use-agents</b>                 | Build AI agents that interact with computers like humans do - viewing screens, moving cursors, clicking buttons, and typing text.                                                     | unknown  |
| <b>conductor-setup</b>                     | Configure a Rails project to work with Conductor (parallel coding agents) allowed-tools: Bash(chmod *), Bash(bundle *), Bash(npm *), Bash(script/server)                              | unknown  |
| <b>context-agent</b>                       | Agente de contexto para continuidade entre sessoes.                                                                                                                                   | safe     |
| <b>context-compression</b>                 | When agent sessions generate millions of tokens of conversation history, compression becomes mandatory.                                                                               | unknown  |
| <b>context-degradation</b>                 | Language models exhibit predictable degradation patterns as context length increases.                                                                                                 | unknown  |
| <b>context-driven-developmen t</b>         | Guide for implementing and maintaining context as a managed artifact alongside code, enabling consistent AI interactions and team alignment through structured project documentation. | unknown  |
| <b>context-fundamentals</b>                | Context is the complete state available to a language model at inference time.                                                                                                        | unknown  |
| <b>context-guardian</b>                    | Guardiao de contexto que preserva dados criticos antes da compactacao automatica.                                                                                                     | safe     |
| <b>context-management-conte xt-restore</b> | Use when working with context management context restore                                                                                                                              | unknown  |
| <b>context-management-conte xt-save</b>    | Use when working with context management context save                                                                                                                                 | unknown  |
| <b>context-manager</b>                     | Elite AI context engineering specialist mastering dynamic context management, vector databases, knowledge graphs, and intelligent memory systems.                                     | unknown  |
| <b>context-optimization</b>                | Context optimization extends the effective capacity of limited context windows through strategic compression, masking, caching, and partitioning.                                     | unknown  |
| <b>context-window-managem ent</b>          | Strategies for managing LLM context windows including summarization, trimming, routing, and avoiding context rot                                                                      | unknown  |
| <b>conversation-memory</b>                 | Persistent memory systems for LLM conversations including short-term, long-term, and entity-based memory                                                                              | unknown  |
| <b>copilot-sdk</b>                         | Build applications that programmatically interact with GitHub Copilot.                                                                                                                | unknown  |
| <b>crewai</b>                              | Expert in CrewAI - the leading role-based multi-agent framework used by 60% of Fortune 500 companies.                                                                                 | unknown  |
| <b>crypto-bd-agent</b>                     | Production-tested patterns for building AI agents that autonomously discover, > evaluate, and acquire token listings for cryptocurrency exchanges.                                    | safe     |
| <b>ddd-context-mapping</b>                 | Map relationships between bounded contexts and define integration contracts using DDD context mapping patterns.                                                                       | safe     |
| <b>deep-research</b>                       | Run autonomous research tasks that plan, search, read, and synthesize information into comprehensive reports.                                                                         | safe     |
| <b>dispatching-parallel-agents</b>         | Use when facing 2+ independent tasks that can be worked on without shared state or sequential dependencies                                                                            | unknown  |
| <b>earllm-build</b>                        | Build, maintain, and extend the EarLLM One Android project — a Kotlin/Compose app that connects Bluetooth earbuds to an LLM via voice pipeline.                                       | safe     |
| <b>ejentum-reasoning-harnes s</b>          | MCP server exposing four cognitive harness modes (reasoning, code, anti-deception, memory).                                                                                           | critical |

| Skill                                     | Description                                                                                                                                                                         | Risk     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>embedding-strategies</b>               | Guide to selecting and optimizing embedding models for vector search applications.                                                                                                  | unknown  |
| <b>enhance-prompt</b>                     | Transforms vague UI ideas into polished, Stitch-optimized prompts.                                                                                                                  | unknown  |
| <b>error-debugging-multi-agent-review</b> | Use when working with error debugging multi agent review                                                                                                                            | unknown  |
| <b>evaluation</b>                         | Build evaluation frameworks for agent systems.                                                                                                                                      | safe     |
| <b>fp-pragmatic</b>                       | A practical, jargon-free guide to functional programming - the 80/20 approach that gets results without the academic overhead                                                       | unknown  |
| <b>fp-ts-pragmatic</b>                    | A practical, jargon-free guide to fp-ts functional programming - the 80/20 approach that gets results without the academic overhead.                                                | safe     |
| <b>gdb-cli</b>                            | GDB debugging assistant for AI agents - analyze core dumps, debug live processes, investigate crashes and deadlocks with source code correlation                                    | critical |
| <b>gemini-api-dev</b>                     | The Gemini API provides access to Google's most advanced AI models.                                                                                                                 | unknown  |
| <b>gemini-api-integration</b>             | Use when integrating Google Gemini API into projects.                                                                                                                               | safe     |
| <b>geoffrey-hinton</b>                    | Agente que simula Geoffrey Hinton — Godfather of Deep Learning, Prêmio Turing 2018, criador do backpropagation e das Deep Belief Networks.                                          | safe     |
| <b>global-chat-agent-discovery</b>        | Discover and search 18K+ MCP servers and AI agents across 6+ registries using Global Chat's cross-protocol directory and MCP server.                                                | safe     |
| <b>helium-mcp</b>                         | Connect to Helium's MCP server for news research, media bias analysis, balanced perspectives, stock/options data, and semantic meme search across 3.2M+ articles and 5,000+ sources | safe     |
| <b>hierarchical-agent-memory</b>          | Scoped CLAUDE.md memory system that reduces context token spend.                                                                                                                    | safe     |
| <b>hosted-agents</b>                      | Build background agents in sandboxed environments.                                                                                                                                  | unknown  |
| <b>hosted-agents-v2-py</b>                | Build hosted agents using Azure AI Projects SDK with ImageBasedHostedAgentDefinition.                                                                                               | unknown  |
| <b>hugging-face-cli</b>                   | Use the Hugging Face Hub CLI ('hf') to download, upload, and manage models, datasets, and Spaces.                                                                                   | unknown  |
| <b>hugging-face-community-evals</b>       | Run local evaluations for Hugging Face Hub models with inspect-ai or lighteval.                                                                                                     | unknown  |
| <b>hugging-face-dataset-viewer</b>        | Query Hugging Face datasets through the Dataset Viewer API for splits, rows, search, filters, and parquet links.                                                                    | unknown  |
| <b>hugging-face-datasets</b>              | Create and manage datasets on Hugging Face Hub.                                                                                                                                     | unknown  |
| <b>hugging-face-evaluation</b>            | Add and manage evaluation results in Hugging Face model cards.                                                                                                                      | unknown  |
| <b>hugging-face-gradio</b>                | Build or edit Gradio apps, layouts, components, and chat interfaces in Python.                                                                                                      | unknown  |
| <b>hugging-face-jobs</b>                  | Run workloads on Hugging Face Jobs with managed CPUs, GPUs, TPUs, secrets, and Hub persistence.                                                                                     | unknown  |
| <b>hugging-face-model-trainer</b>         | Train or fine-tune TRL language models on Hugging Face Jobs, including SFT, DPO, GRPO, and GGUF export.                                                                             | unknown  |
| <b>hugging-face-paper-publisher</b>       | Publish and manage research papers on Hugging Face Hub.                                                                                                                             | unknown  |
| <b>hugging-face-papers</b>                | Read and analyze Hugging Face paper pages or arXiv papers with markdown and papers API metadata.                                                                                    | unknown  |
| <b>hugging-face-tool-builder</b>          | Your purpose is now is to create reusable command line scripts and utilities for using the Hugging Face API, allowing chaining, piping and intermediate processing where helpful.   | unknown  |
| <b>hugging-face-trackio</b>               | Track ML experiments with Trackio using Python logging, alerts, and CLI metric retrieval.                                                                                           | unknown  |
| <b>hugging-face-vision-trainer</b>        | Train or fine-tune vision models on Hugging Face Jobs for detection, classification, and SAM or SAM2 segmentation.                                                                  | unknown  |
| <b>hybrid-search-implementation</b>       | Combine vector and keyword search for improved retrieval.                                                                                                                           | safe     |

| Skill                               | Description                                                                                                                                                                                                 | Risk     |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| ilya-sutskever                      | Agente que simula Ilya Sutskever — co-fundador da OpenAI, ex-Chief Scientist, fundador da SSI.                                                                                                              | safe     |
| infinite-gratitude                  | Multi-agent research skill for parallel research execution (10 agents, battle-tested with real case studies).                                                                                               | safe     |
| ios-debugger-agent                  | Debug the current iOS project on a booted simulator with XcodeBuildMCP.                                                                                                                                     | safe     |
| itil-expert                         | Expert advisor for ITIL 4 and ITIL 5 (2026 digital product paradigm), specialized in AI-native governance, sustainability, and value co-creation.                                                           | safe     |
| kubestellar-console                 | Multi-cluster Kubernetes dashboard with AI-powered operations via MCP server and 10+ built-in agent skills                                                                                                  | critical |
| lambdatest-agent-skills             | Production-grade test automation skills for 46 frameworks across E2E, unit, mobile, BDD, visual, and cloud testing in 15+ languages.                                                                        | safe     |
| langchain-architecture              | Master the LangChain framework for building sophisticated LLM applications with agents, chains, memory, and tool integration.                                                                               | unknown  |
| langfuse                            | Expert in Langfuse - the open-source LLM observability platform.                                                                                                                                            | unknown  |
| langgraph                           | Expert in LangGraph - the production-grade framework for building stateful, multi-actor AI applications.                                                                                                    | unknown  |
| last30days                          | Research a topic from the last 30 days on Reddit + X + Web, become an expert, and write copy-paste-ready prompts for the user's target tool.                                                                | unknown  |
| llm-app-patterns                    | Production-ready patterns for building LLM applications, inspired by [Dify](https://github.com/langgenius/dify) and industry best practices.                                                                | unknown  |
| llm-application-dev-ai-assistant    | You are an AI assistant development expert specializing in creating intelligent conversational interfaces, chatbots, and AI-powered applications.                                                           | safe     |
| llm-application-dev-langchain-agent | You are an expert LangChain agent developer specializing in production-grade AI systems using LangChain 0.1+ and LangGraph.                                                                                 | unknown  |
| llm-application-dev-prompt-optimize | You are an expert prompt engineer specializing in crafting effective prompts for LLMs through advanced techniques including constitutional AI, chain-of-thought reasoning, and model-specific optimization. | unknown  |
| llm-evaluation                      | Master comprehensive evaluation strategies for LLM applications, from automated metrics to human evaluation and A/B testing.                                                                                | unknown  |
| llm-ops                             | LLM Operations -- RAG, embeddings, vector databases, fine-tuning, prompt engineering avançado, custos de LLM, evals de qualidade e arquiteturas de IA para produção.                                        | safe     |
| llm-prompt-optimizer                | Use when improving prompts for any LLM.                                                                                                                                                                     | safe     |
| llm-structured-output               | > Get reliable JSON, enums, and typed objects from LLMs using response_format, tool_use, and schema-constrained decoding across OpenAI, Anthropic, and Google APIs.                                         | safe     |
| local-llm-expert                    | Master local LLM inference, model selection, VRAM optimization, and local deployment using Ollama, llama.cpp, vLLM, and LM Studio.                                                                          | safe     |
| logic-lens                          | AI-powered Claude Code skill that performs deep code review using formal logic and reasoning frameworks to detect bugs, anti-patterns, and security risks beyond what linters catch.                        | safe     |
| loki-mode                           | Version 2.35.0   PRD to Production   Zero Human Intervention > Research-enhanced: OpenAI SDK, DeepMind, Anthropic, AWS Bedrock, Agent SDK, HN Production (2025)                                             | unknown  |
| m365-agents-dotnet                  | Microsoft 365 Agents SDK for .NET.                                                                                                                                                                          | unknown  |
| m365-agents-py                      | Microsoft 365 Agents SDK for Python.                                                                                                                                                                        | unknown  |
| m365-agents-ts                      | Microsoft 365 Agents SDK for TypeScript/Node.js.                                                                                                                                                            | unknown  |
| mcp-builder                         | Create MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools.                                                                                | unknown  |
| mcp-builder-ms                      | Use this skill when building MCP servers to integrate external APIs or services, whether in Python (FastMCP) or Node/TypeScript (MCP SDK).                                                                  | unknown  |
| mcp-tool-developer                  | Build Model Context Protocol (MCP) servers and tools from scratch.                                                                                                                                          | safe     |



| Skill                                                | Description                                                                                                                                                                                                | Risk     |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>memory-forensics</b>                              | Comprehensive techniques for acquiring, analyzing, and extracting artifacts from memory dumps for incident response and malware analysis.                                                                  | unknown  |
| <b>memory-safety-patterns</b>                        | Cross-language patterns for memory-safe programming including RAII, ownership, smart pointers, and resource management.                                                                                    | safe     |
| <b>memory-systems</b>                                | Design short-term, long-term, and graph-based memory architectures.                                                                                                                                        | safe     |
| <b>mercury-mcp</b>                                   | Cheatsheet for the Mercury (proton) MCP tools.                                                                                                                                                             | critical |
| <b>mesh-memory</b>                                   | Self-hosted semantic memory for AI agents via MCP.                                                                                                                                                         | safe     |
| <b>moyu</b>                                          | > Anti-over-engineering guardrail that activates when an AI coding agent expands scope, adds abstractions, or changes files the user did not request.                                                      | safe     |
| <b>multi-advisor</b>                                 | Conselho de especialistas — consulta multiplos agentes do ecossistema em paralelo para analise multi-perspectiva de qualquer topico.                                                                       | none     |
| <b>multi-agent-architect</b>                         | Design and optimize production-grade multi-agent systems with LangGraph, LangChain, and DeepAgents for complex AI workflows.                                                                               | safe     |
| <b>multi-agent-brainstorming</b>                     | Simulate a structured peer-review process using multiple specialized agents to validate designs, surface hidden assumptions, and identify failure modes before implementation.                             | unknown  |
| <b>multi-agent-patterns</b>                          | This skill should be used when the user asks to "design multi-agent system", "implement supervisor pattern", "create swarm architecture", "coordinate multiple agents", or mentions multi-agent pattern... | unknown  |
| <b>multi-agent-task-orchestrator</b>                 | Route tasks to specialized AI agents with anti-duplication, quality gates, and 30-minute heartbeat monitoring                                                                                              | safe     |
| <b>n8n-mcp-tools-expert</b>                          | Expert guide for using n8n-mcp MCP tools effectively.                                                                                                                                                      | unknown  |
| <b>not-human-search-mcp</b>                          | Search AI-ready websites, inspect indexed site details, verify MCP endpoints, and discover tools and APIs using the Not Human Search MCP server                                                            | safe     |
| <b>open-dynamic-workflows</b>                        | Plan, orchestrate, and adversarially verify parallel AI coding agents with a dynamic multi-agent workflow engine.                                                                                          | critical |
| <b>parallel-agents</b>                               | Multi-agent orchestration patterns.                                                                                                                                                                        | unknown  |
| <b>performance-testing-review-multi-agent-review</b> | Use when working with performance testing review multi agent review                                                                                                                                        | unknown  |
| <b>pipecat-friday-agent</b>                          | Build a low-latency, Iron Man-inspired tactical voice assistant (F.R.I.D.A.Y.) using Pipecat, Gemini, and OpenAI.                                                                                          | safe     |
| <b>polis-protocol</b>                                | Coordinate multi-vendor AI agents as a self-improving team — a learning router assigns work by track record and citizens can amend the protocol's own rules.                                               | critical |
| <b>progressive-estimation</b>                        | Estimate AI-assisted and hybrid human+agent development work with research-backed PERT statistics and calibration feedback loops                                                                           | safe     |
| <b>project-development</b>                           | This skill covers the principles for identifying tasks suited to LLM processing, designing effective project architectures, and iterating rapidly using agent-assisted development.                        | unknown  |
| <b>prompt-caching</b>                                | Caching strategies for LLM prompts including Anthropic prompt caching, response caching, and CAG (Cache Augmented Generation)                                                                              | none     |
| <b>prompt-engineer</b>                               | Transforms user prompts into optimized prompts using frameworks (RTF, RISEN, Chain of Thought, RODES, Chain of Density, RACE, RISE, STAR, SOAP, CLEAR, GROW)                                               | safe     |
| <b>prompt-engineering</b>                            | Expert guide on prompt engineering patterns, best practices, and optimization techniques.                                                                                                                  | unknown  |
| <b>prompt-engineering-patterns</b>                   | Master advanced prompt engineering techniques to maximize LLM performance, reliability, and controllability.                                                                                               | unknown  |
| <b>prompt-library</b>                                | A comprehensive collection of battle-tested prompts inspired by [awesome-chatgpt-prompts](https://github.com/f/awesome-chatgpt-prompts) and community best practices.                                      | unknown  |
| <b>protect-mcp-governance</b>                        | Agent governance skill for MCP tool calls — Cedar policy authoring, shadow-to-enforce rollout, and Ed25519 receipt verification.                                                                           | safe     |



| Skill                                            | Description                                                                                                                                                                                                | Risk     |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>pydantic-ai</b>                               | Build production-ready AI agents with PydanticAI — type-safe tool use, structured outputs, dependency injection, and multi-model support.                                                                  | safe     |
| <b>rag-engineer</b>                              | Expert in building Retrieval-Augmented Generation systems.                                                                                                                                                 | unknown  |
| <b>rag-implementation</b>                        | RAG (Retrieval-Augmented Generation) implementation workflow covering embedding selection, vector database setup, chunking strategies, and retrieval optimization.                                         | safe     |
| <b>rayden-use</b>                                | Build and maintain Rayden UI components and screens in Figma via Figma MCP with full design token enforcement                                                                                              | safe     |
| <b>recallmax</b>                                 | FREE — God-tier long-context memory for AI agents.                                                                                                                                                         | safe     |
| <b>recursive-context-pruning-token-budgeting</b> | Optimizes AI agent performance by pruning redundant context, managing token usage, and enforcing ultra-concise, direct-to-value responses.                                                                 | safe     |
| <b>sendblue-notify</b>                           | Text the user's phone when a long-running task, agent turn, or scheduled job finishes — via @sendblue/cli for outbound, optionally wired to a Claude Code Stop hook for automatic fire.                    | critical |
| <b>socialclaw</b>                                | Agent-first social media publishing skill — schedule and publish posts across 13 platforms (X, LinkedIn, Instagram, Facebook Pages, TikTok, Discord, Telegram, YouTube, Reddit, WordPress, Pinterest) v... | critical |
| <b>subagent-driven-development</b>               | Use when executing implementation plans with independent tasks in the current session                                                                                                                      | unknown  |
| <b>subagent-orchestrator</b>                     | Coordinate quota-aware parallel subagents for large, multi-file Antigravity tasks.                                                                                                                         | safe     |
| <b>task-intelligence</b>                         | Protocolo de Inteligência Pré-Tarefa — ativa TODOS os agentes relevantes do ecossistema ANTES de executar qualquer tarefa solicitada pelo usuário.                                                         | none     |
| <b>tool-design</b>                               | Build tools that agents can use effectively, including architectural reduction patterns.                                                                                                                   | safe     |
| <b>tool-use-guardian</b>                         | FREE — Intelligent tool-call reliability wrapper.                                                                                                                                                          | safe     |
| <b>transformers-js</b>                           | Run Hugging Face models in JavaScript or TypeScript with Transformers.js in Node.js or the browser.                                                                                                        | unknown  |
| <b>unship</b>                                    | Compare AI agent-made UI variants locally in a real app, then keep one and clean up unused temporary code.                                                                                                 | safe     |
| <b>vector-database-engineer</b>                  | Expert in vector databases, embedding strategies, and semantic search implementation.                                                                                                                      | unknown  |
| <b>vector-index-tuning</b>                       | Optimize vector index performance for latency, recall, and memory.                                                                                                                                         | safe     |
| <b>vibe-code-auditor</b>                         | Audit rapidly generated or AI-produced code for structural flaws, fragility, and production risks.                                                                                                         | safe     |
| <b>voice-agents</b>                              | Voice agents represent the frontier of AI interaction - humans speaking naturally with AI systems.                                                                                                         | safe     |
| <b>voice-ai-development</b>                      | Expert in building voice AI applications - from real-time voice agents to voice-enabled apps.                                                                                                              | unknown  |
| <b>voice-ai-engine-development</b>               | Build real-time conversational AI voice engines using async worker pipelines, streaming transcription, LLM agents, and TTS synthesis with interrupt handling and multi-provider support                    | unknown  |
| <b>yann-lecun</b>                                | Agente que simula Yann LeCun — inventor das Convolutional Neural Networks, Chief AI Scientist da Meta, Prêmio Turing 2018.                                                                                 | safe     |
| <b>zipai-optimizer</b>                           | Adaptive token optimizer: intelligent filtering, surgical output, ambiguity-first, context-window-aware, VCS-aware, MCP-aware.                                                                             | safe     |

## Security & Pentesting (102)

| Skill      | Description                                                                                                                                                          | Risk     |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>007</b> | Security audit, hardening, threat modeling (STRIDE/PASTA), Red/Blue Team, OWASP checks, code review, incident response, and infrastructure security for any project. | critical |

| Skill                                                    | Description                                                                                                                                                                                                | Risk      |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>accessibility-compliance-a<br/>ccessibility-audit</b> | You are an accessibility expert specializing in WCAG compliance, inclusive design, and assistive technology compatibility.                                                                                 | safe      |
| <b>active-directory-attacks</b>                          | Provide comprehensive techniques for attacking Microsoft Active Directory environments.                                                                                                                    | offensive |
| <b>analyze-project</b>                                   | Forensic root cause analyzer for Antigravity sessions.                                                                                                                                                     | unknown   |
| <b>anti-reversing-techniques</b>                         | AUTHORIZED USE ONLY: This skill contains dual-use security techniques.                                                                                                                                     | offensive |
| <b>api-fuzzing-bug-bounty</b>                            | Provide comprehensive techniques for testing REST, SOAP, and GraphQL APIs during bug bounty hunting and penetration testing engagements.                                                                   | offensive |
| <b>api-security-best-practices</b>                       | Implement secure API design patterns including authentication, authorization, input validation, rate limiting, and protection against common API vulnerabilities                                           | unknown   |
| <b>api-security-testing</b>                              | API security testing workflow for REST and GraphQL APIs covering authentication, authorization, rate limiting, input validation, and security best practices.                                              | safe      |
| <b>arm-cortex-expert</b>                                 | Senior embedded software engineer specializing in firmware and driver development for ARM Cortex-M microcontrollers (Teensy, STM32, nRF52, SAMD).                                                          | unknown   |
| <b>attack-tree-construction</b>                          | Build comprehensive attack trees to visualize threat paths.                                                                                                                                                | offensive |
| <b>auth-implementation-patter<br/>ns</b>                 | Build secure, scalable authentication and authorization systems using industry-standard patterns and modern best practices.                                                                                | unknown   |
| <b>aws-compliance-checker</b>                            | Automated compliance checking against CIS, PCI-DSS, HIPAA, and SOC 2 benchmarks                                                                                                                            | safe      |
| <b>aws-penetration-testing</b>                           | Provide comprehensive techniques for penetration testing AWS cloud environments.                                                                                                                           | offensive |
| <b>aws-security-audit</b>                                | Comprehensive AWS security posture assessment using AWS CLI and security best practices                                                                                                                    | safe      |
| <b>azure-security-keyvault-ke<br/>ys-dotnet</b>          | Azure Key Vault Keys SDK for .NET.                                                                                                                                                                         | unknown   |
| <b>azure-security-keyvault-ke<br/>ys-java</b>            | Azure Key Vault Keys Java SDK for cryptographic key management.                                                                                                                                            | unknown   |
| <b>azure-security-keyvault-se<br/>crets-java</b>         | Azure Key Vault Secrets Java SDK for secret management.                                                                                                                                                    | unknown   |
| <b>backend-security-coder</b>                            | Expert in secure backend coding practices specializing in input validation, authentication, and API security.                                                                                              | unknown   |
| <b>binary-analysis-patterns</b>                          | Comprehensive patterns and techniques for analyzing compiled binaries, understanding assembly code, and reconstructing program logic.                                                                      | unknown   |
| <b>broken-authentication</b>                             | Identify and exploit authentication and session management vulnerabilities in web applications.                                                                                                            | unknown   |
| <b>burp-suite-testing</b>                                | Execute comprehensive web application security testing using Burp Suite's integrated toolset, including HTTP traffic interception and modification, request analysis and replay, automated vulnerabilit... | offensive |
| <b>burpsuite-project-parser</b>                          | Searches and explores Burp Suite project files (.burp) from the command line.                                                                                                                              | unknown   |
| <b>cc-skill-security-review</b>                          | This skill ensures all code follows security best practices and identifies potential vulnerabilities.                                                                                                      | unknown   |
| <b>clerk-auth</b>                                        | Expert patterns for Clerk auth implementation, middleware, organizations, webhooks, and user sync                                                                                                          | safe      |
| <b>cloud-penetration-testing</b>                         | Conduct comprehensive security assessments of cloud infrastructure across Microsoft Azure, Amazon Web Services (AWS), and Google Cloud Platform (GCP).                                                     | offensive |
| <b>constant-time-analysis</b>                            | Analyze cryptographic code to detect operations that leak secret data through execution timing variations.                                                                                                 | unknown   |
| <b>container-security-hardeni<br/>ng</b>                 | > Harden Docker/container images and runtime deployments with secure base images, non-root users, CVE scanning, SBOM/signing, seccomp/AppArmor, and Kubernetes pod security controls.                      | safe      |
| <b>cred-omega</b>                                        | CISO operacional enterprise para gestao total de credenciais e segredos.                                                                                                                                   | critical  |

| Skill                                                           | Description                                                                                                                                                                                                | Risk      |
|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| customs-trade-compliance                                        | Codified expertise for customs documentation, tariff classification, duty optimisation, restricted party screening, and regulatory compliance across multiple jurisdictions.                               | safe      |
| doc-coauthoring                                                 | This skill provides a structured workflow for guiding users through collaborative document creation.                                                                                                       | unknown   |
| ethical-hacking-methodology                                     | Master the complete penetration testing lifecycle from reconnaissance through reporting.                                                                                                                   | offensive |
| event-staffing-compliance                                       | Assess worker-classification and compliance risk for temporary event staffing in the US and Canada — W-2 vs 1099, misclassification penalties, joint-employer liability, COI, and wage/hour rules.         | safe      |
| fda-food-safety-auditor                                         | Expert AI auditor for FDA Food Safety (FSMA), HACCP, and PCQI compliance.                                                                                                                                  | safe      |
| fda-medtech-compliance-auditor                                  | Expert AI auditor for Medical Device (SaMD) compliance, IEC 62304, and 21 CFR Part 820.                                                                                                                    | unknown   |
| ffuf-claude-skill                                               | Web fuzzing with ffuf                                                                                                                                                                                      | safe      |
| ffuf-web-fuzzing                                                | Expert guidance for ffuf web fuzzing during penetration testing, including authenticated fuzzing with raw requests, auto-calibration, and result analysis                                                  | unknown   |
| file-path-traversal                                             | Identify and exploit file path traversal (directory traversal) vulnerabilities that allow attackers to read arbitrary files on the server, potentially including sensitive configuration files, credent... | offensive |
| firmware-analyst                                                | Expert firmware analyst specializing in embedded systems, IoT security, and hardware reverse engineering.                                                                                                  | unknown   |
| frontend-mobile-security-xss-scan                               | You are a frontend security specialist focusing on Cross-Site Scripting (XSS) vulnerability detection and prevention.                                                                                      | unknown   |
| frontend-security-coder                                         | Expert in secure frontend coding practices specializing in XSS prevention, output sanitization, and client-side security patterns.                                                                         | unknown   |
| gdpr-data-handling                                              | Practical implementation guide for GDPR-compliant data processing, consent management, and privacy controls.                                                                                               | safe      |
| gha-security-review                                             | Find exploitable vulnerabilities in GitHub Actions workflows.                                                                                                                                              | safe      |
| html-injection-testing                                          | Identify and exploit HTML injection vulnerabilities that allow attackers to inject malicious HTML content into web applications.                                                                           | offensive |
| idor-testing                                                    | Provide systematic methodologies for identifying and exploiting Insecure Direct Object Reference (IDOR) vulnerabilities in web applications.                                                               | offensive |
| k8s-security-policies                                           | Comprehensive guide for implementing NetworkPolicy, PodSecurityPolicy, RBAC, and Pod Security Standards in Kubernetes.                                                                                     | unknown   |
| laravel-security-audit                                          | Security auditor for Laravel applications.                                                                                                                                                                 | safe      |
| linux-privilege-escalation                                      | Execute systematic privilege escalation assessments on Linux systems to identify and exploit misconfigurations, vulnerable services, and security weaknesses that allow elevation from low-privilege us... | offensive |
| malware-analyst                                                 | Expert malware analyst specializing in defensive malware research, threat intelligence, and incident response.                                                                                             | unknown   |
| metasploit-framework                                            | ■■ AUTHORIZED USE ONLY > This skill is for educational purposes or authorized security assessments only.                                                                                                   | offensive |
| microsoft-azure-webjobs-extensions-authentication-events-dotnet | Microsoft Entra Authentication Events SDK for .NET.                                                                                                                                                        | unknown   |
| mobile-security-coder                                           | Expert in secure mobile coding practices specializing in input validation, WebView security, and mobile-specific security patterns.                                                                        | unknown   |
| mtls-configuration                                              | Configure mutual TLS (mTLS) for zero-trust service-to-service communication.                                                                                                                               | unknown   |
| nextjs-supabase-auth                                            | Expert integration of Supabase Auth with Next.js App Router                                                                                                                                                | none      |
| odoo-l10n-compliance                                            | Country-specific Odoo localization: tax configuration, e-invoicing (CFDI, FatturaPA, SAF-T), fiscal reporting, and country chart of accounts setup.                                                        | unknown   |

| Skill                                          | Description                                                                                                                                                               | Risk      |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>odoo-security-rules</b>                     | Expert in Odoo access control: ir.model.access.csv, record rules (ir.rule), groups, and multi-company security patterns.                                                  | safe      |
| <b>pci-compliance</b>                          | Master PCI DSS (Payment Card Industry Data Security Standard) compliance for secure payment processing and handling of cardholder data.                                   | unknown   |
| <b>pentest-checklist</b>                       | Provide a comprehensive checklist for planning, executing, and following up on penetration tests.                                                                         | offensive |
| <b>pentest-commands</b>                        | Provide a comprehensive command reference for penetration testing tools including network scanning, exploitation, password cracking, and web application testing.         | offensive |
| <b>privilege-escalation-methods</b>            | Provide comprehensive techniques for escalating privileges from a low-privileged user to root/administrator access on compromised Linux and Windows systems.              | unknown   |
| <b>protocol-reverse-engineering</b>            | Comprehensive techniques for capturing, analyzing, and documenting network protocols for security research, interoperability, and debugging.                              | safe      |
| <b>red-team-tactics</b>                        | Red team tactics principles based on MITRE ATT&CK.                                                                                                                        | offensive |
| <b>red-team-tools</b>                          | Implement proven methodologies and tool workflows from top security researchers for effective reconnaissance, vulnerability discovery, and bug bounty hunting.            | offensive |
| <b>reverse-engineer</b>                        | Expert reverse engineer specializing in binary analysis, disassembly, decompilation, and software analysis.                                                               | offensive |
| <b>sast-configuration</b>                      | Static Application Security Testing (SAST) tool setup, configuration, and custom rule creation for comprehensive security scanning across multiple programming languages. | unknown   |
| <b>scanning-tools</b>                          | Master essential security scanning tools for network discovery, vulnerability assessment, web application testing, wireless security, and compliance validation.          | unknown   |
| <b>secrets-management</b>                      | Secure secrets management practices for CI/CD pipelines using Vault, AWS Secrets Manager, and other tools.                                                                | unknown   |
| <b>security-audit</b>                          | Comprehensive security auditing workflow covering web application testing, API security, penetration testing, vulnerability scanning, and security hardening.             | safe      |
| <b>security-auditor</b>                        | Expert security auditor specializing in DevSecOps, comprehensive cybersecurity, and compliance frameworks.                                                                | unknown   |
| <b>security-bluebook-builder</b>               | Build a minimal but real security policy for sensitive apps.                                                                                                              | unknown   |
| <b>security-compliance-compliance-check</b>    | You are a compliance expert specializing in regulatory requirements for software systems including GDPR, HIPAA, SOC2, PCI-DSS, and other industry standards.              | safe      |
| <b>security-requirement-extraction</b>         | Derive security requirements from threat models and business context.                                                                                                     | safe      |
| <b>security-scanning-security-dependencies</b> | You are a security expert specializing in dependency vulnerability analysis, SBOM generation, and supply chain security.                                                  | safe      |
| <b>security-scanning-security-hardening</b>    | Coordinate multi-layer security scanning and hardening across application, infrastructure, and compliance controls.                                                       | unknown   |
| <b>security-scanning-security-sast</b>         | Static Application Security Testing (SAST) for code vulnerability analysis across multiple languages and frameworks                                                       | unknown   |
| <b>semgrep-rule-creator</b>                    | Creates custom Semgrep rules for detecting security vulnerabilities, bug patterns, and code patterns.                                                                     | unknown   |
| <b>semgrep-rule-variant-creator</b>            | Creates language variants of existing Semgrep rules.                                                                                                                      | unknown   |
| <b>seo-authority-builder</b>                   | Analyzes content for E-E-A-T signals and suggests improvements to build authority and trust.                                                                              | unknown   |
| <b>seo-forensic-incident-response</b>          | Investigate sudden drops in organic traffic or rankings and run a structured forensic SEO incident response with triage, root-cause analysis and recovery plan.           | safe      |
| <b>shodan-reconnaissance</b>                   | Provide systematic methodologies for leveraging Shodan as a reconnaissance tool during penetration testing engagements.                                                   | unknown   |

| Skill                         | Description                                                                                                                                                                                                | Risk      |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| smtp-penetration-testing      | Conduct comprehensive security assessments of SMTP (Simple Mail Transfer Protocol) servers to identify vulnerabilities including open relays, user enumeration, weak authentication, and misconfigurati... | offensive |
| social-metadata-hardening     | Fix social sharing previews so URLs render as rich cards on Facebook, LinkedIn, X/Twitter, WhatsApp, Telegram, and more.                                                                                   | safe      |
| solidity-security             | Master smart contract security best practices, vulnerability prevention, and secure Solidity development patterns.                                                                                         | safe      |
| spec-to-code-compliance       | Verifies code implements exactly what documentation specifies for blockchain audits.                                                                                                                       | unknown   |
| sql-injection-testing         | Execute comprehensive SQL injection vulnerability assessments on web applications to identify database security flaws, demonstrate exploitation techniques, and validate input sanitization mechanisms.    | offensive |
| sqlmap-database-pentesting    | Provide systematic methodologies for automated SQL injection detection and exploitation using SQLMap.                                                                                                      | unknown   |
| ssh-penetration-testing       | Conduct comprehensive SSH security assessments including enumeration, credential attacks, vulnerability exploitation, tunneling techniques, and post-exploitation activities.                              | offensive |
| stride-analysis-patterns      | Apply STRIDE methodology to systematically identify threats.                                                                                                                                               | safe      |
| threat-mitigation-mapping     | Map identified threats to appropriate security controls and mitigations.                                                                                                                                   | safe      |
| threat-modeling-expert        | Expert in threat modeling methodologies, security architecture review, and risk assessment.                                                                                                                | unknown   |
| top-web-vulnerabilities       | Provide a comprehensive, structured reference for the 100 most critical web application vulnerabilities organized by category.                                                                             | unknown   |
| variant-analysis              | Find similar vulnerabilities and bugs across codebases using pattern-based analysis.                                                                                                                       | unknown   |
| vercel-cli-with-tokens        | Deploy and manage projects on Vercel using token-based authentication.                                                                                                                                     | safe      |
| vibe-code-cleanup             | Safe production cleanup and hardening for vibe-coded fullstack apps (Next.js, React, Node.js, etc.).                                                                                                       | safe      |
| vulnerability-scanner         | Advanced vulnerability analysis principles.                                                                                                                                                                | unknown   |
| web-security-testing          | Web application security testing workflow for OWASP Top 10 vulnerabilities including injection, XSS, authentication flaws, and access control issues.                                                      | safe      |
| windows-privilege-escalation  | Provide systematic methodologies for discovering and exploiting privilege escalation vulnerabilities on Windows systems during penetration testing engagements.                                            | offensive |
| wireshark-analysis            | Execute comprehensive network traffic analysis using Wireshark to capture, filter, and examine network packets for security investigations, performance optimization, and troubleshooting.                 | unknown   |
| wordpress                     | Complete WordPress development workflow covering theme development, plugin creation, WooCommerce integration, performance optimization, and security hardening.                                            | safe      |
| wordpress-penetration-testing | Assess WordPress installations for common vulnerabilities and WordPress 7.0 attack surfaces.                                                                                                               | offensive |
| wordpress-plugin-development  | WordPress plugin development workflow covering plugin architecture, hooks, admin interfaces, REST API, security best practices, and WordPress 7.0 features: Real-Time Collaboration, AI Connectors, Abi... | safe      |
| xss-html-injection            | Execute comprehensive client-side injection vulnerability assessments on web applications to identify XSS and HTML injection flaws, demonstrate exploitation techniques for session hijacking and crede... | offensive |
| zeroize-audit                 | "Detects missing zeroization of sensitive data in source code and identifies zeroization removed by compiler optimizations, with assembly-level analysis, and control-flow verification.                   | unknown   |

## Cloud SDKs (Azure / AWS / GCP) (118)

| Skill                                       | Description                                                                                                                                                                                                | Risk     |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>amazon-alexa</b>                         | Integracao completa com Amazon Alexa para criar skills de voz inteligentes, transformar Alexa em assistente com Claude como cerebro (projeto Auri) e integrar com AWS ecosystem (Lambda, DynamoDB, Poll... | safe     |
| <b>apify-actorization</b>                   | Actorization converts existing software into reusable serverless applications compatible with the Apify platform.                                                                                          | unknown  |
| <b>aws-cost-cleanup</b>                     | Automated cleanup of unused AWS resources to reduce costs                                                                                                                                                  | safe     |
| <b>aws-cost-optimizer</b>                   | Comprehensive AWS cost analysis and optimization recommendations using AWS CLI and Cost Explorer                                                                                                           | safe     |
| <b>aws-iam-best-practices</b>               | IAM policy review, hardening, and least privilege implementation                                                                                                                                           | safe     |
| <b>aws-secrets-rotation</b>                 | Automate AWS secrets rotation for RDS, API keys, and credentials                                                                                                                                           | safe     |
| <b>aws-serverless</b>                       | Specialized skill for building production-ready serverless applications on AWS.                                                                                                                            | unknown  |
| <b>aws-skills</b>                           | AWS development with infrastructure automation and cloud architecture patterns                                                                                                                             | safe     |
| <b>azd-deployment</b>                       | Deploy containerized frontend + backend applications to Azure Container Apps with remote builds, managed identity, and idempotent infrastructure.                                                          | critical |
| <b>azure-ai-anomalydetector-java</b>        | Build anomaly detection applications with Azure AI Anomaly Detector SDK for Java.                                                                                                                          | unknown  |
| <b>azure-ai-contentssafety-java</b>         | Build content moderation applications using the Azure AI Content Safety SDK for Java.                                                                                                                      | unknown  |
| <b>azure-ai-contentssafety-py</b>           | Azure AI Content Safety SDK for Python.                                                                                                                                                                    | unknown  |
| <b>azure-ai-contentssafety-ts</b>           | Analyze text and images for harmful content with customizable blocklists.                                                                                                                                  | unknown  |
| <b>azure-ai-contentunderstanding-py</b>     | Azure AI Content Understanding SDK for Python.                                                                                                                                                             | unknown  |
| <b>azure-ai-documentintelligence-dotnet</b> | Azure AI Document Intelligence SDK for .NET.                                                                                                                                                               | unknown  |
| <b>azure-ai-documentintelligence-ts</b>     | Extract text, tables, and structured data from documents using prebuilt and custom models.                                                                                                                 | unknown  |
| <b>azure-ai-formrecognizer-java</b>         | Build document analysis applications using the Azure AI Document Intelligence SDK for Java.                                                                                                                | unknown  |
| <b>azure-ai-openai-dotnet</b>               | Azure OpenAI SDK for .NET.                                                                                                                                                                                 | unknown  |
| <b>azure-ai-projects-dotnet</b>             | Azure AI Projects SDK for .NET.                                                                                                                                                                            | unknown  |
| <b>azure-ai-projects-java</b>               | Azure AI Projects SDK for Java.                                                                                                                                                                            | unknown  |
| <b>azure-ai-projects-py</b>                 | Build AI applications on Microsoft Foundry using the azure-ai-projects SDK.                                                                                                                                | unknown  |
| <b>azure-ai-projects-ts</b>                 | High-level SDK for Azure AI Foundry projects with agents, connections, deployments, and evaluations.                                                                                                       | unknown  |
| <b>azure-ai-textanalytics-py</b>            | Azure AI Text Analytics SDK for sentiment analysis, entity recognition, key phrases, language detection, PII, and healthcare NLP.                                                                          | unknown  |
| <b>azure-ai-transcription-py</b>            | Azure AI Transcription SDK for Python.                                                                                                                                                                     | unknown  |
| <b>azure-ai-translation-document-py</b>     | Azure AI Document Translation SDK for batch translation of documents with format preservation.                                                                                                             | unknown  |
| <b>azure-ai-translation-text-py</b>         | Azure AI Text Translation SDK for real-time text translation, transliteration, language detection, and dictionary lookup.                                                                                  | unknown  |
| <b>azure-ai-translation-ts</b>              | Text and document translation with REST-style clients.                                                                                                                                                     | unknown  |
| <b>azure-ai-vision-imageanalysis-java</b>   | Build image analysis applications with Azure AI Vision SDK for Java.                                                                                                                                       | unknown  |
| <b>azure-ai-vision-imageanalysis-py</b>     | Azure AI Vision Image Analysis SDK for captions, tags, objects, OCR, people detection, and smart cropping.                                                                                                 | unknown  |
| <b>azure-ai-voicelive-dotnet</b>            | Azure AI Voice Live SDK for .NET.                                                                                                                                                                          | unknown  |



| Skill                                   | Description                                                                                                                                                         | Risk    |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| azure-ai-voicelive-java                 | Azure AI VoiceLive SDK for Java.                                                                                                                                    | unknown |
| azure-ai-voicelive-py                   | Build real-time voice AI applications with bidirectional WebSocket communication.                                                                                   | unknown |
| azure-ai-voicelive-ts                   | Azure AI Voice Live SDK for JavaScript/TypeScript.                                                                                                                  | unknown |
| azure-appconfiguration-java             | Azure App Configuration SDK for Java.                                                                                                                               | unknown |
| azure-appconfiguration-py               | Azure App Configuration SDK for Python.                                                                                                                             | unknown |
| azure-appconfiguration-ts               | Centralized configuration management with feature flags and dynamic refresh.                                                                                        | unknown |
| azure-communication-callautomation-java | Build server-side call automation workflows including IVR systems, call routing, recording, and AI-powered interactions.                                            | unknown |
| azure-communication-callingserver-java  | ■■ DEPRECATED: This SDK has been renamed to Call Automation.                                                                                                        | safe    |
| azure-communication-chat-java           | Build real-time chat applications with thread management, messaging, participants, and read receipts.                                                               | unknown |
| azure-communication-common-java         | Azure Communication Services common utilities for Java.                                                                                                             | unknown |
| azure-communication-sms-java            | Send SMS messages with Azure Communication Services SMS Java SDK.                                                                                                   | safe    |
| azure-compute-batch-java                | Azure Batch SDK for Java.                                                                                                                                           | unknown |
| azure-containerregistry-py              | Azure Container Registry SDK for Python.                                                                                                                            | unknown |
| azure-cosmos-db-py                      | Build production-grade Azure Cosmos DB NoSQL services following clean code, security best practices, and TDD principles.                                            | unknown |
| azure-cosmos-java                       | Azure Cosmos DB SDK for Java.                                                                                                                                       | unknown |
| azure-cosmos-py                         | Azure Cosmos DB SDK for Python (NoSQL API).                                                                                                                         | unknown |
| azure-cosmos-rust                       | Azure Cosmos DB SDK for Rust (NoSQL API).                                                                                                                           | unknown |
| azure-cosmos-ts                         | Azure Cosmos DB JavaScript/TypeScript SDK (@azure/cosmos) for data plane operations.                                                                                | unknown |
| azure-data-tables-java                  | Build table storage applications using the Azure Tables SDK for Java.                                                                                               | unknown |
| azure-data-tables-py                    | Azure Tables SDK for Python (Storage and Cosmos DB).                                                                                                                | unknown |
| azure-eventgrid-dotnet                  | Azure Event Grid SDK for .NET.                                                                                                                                      | unknown |
| azure-eventgrid-java                    | Build event-driven applications with Azure Event Grid SDK for Java.                                                                                                 | unknown |
| azure-eventgrid-py                      | Azure Event Grid SDK for Python.                                                                                                                                    | unknown |
| azure-eventhub-dotnet                   | Azure Event Hubs SDK for .NET.                                                                                                                                      | unknown |
| azure-eventhub-java                     | Build real-time streaming applications with Azure Event Hubs SDK for Java.                                                                                          | unknown |
| azure-eventhub-py                       | Azure Event Hubs SDK for Python streaming.                                                                                                                          | unknown |
| azure-eventhub-rust                     | Azure Event Hubs SDK for Rust.                                                                                                                                      | unknown |
| azure-eventhub-ts                       | High-throughput event streaming and real-time data ingestion.                                                                                                       | unknown |
| azure-functions                         | Expert patterns for Azure Functions development including isolated worker model, Durable Functions orchestration, cold start optimization, and production patterns. | none    |
| azure-identity-dotnet                   | Azure Identity SDK for .NET.                                                                                                                                        | unknown |
| azure-identity-java                     | Authenticate Java applications with Azure services using Microsoft Entra ID (Azure AD).                                                                             | unknown |
| azure-identity-py                       | Azure Identity SDK for Python authentication.                                                                                                                       | unknown |
| azure-identity-rust                     | Azure Identity SDK for Rust authentication.                                                                                                                         | unknown |
| azure-identity-ts                       | Authenticate to Azure services with various credential types.                                                                                                       | unknown |
| azure-keyvault-certificates-rust        | Azure Key Vault Certificates SDK for Rust.                                                                                                                          | unknown |
| azure-keyvault-keys-rust                | Azure Key Vault Keys SDK for Rust.                                                                                                                                  | unknown |



| Skill                                     | Description                                                                                                            | Risk    |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------|
| azure-keyvault-keys-ts                    | Manage cryptographic keys using Azure Key Vault Keys SDK for JavaScript (@azure/keyvault-keys).                        | unknown |
| azure-keyvault-py                         | Azure Key Vault SDK for Python.                                                                                        | unknown |
| azure-keyvault-secrets-rust               | Azure Key Vault Secrets SDK for Rust.                                                                                  | unknown |
| azure-keyvault-secrets-ts                 | Manage secrets using Azure Key Vault Secrets SDK for JavaScript (@azure/keyvault-secrets).                             | unknown |
| azure-maps-search-dotnet                  | Azure Maps SDK for .NET.                                                                                               | unknown |
| azure-messaging-webpubsub-java            | Build real-time web applications with Azure Web PubSub SDK for Java.                                                   | unknown |
| azure-messaging-webpubsubservice-py       | Azure Web PubSub Service SDK for Python.                                                                               | unknown |
| azure-mgmt-apicenter-dotnet               | Azure API Center SDK for .NET.                                                                                         | unknown |
| azure-mgmt-apicenter-py                   | Azure API Center Management SDK for Python.                                                                            | unknown |
| azure-mgmt-apimanagement-dotnet           | Azure Resource Manager SDK for API Management in .NET.                                                                 | unknown |
| azure-mgmt-apimanagement-py               | Azure API Management SDK for Python.                                                                                   | unknown |
| azure-mgmt-applicationinsights-dotnet     | Azure Application Insights SDK for .NET.                                                                               | unknown |
| azure-mgmt-botservice-dotnet              | Azure Resource Manager SDK for Bot Service in .NET.                                                                    | unknown |
| azure-mgmt-botservice-py                  | Azure Bot Service Management SDK for Python.                                                                           | unknown |
| azure-mgmt-fabric-dotnet                  | Azure Resource Manager SDK for Fabric in .NET.                                                                         | unknown |
| azure-mgmt-fabric-py                      | Azure Fabric Management SDK for Python.                                                                                | unknown |
| azure-mgmt-mongodbatlas-dotnet            | Manage MongoDB Atlas Organizations as Azure ARM resources with unified billing through Azure Marketplace.              | unknown |
| azure-mgmt-weightsandbiases-dotnet        | Azure Weights & Biases SDK for .NET.                                                                                   | unknown |
| azure-microsoft-playwright-testing-ts     | Run Playwright tests at scale with cloud-hosted browsers and integrated Azure portal reporting.                        | unknown |
| azure-monitor-ingestion-java              | Azure Monitor Ingestion SDK for Java.                                                                                  | unknown |
| azure-monitor-ingestion-py                | Azure Monitor Ingestion SDK for Python.                                                                                | unknown |
| azure-monitor-opentelemetry-exporter-java | Azure Monitor OpenTelemetry Exporter for Java.                                                                         | unknown |
| azure-monitor-opentelemetry-exporter-py   | Azure Monitor OpenTelemetry Exporter for Python.                                                                       | unknown |
| azure-monitor-opentelemetry-py            | Azure Monitor OpenTelemetry Distro for Python.                                                                         | unknown |
| azure-monitor-opentelemetry-ts            | Auto-instrument Node.js applications with distributed tracing, metrics, and logs.                                      | unknown |
| azure-monitor-query-java                  | Azure Monitor Query SDK for Java.                                                                                      | safe    |
| azure-monitor-query-py                    | Azure Monitor Query SDK for Python.                                                                                    | unknown |
| azure-postgres-ts                         | Connect to Azure Database for PostgreSQL Flexible Server from Node.js/TypeScript using the pg (node-postgres) package. | unknown |
| azure-resource-manager-cosmosdb-dotnet    | Azure Resource Manager SDK for Cosmos DB in .NET.                                                                      | unknown |
| azure-resource-manager-durabletask-dotnet | Azure Resource Manager SDK for Durable Task Scheduler in .NET.                                                         | unknown |

| Skill                                    | Description                                                                                                                                  | Risk    |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------|
| azure-resource-manager-mysql-dotnet      | Azure MySQL Flexible Server SDK for .NET.                                                                                                    | unknown |
| azure-resource-manager-playwright-dotnet | Azure Resource Manager SDK for Microsoft Playwright Testing in .NET.                                                                         | unknown |
| azure-resource-manager-postgresql-dotnet | Azure PostgreSQL Flexible Server SDK for .NET.                                                                                               | unknown |
| azure-resource-manager-redis-dotnet      | Azure Resource Manager SDK for Redis in .NET.                                                                                                | unknown |
| azure-resource-manager-sql-dotnet        | Azure Resource Manager SDK for Azure SQL in .NET.                                                                                            | unknown |
| azure-search-documents-dotnet            | Azure AI Search SDK for .NET (Azure.Search.Documents).                                                                                       | unknown |
| azure-search-documents-python            | Azure AI Search SDK for Python.                                                                                                              | unknown |
| azure-search-documents-ts                | Build search applications with vector, hybrid, and semantic search capabilities.                                                             | unknown |
| azure-servicebus-dotnet                  | Azure Service Bus SDK for .NET.                                                                                                              | unknown |
| azure-servicebus-py                      | Azure Service Bus SDK for Python messaging.                                                                                                  | unknown |
| azure-servicebus-ts                      | Enterprise messaging with queues, topics, and subscriptions.                                                                                 | unknown |
| azure-speech-to-text-rest-python         | Azure Speech to Text REST API for short audio (Python).                                                                                      | unknown |
| azure-web-pubsub-ts                      | Real-time messaging with WebSocket connections and pub/sub patterns.                                                                         | unknown |
| cdk-patterns                             | Common AWS CDK patterns and constructs for building cloud infrastructure with TypeScript, Python, or Java.                                   | unknown |
| cloudformation-best-practices            | CloudFormation template optimization, nested stacks, drift detection, and production-ready patterns.                                         | unknown |
| gcp-cloud-run                            | Specialized skill for building production-ready serverless applications on GCP.                                                              | unknown |
| lambda-lang                              | Native agent-to-agent language for compact multi-agent messaging.                                                                            | safe    |
| terraform-aws-modules                    | Terraform module creation for AWS — reusable modules, state management, and HCL best practices.                                              | unknown |
| terraform-infrastructure                 | Terraform infrastructure as code workflow for provisioning cloud resources, creating reusable modules, and managing infrastructure at scale. | safe    |
| terraform-module-library                 | Production-ready Terraform module patterns for AWS, Azure, and GCP infrastructure.                                                           | unknown |
| terraform-skill                          | Terraform infrastructure as code best practices                                                                                              | safe    |
| terraform-specialist                     | Expert Terraform/OpenTofu specialist mastering advanced IaC automation, state management, and enterprise infrastructure patterns.            | unknown |

## DevOps, Infra & Observability (71)

| Skill                              | Description                                                                                                                                             | Risk    |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| api-testing-observability-api-mock | You are an API mocking expert specializing in realistic mock services for development, testing, and demos.                                              | unknown |
| apify-brand-reputation-monitoring  | Scrape reviews, ratings, and brand mentions from multiple platforms using Apify Actors.                                                                 | unknown |
| appdeploy                          | Deploy web apps with backend APIs, database, and file storage.                                                                                          | safe    |
| bazel-build-optimization           | Optimize Bazel builds for large-scale monorepos.                                                                                                        | unknown |
| cicd-automation-workflow-automate  | You are a workflow automation expert specializing in creating efficient CI/CD pipelines, GitHub Actions workflows, and automated development processes. | unknown |

| Skill                                       | Description                                                                                                                                                                                                | Risk     |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| circleci-automation                         | Automate CircleCI tasks via Rube MCP (Composio): trigger pipelines, monitor workflows/jobs, retrieve artifacts and test metadata.                                                                          | critical |
| closed-loop-delivery                        | Use when a coding task must be completed against explicit acceptance criteria with minimal user re-intervention across implementation, review feedback, deployment, and runtime verification.              | safe     |
| cloud-architect                             | Expert cloud architect specializing in AWS/Azure/GCP multi-cloud infrastructure design, advanced IaC (Terraform/OpenTofu/CDK), FinOps cost optimization, and modern architectural patterns.                | unknown  |
| cloud-devops                                | Cloud infrastructure and DevOps workflow covering AWS, Azure, GCP, Kubernetes, Terraform, CI/CD, monitoring, and cloud-native development.                                                                 | safe     |
| cost-optimization                           | Strategies and patterns for optimizing cloud costs across AWS, Azure, and GCP.                                                                                                                             | unknown  |
| database-cloud-optimization-cost-optimize   | You are a cloud cost optimization expert specializing in reducing infrastructure expenses while maintaining performance and reliability.                                                                   | safe     |
| database-migrations-migration-observability | Migration monitoring, CDC, and observability infrastructure                                                                                                                                                | unknown  |
| datadog-automation                          | Automate Datadog tasks via Rube MCP (Composio): query metrics, search logs, manage monitors/dashboards, create events and downtimes.                                                                       | critical |
| deploy-to-vercel                            | Deploy applications and websites to Vercel.                                                                                                                                                                | safe     |
| deployment-engineer                         | Expert deployment engineer specializing in modern CI/CD pipelines, GitOps workflows, and advanced deployment automation.                                                                                   | critical |
| deployment-pipeline-design                  | Architecture patterns for multi-stage CI/CD pipelines with approval gates and deployment strategies.                                                                                                       | critical |
| deployment-procedures                       | Production deployment principles and decision-making.                                                                                                                                                      | critical |
| deployment-validation-config-validate       | You are a configuration management expert specializing in validating, testing, and ensuring the correctness of application configurations.                                                                 | critical |
| devcontainer-setup                          | Creates devcontainers with Claude Code, language-specific tooling (Python/Node/Rust/Go), and persistent volumes.                                                                                           | safe     |
| devops-deploy                               | DevOps e deploy de aplicacoes — Docker, CI/CD com GitHub Actions, AWS Lambda, SAM, Terraform, infraestrutura como codigo e monitoramento.                                                                  | critical |
| devops-troubleshooter                       | Expert DevOps troubleshooter specializing in rapid incident response, advanced debugging, and modern observability.                                                                                        | unknown  |
| distributed-tracing                         | Implement distributed tracing with Jaeger and Tempo for request flow visibility across microservices.                                                                                                      | critical |
| docker-expert                               | You are an advanced Docker containerization expert with comprehensive, practical knowledge of container optimization, security hardening, multi-stage builds, orchestration patterns, and production de... | unknown  |
| error-diagnostics-error-analysis            | You are an expert error analysis specialist with deep expertise in debugging distributed systems, analyzing production incidents, and implementing comprehensive observability solutions.                  | safe     |
| error-diagnostics-error-tracking            | You are an error tracking and observability expert specializing in implementing comprehensive error monitoring solutions.                                                                                  | safe     |
| expo-cicd-workflows                         | Helps understand and write EAS workflow YAML files for Expo projects.                                                                                                                                      | unknown  |
| expo-deployment                             | Deploy Expo apps to production                                                                                                                                                                             | safe     |
| geminiignore-finops                         | Configure and optimize .geminiignore files for AI context window efficiency and token cost reduction (FinOps).                                                                                             | safe     |
| github-actions-advanced                     | > Design, debug, and harden GitHub Actions CI/CD workflows, including reusable workflows, matrix builds, self-hosted runners, OIDC authentication, caching, environments, secrets, and release automati... | safe     |
| github-actions-templates                    | Production-ready GitHub Actions workflow patterns for testing, building, and deploying applications.                                                                                                       | critical |
| gitlab-ci-patterns                          | Comprehensive GitLab CI/CD pipeline patterns for automated testing, building, and deployment.                                                                                                              | critical |

| Skill                                         | Description                                                                                                                                                                                                           | Risk     |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>gitops-workflow</b>                        | Complete guide to implementing GitOps workflows with ArgoCD and Flux for automated Kubernetes deployments.                                                                                                            | critical |
| <b>grafana-dashboards</b>                     | Create and manage production-ready Grafana dashboards for comprehensive system observability.                                                                                                                         | unknown  |
| <b>helm-chart-scaffolding</b>                 | Comprehensive guidance for creating, organizing, and managing Helm charts for packaging and deploying Kubernetes applications.                                                                                        | unknown  |
| <b>hybrid-cloud-architect</b>                 | Expert hybrid cloud architect specializing in complex multi-cloud solutions across AWS/Azure/GCP and private clouds (OpenStack/VMware).                                                                               | unknown  |
| <b>hybrid-cloud-networking</b>                | Configure secure, high-performance connectivity between on-premises and cloud environments using VPN, Direct Connect, and ExpressRoute.                                                                               | safe     |
| <b>incident-responder</b>                     | Expert SRE incident responder specializing in rapid problem resolution, modern observability, and comprehensive incident management.                                                                                  | unknown  |
| <b>incident-response-incident-response</b>    | Use when working with incident response incident response                                                                                                                                                             | unknown  |
| <b>incident-response-smart-fix</b>            | [Extended thinking: This workflow implements a sophisticated debugging and resolution pipeline that leverages AI-assisted debugging tools and observability platforms to systematically diagnose and resolve issues.] | unknown  |
| <b>incident-runbook-templates</b>             | Production-ready templates for incident response runbooks covering detection, triage, mitigation, resolution, and communication.                                                                                      | critical |
| <b>istio-traffic-management</b>               | Comprehensive guide to Istio traffic management for production service mesh deployments.                                                                                                                              | unknown  |
| <b>k8s-manifest-generator</b>                 | Step-by-step guidance for creating production-ready Kubernetes manifests including Deployments, Services, ConfigMaps, Secrets, and PersistentVolumeClaims.                                                            | unknown  |
| <b>kubernetes-architect</b>                   | Expert Kubernetes architect specializing in cloud-native infrastructure, advanced GitOps workflows (ArgoCD/Flux), and enterprise container orchestration.                                                             | unknown  |
| <b>kubernetes-deployment</b>                  | Kubernetes deployment workflow for container orchestration, Helm charts, service mesh, and production-ready K8s configurations.                                                                                       | safe     |
| <b>linkerd-patterns</b>                       | Production patterns for Linkerd service mesh - the lightweight, security-first service mesh for Kubernetes.                                                                                                           | critical |
| <b>makepad-deployment</b>                     | CRITICAL: Use for Makepad packaging and deployment.                                                                                                                                                                   | critical |
| <b>mise-configurator</b>                      | Generate production-ready mise.toml setups for local development, CI/CD pipelines, and toolchain standardization.                                                                                                     | safe     |
| <b>monorepo-architect</b>                     | Expert in monorepo architecture, build systems, and dependency management at scale.                                                                                                                                   | safe     |
| <b>monorepo-management</b>                    | Build efficient, scalable monorepos that enable code sharing, consistent tooling, and atomic changes across multiple packages and applications.                                                                       | safe     |
| <b>multi-cloud-architecture</b>               | Decision framework and patterns for architecting applications across AWS, Azure, and GCP.                                                                                                                             | safe     |
| <b>network-101</b>                            | Configure and test common network services (HTTP, HTTPS, SNMP, SMB) for penetration testing lab environments.                                                                                                         | unknown  |
| <b>network-engineer</b>                       | Expert network engineer specializing in modern cloud networking, security architectures, and performance optimization.                                                                                                | safe     |
| <b>nx-workspace-patterns</b>                  | Configure and optimize Nx monorepo workspaces.                                                                                                                                                                        | unknown  |
| <b>observability-engineer</b>                 | Build production-ready monitoring, logging, and tracing systems.                                                                                                                                                      | unknown  |
| <b>observability-monitoring-monitor-setup</b> | You are a monitoring and observability expert specializing in implementing comprehensive monitoring solutions.                                                                                                        | unknown  |
| <b>observability-monitoring-slo-implement</b> | You are an SLO (Service Level Objective) expert specializing in implementing reliability standards and error budget-based engineering practices.                                                                      | unknown  |
| <b>odoo-docker-deployment</b>                 | Production-ready Docker and docker-compose setup for Odoo with PostgreSQL, persistent volumes, environment-based configuration, and Nginx reverse proxy.                                                              | safe     |

| Skill                             | Description                                                                                                                                              | Risk     |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>on-call-handoff-patterns</b>   | Effective patterns for on-call shift transitions, ensuring continuity, context transfer, and reliable incident response across shifts.                   | unknown  |
| <b>pagerduty-automation</b>       | Automate PagerDuty tasks via Rube MCP (Composio): manage incidents, services, schedules, escalation policies, and on-call rotations.                     | critical |
| <b>prometheus-configuration</b>   | Complete guide to Prometheus setup, metric collection, scrape configuration, and recording rules.                                                        | unknown  |
| <b>render-automation</b>          | Automate Render tasks via Rube MCP (Composio): services, deployments, projects.                                                                          | unknown  |
| <b>sentry-automation</b>          | Automate Sentry tasks via Rube MCP (Composio): manage issues/events, configure alerts, track releases, monitor projects and teams.                       | critical |
| <b>service-mesh-expert</b>        | Expert service mesh architect specializing in Istio, Linkerd, and cloud-native networking patterns.                                                      | safe     |
| <b>service-mesh-observability</b> | Complete guide to observability patterns for Istio, Linkerd, and service mesh deployments.                                                               | critical |
| <b>slo-implementation</b>         | Framework for defining and implementing Service Level Indicators (SLIs), Service Level Objectives (SLOs), and error budgets.                             | unknown  |
| <b>sred-project-organizer</b>     | Take a list of projects and their related documentation, and organize them into the SRED format for submission.                                          | unknown  |
| <b>sred-work-summary</b>          | Go back through the previous year of work and create a Notion doc that groups relevant links into projects that can then be documented as SRED projects. | unknown  |
| <b>turborepo-caching</b>          | Configure Turborepo for efficient monorepo builds with local and remote caching.                                                                         | critical |
| <b>unslop</b>                     | Post-process AI-generated text through the unslop CLI to strip AI writing patterns before publishing                                                     | safe     |
| <b>vercel-deployment</b>          | Expert knowledge for deploying to Vercel with Next.js                                                                                                    | safe     |
| <b>vercel-optimize</b>            | Audit deployed Vercel apps for cost and performance issues using metrics, project config, code scans, and version-aware recommendations.                 | safe     |

## Databases & Data Stores (69)

| Skill                                                   | Description                                                                                                                                   | Risk    |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>angular-migration</b>                                | Master AngularJS to Angular migration, including hybrid apps, component conversion, dependency injection changes, and routing migration.      | unknown |
| <b>apify-ecommerce</b>                                  | Extract product data, prices, reviews, and seller information from any e-commerce platform using Apify's E-commerce Scraping Tool.            | unknown |
| <b>apify-trend-analysis</b>                             | Discover and track emerging trends across Google Trends, Instagram, Facebook, YouTube, and TikTok to inform content strategy.                 | unknown |
| <b>application-performance-performance-optimization</b> | Optimize end-to-end application performance with profiling, observability, and backend/frontend tuning.                                       | unknown |
| <b>base</b>                                             | Database management, forms, reports, and data operations with LibreOffice Base.                                                               | safe    |
| <b>behavioral-modes</b>                                 | AI operational modes (brainstorm, implement, debug, review, teach, ship, orchestrate).                                                        | unknown |
| <b>brainstorming</b>                                    | Use before creative or constructive work (features, architecture, behavior).                                                                  | unknown |
| <b>calc</b>                                             | Spreadsheet creation, format conversion (ODS/XLSX/CSV), formulas, data automation with LibreOffice Calc.                                      | safe    |
| <b>cc-skill-clickhouse-io</b>                           | ClickHouse database patterns, query optimization, analytics, and data engineering best practices for high-performance analytical workloads.   | unknown |
| <b>claimable-postgres</b>                               | Provision instant temporary Postgres databases via Claimable Postgres by Neon (pg.new).                                                       | unknown |
| <b>convex</b>                                           | Convex reactive backend expert: schema design, TypeScript functions, real-time subscriptions, auth, file storage, scheduling, and deployment. | safe    |
| <b>cqrs-implementation</b>                              | Implement Command Query Responsibility Segregation for scalable architectures.                                                                | unknown |

| Skill                                       | Description                                                                                                                                                                                              | Risk     |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>daily-news-report</b>                    | Scrapes content based on a preset URL list, filters high-quality technical information, and generates daily Markdown reports.                                                                            | unknown  |
| <b>database</b>                             | Database development and operations workflow covering SQL, NoSQL, database design, migrations, optimization, and data engineering.                                                                       | safe     |
| <b>database-admin</b>                       | Expert database administrator specializing in modern cloud databases, automation, and reliability engineering.                                                                                           | unknown  |
| <b>database-architect</b>                   | Expert database architect specializing in data layer design from scratch, technology selection, schema modeling, and scalable database architectures.                                                    | unknown  |
| <b>database-design</b>                      | Database design principles and decision-making.                                                                                                                                                          | safe     |
| <b>database-migration</b>                   | Master database schema and data migrations across ORMs (Sequelize, TypeORM, Prisma), including rollback strategies and zero-downtime deployments.                                                        | unknown  |
| <b>database-migrations-sql-migrations</b>   | SQL database migrations with zero-downtime strategies for PostgreSQL, MySQL, and SQL Server.                                                                                                             | unknown  |
| <b>database-optimizer</b>                   | Expert database optimizer specializing in modern performance tuning, query optimization, and scalable architectures.                                                                                     | unknown  |
| <b>dbt-transformation-patterns</b>          | Production-ready patterns for dbt (data build tool) including model organization, testing strategies, documentation, and incremental processing.                                                         | none     |
| <b>draw</b>                                 | Vector graphics and diagram creation, format conversion (ODG/SVG/PDF) with LibreOffice Draw.                                                                                                             | safe     |
| <b>drizzle-orm-expert</b>                   | Expert in Drizzle ORM for TypeScript — schema design, relational queries, migrations, and serverless database integration.                                                                               | safe     |
| <b>dwarf-expert</b>                         | Provides expertise for analyzing DWARF debug files and understanding the DWARF debug format/standard (v3-v5).                                                                                            | unknown  |
| <b>event-sourcing-architect</b>             | Expert in event sourcing, CQRS, and event-driven architecture patterns.                                                                                                                                  | unknown  |
| <b>event-store-design</b>                   | Design and implement event stores for event-sourced systems.                                                                                                                                             | unknown  |
| <b>faf-expert</b>                           | Advanced .faf (Foundational AI-context Format) specialist.                                                                                                                                               | safe     |
| <b>fal-platform</b>                         | Platform APIs for model management, pricing, and usage tracking                                                                                                                                          | safe     |
| <b>firebase</b>                             | Firebase gives you a complete backend in minutes - auth, database, storage, functions, hosting.                                                                                                          | unknown  |
| <b>fixing-motion-performance</b>            | Audit and fix animation performance issues including layout thrashing, compositor properties, scroll-linked motion, and blur effects.                                                                    | safe     |
| <b>food-database-query</b>                  | Food Database Query                                                                                                                                                                                      | unknown  |
| <b>form-cro</b>                             | Optimize any form that is NOT signup or account registration — including lead capture, contact, demo request, application, survey, quote, and checkout forms.                                            | unknown  |
| <b>fp-data-transforms</b>                   | Everyday data transformations using functional patterns - arrays, objects, grouping, aggregation, and null-safe access                                                                                   | unknown  |
| <b>framework-migration-code-migrate</b>     | You are a code migration expert specializing in transitioning codebases between frameworks, languages, versions, and platforms.                                                                          | safe     |
| <b>framework-migration-deps-upgrade</b>     | You are a dependency management expert specializing in safe, incremental upgrades of project dependencies.                                                                                               | critical |
| <b>framework-migration-legacy-modernize</b> | Orchestrate a comprehensive legacy system modernization using the strangler fig pattern, enabling gradual replacement of outdated components while maintaining continuous business operations through ex | unknown  |
| <b>godot-4-migration</b>                    | Specialized guide for migrating Godot 3.x projects to Godot 4 (GDScript 2.0), covering syntax changes, Tweens, and exports.                                                                              | safe     |
| <b>hig-platforms</b>                        | Apple Human Interface Guidelines for platform-specific design.                                                                                                                                           | unknown  |
| <b>impress</b>                              | Presentation creation, format conversion (ODP/PPTX/PDF), slide automation with LibreOffice Impress.                                                                                                      | safe     |
| <b>makepad-platform</b>                     | CRITICAL: Use for Makepad cross-platform support.                                                                                                                                                        | unknown  |
| <b>mmx-cli</b>                              | Use mmx to generate text, images, video, speech, and music via the MiniMax AI platform.                                                                                                                  | safe     |



| Skill                                       | Description                                                                                                                                                                                                | Risk     |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>multi-platform-apps-multi-platform</b>   | Build and deploy the same feature consistently across web, mobile, and desktop platforms using API-first architecture and parallel implementation strategies.                                              | unknown  |
| <b>neon-postgres</b>                        | Expert patterns for Neon serverless Postgres, branching, connection pooling, and Prisma/Drizzle integration                                                                                                | safe     |
| <b>nosql-expert</b>                         | Expert guidance for distributed NoSQL databases (Cassandra, DynamoDB).                                                                                                                                     | unknown  |
| <b>odoo-migration-helper</b>                | Step-by-step guide for migrating Odoo custom modules between versions (v14→v15→v16→v17).                                                                                                                   | safe     |
| <b>odoo-orm-expert</b>                      | Master Odoo ORM patterns: search, browse, create, write, domain filters, computed fields, and performance-safe query techniques.                                                                           | safe     |
| <b>odoo-performance-tuner</b>               | Expert guide for diagnosing and fixing Odoo performance issues: slow queries, worker configuration, memory limits, PostgreSQL tuning, and profiling tools.                                                 | safe     |
| <b>performance-engineer</b>                 | Expert performance engineer specializing in modern observability,                                                                                                                                          | unknown  |
| <b>performance-optimizer</b>                | Identifies and fixes performance bottlenecks in code, databases, and APIs.                                                                                                                                 | safe     |
| <b>performance-profiling</b>                | Performance profiling principles.                                                                                                                                                                          | unknown  |
| <b>performance-testing-review-ai-review</b> | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices.                                                     | unknown  |
| <b>postgres-best-practices</b>              | Postgres performance optimization and best practices from Supabase.                                                                                                                                        | safe     |
| <b>postgresql</b>                           | Design a PostgreSQL-specific schema.                                                                                                                                                                       | unknown  |
| <b>postgresql-optimization</b>              | PostgreSQL database optimization workflow for query tuning, indexing strategies, performance analysis, and production database management.                                                                 | safe     |
| <b>prisma-expert</b>                        | You are an expert in Prisma ORM with deep knowledge of schema design, migrations, query optimization, relations modeling, and database operations across PostgreSQL, MySQL, and SQLite.                    | unknown  |
| <b>pubmed-database</b>                      | Direct REST API access to PubMed.                                                                                                                                                                          | unknown  |
| <b>python-performance-optimization</b>      | Profile and optimize Python code using cProfile, memory profilers, and performance best practices.                                                                                                         | safe     |
| <b>quality-nonconformance</b>               | Codified expertise for quality control, non-conformance investigation, root cause analysis, corrective action, and supplier quality management in regulated manufacturing.                                 | safe     |
| <b>react-component-performance</b>          | Diagnose slow React components and suggest targeted performance fixes.                                                                                                                                     | safe     |
| <b>similarity-search-patterns</b>           | Implement efficient similarity search with vector databases.                                                                                                                                               | safe     |
| <b>snowflake-development</b>                | Comprehensive Snowflake development assistant covering SQL best practices, data pipeline design (Dynamic Tables, Streams, Tasks, Snowpipe), Cortex AI functions, Cortex Agents, Snowpark Python, dbt in... | safe     |
| <b>sql-optimization-patterns</b>            | Transform slow database queries into lightning-fast operations through systematic optimization, proper indexing, and query plan analysis.                                                                  | safe     |
| <b>sql-pro</b>                              | Master modern SQL with cloud-native databases, OLTP/OLAP optimization, and advanced query techniques.                                                                                                      | unknown  |
| <b>supabase-automation</b>                  | Automate Supabase database queries, table management, project administration, storage, edge functions, and SQL execution via Rube MCP (Composio).                                                          | critical |
| <b>swiftui-performance-audit</b>            | Audit SwiftUI performance issues from code review and profiling evidence.                                                                                                                                  | safe     |
| <b>uncle-bob-craft</b>                      | Use when performing code review, writing or refactoring code, or discussing architecture; complements clean-code and does not replace project linter/formatter.                                            | safe     |
| <b>uniprot-database</b>                     | Direct REST API access to UniProt.                                                                                                                                                                         | safe     |
| <b>using-neon</b>                           | Neon is a serverless Postgres platform that separates compute and storage to offer autoscaling, branching, instant restore, and scale-to-zero.                                                             | safe     |
| <b>web-performance-optimization</b>         | Optimize website and web application performance including loading speed, Core Web Vitals, bundle size, caching strategies, and runtime performance                                                        | unknown  |

## Data Engineering, ML & Science (50)

| Skill                                       | Description                                                                                                                                                                | Risk     |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>airflow-dag-patterns</b>                 | Build production Apache Airflow DAGs with best practices for operators, sensors, testing, and deployment.                                                                  | safe     |
| <b>amplitude-automation</b>                 | Automate Amplitude tasks via Rube MCP (Composio): events, user activity, cohorts, user identification.                                                                     | critical |
| <b>analytics-product</b>                    | Analytics de produto — PostHog, Mixpanel, eventos, funnels, cohorts, retencao, north star metric, OKRs e dashboards de produto.                                            | none     |
| <b>analytics-tracking</b>                   | Design, audit, and improve analytics tracking systems that produce reliable, decision-ready data.                                                                          | unknown  |
| <b>apify-content-analytics</b>              | Track engagement metrics, measure campaign ROI, and analyze content performance across Instagram, Facebook, YouTube, and TikTok.                                           | unknown  |
| <b>astropy</b>                              | Astropy is the core Python package for astronomy, providing essential functionality for astronomical research and data analysis.                                           | unknown  |
| <b>backtesting-frameworks</b>               | Build robust, production-grade backtesting systems that avoid common pitfalls and produce reliable strategy performance estimates.                                         | safe     |
| <b>biopython</b>                            | Biopython is a comprehensive set of freely available Python tools for biological computation.                                                                              | unknown  |
| <b>cirq</b>                                 | Cirq is Google Quantum AI's open-source framework for designing, simulating, and running quantum circuits on quantum computers and simulators.                             | unknown  |
| <b>citation-management</b>                  | Manage citations systematically throughout the research and writing process.                                                                                               | unknown  |
| <b>claude-scientific-skills</b>             | Scientific research and analysis skills                                                                                                                                    | safe     |
| <b>computer-vision-expert</b>               | SOTA Computer Vision Expert (2026).                                                                                                                                        | unknown  |
| <b>data-engineer</b>                        | Build scalable data pipelines, modern data warehouses, and real-time streaming architectures.                                                                              | unknown  |
| <b>data-engineering-data-driven-feature</b> | Build features guided by data insights, A/B testing, and continuous measurement using specialized agents for analysis, implementation, and experimentation.                | unknown  |
| <b>data-engineering-data-pipeline</b>       | You are a data pipeline architecture expert specializing in scalable, reliable, and cost-effective data pipelines for batch and streaming data processing.                 | unknown  |
| <b>data-quality-frameworks</b>              | Implement data quality validation with Great Expectations, dbt tests, and data contracts.                                                                                  | unknown  |
| <b>data-scientist</b>                       | Expert data scientist for advanced analytics, machine learning, and statistical modeling.                                                                                  | unknown  |
| <b>data-storytelling</b>                    | Transform raw data into compelling narratives that drive decisions and inspire action.                                                                                     | safe     |
| <b>data-structure-protocol</b>              | Give agents persistent structural memory of a codebase — navigate dependencies, track public APIs, and understand why connections exist without re-reading the whole repo. | safe     |
| <b>google-analytics-automation</b>          | Automate Google Analytics tasks via Rube MCP (Composio): run reports, list accounts/properties, funnels, pivots, key events.                                               | critical |
| <b>ii-commons</b>                           | Deterministic search across arXiv, PubMed/PMC, and US policy corpora with daily freshness cutoffs.                                                                         | safe     |
| <b>latex-paper-conversion</b>               | This skill should be used when the user asks to convert an academic paper in LaTeX from one format (e.g., Springer, IPOL) to another format (e.g., MDPI, IEEE, Nature).    | safe     |
| <b>machine-learning-ops-ml-pipeline</b>     | Design and implement a complete ML pipeline for: \$ARGUMENTS                                                                                                               | unknown  |
| <b>matplotlib</b>                           | Matplotlib is Python's foundational visualization library for creating static, animated, and interactive plots.                                                            | unknown  |
| <b>mixpanel-automation</b>                  | Automate Mixpanel tasks via Rube MCP (Composio): events, segmentation, funnels, cohorts, user profiles, JQL queries.                                                       | critical |

| Skill                                  | Description                                                                                                                                                                                                | Risk     |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>ml-engineer</b>                     | Build production ML systems with PyTorch 2.x, TensorFlow, and modern ML frameworks.                                                                                                                        | unknown  |
| <b>ml-pipeline-workflow</b>            | Complete end-to-end MLOps pipeline orchestration from data preparation through model deployment.                                                                                                           | unknown  |
| <b>mlops-engineer</b>                  | Build comprehensive ML pipelines, experiment tracking, and model registries with MLflow, Kubeflow, and modern MLOps tools.                                                                                 | unknown  |
| <b>monte-carlo-monitor-creation</b>    | Guides creation of Monte Carlo monitors via MCP tools, producing monitors-as-code YAML for CI/CD deployment.                                                                                               | safe     |
| <b>monte-carlo-prevent</b>             | Surfaces Monte Carlo data observability context (table health, alerts, lineage, blast radius) before SQL/dbt edits.                                                                                        | safe     |
| <b>monte-carlo-push-ingestion</b>      | Expert guide for pushing metadata, lineage, and query logs to Monte Carlo from any data warehouse.                                                                                                         | safe     |
| <b>monte-carlo-validation-notebook</b> | Generates SQL validation notebooks for dbt PR changes with before/after comparison queries.                                                                                                                | safe     |
| <b>networkx</b>                        | NetworkX is a Python package for creating, manipulating, and analyzing complex networks and graphs.                                                                                                        | unknown  |
| <b>news-sentiment-engine</b>           | Multi-source RSS news aggregation with Claude-powered sentiment analysis and structured briefing output                                                                                                    | critical |
| <b>plotly</b>                          | Interactive visualization library.                                                                                                                                                                         | unknown  |
| <b>polars</b>                          | Fast in-memory DataFrame library for datasets that fit in RAM.                                                                                                                                             | unknown  |
| <b>qiskit</b>                          | Qiskit is the world's most popular open-source quantum computing framework with 13M+ downloads.                                                                                                            | unknown  |
| <b>quant-analyst</b>                   | Build financial models, backtest trading strategies, and analyze market data.                                                                                                                              | safe     |
| <b>recsys-pipeline-architect</b>       | Designs composable recommendation, ranking, and feed pipelines using the six-stage Source→Hydrator→Filter→Scorer→Selector→SideEffect framework                                                             | safe     |
| <b>rich-elicitation</b>                | Asks clarifying questions in multiple rounds before starting ambiguous tasks.                                                                                                                              | none     |
| <b>scanpy</b>                          | Scanpy is a scalable Python toolkit for analyzing single-cell RNA-seq data, built on AnnData.                                                                                                              | unknown  |
| <b>scientific-writing</b>              | This is the core skill for the deep research and writing tool—combining AI-driven deep research with well-formatted written outputs.                                                                       | unknown  |
| <b>scikit-learn</b>                    | Machine learning in Python with scikit-learn.                                                                                                                                                              | unknown  |
| <b>seaborn</b>                         | Seaborn is a Python visualization library for creating publication-quality statistical graphics.                                                                                                           | unknown  |
| <b>segment-automation</b>              | Automate Segment tasks via Rube MCP (Composio): track events, identify users, manage groups, page views, aliases, batch operations.                                                                        | critical |
| <b>segment-cdp</b>                     | Expert patterns for Segment Customer Data Platform including Analytics.js, server-side tracking, tracking plans with Protocols, identity resolution, destinations configuration, and data governance be... | safe     |
| <b>spark-optimization</b>              | Optimize Apache Spark jobs with partitioning, caching, shuffle optimization, and memory tuning.                                                                                                            | unknown  |
| <b>statsmodels</b>                     | Statsmodels is Python's premier library for statistical modeling, providing tools for estimation, inference, and diagnostics across a wide range of statistical methods.                                   | unknown  |
| <b>sympy</b>                           | SymPy is a Python library for symbolic mathematics that enables exact computation using mathematical symbols rather than numerical approximations.                                                         | unknown  |
| <b>xvary-stock-research</b>            | Thesis-driven equity analysis from public SEC EDGAR and market data; /analyze, /score, /compare workflows with bundled Python tools (Claude Code, Cursor, Codex).                                          | safe     |

## Web Frontend & UI Frameworks (107)

| Skill                                                 | Description                                                                                                                                                                                                   | Risk    |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>3d-web-experience</b>                              | Expert in building 3D experiences for the web - Three.js, React Three Fiber, Spline, WebGL, and interactive 3D scenes.                                                                                        | unknown |
| <b>algolia-search</b>                                 | Expert patterns for Algolia search implementation, indexing strategies, React InstantSearch, and relevance tuning                                                                                             | unknown |
| <b>angular</b>                                        | Modern Angular (v20+) expert with deep knowledge of Signals, Standalone Components, Zoneless applications, SSR/Hydration, and reactive patterns.                                                              | safe    |
| <b>angular-best-practices</b>                         | Angular performance optimization and best practices guide.                                                                                                                                                    | safe    |
| <b>angular-state-management</b>                       | Master modern Angular state management with Signals, NgRx, and RxJS.                                                                                                                                          | safe    |
| <b>angular-ui-patterns</b>                            | Modern Angular UI patterns for loading states, error handling, and data display.                                                                                                                              | safe    |
| <b>animejs-animation</b>                              | Advanced JavaScript animation library skill for creating complex, high-performance web animations.                                                                                                            | safe    |
| <b>astro</b>                                          | Build content-focused websites with Astro — zero JS by default, islands architecture, multi-framework components, and Markdown/MDX support.                                                                   | safe    |
| <b>browser-extension-builder</b>                      | Expert in building browser extensions that solve real problems - Chrome, Firefox, and cross-browser extensions.                                                                                               | unknown |
| <b>c4-component</b>                                   | Expert C4 Component-level documentation specialist.                                                                                                                                                           | unknown |
| <b>cc-skill-frontend-patterns</b>                     | Frontend development patterns for React, Next.js, state management, performance optimization, and UI best practices.                                                                                          | unknown |
| <b>chrome-extension-developer</b>                     | Expert in building Chrome Extensions using Manifest V3.                                                                                                                                                       | safe    |
| <b>conductor-status</b>                               | Display project status, active tracks, and next actions                                                                                                                                                       | unknown |
| <b>core-components</b>                                | Core component library and design system patterns.                                                                                                                                                            | unknown |
| <b>design-taste-frontend</b>                          | Use when building high-agency frontend interfaces with strict design taste, calibrated color, responsive layout, and motion rules.                                                                            | safe    |
| <b>development</b>                                    | Comprehensive web, mobile, and backend development workflow bundling frontend, backend, full-stack, and mobile development skills for end-to-end application delivery.                                        | safe    |
| <b>expo-tailwind-setup</b>                            | Set up Tailwind CSS v4 in Expo with react-native-css and NativeWind v5 for universal styling                                                                                                                  | unknown |
| <b>favicon argument-hint: [path to source image]</b>  | Generate favicons from a source image allowed-tools: Bash(magick *), Bash(which *), Bash(cp *), Bash(mkdir *)                                                                                                 | unknown |
| <b>fixing-metadata</b>                                | Audit and fix HTML metadata including page titles, meta descriptions, canonical URLs, Open Graph tags, Twitter cards, favicons, JSON-LD structured data, and robots directives.                               | safe    |
| <b>fp-react</b>                                       | Practical patterns for using fp-ts with React - hooks, state, forms, data fetching.                                                                                                                           | unknown |
| <b>fp-ts-react</b>                                    | Practical patterns for using fp-ts with React - hooks, state, forms, data fetching.                                                                                                                           | safe    |
| <b>frontend-api-integration-patterns</b>              | Production-ready patterns for integrating frontend applications with backend APIs, including race condition handling, request cancellation, retry strategies, error normalization, and UI state management... | safe    |
| <b>frontend-design</b>                                | You are a frontend designer-engineer, not a layout generator.                                                                                                                                                 | unknown |
| <b>frontend-dev-guidelines</b>                        | You are a senior frontend engineer operating under strict architectural and performance standards.                                                                                                            | unknown |
| <b>frontend-developer</b>                             | Build React components, implement responsive layouts, and handle client-side state management.                                                                                                                | unknown |
| <b>frontend-mobile-development-component-scaffold</b> | You are a React component architecture expert specializing in scaffolding production-ready, accessible, and performant components.                                                                            | unknown |
| <b>frontend-slides</b>                                | Create stunning, animation-rich HTML presentations from scratch or by converting PowerPoint files.                                                                                                            | safe    |
| <b>frontend-ui-dark-ts</b>                            | A modern dark-themed React UI system using Tailwind CSS and Framer Motion.                                                                                                                                    | unknown |
| <b>gpt-taste</b>                                      | Use when generating elite GSAP-heavy frontend pages with strict AIDA structure, wide hero typography, and gapless bento grids.                                                                                | safe    |

| Skill                      | Description                                                                                                                                                                                   | Risk    |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| hig-components-content     | Apple Human Interface Guidelines for content display components.                                                                                                                              | unknown |
| hig-components-controls    | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown |
| hig-components-dialogs     | Apple HIG guidance for presentation components including alerts, action sheets, popovers, sheets, and digit entry views.                                                                      | unknown |
| hig-components-layout      | Apple Human Interface Guidelines for layout and navigation components.                                                                                                                        | unknown |
| hig-components-menus       | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown |
| hig-components-search      | Apple HIG guidance for navigation-related components including search fields, page controls, and path controls.                                                                               | safe    |
| hig-components-status      | Apple HIG guidance for status and progress UI components including progress indicators, status bars, and activity rings.                                                                      | unknown |
| hig-components-system      | Apple HIG guidance for system experience components: widgets, live activities, notifications, complications, home screen quick actions, top shelf, watch faces, app clips, and app shortcuts. | unknown |
| javascript-mastery         | 33+ essential JavaScript concepts every developer should know, inspired by [33-js-concepts](https://github.com/leonardomso/33-js-concepts).                                                   | unknown |
| magic-animator             | AI-powered animation tool for creating motion in logos, UI, icons, and social media assets.                                                                                                   | safe    |
| magic-ui-generator         | Utilizes Magic by 21st.dev to generate, compare, and integrate multiple production-ready UI component variations.                                                                             | safe    |
| makepad-animation          | CRITICAL: Use for Makepad animation system.                                                                                                                                                   | safe    |
| makepad-basics             | CRITICAL: Use for Makepad getting started and app structure.                                                                                                                                  | unknown |
| makepad-dsl                | CRITICAL: Use for Makepad DSL syntax and inheritance.                                                                                                                                         | safe    |
| makepad-event-action       | CRITICAL: Use for Makepad event and action handling.                                                                                                                                          | safe    |
| makepad-font               | CRITICAL: Use for Makepad font and text rendering.                                                                                                                                            | safe    |
| makepad-layout             | CRITICAL: Use for Makepad layout system.                                                                                                                                                      | safe    |
| makepad-reference          | This category provides reference materials for debugging, code quality, and advanced layout patterns.                                                                                         | unknown |
| makepad-shaders            | CRITICAL: Use for Makepad shader system.                                                                                                                                                      | unknown |
| makepad-skills             | Makepad UI development skills for Rust apps: setup, patterns, shaders, packaging, and troubleshooting.                                                                                        | safe    |
| makepad-splash             | CRITICAL: Use for Makepad Splash scripting language.                                                                                                                                          | unknown |
| makepad-widgets            | Version: makepad-widgets (dev branch)   Last Updated: 2026-01-19 > > Check for updates: <a href="https://crates.io/crates/makepad-widgets">https://crates.io/crates/makepad-widgets</a>       | safe    |
| modern-javascript-patterns | Comprehensive guide for mastering modern JavaScript (ES6+) features, functional programming patterns, and best practices for writing clean, maintainable, and performant code.                | safe    |
| nextjs-app-router-patterns | Comprehensive patterns for Next.js 14+ App Router architecture, Server Components, and modern full-stack React development.                                                                   | safe    |
| nextjs-best-practices      | Next.js App Router principles.                                                                                                                                                                | unknown |
| nextjs-seo-indexing        | Fix SEO indexing issues, crawl budget problems, and Search Console coverage errors for Next.js apps.                                                                                          | safe    |
| progressive-web-app        | Build Progressive Web Apps (PWAs) with offline support, installability, and caching strategies.                                                                                               | safe    |
| radix-ui-design-system     | Build accessible design systems with Radix UI primitives.                                                                                                                                     | safe    |
| rayden-code                | Generate React code with Rayden UI components using correct props, tokens, and premium layout patterns                                                                                        | safe    |
| react-best-practices       | Comprehensive performance optimization guide for React and Next.js applications, maintained by Vercel.                                                                                        | safe    |
| react-flow-architect       | Build production-ready ReactFlow applications with hierarchical navigation, performance optimization, and advanced state management.                                                          | unknown |

| Skill                                                    | Description                                                                                                                                                                                                | Risk     |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>react-flow-node-ts</b>                                | Create React Flow node components following established patterns with proper TypeScript types and store integration.                                                                                       | unknown  |
| <b>react-modernization</b>                               | Master React version upgrades, class to hooks migration, concurrent features adoption, and codemods for automated transformation.                                                                          | safe     |
| <b>react-native-architecture</b>                         | Production-ready patterns for React Native development with Expo, including navigation, state management, native modules, and offline-first architecture.                                                  | safe     |
| <b>react-native-skills</b>                               | Use when working with react-native-skills tasks or workflows                                                                                                                                               | safe     |
| <b>react-nextjs-development</b>                          | React and Next.js 14+ application development with App Router, Server Components, TypeScript, Tailwind CSS, and modern frontend patterns.                                                                  | safe     |
| <b>react-patterns</b>                                    | Modern React patterns and principles.                                                                                                                                                                      | safe     |
| <b>react-state-management</b>                            | Master modern React state management with Redux Toolkit, Zustand, Jotai, and React Query.                                                                                                                  | unknown  |
| <b>react-ui-patterns</b>                                 | Modern React UI patterns for loading states, error handling, and data fetching.                                                                                                                            | unknown  |
| <b>remotion</b>                                          | Generate walkthrough videos from Stitch projects using Remotion with smooth transitions, zooming, and text overlays allowed-tools: - "stitch*:*" - "remotion*:*" - "Bash" - "Read" - "Write" - "web_fet... | unknown  |
| <b>remotion-best-practices</b>                           | Best practices for Remotion - Video creation in React                                                                                                                                                      | safe     |
| <b>robious-app-architecture</b>                          | CRITICAL: Use for Robious app architecture patterns.                                                                                                                                                       | unknown  |
| <b>robious-event-action</b>                              | CRITICAL: Use for Robious event and action patterns.                                                                                                                                                       | unknown  |
| <b>robious-matrix-integration</b>                        | CRITICAL: Use for Matrix SDK integration with Makepad.                                                                                                                                                     | unknown  |
| <b>robious-state-management</b>                          | CRITICAL: Use for Robious state management patterns.                                                                                                                                                       | unknown  |
| <b>robious-widget-patterns</b>                           | CRITICAL: Use for Robious widget patterns.                                                                                                                                                                 | unknown  |
| <b>sankhya-dashboard-html-js p-custom-best-practices</b> | This skill should be used when the user asks for patterns, best practices, creation, or fixing of Sankhya dashboards using HTML, JSP, Java, and SQL.                                                       | safe     |
| <b>satori</b>                                            | Clinically informed wisdom companion blending psychology and philosophy into a structured thinking partner                                                                                                 | safe     |
| <b>scroll-experience</b>                                 | Expert in building immersive scroll-driven experiences - parallax storytelling, scroll animations, interactive narratives, and cinematic web experiences.                                                  | unknown  |
| <b>sendblue-api</b>                                      | Send and receive iMessage, SMS, and RCS from application code via the Sendblue HTTP API — text, media, group messages, send styles, reactions, typing indicators, status callbacks, and inbound webhook... | critical |
| <b>senior-frontend</b>                                   | Frontend development skill for React, Next.js, TypeScript, and Tailwind CSS applications.                                                                                                                  | safe     |
| <b>shadcn</b>                                            | Manages shadcn/ui components and projects, providing context, documentation, and usage patterns for building modern design systems.                                                                        | safe     |
| <b>shopify-apps</b>                                      | Expert patterns for Shopify app development including Remix/React Router apps, embedded apps with App Bridge, webhook handling, GraphQL Admin API, Polaris components, billing, and app extensions.        | safe     |
| <b>spline-3d-integration</b>                             | Use when adding interactive 3D scenes from Spline.design to web projects, including React embedding and runtime control API.                                                                               | safe     |
| <b>sveltekit</b>                                         | Build full-stack web applications with SvelteKit — file-based routing, SSR, SSG, API routes, and form actions in one framework.                                                                            | safe     |
| <b>swiftui-ui-patterns</b>                               | Apply proven SwiftUI UI patterns for navigation, sheets, async state, and reusable screens.                                                                                                                | safe     |
| <b>tailwind-design-system</b>                            | Build production-ready design systems with Tailwind CSS, including design tokens, component variants, responsive patterns, and accessibility.                                                              | safe     |
| <b>tailwind-patterns</b>                                 | Tailwind CSS v4 principles.                                                                                                                                                                                | unknown  |
| <b>tanstack-query-expert</b>                             | Expert in TanStack Query (React Query) — asynchronous state management.                                                                                                                                    | safe     |
| <b>threejs-animation</b>                                 | Three.js animation - keyframe animation, skeletal animation, morph targets, animation mixing.                                                                                                              | unknown  |



| Skill                         | Description                                                                                                                                           | Risk    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| threejs-fundamentals          | Three.js scene setup, cameras, renderer, Object3D hierarchy, coordinate systems.                                                                      | unknown |
| threejs-geometry              | Three.js geometry creation - built-in shapes, BufferGeometry, custom geometry, instancing.                                                            | unknown |
| threejs-interaction           | Three.js interaction - raycasting, controls, mouse/touch input, object selection.                                                                     | unknown |
| threejs-lighting              | Three.js lighting - light types, shadows, environment lighting.                                                                                       | unknown |
| threejs-loaders               | Three.js asset loading - GLTF, textures, images, models, async patterns.                                                                              | unknown |
| threejs-materials             | Three.js materials - PBR, basic, phong, shader materials, material properties.                                                                        | unknown |
| threejs-postprocessing        | Three.js post-processing - EffectComposer, bloom, DOF, screen effects.                                                                                | unknown |
| threejs-shaders               | Three.js shaders - GLSL, ShaderMaterial, uniforms, custom effects.                                                                                    | unknown |
| threejs-skills                | Create 3D scenes, interactive experiences, and visual effects using Three.js.                                                                         | safe    |
| threejs-textures              | Three.js textures - texture types, UV mapping, environment maps, texture settings.                                                                    | unknown |
| ui-component                  | Generate a new UI component that follows StyleSeed Toss conventions for structure, tokens, accessibility, and component ergonomics.                   | safe    |
| ui-page                       | Scaffold a new mobile-first page using StyleSeed Toss layout patterns, section rhythm, and existing shell components.                                 | safe    |
| ui-pattern                    | Generate reusable UI patterns such as card sections, grids, lists, forms, and chart wrappers using StyleSeed Toss primitives.                         | safe    |
| ui-tokens                     | List, add, and update StyleSeed design tokens while keeping JSON sources, CSS variables, and dark-mode values in sync.                                | safe    |
| vercel-ai-sdk-expert          | Expert in the Vercel AI SDK.                                                                                                                          | safe    |
| vercel-react-view-transitions | Guide React and Next.js view transitions, shared element animations, route transitions, transition types, and reduced-motion-safe UI state animation. | safe    |
| web-artifacts-builder         | To build powerful frontend claude.ai artifacts, follow these steps:                                                                                   | unknown |
| zustand-store-ts              | Create Zustand stores following established patterns with proper TypeScript types and middleware.                                                     | unknown |

## Design & UX (59)

| Skill                         | Description                                                                                                                                                                 | Risk     |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| accesslint-audit              | Find and fix WCAG 2.2 accessibility issues.                                                                                                                                 | safe     |
| accesslint-diff               | Diff a live page's accessibility violations against a baseline — by default compares uncommitted changes (stash-based), or pass --branch [<name>] to diff against a branch. | safe     |
| accesslint-scan               | Audit a live page for accessibility issues, locate each WCAG violation precisely, and return a selector-grounded fix worklist without editing.                              | safe     |
| antigravity-design-expert     | Core UI/UX engineering skill for building highly interactive, spatial, weightless, and glassmorphism-based web interfaces using GSAP and 3D CSS.                            | safe     |
| api-design-principles         | Master REST and GraphQL API design principles to build intuitive, scalable, and maintainable APIs that delight developers and stand the test of time.                       | safe     |
| baseline-ui                   | Validates animation durations, enforces typography scale, checks component accessibility, and prevents layout anti-patterns in Tailwind CSS projects.                       | unknown  |
| brand-guidelines              | Write copy following Sentry brand guidelines.                                                                                                                               | unknown  |
| brand-guidelines-anthropic    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                          | unknown  |
| brand-guidelines-community    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                          | unknown  |
| brand-perception-psychologist | One sentence - what this skill does and when to invoke it                                                                                                                   | safe     |
| canva-automation              | Automate Canva tasks via Rube MCP (Composio): designs, exports, folders, brand templates, autofill.                                                                         | critical |

| Skill                        | Description                                                                                                                                                                               | Risk    |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| canvas-design                | These are instructions for creating design philosophies - aesthetic movements that are then EXPRESSED VISUALLY.                                                                           | unknown |
| ddd-strategic-design         | Design DDD strategic artifacts including subdomains, bounded contexts, and ubiquitous language for complex business domains.                                                              | safe    |
| design-md                    | Analyze Stitch projects and synthesize a semantic design system into DESIGN.md files                                                                                                      | safe    |
| design-orchestration         | Orchestrates design workflows by routing work through brainstorming, multi-agent review, and execution readiness in the correct order.                                                    | unknown |
| design-spells                | Curated micro-interactions and design details that add "magic" and personality to websites and apps.                                                                                      | safe    |
| domain-driven-design         | Plan and route Domain-Driven Design work from strategic modeling to tactical implementation and evented architecture patterns.                                                            | safe    |
| emotional-arc-designer       | One sentence - what this skill does and when to invoke it                                                                                                                                 | safe    |
| figma-automation             | Automate Figma tasks via Rube MCP (Composio): files, components, design tokens, comments, exports.                                                                                        | safe    |
| fixing-accessibility         | Audit and fix HTML accessibility issues including ARIA labels, keyboard navigation, focus management, color contrast, and form errors.                                                    | unknown |
| game-design                  | Game design principles.                                                                                                                                                                   | unknown |
| high-end-visual-design       | Use when designing expensive agency-grade interfaces with premium fonts, spatial rhythm, soft depth, and fluid microinteractions.                                                         | safe    |
| iconsax-library              | Extensive icon library and AI-driven icon generation skill for premium UI/UX design.                                                                                                      | safe    |
| industrial-brutalist-ui      | Use when creating raw industrial or tactical telemetry UIs with rigid grids, stark typography, CRT effects, and high-density data.                                                        | safe    |
| interactive-portfolio        | Expert in building portfolios that actually land jobs and clients - not just showing work, but creating memorable experiences.                                                            | unknown |
| json-canvas                  | Create and edit JSON Canvas files (.canvas) with nodes, edges, groups, and connections.                                                                                                   | unknown |
| kpi-dashboard-design         | Comprehensive patterns for designing effective Key Performance Indicator (KPI) dashboards that drive business decisions.                                                                  | unknown |
| linux-shell-scripting        | Provide production-ready shell script templates for common Linux system administration tasks including backups, monitoring, user management, log analysis, and automation.                | unknown |
| linux-troubleshooting        | Linux system troubleshooting workflow for diagnosing and resolving system issues, performance problems, and service failures.                                                             | safe    |
| loss-aversion-designer       | One sentence - what this skill does and when to invoke it                                                                                                                                 | safe    |
| minimalist-ui                | Use when creating clean editorial interfaces with warm monochrome palettes, crisp borders, restrained motion, and flat bento layouts.                                                     | safe    |
| mobile-design                | (Mobile-First · Touch-First · Platform-Respectful)                                                                                                                                        | unknown |
| nerdzao-elite                | Senior Elite Software Engineer (15+) and Senior Product Designer.                                                                                                                         | safe    |
| osterwalder-canvas-architect | Iterative consultant agent for building and validating logically consistent 9-block Business Model Canvases.                                                                              | safe    |
| photopea-embedded-editor     | Embed Photopea in web apps using photopea.js.                                                                                                                                             | safe    |
| privacy-by-design            | Use when building apps that collect user data.                                                                                                                                            | safe    |
| product-design               | Design de produto nível Apple — sistemas visuais, UX flows, acessibilidade, linguagem visual proprietária, design tokens, prototipagem e handoff.                                         | none    |
| product-inventor             | Product Inventor e Design Alchemist de nível máximo — combina Product Thinking, Design Systems, UI Engineering, Psicologia Cognitiva, Storytelling e execução impecável nível Jobs/Apple. | none    |
| redesign-existing-projects   | Use when upgrading existing websites or apps by auditing generic UI patterns and applying premium design fixes without rewrites.                                                          | safe    |

| Skill                       | Description                                                                                                                                                                                                | Risk    |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| screen-reader-testing       | Practical guide to testing web applications with screen readers for comprehensive accessibility validation.                                                                                                | safe    |
| stitch-design-taste         | Use when generating Google Stitch DESIGN.md systems for premium typography, color, layout, motion intent, and anti-generic UI rules.                                                                       | safe    |
| stitch-loop                 | Teaches agents to iteratively build websites using Stitch with an autonomous baton-passing loop pattern allowed-tools: - "stitch*:*" - "chrome*:*" - "Read" - "Write" - "Bash"                             | unknown |
| stitch-ui-design            | Expert guidance for crafting effective prompts in Google Stitch, the AI-powered UI design tool by Google Labs.                                                                                             | safe    |
| theme-factory               | This skill provides a curated collection of professional font and color themes themes, each with carefully selected color palettes and font pairings.                                                      | unknown |
| ui-a11y                     | Audit a StyleSeed-based component or page for WCAG 2.2 AA issues and apply practical accessibility fixes where the code makes them safe.                                                                   | safe    |
| ui-setup                    | Interactive StyleSeed setup wizard for choosing app type, brand color, visual style, typography, and the first screen scaffold.                                                                            | safe    |
| ui-ux-designer              | Create interface designs, wireframes, and design systems.                                                                                                                                                  | unknown |
| ui-ux-pro-max               | Comprehensive design guide for web and mobile applications.                                                                                                                                                | unknown |
| ux-audit                    | Audit screens against Nielsen's heuristics and mobile UX best practices using the StyleSeed Toss design language as the implementation context.                                                            | safe    |
| ux-copy                     | Generate UX microcopy in StyleSeed's Toss-inspired voice for buttons, empty states, errors, toasts, confirmations, and form guidance.                                                                      | safe    |
| ux-feedback                 | Add loading, empty, error, and success feedback states to StyleSeed components and pages with practical mobile-first rules.                                                                                | safe    |
| ux-flow                     | Design user flows and screen structure using StyleSeed UX patterns such as progressive disclosure, hub-and-spoke navigation, and information pyramids.                                                     | safe    |
| ux-persuasion-engineer      | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe    |
| uxui-principles             | Evaluate interfaces against 168 research-backed UX/UI principles, detect antipatterns, and inject UX context into AI coding sessions.                                                                      | safe    |
| visual-emotion-engineer     | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe    |
| vizcom                      | AI-powered product design tool for transforming sketches into full-fidelity 3D renders.                                                                                                                    | safe    |
| wcag-audit-patterns         | Comprehensive guide to auditing web content against WCAG 2.2 guidelines with actionable remediation strategies.                                                                                            | safe    |
| web-design-guidelines       | Review files for compliance with Web Interface Guidelines.                                                                                                                                                 | safe    |
| wordpress-theme-development | WordPress theme development workflow covering theme architecture, template hierarchy, custom post types, block editor support, responsive design, and WordPress 7.0 features: DataViews, Pattern Editin... | safe    |

## Mobile Development (30)

| Skill                          | Description                                                                                                                                      | Risk    |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| android-dev                    | Production-grade Android app development guide covering native (Kotlin/Java), cross-platform (Flutter, RN, KMM), and hybrid architectures.       | safe    |
| android-jetpack-compose-expert | Expert guidance for building modern Android UIs with Jetpack Compose, covering state management, navigation, performance, and Material Design 3. | safe    |
| android_ui_verification        | Automated end-to-end UI testing and verification on an Android Emulator using ADB.                                                               | safe    |
| avalonia-layout-zafiro         | Guidelines for modern Avalonia UI layout using Zafiro.Avalonia, emphasizing shared styles, generic components, and avoiding XAML redundancy.     | unknown |
| avalonia-viewmodels-zafiro     | Optimal ViewModel and Wizard creation patterns for Avalonia using Zafiro and ReactiveUI.                                                         | none    |

| Skill                              | Description                                                                                                                                             | Risk    |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>avalonia-zafiro-development</b> | Mandatory skills, conventions, and behavioral rules for Avalonia UI development using the Zafiro toolkit.                                               | safe    |
| <b>building-native-ui</b>          | Complete guide for building beautiful apps with Expo Router.                                                                                            | unknown |
| <b>expo-api-routes</b>             | Guidelines for creating API routes in Expo Router with EAS Hosting                                                                                      | unknown |
| <b>expo-dev-client</b>             | Build and distribute Expo development clients locally or via TestFlight                                                                                 | unknown |
| <b>expo-ui-jetpack-compose</b>     | expo-ui-jetpack-compose                                                                                                                                 | unknown |
| <b>expo-ui-swift-ui</b>            | expo-ui-swift-ui                                                                                                                                        | unknown |
| <b>flutter-expert</b>              | Master Flutter development with Dart 3, advanced widgets, and multi-platform deployment.                                                                | unknown |
| <b>hig-foundations</b>             | Apple Human Interface Guidelines design foundations.                                                                                                    | unknown |
| <b>hig-inputs</b>                  | Check for .claude/apple-design-context.md before asking questions.                                                                                      | unknown |
| <b>hig-patterns</b>                | Apple Human Interface Guidelines interaction and UX patterns.                                                                                           | unknown |
| <b>hig-project-context</b>         | Create or update a shared Apple design context document that other HIG skills use to tailor guidance.                                                   | unknown |
| <b>hig-technologies</b>            | Check for .claude/apple-design-context.md before asking questions.                                                                                      | safe    |
| <b>ios-developer</b>               | Develop native iOS applications with Swift/SwiftUI.                                                                                                     | unknown |
| <b>kotlin-coroutines-expert</b>    | Expert patterns for Kotlin Coroutines and Flow, covering structured concurrency, error handling, and testing.                                           | safe    |
| <b>macos-menubar-tuist-app</b>     | Build, refactor, or review SwiftUI macOS menubar apps that use Tuist.                                                                                   | safe    |
| <b>macos-spm-app-packaging</b>     | Scaffold, build, sign, and package SwiftPM macOS apps without Xcode projects.                                                                           | safe    |
| <b>moatmri</b>                     | Analyze AI disruption pressure across a business, map competitive exposure, and produce a 90-day defensive action plan.                                 | safe    |
| <b>mobile-developer</b>            | Develop React Native, Flutter, or native mobile apps with modern architecture patterns.                                                                 | unknown |
| <b>native-data-fetching</b>        | Use when implementing or debugging ANY network request, API call, or data fetching.                                                                     | unknown |
| <b>swift-concurrency-expert</b>    | Review and fix Swift concurrency issues such as actor isolation and Sendable violations.                                                                | safe    |
| <b>swiftui-expert-skill</b>        | Write, review, or improve SwiftUI code following best practices for state management, view composition, performance, and iOS 26+ Liquid Glass adoption. | unknown |
| <b>swiftui-liquid-glass</b>        | Implement or review SwiftUI Liquid Glass APIs with correct fallbacks and modifier order.                                                                | safe    |
| <b>swiftui-view-refactor</b>       | Refactor SwiftUI views into smaller components with stable, explicit data flow.                                                                         | safe    |
| <b>telegram-mini-app</b>           | Expert in building Telegram Mini Apps (TWA) - web apps that run inside Telegram with native-like experience.                                            | unknown |
| <b>upgrading-expo</b>              | Upgrade Expo SDK versions                                                                                                                               | safe    |

## Backend & APIs (102)

| Skill                              | Description                                                                                                                           | Risk    |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>akf-trust-metadata</b>          | The AI native file format.                                                                                                            | safe    |
| <b>api-documentation</b>           | API documentation workflow for generating OpenAPI specs, creating developer guides, and maintaining comprehensive API documentation.  | safe    |
| <b>api-documentation-generator</b> | Generate comprehensive, developer-friendly API documentation from code, including endpoints, parameters, examples, and best practices | unknown |
| <b>api-documenter</b>              | Master API documentation with OpenAPI 3.1, AI-powered tools, and modern developer experience practices.                               | unknown |

| Skill                                   | Description                                                                                                                                                                                   | Risk     |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| api-endpoint-builder                    | Builds production-ready REST API endpoints with validation, error handling, authentication, and documentation.                                                                                | safe     |
| api-patterns                            | API design principles and decision-making.                                                                                                                                                    | unknown  |
| async-python-patterns                   | Comprehensive guidance for implementing asynchronous Python applications using asyncio, concurrent programming patterns, and async/await for building high-performance, non-blocking systems. | safe     |
| backend-architect                       | Expert backend architect specializing in scalable API design, microservices architecture, and distributed systems.                                                                            | unknown  |
| backend-dev-guidelines                  | You are a senior backend engineer operating production-grade services under strict architectural and reliability constraints.                                                                 | unknown  |
| backend-development-feature-development | Orchestrate end-to-end backend feature development from requirements to deployment.                                                                                                           | unknown  |
| billing-automation                      | Master automated billing systems including recurring billing, invoice generation, dunning management, proration, and tax calculation.                                                         | safe     |
| bun-development                         | Fast, modern JavaScript/TypeScript development with the Bun runtime, inspired by [oven-sh/bun](https://github.com/oven-sh/bun).                                                               | critical |
| c-pro                                   | Write efficient C code with proper memory management, pointer                                                                                                                                 | unknown  |
| cc-skill-backend-patterns               | Backend architecture patterns, API design, database optimization, and server-side best practices for Node.js, Express, and Next.js API routes.                                                | unknown  |
| conductor-manage                        | Manage track lifecycle: archive, restore, delete, rename, and cleanup                                                                                                                         | unknown  |
| cpp-pro                                 | Write idiomatic C++ code with modern features, RAII, smart pointers, and STL algorithms.                                                                                                      | unknown  |
| csharp-pro                              | Write modern C# code with advanced features like records, pattern matching, and async/await.                                                                                                  | unknown  |
| customer-psychographic-profile          | One sentence - what this skill does and when to invoke it                                                                                                                                     | safe     |
| dbos-golang                             | Guide for building reliable, fault-tolerant Go applications with DBOS durable workflows.                                                                                                      | safe     |
| dbos-python                             | Guide for building reliable, fault-tolerant Python applications with DBOS durable workflows.                                                                                                  | safe     |
| dbos-typescript                         | Guide for building reliable, fault-tolerant TypeScript applications with DBOS durable workflows.                                                                                              | safe     |
| django-access-review                    | django-access-review                                                                                                                                                                          | unknown  |
| django-perf-review                      | Django performance code review.                                                                                                                                                               | unknown  |
| django-pro                              | Master Django 5.x with async views, DRF, Celery, and Django Channels.                                                                                                                         | unknown  |
| dotnet-architect                        | Expert .NET backend architect specializing in C#, ASP.NET Core, Entity Framework, Dapper, and enterprise application patterns.                                                                | unknown  |
| dotnet-backend                          | Build ASP.NET Core 8+ backend services with EF Core, auth, background jobs, and production API patterns.                                                                                      | safe     |
| dotnet-backend-patterns                 | Master C#/.NET patterns for building production-grade APIs, MCP servers, and enterprise backends with modern best practices (2024/2025).                                                      | safe     |
| elixir-pro                              | Write idiomatic Elixir code with OTP patterns, supervision trees, and Phoenix LiveView.                                                                                                       | unknown  |
| event-staffing-ordering                 | Order W-2 compliant temporary event staff for conventions, trade shows, festivals, concerts, sporting events, and brand activations across 300+ US and Canadian markets via TempGuru.         | safe     |
| fastapi-pro                             | Build high-performance async APIs with FastAPI, SQLAlchemy 2.0, and Pydantic V2.                                                                                                              | unknown  |
| fastapi-router-py                       | Create FastAPI routers following established patterns with proper authentication, response models, and HTTP status codes.                                                                     | unknown  |

| Skill                                            | Description                                                                                                                                                                      | Risk    |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>fastapi-templates</b>                         | Create production-ready FastAPI projects with async patterns, dependency injection, and comprehensive error handling.                                                            | unknown |
| <b>fp-async</b>                                  | Practical async patterns using TaskEither - clean pipelines instead of try/catch hell, with real API examples                                                                    | unknown |
| <b>fp-backend</b>                                | Functional programming patterns for Node.js/Deno backend development using fp-ts, ReaderTaskEither, and functional dependency injection                                          | unknown |
| <b>fp-either-ref</b>                             | Quick reference for Either type.                                                                                                                                                 | unknown |
| <b>fp-errors</b>                                 | Stop throwing everywhere - handle errors as values using Either and TaskEither for cleaner, more predictable code                                                                | unknown |
| <b>fp-option-ref</b>                             | Quick reference for Option type.                                                                                                                                                 | unknown |
| <b>fp-pipe-ref</b>                               | Quick reference for pipe and flow.                                                                                                                                               | unknown |
| <b>fp-refactor</b>                               | Comprehensive guide for refactoring imperative TypeScript code to fp-ts functional patterns                                                                                      | unknown |
| <b>fp-taskeither-ref</b>                         | Quick reference for TaskEither.                                                                                                                                                  | unknown |
| <b>fp-ts-errors</b>                              | Handle errors as values using fp-ts Either and TaskEither for cleaner, more predictable TypeScript code.                                                                         | safe    |
| <b>fp-types-ref</b>                              | Quick reference for fp-ts types.                                                                                                                                                 | safe    |
| <b>go-concurrency-patterns</b>                   | Master Go concurrency with goroutines, channels, sync primitives, and context.                                                                                                   | safe    |
| <b>go-playwright</b>                             | Expert capability for robust, stealthy, and efficient browser automation using Playwright Go.                                                                                    | safe    |
| <b>go-rod-master</b>                             | Comprehensive guide for browser automation and web scraping with go-rod (Chrome DevTools Protocol) including stealth anti-bot-detection patterns.                                | safe    |
| <b>golang-pro</b>                                | Master Go 1.21+ with modern patterns, advanced concurrency, performance optimization, and production-ready microservices.                                                        | unknown |
| <b>graphql</b>                                   | GraphQL gives clients exactly the data they need - no more, no less.                                                                                                             | safe    |
| <b>graphql-architect</b>                         | Master modern GraphQL with federation, performance optimization, and enterprise security.                                                                                        | unknown |
| <b>grpc-golang</b>                               | Build production-ready gRPC services in Go with mTLS, streaming, and observability.                                                                                              | safe    |
| <b>haskell-pro</b>                               | Expert Haskell engineer specializing in advanced type systems, pure                                                                                                              | safe    |
| <b>hono</b>                                      | Build ultra-fast web APIs and full-stack apps with Hono — runs on Cloudflare Workers, Deno, Bun, Node.js, and any WinterCG-compatible runtime.                                   | safe    |
| <b>inngest</b>                                   | Inngest expert for serverless-first background jobs, event-driven workflows, and durable execution without managing queues or workers.                                           | none    |
| <b>java-pro</b>                                  | Master Java 21+ with modern features like virtual threads, pattern matching, and Spring Boot 3.x.                                                                                | unknown |
| <b>javascript-pro</b>                            | Master modern JavaScript with ES6+, async patterns, and Node.js APIs.                                                                                                            | safe    |
| <b>javascript-typescript-typescript-scaffold</b> | You are a TypeScript project architecture expert specializing in scaffolding production-ready Node.js and frontend applications.                                                 | unknown |
| <b>julia-pro</b>                                 | Master Julia 1.10+ with modern features, performance optimization, multiple dispatch, and production-ready practices.                                                            | unknown |
| <b>laravel-expert</b>                            | Senior Laravel Engineer role for production-grade, maintainable, and idiomatic Laravel solutions.                                                                                | safe    |
| <b>mathguard</b>                                 | Math-heavy escalation for $n \geq 10^6$ — Bloom, HyperLogLog, Count-Min, MinHash/LSH, FFT, JL projection, sweep line.                                                            | safe    |
| <b>microservices-patterns</b>                    | Master microservices architecture patterns including service boundaries, inter-service communication, data management, and resilience patterns for building distributed systems. | none    |
| <b>moodle-external-api-development</b>           | This skill guides you through creating custom external web service APIs for Moodle LMS, following Moodle's external API framework and coding standards.                          | unknown |



| Skill                                                     | Description                                                                                                                                                                                                | Risk     |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>n8n-expression-syntax</b>                              | Validate n8n expression syntax and fix common errors.                                                                                                                                                      | unknown  |
| <b>n8n-node-configuration</b>                             | Operation-aware node configuration guidance.                                                                                                                                                               | unknown  |
| <b>nestjs-expert</b>                                      | You are an expert in Nest.js with deep knowledge of enterprise-grade Node.js application architecture, dependency injection patterns, decorators, middleware, guards, interceptors, pipes, testing stra... | unknown  |
| <b>new-rails-project</b><br>argument-hint: [project name] | Create a new Rails project allowed-tools: Bash(rails *), Bash(bundle *), Bash(bin/*), Bash(npm *), Bash(yarn *)                                                                                            | unknown  |
| <b>nodejs-backend-patterns</b>                            | Comprehensive guidance for building scalable, maintainable, and production-ready Node.js backend applications with modern frameworks, architectural patterns, and best practices.                          | safe     |
| <b>nodejs-best-practices</b>                              | Node.js development principles and decision-making.                                                                                                                                                        | unknown  |
| <b>openapi-spec-generation</b>                            | Generate and maintain OpenAPI 3.1 specifications from code, design-first specs, and validation patterns.                                                                                                   | safe     |
| <b>pakistan-payments-stack</b>                            | Design and implement production-grade Pakistani payment integrations (JazzCash, Easypaisa, bank/PSP rails, optional Raast) for SaaS with PKR billing, webhook reliability, and reconciliation.             | safe     |
| <b>payment-integration</b>                                | Integrate Stripe, PayPal, and payment processors.                                                                                                                                                          | unknown  |
| <b>paypal-integration</b>                                 | Master PayPal payment integration including Express Checkout, IPN handling, recurring billing, and refund workflows.                                                                                       | unknown  |
| <b>php-pro</b>                                            | Write idiomatic PHP code with generators, iterators, SPL data structures, and modern OOP features.                                                                                                         | unknown  |
| <b>plaid-fintech</b>                                      | Expert patterns for Plaid API integration including Link token flows, transactions sync, identity verification, Auth for ACH, balance checks, webhook handling, and fintech compliance best practices.     | unknown  |
| <b>pydantic-models-py</b>                                 | Create Pydantic models following the multi-model pattern for clean API contracts.                                                                                                                          | unknown  |
| <b>python-development</b>                                 | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                                             | critical |
| <b>python-development-python-scaffold</b>                 | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                                             | critical |
| <b>python-fastapi-development</b>                         | Python FastAPI backend development with async patterns, SQLAlchemy, Pydantic, authentication, and production API patterns.                                                                                 | safe     |
| <b>python-pro</b>                                         | Master Python 3.12+ with modern features, async programming, performance optimization, and production-ready practices.                                                                                     | unknown  |
| <b>ruby-pro</b>                                           | Write idiomatic Ruby code with metaprogramming, Rails patterns, and performance optimization.                                                                                                              | unknown  |
| <b>runapi-cli</b>                                         | Generate AI images, videos, and music/audio from agents using the RunAPI CLI.                                                                                                                              | critical |
| <b>rust-async-patterns</b>                                | Master Rust async programming with Tokio, async traits, error handling, and concurrent patterns.                                                                                                           | safe     |
| <b>rust-pro</b>                                           | Master Rust 1.75+ with modern async patterns, advanced type system features, and production-ready systems programming.                                                                                     | unknown  |
| <b>saga-orchestration</b>                                 | Patterns for managing distributed transactions and long-running business processes.                                                                                                                        | unknown  |
| <b>scala-pro</b>                                          | Master enterprise-grade Scala development with functional programming, distributed systems, and big data processing.                                                                                       | safe     |
| <b>sendblue-cli</b>                                       | Send iMessage and SMS from the shell via the @sendblue/cli npm package — outbound sends, contact management, and account setup with no API client or webhook server required.                              | critical |
| <b>shopify-development</b>                                | Build Shopify apps, extensions, themes using GraphQL Admin API, Shopify CLI, Polaris UI, and Liquid.                                                                                                       | unknown  |
| <b>skill-rails-upgrade</b>                                | Analyze Rails apps and provide upgrade assessments                                                                                                                                                         | safe     |

| Skill                             | Description                                                                                                                                                                                                | Risk     |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| stripe-integration                | Master Stripe payment processing integration for robust, PCI-compliant payment flows including checkout, subscriptions, webhooks, and refunds.                                                             | unknown  |
| systems-programming-rust-project  | You are a Rust project architecture expert specializing in scaffolding production-ready Rust applications.                                                                                                 | unknown  |
| temporal-golang-pro               | Use when building durable distributed systems with Temporal Go SDK.                                                                                                                                        | safe     |
| temporal-python-pro               | Master Temporal workflow orchestration with Python SDK.                                                                                                                                                    | unknown  |
| temporal-python-testing           | Comprehensive testing approaches for Temporal workflows using pytest, progressive disclosure resources for specific testing scenarios.                                                                     | unknown  |
| trigger-dev                       | Trigger.dev expert for background jobs, AI workflows, and reliable async execution with excellent developer experience and TypeScript-first design.                                                        | unknown  |
| trpc-fullstack                    | Build end-to-end type-safe APIs with tRPC — routers, procedures, middleware, subscriptions, and Next.js/React integration patterns.                                                                        | none     |
| trust-calibrator                  | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe     |
| typescript-advanced-types         | Comprehensive guidance for mastering TypeScript's advanced type system including generics, conditional types, mapped types, template literal types, and utility types for building robust, type-safe ap... | safe     |
| typescript-expert                 | TypeScript and JavaScript expert with deep knowledge of type-level programming, performance optimization, monorepo management, migration strategies, and modern tooling.                                   | critical |
| typescript-pro                    | Master TypeScript with advanced types, generics, and strict type safety.                                                                                                                                   | safe     |
| unreal-engine-cpp-pro             | Expert guide for Unreal Engine 5.x C++ development, covering UObject hygiene, performance patterns, and best practices.                                                                                    | safe     |
| upstash-qstash                    | Upstash QStash expert for serverless message queues, scheduled jobs, and reliable HTTP-based task delivery without managing infrastructure.                                                                | unknown  |
| wordpress-woocommerce-development | WooCommerce store development workflow covering store setup, payment integration, shipping configuration, customization, and WordPress 7.0 features: AI connectors, DataViews, and collaboration tools.    | safe     |
| x402-express-wrapper              | Wrapper oficial de M2MCent (Node.js) para inyectar muros de pago x402 en APIs o servidores Model Context Protocol (MCP).                                                                                   | critical |
| zod-validation-expert             | Expert in Zod — TypeScript-first schema validation.                                                                                                                                                        | safe     |

## Testing & QA (58)

| Skill                   | Description                                                                                                                                                                      | Risk     |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| ab-test-setup           | Structured guide for setting up A/B tests with mandatory gates for hypothesis, metrics, and execution readiness.                                                                 | unknown  |
| acceptance-orchestrator | Use when a coding task should be driven end-to-end from issue intake through implementation, review, deployment, and acceptance verification with minimal human re-intervention. | safe     |
| awt-e2e-testing         | AI-powered E2E web testing — eyes and hands for AI coding tools.                                                                                                                 | unknown  |
| bats-testing-patterns   | Master Bash Automated Testing System (Bats) for comprehensive shell script testing.                                                                                              | unknown  |
| brooks-lint             | AI code reviewer grounded in classic software engineering books for catching design smells, coupling issues, and architectural risks.                                            | safe     |
| bug-hunter              | Systematically finds and fixes bugs using proven debugging techniques.                                                                                                           | safe     |
| conductor-implement     | Execute tasks from a track's implementation plan following TDD workflow                                                                                                          | critical |
| conductor-validator     | Validates Conductor project artifacts for completeness, consistency, and correctness.                                                                                            | safe     |
| context7-auto-research  | Automatically fetch latest library/framework documentation for Claude Code via Context7 API.                                                                                     | unknown  |
| debug-buttercup         | All pods run in namespace crs.                                                                                                                                                   | unknown  |

| Skill                                    | Description                                                                                                                                                                               | Risk     |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>debugger</b>                          | Debugging specialist for errors, test failures, and unexpected behavior.                                                                                                                  | safe     |
| <b>debugging-strategies</b>              | Transform debugging from frustrating guesswork into systematic problem-solving with proven strategies, powerful tools, and methodical approaches.                                         | safe     |
| <b>debugging-toolkit</b>                 | Use when working with debugging toolkit smart debug (Alias for debugging-toolkit-smart-debug)                                                                                             | unknown  |
| <b>debugging-toolkit-smart-debug</b>     | Use when working with debugging toolkit smart debug                                                                                                                                       | unknown  |
| <b>distributed-debugging-debug-trace</b> | You are a debugging expert specializing in setting up comprehensive debugging environments, distributed tracing, and diagnostic tools.                                                    | unknown  |
| <b>e2e-testing</b>                       | End-to-end testing workflow with Playwright for browser automation, visual regression, cross-browser testing, and CI/CD integration.                                                      | safe     |
| <b>e2e-testing-patterns</b>              | Build reliable, fast, and maintainable end-to-end test suites that provide confidence to ship code quickly and catch regressions before users do.                                         | safe     |
| <b>error-debugging-error-analysis</b>    | You are an expert error analysis specialist with deep expertise in debugging distributed systems, analyzing production incidents, and implementing comprehensive observability solutions. | safe     |
| <b>error-debugging-error-trace</b>       | You are an error tracking and observability expert specializing in implementing comprehensive error monitoring solutions.                                                                 | safe     |
| <b>error-diagnostics-smart-debug</b>     | Use when working with error diagnostics smart debug                                                                                                                                       | unknown  |
| <b>error-handling-patterns</b>           | Build resilient applications with robust error handling strategies that gracefully handle failures and provide excellent debugging experiences.                                           | safe     |
| <b>find-bugs</b>                         | Find bugs, security vulnerabilities, and code quality issues in local branch changes.                                                                                                     | unknown  |
| <b>javascript-testing-patterns</b>       | Comprehensive guide for implementing robust testing strategies in JavaScript/TypeScript applications using modern testing frameworks and best practices.                                  | safe     |
| <b>k6-load-testing</b>                   | Comprehensive k6 load testing skill for API, browser, and scalability testing.                                                                                                            | safe     |
| <b>lint-and-validate</b>                 | MANDATORY: Run appropriate validation tools after EVERY code change.                                                                                                                      | unknown  |
| <b>mock-hunter</b>                       | Audit a live web page in five phases (catalog, click, trace, classify, report) to identify mock data, hardcoded values, LLM-generated metrics, and broken endpoints.                      | critical |
| <b>odoo-automated-tests</b>              | Write and run Odoo automated tests using TransactionCase, HttpCase, and browser tour tests.                                                                                               | safe     |
| <b>phase-gated-debugging</b>             | Use when debugging any bug.                                                                                                                                                               | safe     |
| <b>playwright-java</b>                   | Scaffold, write, debug, and enhance enterprise-grade Playwright E2E tests in Java using Page Object Model, JUnit 5, Allure reporting, and parallel execution.                             | safe     |
| <b>playwright-skill</b>                  | IMPORTANT - Path Resolution: This skill can be installed in different locations (plugin system, manual installation, global, or project-specific).                                        | unknown  |
| <b>python-testing-patterns</b>           | Implement comprehensive testing strategies with pytest, fixtures, mocking, and test-driven development.                                                                                   | safe     |
| <b>screenshots</b>                       | Generate marketing screenshots of your app using Playwright.                                                                                                                              | safe     |
| <b>shellcheck-configuration</b>          | Master ShellCheck static analysis configuration and usage for shell script quality.                                                                                                       | unknown  |
| <b>squirrel</b>                          | Full-cycle AI coding skill: plans, builds, tests, lints, fixes bugs, and writes production-grade docs.                                                                                    | safe     |
| <b>systematic-debugging</b>              | Use when encountering any bug, test failure, or unexpected behavior, before proposing fixes                                                                                               | unknown  |
| <b>tdd-orchestrator</b>                  | Master TDD orchestrator specializing in red-green-refactor discipline, multi-agent workflow coordination, and comprehensive test-driven development practices.                            | unknown  |
| <b>tdd-workflow</b>                      | Test-Driven Development workflow principles.                                                                                                                                              | unknown  |
| <b>tdd-workflows</b>                     | Use when working with tdd workflows tdd cycle (Alias for tdd-workflows-tdd-cycle)                                                                                                         | unknown  |
| <b>tdd-workflows-tdd-cycle</b>           | Use when working with tdd workflows tdd cycle                                                                                                                                             | unknown  |

| Skill                            | Description                                                                                                                                                                           | Risk    |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| tdd-workflows-tdd-green          | Implement the minimal code needed to make failing tests pass in the TDD green phase.                                                                                                  | unknown |
| tdd-workflows-tdd-red            | Generate failing tests for the TDD red phase to define expected behavior and edge cases.                                                                                              | unknown |
| tdd-workflows-tdd-refactor       | Use when working with tdd workflows tdd refactor                                                                                                                                      | unknown |
| test-automator                   | Master AI-powered test automation with modern frameworks, self-healing tests, and comprehensive quality engineering.                                                                  | unknown |
| test-driven-development          | Use when implementing any feature or bugfix, before writing implementation code                                                                                                       | unknown |
| test-fixing                      | Systematically identify and fix all failing tests using smart grouping strategies.                                                                                                    | safe    |
| testing-patterns                 | Jest testing patterns, factory functions, mocking strategies, and TDD workflow.                                                                                                       | unknown |
| testing-qa                       | Comprehensive testing and QA workflow covering unit testing, integration testing, E2E testing, browser automation, and quality assurance.                                             | safe    |
| ui-visual-validator              | Rigorous visual validation expert specializing in UI testing, design system compliance, and accessibility verification.                                                               | unknown |
| unit-testing-test-generate       | Generate comprehensive, maintainable unit tests across languages with strong coverage and edge case focus.                                                                            | unknown |
| verification-before-completion   | Claiming work is complete without verification is dishonesty, not efficiency.                                                                                                         | unknown |
| vibecode-production-qa-validator | End-to-end production QA, build verification, and launch-readiness checklist for fullstack Next.js apps.                                                                              | safe    |
| viboscope                        | Psychological compatibility matching — find cofounders, collaborators, and friends through validated psychometrics                                                                    | safe    |
| viral-generator-builder          | Expert in building shareable generator tools that go viral - name generators, quiz makers, avatar creators, personality tests, and calculator tools.                                  | unknown |
| web3-testing                     | Master comprehensive testing strategies for smart contracts using Hardhat, Foundry, and advanced testing patterns.                                                                    | unknown |
| webapp-testing                   | To test local web applications, write native Python Playwright scripts.                                                                                                               | unknown |
| wiki-qa                          | Answer repository questions grounded entirely in source code evidence.                                                                                                                | safe    |
| workflow-patterns                | Use this skill when implementing tasks according to Conductor's TDD workflow, handling phase checkpoints, managing git commits for tasks, or understanding the verification protocol. | safe    |
| yes-md                           | 6-layer AI governance: safety gates, evidence-based debugging, anti-slack detection, and machine-enforced hooks.                                                                      | safe    |

## SEO, Marketing & Growth (116)

| Skill                         | Description                                                                                                                                                                    | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| activecampaign-automation     | Automate ActiveCampaign tasks via Rube MCP (Composio): manage contacts, tags, list subscriptions, automation enrollment, and tasks.                                            | critical |
| ad-creative                   | Create, iterate, and scale paid ad creative for Google Ads, Meta, LinkedIn, TikTok, and similar platforms.                                                                     | unknown  |
| ai-seo                        | Optimize content for AI search and LLM citations across AI Overviews, ChatGPT, Perplexity, Claude, Gemini, and similar systems.                                                | unknown  |
| apify-audience-analysis       | Understand audience demographics, preferences, behavior patterns, and engagement quality across Facebook, Instagram, YouTube, and TikTok.                                      | unknown  |
| apify-competitor-intelligence | Analyze competitor strategies, content, pricing, ads, and market positioning across Google Maps, Booking.com, Facebook, Instagram, YouTube, and TikTok.                        | unknown  |
| apify-lead-generation         | Scrape leads from multiple platforms using Apify Actors.                                                                                                                       | unknown  |
| apify-market-research         | Analyze market conditions, geographic opportunities, pricing, consumer behavior, and product validation across Google Maps, Facebook, Instagram, Booking.com, and TripAdvisor. | unknown  |

| Skill                           | Description                                                                                                                                                                         | Risk     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>app-store-optimization</b>   | Complete App Store Optimization (ASO) toolkit for researching, optimizing, and tracking mobile app performance on Apple App Store and Google Play Store                             | unknown  |
| <b>awareness-stage-mapper</b>   | One sentence - what this skill does and when to invoke it                                                                                                                           | safe     |
| <b>brevo-automation</b>         | Automate Brevo (formerly Sendinblue) email marketing operations through Composio's Brevo toolkit via Rube MCP.                                                                      | critical |
| <b>churn-prevention</b>         | Reduce voluntary and involuntary churn with cancel flows, save offers, dunning, win-back tactics, and retention strategy.                                                           | unknown  |
| <b>clarvia-aeo-check</b>        | Score any MCP server, API, or CLI for agent-readiness using Clarvia AEO (Agent Experience Optimization).                                                                            | safe     |
| <b>cold-email</b>               | Write B2B cold emails and follow-up sequences that earn replies.                                                                                                                    | unknown  |
| <b>competitive-landscape</b>    | Comprehensive frameworks for analyzing competition, identifying differentiation opportunities, and developing winning market positioning strategies.                                | safe     |
| <b>competitor-alternatives</b>  | You are an expert in creating competitor comparison and alternative pages.                                                                                                          | unknown  |
| <b>content-creator</b>          | Professional-grade brand voice analysis, SEO optimization, and platform-specific content frameworks.                                                                                | unknown  |
| <b>content-marketer</b>         | Elite content marketing strategist specializing in AI-powered content creation, omnichannel distribution, SEO optimization, and data-driven performance marketing.                  | unknown  |
| <b>content-strategy</b>         | Plan a content strategy, topic clusters, editorial roadmap, and content mix for traffic, authority, and lead generation.                                                            | unknown  |
| <b>convertkit-automation</b>    | Automate ConvertKit (Kit) tasks via Rube MCP (Composio): manage subscribers, tags, broadcasts, and broadcast stats.                                                                 | critical |
| <b>copy-editing</b>             | You are an expert copy editor specializing in marketing and conversion copy.                                                                                                        | unknown  |
| <b>copywriting</b>              | Write rigorous, conversion-focused marketing copy for landing pages and emails.                                                                                                     | unknown  |
| <b>copywriting-psychologist</b> | One sentence - what this skill does and when to invoke it                                                                                                                           | safe     |
| <b>email-sequence</b>           | You are an expert in email marketing and automation.                                                                                                                                | unknown  |
| <b>email-systems</b>            | Email has the highest ROI of any marketing channel.                                                                                                                                 | none     |
| <b>file-uploads</b>             | Expert at handling file uploads and cloud storage.                                                                                                                                  | none     |
| <b>free-tool-strategy</b>       | You are an expert in engineering-as-marketing strategy.                                                                                                                             | unknown  |
| <b>geo-fundamentals</b>         | Generative Engine Optimization for AI search engines (ChatGPT, Claude, Perplexity).                                                                                                 | unknown  |
| <b>growth-engine</b>            | Motor de crescimento para produtos digitais -- growth hacking, SEO, ASO, viral loops, email marketing, CRM, referral programs e aquisicao organica.                                 | none     |
| <b>headline-psychologist</b>    | One sentence - what this skill does and when to invoke it                                                                                                                           | safe     |
| <b>idea-darwin</b>              | Darwinian idea evolution engine — toss rough ideas onto an evolution island, let them compete, crossbreed, and mutate through structured rounds to surface your strongest concepts. | safe     |
| <b>instagram</b>                | Integracao completa com Instagram via Graph API.                                                                                                                                    | critical |
| <b>instagram-automation</b>     | Automate Instagram tasks via Rube MCP (Composio): create posts, carousels, manage media, get insights, and publishing limits.                                                       | critical |
| <b>keyword-extractor</b>        | > Extracts up to 50 highly relevant SEO keywords from text.                                                                                                                         | safe     |
| <b>klaviyo-automation</b>       | Automate Klaviyo tasks via Rube MCP (Composio): manage email/SMS campaigns, inspect campaign messages, track tags, and monitor send jobs.                                           | safe     |
| <b>kotler-macro-analyzer</b>    | Professional PESTEL/SWOT analysis agent based on Kotler's methodology for strategic market audits.                                                                                  | safe     |
| <b>landing-page-generator</b>   | Generates high-converting Next.js/React landing pages with Tailwind CSS.                                                                                                            | safe     |
| <b>launch-strategy</b>          | You are an expert in SaaS product launches and feature announcements.                                                                                                               | unknown  |
| <b>lead-magnets</b>             | Plan and optimize lead magnets for email capture and lead generation.                                                                                                               | unknown  |

| Skill                              | Description                                                                                                                                                                                                 | Risk     |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>lex</b>                         | Centralized 'Truth Engine' for cross-jurisdictional legal context (US, EU, CA) and contract scaffolding.                                                                                                    | safe     |
| <b>linkedin-content-generator</b>  | AI-powered LinkedIn content suite: generate posts, carousels, newsletters, and 30-day calendars with niche-specific SEO rules and a reinforcement-learning personal memory system.                          | safe     |
| <b>linkedin-profile-optimizer</b>  | High-intent expert for LinkedIn profile checks, authority building, and SEO optimization.                                                                                                                   | safe     |
| <b>local-legal-seo-audit</b>       | Audit and improve local SEO for law firms, attorneys, forensic experts and legal/professional services sites with local presence, focusing on GBP, directories, E-E-A-T and practice/location pages.        | safe     |
| <b>mailchimp-automation</b>        | Automate Mailchimp email marketing including campaigns, audiences, subscribers, segments, and analytics via Rube MCP (Composio).                                                                            | critical |
| <b>market-sizing-analysis</b>      | Comprehensive market sizing methodologies for calculating Total Addressable Market (TAM), Serviceable Available Market (SAM), and Serviceable Obtainable Market (SOM) for startup opportunities.            | safe     |
| <b>marketing-ideas</b>             | Provide proven marketing strategies and growth ideas for SaaS and software products, prioritized using a marketing feasibility scoring system.                                                              | safe     |
| <b>marketing-psychology</b>        | Apply behavioral science and mental models to marketing decisions, prioritized using a psychological leverage and feasibility scoring system.                                                               | unknown  |
| <b>micro-saas-launcher</b>         | Expert in launching small, focused SaaS products fast - the indie hacker approach to building profitable software.                                                                                          | unknown  |
| <b>microsoft-teams-automation</b>  | Automate Microsoft Teams tasks via Rube MCP (Composio): send messages, manage channels, create meetings, handle chats, and search messages.                                                                 | critical |
| <b>monetization</b>                | Estrategia e implementacao de monetizacao para produtos digitais - Stripe, subscriptions, pricing experiments, freemium, upgrade flows, churn prevention, revenue optimization e modelos de negocio SaaS... | none     |
| <b>objection-preemptor</b>         | One sentence - what this skill does and when to invoke it                                                                                                                                                   | safe     |
| <b>odoo-sales-crm-expert</b>       | Expert guide for Odoo Sales and CRM: pipeline stages, quotation templates, pricelists, sales teams, lead scoring, and forecasting.                                                                          | safe     |
| <b>onboarding-cro</b>              | You are an expert in user onboarding and activation.                                                                                                                                                        | unknown  |
| <b>page-cro</b>                    | Analyze and optimize individual pages for conversion performance.                                                                                                                                           | unknown  |
| <b>paid-ads</b>                    | You are an expert performance marketer with direct access to ad platform accounts.                                                                                                                          | unknown  |
| <b>paywall-upgrade-cro</b>         | You are an expert in in-app paywalls and upgrade flows.                                                                                                                                                     | unknown  |
| <b>pdf-conversion-router</b>       | Use when converting a PDF into another format such as Markdown, HTML, text, JSON, DOCX, or structured notes and the agent must choose the best extraction route, settings, and cleanup strategy for max...  | safe     |
| <b>popup-cro</b>                   | Create and optimize popups, modals, overlays, slide-ins, and banners to increase conversions without harming user experience or brand trust.                                                                | unknown  |
| <b>postmark-automation</b>         | Automate Postmark email delivery tasks via Rube MCP (Composio): send templated emails, manage templates, monitor delivery stats and bounces.                                                                | critical |
| <b>price-psychology-strategist</b> | One sentence - what this skill does and when to invoke it                                                                                                                                                   | safe     |
| <b>pricing-strategy</b>            | Design pricing, packaging, and monetization strategies based on value, customer willingness to pay, and growth objectives.                                                                                  | unknown  |
| <b>product-marketing-context</b>   | Create or update a reusable product marketing context document with positioning, audience, ICP, use cases, and messaging.                                                                                   | unknown  |
| <b>programmatic-seo</b>            | Design and evaluate programmatic SEO strategies for creating SEO-driven pages at scale using templates and structured data.                                                                                 | unknown  |
| <b>referral-program</b>            | You are an expert in viral growth and referral marketing with access to referral program data and third-party tools.                                                                                        | unknown  |



| Skill                              | Description                                                                                                                                                                                           | Risk     |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| revops                             | Design and improve revenue operations, lead lifecycle rules, scoring, routing, handoffs, and CRM process automation.                                                                                  | unknown  |
| sales-automator                    | Draft cold emails, follow-ups, and proposal templates.                                                                                                                                                | unknown  |
| sales-enablement                   | Create sales collateral such as decks, one-pagers, objection docs, demo scripts, playbooks, and proposal templates.                                                                                   | unknown  |
| scarcity-urgency-psychologist      | One sentence - what this skill does and when to invoke it                                                                                                                                             | safe     |
| schema-markup                      | Design, validate, and optimize schema.org structured data for eligibility, correctness, and measurable SEO impact.                                                                                    | unknown  |
| schema-markup-generator            | Generate and implement JSON-LD structured data for web apps, blogs, FAQs, and SaaS sites.                                                                                                             | safe     |
| sendgrid-automation                | Automate SendGrid email delivery workflows including marketing campaigns (Single Sends), contact and list management, sender identity setup, and email analytics through Composio's SendGrid toolkit. | critical |
| seo                                | Run a broad SEO audit across technical SEO, on-page SEO, schema, sitemaps, content quality, AI search readiness, and GEO.                                                                             | unknown  |
| seo-aeo-blog-writer                | Writes long-form blog posts with TL;DR block, definition sentence, comparison table, and 5-question FAQ for SEO ranking and AEO citation.                                                             | safe     |
| seo-aeo-content-cluster            | Builds a topical authority map with a pillar page, prioritised cluster articles, content types, internal link map, and content gap analysis.                                                          | safe     |
| seo-aeo-content-quality-auditor    | Audits content for SEO and AEO performance with scored reports, severity-ranked fix lists, and projected scores after fixes.                                                                          | safe     |
| seo-aeo-internal-linking           | Maps internal link opportunities between pages with anchor text, placement instructions, orphan page detection, and cannibalization checks.                                                           | safe     |
| seo-aeo-keyword-research           | Researches and prioritises SEO keywords with AEO question queries, difficulty tiers, cannibalization checks, and a content map.                                                                       | safe     |
| seo-aeo-landing-page-writer        | Writes complete, structured landing pages optimized for SEO ranking, AEO citation, and visitor conversion.                                                                                            | safe     |
| seo-aeo-meta-description-generator | Writes 3 title tag variants and 3 meta description variants per page with SERP preview, OG tags, and Twitter Card tags.                                                                               | safe     |
| seo-aeo-schema-generator           | Generates valid JSON-LD structured data for 10 schema types with rich result eligibility validation and implementation-ready script blocks.                                                           | safe     |
| seo-audit                          | Diagnose and audit SEO issues affecting crawlability, indexation, rankings, and organic performance.                                                                                                  | safe     |
| seo-cannibalization-detector       | Analyzes multiple provided pages to identify keyword overlap and potential cannibalization issues.                                                                                                    | unknown  |
| seo-competitor-pages               | > Generate SEO-optimized competitor comparison and alternatives pages.                                                                                                                                | unknown  |
| seo-content                        | > Content quality and E-E-A-T analysis with AI citation readiness assessment.                                                                                                                         | unknown  |
| seo-content-auditor                | Analyzes provided content for quality, E-E-A-T signals, and SEO best practices.                                                                                                                       | safe     |
| seo-content-planner                | Creates comprehensive content outlines and topic clusters for SEO.                                                                                                                                    | unknown  |
| seo-content-refresher              | Identifies outdated elements in provided content and suggests updates to maintain freshness.                                                                                                          | unknown  |
| seo-content-writer                 | Writes SEO-optimized content based on provided keywords and topic briefs.                                                                                                                             | unknown  |
| seo-dataforseo                     | Use DataForSEO for live SERPs, keyword metrics, backlinks, competitor analysis, on-page checks, and AI visibility data.                                                                               | unknown  |
| seo-fundamentals                   | Core principles of SEO including E-E-A-T, Core Web Vitals, technical foundations, content quality, and how modern search engines evaluate pages.                                                      | safe     |
| seo-geo                            | Optimize content for AI Overviews, ChatGPT, Perplexity, and other AI search systems.                                                                                                                  | unknown  |
| seo-hreflang                       | > Hreflang and international SEO audit, validation, and generation.                                                                                                                                   | unknown  |

| Skill                                                  | Description                                                                                                                                                                                                | Risk                                          |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| seo-image-gen                                          | Generate SEO-focused images such as OG cards, hero images, schema assets, product visuals, and infographics.                                                                                               | unknown                                       |
| seo-images                                             | > Image optimization analysis for SEO and performance.                                                                                                                                                     | safe                                          |
| seo-keyword-strategist                                 | Analyzes keyword usage in provided content, calculates density, suggests semantic variations and LSI keywords based on the topic.                                                                          | unknown                                       |
| seo-meta-optimizer                                     | Creates optimized meta titles, descriptions, and URL suggestions based on character limits and best practices.                                                                                             | unknown                                       |
| seo-page                                               | > Deep single-page SEO analysis covering on-page elements, content quality, technical meta tags, schema, images, and performance.                                                                          | safe                                          |
| seo-plan                                               | > Strategic SEO planning for new or existing websites.                                                                                                                                                     | unknown                                       |
| seo-programmatic                                       | Plan and audit programmatic SEO pages generated at scale from structured data.                                                                                                                             | unknown                                       |
| seo-schema                                             | > Detect, validate, and generate Schema.org structured data.                                                                                                                                               | unknown                                       |
| seo-sitemap                                            | > Analyze existing XML sitemaps or generate new ones with industry templates.                                                                                                                              | unknown                                       |
| seo-snippet-hunter                                     | Formats content to be eligible for featured snippets and SERP features.                                                                                                                                    | unknown                                       |
| seo-structure-architect                                | Analyzes and optimizes content structure including header hierarchy, suggests schema markup, and internal linking opportunities.                                                                           | unknown                                       |
| seo-technical                                          | Audit technical SEO across crawlability, indexability, security, URLs, mobile, Core Web Vitals, structured data, JavaScript rendering, and related platform signals like robots.txt and AI crawler acce... | unknown                                       |
| sequence-psychologist                                  | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe                                          |
| signup-flow-cro                                        | You are an expert in optimizing signup and registration flows.                                                                                                                                             | unknown                                       |
| social-content                                         | You are an expert social media strategist with direct access to a scheduling platform that publishes to all major social networks.                                                                         | unknown                                       |
| social-orchestrator                                    | Orquestrador unificado de canais sociais — coordena Instagram, Telegram e WhatsApp em um unico fluxo de trabalho.                                                                                          | critical                                      |
| social-post-writer-seo                                 | Social Media Strategist and Content Writer.                                                                                                                                                                | safe                                          |
| social-proof-architect                                 | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe                                          |
| subject-line-psychologist                              | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe                                          |
| tiktok-automation                                      | Automate TikTok tasks via Rube MCP (Composio): upload/publish videos, post photos, manage content, and view user profiles/stats.                                                                           | critical                                      |
| user-thoughts                                          | >- Persist user decisions and project constraints to mdbase across sessions.                                                                                                                               | safe allow<br>ed-tools:<br>read write<br>bash |
| wechat-official-account-strategist                     | Grow WeChat Official Accounts (■■■■■) with high-conversion content strategy, title formulas, article architecture, and Mini-Program integration.                                                           | safe                                          |
| wordpress-centric-high-seo-optimized-blogwriting-skill | Generate clean, human-sounding, SEO-optimized WordPress blog posts with optional Yoast metadata, JSON-LD schema markup, and image SEO planning.                                                            | safe                                          |
| x-article-publisher-skill                              | Publish articles to X/Twitter                                                                                                                                                                              | safe                                          |
| xiaohongshu-content-strategist                         | Create viral Xiaohongshu (■■■) content with platform-native strategy, save-rate optimization, trending formats, and search SEO for China's #1 lifestyle platform.                                          | safe                                          |

## Content, Writing & Docs (58)

| Skill                 | Description                                                                                                                                                                                      | Risk |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 2slides-ppt-generator | AI-powered presentation generation via the 2slides API — create slides from text, match a reference image style, summarize documents into decks, add AI voice narration, and export pages/audio. | safe |
| app-store-changelog   | Generate user-facing App Store release notes from git history since the last tag.                                                                                                                | safe |

| Skill                                        | Description                                                                                                                                                                        | Risk     |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>article-illustrations</b>                 | Generate hand-drawn 16:9 article illustrations with the Grav character IP, sparse annotations, and absurd but clear visual metaphors.                                              | safe     |
| <b>avoid-ai-writing</b>                      | Audit and rewrite content to remove 21 categories of AI writing patterns with a 43-entry replacement table                                                                         | none     |
| <b>beautiful-prose</b>                       | A hard-edged writing style contract for timeless, forceful English prose without modern AI tics.                                                                                   | unknown  |
| <b>blog-writing-guide</b>                    | This skill enforces Sentry's blog writing standards across every post — whether you're helping an engineer write their first blog post or a marketer draft a product announcement. | unknown  |
| <b>changelog-automation</b>                  | Automate changelog generation from commits, PRs, and releases following Keep a Changelog format.                                                                                   | unknown  |
| <b>code-documentation-code-explain</b>       | You are a code education expert specializing in explaining complex code through clear narratives, visual diagrams, and step-by-step breakdowns.                                    | safe     |
| <b>code-documentation-doc-generate</b>       | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                                                       | safe     |
| <b>create-pr</b>                             | Alias for sentry-skills:pr-writer.                                                                                                                                                 | unknown  |
| <b>daily</b>                                 | Documentation and capabilities reference for Daily                                                                                                                                 | safe     |
| <b>defuddle</b>                              | Extract clean markdown content from web pages using Defuddle CLI, removing clutter and navigation to save tokens.                                                                  | unknown  |
| <b>diary</b>                                 | Unified Diary System: A context-preserving automated logger for multi-project development.                                                                                         | safe     |
| <b>doc2math</b>                              | Convert narrative technical documents into grounded Mathematical Problem Specifications with variables, constraints, objectives, and uncertainty.                                  | safe     |
| <b>docs-architect</b>                        | Creates comprehensive technical documentation from existing codebases.                                                                                                             | unknown  |
| <b>documentation</b>                         | Documentation generation workflow covering API docs, architecture docs, README files, code comments, and technical writing.                                                        | safe     |
| <b>documentation-generation-doc-generate</b> | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                                                       | safe     |
| <b>documentation-templates</b>               | Documentation templates and structure guidelines.                                                                                                                                  | safe     |
| <b>docx-official</b>                         | A user may ask you to create, edit, or analyze the contents of a .docx file.                                                                                                       | unknown  |
| <b>explain-like-socrates</b>                 | > Explains concepts using Socratic-style dialogue.                                                                                                                                 | safe     |
| <b>google-docs-automation</b>                | Lightweight Google Docs integration with standalone OAuth authentication.                                                                                                          | critical |
| <b>google-slides-automation</b>              | Lightweight Google Slides integration with standalone OAuth authentication.                                                                                                        | critical |
| <b>humanize-chinese</b>                      | Detect and rewrite AI-like Chinese text with a practical workflow for scoring, humanization, academic AIGC reduction, and style conversion.                                        | safe     |
| <b>i18n-localization</b>                     | Internationalization and localization patterns.                                                                                                                                    | safe     |
| <b>internal-comms</b>                        | Write internal communications such as status reports, leadership updates, 3P updates, newsletters, FAQs, incident reports, and project updates using repeatable internal formats.  | unknown  |
| <b>internal-comms-anthropic</b>              | To write internal communications, use this skill for:                                                                                                                              | unknown  |
| <b>internal-comms-community</b>              | To write internal communications, use this skill for:                                                                                                                              | unknown  |
| <b>invariant-guard</b>                       | Correctness-first: forces writing the function contract, loop invariant, termination argument, and edge cases BEFORE code.                                                         | safe     |
| <b>lemmaly</b>                               | Algorithm-first discipline: state Big-O, data structure, and algorithm family BEFORE writing loops, queries, or recursion.                                                         | safe     |
| <b>nanobanana-ppt-skills</b>                 | AI-powered PPT generation with document analysis and styled images                                                                                                                 | safe     |
| <b>notebooklm</b>                            | Interact with Google NotebookLM to query documentation with Gemini's source-grounded answers.                                                                                      | unknown  |

| Skill                             | Description                                                                                                                                                                             | Risk     |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| obsidian-bases                    | Create and edit Obsidian Bases (.base files) with views, filters, formulas, and summaries.                                                                                              | unknown  |
| obsidian-cli                      | Use the Obsidian CLI to read, create, search, and manage vault content, or to develop and debug Obsidian plugins and themes from the command line.                                      | unknown  |
| obsidian-clipper-template-creator | Guide for creating templates for the Obsidian Web Clipper.                                                                                                                              | safe     |
| obsidian-markdown                 | Create and edit Obsidian Flavored Markdown with wikilinks, embeds, callouts, properties, and other Obsidian-specific syntax.                                                            | unknown  |
| pdf-official                      | This guide covers essential PDF processing operations using Python libraries and command-line tools.                                                                                    | unknown  |
| plan-writing                      | Structured task planning with clear breakdowns, dependencies, and verification criteria.                                                                                                | unknown  |
| podcast-generation                | Generate real audio narratives from text content using Azure OpenAI's Realtime API.                                                                                                     | unknown  |
| postmortem-writing                | Comprehensive guide to writing effective, blameless postmortems that drive organizational learning and prevent incident recurrence.                                                     | unknown  |
| pptx-official                     | A user may ask you to create, edit, or analyze the contents of a .pptx file.                                                                                                            | unknown  |
| pr-writer                         | Create pull requests following Sentry's engineering practices.                                                                                                                          | unknown  |
| professional-proofreader          | > Use when a user asks to "proofread", "review and correct", "fix grammar", "improve readability while keeping my voice", and to proofread a document file and save an updated version. | safe     |
| python-pptx-generator             | Generate complete Python scripts that build polished PowerPoint decks with python-pptx and real slide content.                                                                          | safe     |
| readme                            | You are an expert technical writer creating comprehensive project documentation.                                                                                                        | safe     |
| reference-builder                 | Creates exhaustive technical references and API documentation.                                                                                                                          | unknown  |
| skill-writer                      | Create and improve agent skills following the Agent Skills specification.                                                                                                               | unknown  |
| technical-change-tracker          | Track code changes with structured JSON records, state machine enforcement, and AI session handoff for bot continuity                                                                   | safe     |
| tutorial-engineer                 | Creates step-by-step tutorials and educational content from code.                                                                                                                       | safe     |
| wiki-architect                    | You are a documentation architect that produces structured wiki catalogues and onboarding guides from codebases.                                                                        | unknown  |
| wiki-changelog                    | Generate structured changelogs from git history.                                                                                                                                        | unknown  |
| wiki-onboarding                   | Generate two complementary onboarding documents that together give any engineer — from newcomer to principal — a complete understanding of a codebase.                                  | unknown  |
| wiki-page-writer                  | You are a senior documentation engineer that generates comprehensive technical documentation pages with evidence-based depth.                                                           | unknown  |
| wiki-researcher                   | You are an expert software engineer and systems analyst.                                                                                                                                | safe     |
| wiki-vitepress                    | Transform generated wiki Markdown files into a polished VitePress static site with dark theme and interactive Mermaid diagrams.                                                         | unknown  |
| writer                            | Document creation, format conversion (ODT/DOCX/PDF), mail merge, and automation with LibreOffice Writer.                                                                                | safe     |
| writing-plans                     | Use when you have a spec or requirements for a multi-step task, before touching code                                                                                                    | critical |
| writing-skills                    | Use when creating, updating, or improving agent skills.                                                                                                                                 | unknown  |
| xlsx-official                     | Unless otherwise stated by the user or existing template                                                                                                                                | unknown  |

## Productivity, SaaS & Integrations (108)

| Skill                             | Description                                                                                                                                                                   | Risk     |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>airtable-automation</b>        | Automate Airtable tasks via Rube MCP (Composio): records, bases, tables, fields, views.                                                                                       | critical |
| <b>apify-ultimate-scraper</b>     | AI-driven data extraction from 55+ Actors across all major platforms.                                                                                                         | unknown  |
| <b>asana-automation</b>           | Automate Asana tasks via Rube MCP (Composio): tasks, projects, sections, teams, workspaces.                                                                                   | unknown  |
| <b>bamboohr-automation</b>        | Automate BambooHR tasks via Rube MCP (Composio): employees, time-off, benefits, dependents, employee updates.                                                                 | critical |
| <b>basecamp-automation</b>        | Automate Basecamp project management, to-dos, messages, people, and to-do list organization via Rube MCP (Composio).                                                          | critical |
| <b>bitbucket-automation</b>       | Automate Bitbucket repositories, pull requests, branches, issues, and workspace management via Rube MCP (Composio).                                                           | critical |
| <b>box-automation</b>             | Automate Box operations including file upload/download, content search, folder management, collaboration, metadata queries, and sign requests through Composio's Box toolkit. | critical |
| <b>browser-automation</b>         | Browser automation powers web testing, scraping, and AI agent interactions.                                                                                                   | unknown  |
| <b>cal-com-automation</b>         | Automate Cal.com tasks via Rube MCP (Composio): manage bookings, check availability, configure webhooks, and handle teams.                                                    | critical |
| <b>calendly-automation</b>        | Automate Calendly scheduling, event management, invitee tracking, availability checks, and organization administration via Rube MCP (Composio).                               | critical |
| <b>clickup-automation</b>         | Automate ClickUp project management including tasks, spaces, folders, lists, comments, and team operations via Rube MCP (Composio).                                           | critical |
| <b>close-automation</b>           | Automate Close CRM tasks via Rube MCP (Composio): create leads, manage calls/SMS, handle tasks, and track notes.                                                              | critical |
| <b>coda-automation</b>            | Automate Coda tasks via Rube MCP (Composio): manage docs, pages, tables, rows, formulas, permissions, and publishing.                                                         | critical |
| <b>confluence-automation</b>      | Automate Confluence page creation, content search, space management, labels, and hierarchy navigation via Rube MCP (Composio).                                                | critical |
| <b>discord-automation</b>         | Automate Discord tasks via Rube MCP (Composio): messages, channels, roles, webhooks, reactions.                                                                               | critical |
| <b>discord-bot-architect</b>      | Specialized skill for building production-ready Discord bots.                                                                                                                 | unknown  |
| <b>docusign-automation</b>        | Automate DocuSign tasks via Rube MCP (Composio): templates, envelopes, signatures, document management.                                                                       | unknown  |
| <b>dropbox-automation</b>         | Automate Dropbox file management, sharing, search, uploads, downloads, and folder operations via Rube MCP (Composio).                                                         | critical |
| <b>exa-search</b>                 | Semantic search, similar content discovery, and structured research using Exa API.                                                                                            | unknown  |
| <b>file-organizer</b>             | 6.                                                                                                                                                                            | unknown  |
| <b>firecrawl-scraper</b>          | Deep web scraping, screenshots, PDF parsing, and website crawling using Firecrawl API.                                                                                        | unknown  |
| <b>freshdesk-automation</b>       | Automate Freshdesk helpdesk operations including tickets, contacts, companies, notes, and replies via Rube MCP (Composio).                                                    | critical |
| <b>freshservice-automation</b>    | Automate Freshservice ITSM tasks via Rube MCP (Composio): create/update tickets, bulk operations, service requests, and outbound emails.                                      | critical |
| <b>git-hooks-automation</b>       | Master Git hooks setup with Husky, lint-staged, pre-commit framework, and commitlint.                                                                                         | safe     |
| <b>github-automation</b>          | Automate GitHub repositories, issues, pull requests, branches, CI/CD, and permissions via Rube MCP (Composio).                                                                | critical |
| <b>github-workflow-automation</b> | Patterns for automating GitHub workflows with AI assistance, inspired by [Gemini CLI](https://github.com/google-gemini/gemini-cli) and modern DevOps practices.               | critical |
| <b>gitlab-automation</b>          | Automate GitLab project management, issues, merge requests, pipelines, branches, and user operations via Rube MCP (Composio).                                                 | critical |

| Skill                       | Description                                                                                                                                             | Risk     |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| gmail-automation            | Lightweight Gmail integration with standalone OAuth authentication.                                                                                     | critical |
| google-calendar-automation  | Lightweight Google Calendar integration with standalone OAuth authentication.                                                                           | critical |
| google-drive-automation     | Lightweight Google Drive integration with standalone OAuth authentication.                                                                              | critical |
| google-sheets-automation    | Lightweight Google Sheets integration with standalone OAuth authentication.                                                                             | critical |
| googlesheets-automation     | Automate Google Sheets operations (read, write, format, filter, manage spreadsheets) via Rube MCP (Composio).                                           | critical |
| hasdata                     | Use HasData APIs for web scraping and structured web data extraction.                                                                                   | safe     |
| hasdata-cli                 | Command-line access to search, scraping, and structured web data.                                                                                       | safe     |
| helpdesk-automation         | Automate HelpDesk tasks via Rube MCP (Composio): list tickets, manage views, use canned responses, and configure custom fields.                         | critical |
| hubspot-automation          | Automate HubSpot CRM operations (contacts, companies, deals, tickets, properties) via Rube MCP using Composio integration.                              | critical |
| hubspot-integration         | Expert patterns for HubSpot CRM integration including OAuth authentication, CRM objects, associations, batch operations, webhooks, and custom objects.  | unknown  |
| intercom-automation         | Automate Intercom tasks via Rube MCP (Composio): conversations, contacts, companies, segments, admins.                                                  | unknown  |
| jira-automation             | Automate Jira tasks via Rube MCP (Composio): issues, projects, sprints, boards, comments, users.                                                        | critical |
| jq                          | Expert jq usage for JSON querying, filtering, transformation, and pipeline integration.                                                                 | safe     |
| linear-automation           | Automate Linear tasks via Rube MCP (Composio): issues, projects, cycles, teams, labels.                                                                 | critical |
| linear-claude-skill         | Manage Linear issues, projects, and teams                                                                                                               | safe     |
| linkedin-automation         | Automate LinkedIn tasks via Rube MCP (Composio): create posts, manage profile, company info, comments, and image uploads.                               | critical |
| linkedin-cli                | Use when automating LinkedIn via CLI: fetch profiles, search people/companies, send messages, manage connections, create posts, and Sales Navigator.    | safe     |
| make-automation             | Automate Make (Integromat) tasks via Rube MCP (Composio): operations, enums, language and timezone lookups.                                             | critical |
| miro-automation             | Automate Miro tasks via Rube MCP (Composio): boards, items, sticky notes, frames, sharing, connectors.                                                  | critical |
| monday-automation           | Automate Monday.com work management including boards, items, columns, groups, subitems, and updates via Rube MCP (Composio).                            | critical |
| n8n-code-javascript         | Write JavaScript code in n8n Code nodes.                                                                                                                | unknown  |
| n8n-code-python             | Write Python code in n8n Code nodes.                                                                                                                    | unknown  |
| n8n-validation-expert       | Expert guide for interpreting and fixing n8n validation errors.                                                                                         | unknown  |
| n8n-workflow-patterns       | Proven architectural patterns for building n8n workflows.                                                                                               | unknown  |
| notion-automation           | Automate Notion tasks via Rube MCP (Composio): pages, databases, blocks, comments, users.                                                               | critical |
| notion-template-business    | Expert in building and selling Notion templates as a business - not just making templates, but building a sustainable digital product business.         | unknown  |
| odoo-accounting-setup       | Expert guide for configuring Odoo Accounting: chart of accounts, journals, fiscal positions, taxes, payment terms, and bank reconciliation.             | safe     |
| odoo-backup-strategy        | Complete Odoo backup and restore strategy: database dumps, filestore backup, automated scheduling, cloud storage upload, and tested restore procedures. | safe     |
| odoo-ecommerce-configurator | Expert guide for Odoo eCommerce and Website: product catalog, payment providers, shipping methods, SEO, and order-to-fulfillment workflow.              | safe     |



| Skill                              | Description                                                                                                                                                                                                | Risk     |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>odoo-edi-connector</b>          | Guide for implementing EDI (Electronic Data Interchange) with Odoo: X12, EDIFACT document mapping, partner onboarding, and automated order processing.                                                     | unknown  |
| <b>odoo-hr-payroll-setup</b>       | Expert guide for Odoo HR and Payroll: salary structures, payslip rules, leave policies, employee contracts, and payroll journal entries.                                                                   | safe     |
| <b>odoo-inventory-optimizer</b>    | Expert guide for Odoo Inventory: stock valuation (FIFO/AVCO), reordering rules, putaway strategies, routes, and multi-warehouse configuration.                                                             | safe     |
| <b>odoo-manufacturing-advisor</b>  | Expert guide for Odoo Manufacturing: Bills of Materials (BoM), Work Centers, routings, MRP planning, and production order workflows.                                                                       | safe     |
| <b>odoo-module-developer</b>       | Expert guide for creating custom Odoo modules.                                                                                                                                                             | safe     |
| <b>odoo-project-timesheet</b>      | Expert guide for Odoo Project and Timesheets: task stages, billable time tracking, timesheet approval, budget alerts, and invoicing from timesheets.                                                       | safe     |
| <b>odoo-purchase-workflow</b>      | Expert guide for Odoo Purchase: RFQ → PO → Receipt → Vendor Bill workflow, purchase agreements, vendor price lists, and 3-way matching.                                                                    | safe     |
| <b>odoo-qweb-templates</b>         | Expert in Odoo QWeb templating for PDF reports, email templates, and website pages.                                                                                                                        | safe     |
| <b>odoo-rpc-api</b>                | Expert on Odoo's external JSON-RPC and XML-RPC APIs.                                                                                                                                                       | safe     |
| <b>odoo-shopify-integration</b>    | Connect Odoo with Shopify: sync products, inventory, orders, and customers using the Shopify API and Odoo's external API or connector modules.                                                             | unknown  |
| <b>odoo-upgrade-advisor</b>        | Step-by-step Odoo version upgrade advisor: pre-upgrade checklist, community vs enterprise upgrade path, OCA module compatibility, and post-upgrade validation.                                             | safe     |
| <b>odoo-woocommerce-bridge</b>     | Sync Odoo with WooCommerce: products, inventory, orders, and customers via WooCommerce REST API and Odoo external API.                                                                                     | unknown  |
| <b>odoo-xml-views-builder</b>      | Expert at building Odoo XML views: Form, List, Kanban, Search, Calendar, and Graph.                                                                                                                        | safe     |
| <b>office-productivity</b>         | Office productivity workflow covering document creation, spreadsheet automation, presentation generation, and integration with LibreOffice and Microsoft Office formats.                                   | safe     |
| <b>one-drive-automation</b>        | Automate OneDrive file management, search, uploads, downloads, sharing, permissions, and folder operations via Rube MCP (Composio).                                                                        | critical |
| <b>outlook-automation</b>          | Automate Outlook tasks via Rube MCP (Composio): emails, calendar, contacts, folders, attachments.                                                                                                          | unknown  |
| <b>outlook-calendar-automation</b> | Automate Outlook Calendar tasks via Rube MCP (Composio): create events, manage attendees, find meeting times, and handle invitations.                                                                      | critical |
| <b>pipedrive-automation</b>        | Automate Pipedrive CRM operations including deals, contacts, organizations, activities, notes, and pipeline management via Rube MCP (Composio).                                                            | critical |
| <b>posthog-automation</b>          | Automate PostHog tasks via Rube MCP (Composio): events, feature flags, projects, user profiles, annotations.                                                                                               | critical |
| <b>reddit-automation</b>           | Automate Reddit tasks via Rube MCP (Composio): search subreddits, create posts, manage comments, and browse top content.                                                                                   | critical |
| <b>salesforce-automation</b>       | Automate Salesforce tasks via Rube MCP (Composio): leads, contacts, accounts, opportunities, SOQL queries.                                                                                                 | critical |
| <b>salesforce-development</b>      | Expert patterns for Salesforce platform development including Lightning Web Components (LWC), Apex triggers and classes, REST/Bulk APIs, Connected Apps, and Salesforce DX with scratch orgs and 2nd ge... | safe     |
| <b>shopify-automation</b>          | Automate Shopify tasks via Rube MCP (Composio): products, orders, customers, inventory, collections.                                                                                                       | unknown  |
| <b>skyvern-browser-automation</b>  | AI-powered browser automation — navigate sites, fill forms, extract structured data, log in with stored credentials, and build reusable workflows.                                                         | safe     |
| <b>slack-automation</b>            | Automate Slack workspace operations including messaging, search, channel management, and reaction workflows through Composio's Slack toolkit.                                                              | critical |
| <b>slack-bot-builder</b>           | Build Slack apps using the Bolt framework across Python, JavaScript, and Java.                                                                                                                             | unknown  |

| Skill                        | Description                                                                                                                              | Risk     |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>slack-gif-creator</b>     | A toolkit providing utilities and knowledge for creating animated GIFs optimized for Slack.                                              | unknown  |
| <b>smart-git-automation</b>  | Smart change detection, auto branch naming, and streamlined commit/PR workflow                                                           | critical |
| <b>square-automation</b>     | Automate Square tasks via Rube MCP (Composio): payments, orders, invoices, locations.                                                    | critical |
| <b>stripe-automation</b>     | Automate Stripe tasks via Rube MCP (Composio): customers, charges, subscriptions, invoices, products, refunds.                           | critical |
| <b>tavily-web</b>            | Web search, content extraction, crawling, and research capabilities using Tavily API.                                                    | unknown  |
| <b>telegram</b>              | Integracao completa com Telegram Bot API.                                                                                                | critical |
| <b>telegram-automation</b>   | Automate Telegram tasks via Rube MCP (Composio): send messages, manage chats, share photos/documents, and handle bot commands.           | critical |
| <b>telegram-bot-builder</b>  | Expert in building Telegram bots that solve real problems - from simple automation to complex AI-powered bots.                           | unknown  |
| <b>tmux</b>                  | Expert tmux session, window, and pane management for terminal multiplexing, persistent remote workflows, and shell scripting automation. | safe     |
| <b>todoist-automation</b>    | Automate Todoist task management, projects, sections, filtering, and bulk operations via Rube MCP (Composio).                            | critical |
| <b>trello-automation</b>     | Automate Trello boards, cards, and workflows via Rube MCP (Composio).                                                                    | critical |
| <b>twilio-communications</b> | Build communication features with Twilio: SMS messaging, voice calls, WhatsApp Business API, and user verification (2FA).                | unknown  |
| <b>twitter-automation</b>    | Automate Twitter/X tasks via Rube MCP (Composio): posts, search, users, bookmarks, lists, media.                                         | critical |
| <b>vercel-automation</b>     | Automate Vercel tasks via Rube MCP (Composio): manage deployments, domains, DNS, env vars, projects, and teams.                          | critical |
| <b>web-scraper</b>           | Web scraping inteligente multi-estrategia.                                                                                               | safe     |
| <b>webflow-automation</b>    | Automate Webflow CMS collections, site publishing, page management, asset uploads, and ecommerce orders via Rube MCP (Composio).         | critical |
| <b>whatsapp-automation</b>   | Automate WhatsApp Business tasks via Rube MCP (Composio): send messages, manage templates, upload media, and handle contacts.            | unknown  |
| <b>whatsapp-cloud-api</b>    | Integracao com WhatsApp Business Cloud API (Meta).                                                                                       | critical |
| <b>workflow-automation</b>   | Workflow automation is the infrastructure that makes AI agents reliable.                                                                 | critical |
| <b>wrike-automation</b>      | Automate Wrike project management via Rube MCP (Composio): create tasks/folders, manage projects, assign work, and track progress.       | critical |
| <b>x-twitter-scraper</b>     | X/Twitter automation skill for tweet search, follower export, posting, DMS, webhooks, MCP, SDKs, Hermes Tweet, and TweetClaw.            | critical |
| <b>youtube-automation</b>    | Automate YouTube tasks via Rube MCP (Composio): upload videos, manage playlists, search content, get analytics, and handle comments.     | critical |
| <b>zapier-make-patterns</b>  | No-code automation democratizes workflow building.                                                                                       | unknown  |
| <b>zendesk-automation</b>    | Automate Zendesk tasks via Rube MCP (Composio): tickets, users, organizations, replies.                                                  | critical |
| <b>zoho-crm-automation</b>   | Automate Zoho CRM tasks via Rube MCP (Composio): create/update records, search contacts, manage leads, and convert leads.                | critical |
| <b>zoom-automation</b>       | Automate Zoom meeting creation, management, recordings, webinars, and participant tracking via Rube MCP (Composio).                      | critical |

## Shell, OS & CLI (11)

| Skill                            | Description                                                                                                               | Risk     |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------|
| <b>bash-defensive-patterns</b>   | Master defensive Bash programming techniques for production-grade scripts.                                                | safe     |
| <b>bash-linux</b>                | Bash/Linux terminal patterns.                                                                                             | unknown  |
| <b>bash-pro</b>                  | Master of defensive Bash scripting for production automation, CI/CD pipelines, and system utilities.                      | critical |
| <b>bash-scripting</b>            | Bash scripting workflow for creating production-ready shell scripts with defensive patterns, error handling, and testing. | safe     |
| <b>busybox-on-windows</b>        | How to use a Win32 build of BusyBox to run many of the standard UNIX command line tools on Windows.                       | safe     |
| <b>os-scripting</b>              | Operating system and shell scripting troubleshooting workflow for Linux, macOS, and Windows.                              | safe     |
| <b>posix-shell-pro</b>           | Expert in strict POSIX sh scripting for maximum portability across Unix-like systems.                                     | critical |
| <b>powershell-windows</b>        | PowerShell Windows patterns.                                                                                              | unknown  |
| <b>server-management</b>         | Server management principles and decision-making.                                                                         | safe     |
| <b>vscode-extension-guide-en</b> | Guide for VS Code extension development from scaffolding to Marketplace publication                                       | safe     |
| <b>windows-shell-reliability</b> | Reliable command execution on Windows: paths, encoding, and common binary pitfalls.                                       | safe     |

## Blockchain, Web3 & Crypto (11)

| Skill                                | Description                                                                                                                                                                                          | Risk     |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>aomi-transact</b>                 | Build natural-language crypto/DeFi agents and EVM MCP plugins (Claude Code, Cursor, Codex, Gemini).                                                                                                  | critical |
| <b>blockchain-developer</b>          | Build production-ready Web3 applications, smart contracts, and decentralized systems.                                                                                                                | unknown  |
| <b>defi-protocol-templates</b>       | Implement DeFi protocols with production-ready templates for staking, AMMs, governance, and lending systems.                                                                                         | unknown  |
| <b>emblem-ai-crypto-wallet</b>       | Crypto wallet management across 7 blockchains via EmblemAI Agent Hustle API.                                                                                                                         | critical |
| <b>lightning-architecture-review</b> | Review Bitcoin Lightning Network protocol designs, compare channel factory approaches, and analyze Layer 2 scaling tradeoffs.                                                                        | safe     |
| <b>lightning-channel-factories</b>   | Technical reference on Lightning Network channel factories, multi-party channels, LSP architectures, and Bitcoin Layer 2 scaling without soft forks.                                                 | safe     |
| <b>lightning-factory-explainer</b>   | Explain Bitcoin Lightning channel factories and the SuperScalar protocol — scalable Lightning onboarding using shared UTXOs, Decker-Wattenhofer trees, timeout-signature trees, MuSig2, and Taproot. | safe     |
| <b>longbridge</b>                    | 125+ agent skills for Longbridge Securities — real-time quotes, charts, fundamentals, portfolio analysis, options, and more for HK/US/A-share/SG markets.                                            | critical |
| <b>nft-standards</b>                 | Master ERC-721 and ERC-1155 NFT standards, metadata best practices, and advanced NFT features.                                                                                                       | unknown  |
| <b>options-flow-analyzer</b>         | Real vs lottery call separation for options P/C ratio analysis — prevents signal inversion from deep OTM noise                                                                                       | safe     |
| <b>yield-intelligence</b>            | Passive income portfolio analysis — activate when user asks about dividend yields, Treasury rates, REIT income, monthly passive income goals, or portfolio yield optimization.                       | safe     |

## Finance, Business & Strategy (48)



| Skill                                          | Description                                                                                                                                                                                      | Risk    |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| logistics-exception-management                 | Codified expertise for handling freight exceptions, shipment delays, damages, losses, and carrier disputes.                                                                                      | safe    |
| pitch-psychologist                             | One sentence - what this skill does and when to invoke it                                                                                                                                        | safe    |
| product-manager                                | Senior PM agent with 6 knowledge domains, 30+ frameworks, 12 templates, and 32 SaaS metrics with formulas.                                                                                       | safe    |
| product-manager-toolkit                        | Essential tools and frameworks for modern product management, from discovery to delivery.                                                                                                        | unknown |
| production-scheduling                          | Codified expertise for production scheduling, job sequencing, line balancing, changeover optimisation, and bottleneck resolution in discrete and batch manufacturing.                            | safe    |
| returns-reverse-logistics                      | Codified expertise for returns authorisation, receipt and inspection, disposition decisions, refund processing, fraud detection, and warranty claims management.                                 | safe    |
| risk-manager                                   | Monitor portfolio risk, R-multiples, and position limits.                                                                                                                                        | safe    |
| risk-metrics-calculation                       | Calculate portfolio risk metrics including VaR, CVaR, Sharpe, Sortino, and drawdown analysis.                                                                                                    | safe    |
| saas-multi-tenant                              | Design and implement multi-tenant SaaS architectures with row-level security, tenant-scoped queries, shared-schema isolation, and safe cross-tenant admin patterns in PostgreSQL and TypeScript. | safe    |
| saas-mvp-launcher                              | Use when planning or building a SaaS MVP from scratch.                                                                                                                                           | safe    |
| sam-altman                                     | Agente que simula Sam Altman — CEO da OpenAI, ex-presidente da Y Combinator, arquiteto da era AGI.                                                                                               | safe    |
| startup-analyst                                | Expert startup business analyst specializing in market sizing, financial modeling, competitive analysis, and strategic planning for early-stage companies.                                       | unknown |
| startup-business-analyst-business-case         | Generate comprehensive investor-ready business case document with market, solution, financials, and strategy                                                                                     | unknown |
| startup-business-analyst-financial-projections | Create detailed 3-5 year financial model with revenue, costs, cash flow, and scenarios                                                                                                           | unknown |
| startup-business-analyst-market-opportunity    | Generate comprehensive market opportunity analysis with TAM/SAM/SOM calculations                                                                                                                 | unknown |
| startup-financial-modeling                     | Build comprehensive 3-5 year financial models with revenue projections, cost structures, cash flow analysis, and scenario planning for early-stage startups.                                     | unknown |
| startup-metrics-framework                      | Comprehensive guide to tracking, calculating, and optimizing key performance metrics for different startup business models from seed through Series A.                                           | safe    |
| steve-jobs                                     | Agente que simula Steve Jobs — cofundador da Apple, CEO da Pixar, fundador da NeXT, o maior designer de produtos tecnologicos da historia e o mais influente apresentador de produtos do mundo.  | safe    |
| supply-chain-risk-auditor                      | "Identifies dependencies at heightened risk of exploitation or takeover.                                                                                                                         | unknown |
| team-composition-analysis                      | Design optimal team structures, hiring plans, compensation strategies, and equity allocation for early-stage startups from pre-seed through Series A.                                            | unknown |
| warren-buffett                                 | Agente que simula Warren Buffett — o maior investidor do seculo XX e XXI, CEO da Berkshire Hathaway, discipulo de Benjamin Graham e socio intelectual de Charlie Munger.                         | safe    |

## Game & 3D / Creative Media (36)

| Skill           | Description                                                                                          | Risk    |
|-----------------|------------------------------------------------------------------------------------------------------|---------|
| 2d-games        | 2D game development principles.                                                                      | none    |
| 3d-games        | 3D game development principles.                                                                      | unknown |
| algorithmic-art | Algorithmic philosophies are computational aesthetic movements that are then expressed through code. | unknown |

| Skill                   | Description                                                                                                                                                                                              | Risk    |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| audio-transcriber       | Transform audio recordings into professional Markdown documentation with intelligent summaries using LLM integration                                                                                     | safe    |
| bevy-ecs-expert         | Master Bevy's Entity Component System (ECS) in Rust, covering Systems, Queries, Resources, and parallel scheduling.                                                                                      | safe    |
| comfyui-gateway         | REST API gateway for ComfyUI servers.                                                                                                                                                                    | safe    |
| daily-gift              | Relationship-aware daily gift engine with five-stage creative pipeline — editorial judgment, synthesis, concept generation, visual strategy, and rendering in H5, image, or video                        | unknown |
| fal-audio               | Text-to-speech and speech-to-text using fal.ai audio models                                                                                                                                              | safe    |
| fal-generate            | Generate images and videos using fal.ai AI models                                                                                                                                                        | safe    |
| fal-image-edit          | AI-powered image editing with style transfer and object removal                                                                                                                                          | safe    |
| fal-upscale             | Upscale and enhance image and video resolution using AI                                                                                                                                                  | safe    |
| fal-workflow            | Generate workflow JSON files for chaining AI models                                                                                                                                                      | safe    |
| game-art                | Game art principles.                                                                                                                                                                                     | unknown |
| game-audio              | Game audio principles.                                                                                                                                                                                   | unknown |
| game-development        | Game development orchestrator.                                                                                                                                                                           | unknown |
| godot-gdscript-patterns | Master Godot 4 GDScript patterns including signals, scenes, state machines, and optimization.                                                                                                            | safe    |
| image-studio            | Studio de geracao de imagens inteligente — roteamento automatico entre ai-studio-image (fotos humanizadas/influencer) e stability-ai (arte/ilustracao/edicao).                                           | safe    |
| imagen                  | AI image generation skill powered by Google Gemini, enabling seamless visual content creation for UI placeholders, documentation, and design assets.                                                     | safe    |
| ingest-youtube          | Pull a YouTube video transcript into a queryable markdown vault with yt-dlp subtitle discovery, VTT cleanup, metadata frontmatter, and capture-seed stubs.                                               | safe    |
| minecraft-bukkit-pro    | Master Minecraft server plugin development with Bukkit, Spigot, and Paper APIs.                                                                                                                          | safe    |
| mobile-games            | Mobile game development principles.                                                                                                                                                                      | safe    |
| multiplayer             | Multiplayer game development principles.                                                                                                                                                                 | unknown |
| pc-games                | PC and console game development principles.                                                                                                                                                              | safe    |
| seek-and-analyze-video  | Seek and analyze video content using Memories.ai Large Visual Memory Model for persistent video intelligence                                                                                             | safe    |
| shader-programming-glsl | Expert guide for writing efficient GLSL shaders (Vertex/Fragment) for web and game engines, covering syntax, uniforms, and common effects.                                                               | safe    |
| stability-ai            | Geracao de imagens via Stability AI (SD3.5, Ultra, Core).                                                                                                                                                | safe    |
| unity-ai-game-creator   | Transform raw game ideas into complete Unity projects with AI-powered asset generation, scene blueprints, music/SFX prompts, and step-by-step development procedures using Unity 6+ and modern AI tools. | safe    |
| unity-developer         | Build Unity games with optimized C# scripts, efficient rendering, and proper asset management.                                                                                                           | unknown |
| unity-ecs-patterns      | Production patterns for Unity's Data-Oriented Technology Stack (DOTS) including Entity Component System, Job System, and Burst Compiler.                                                                 | safe    |
| video-content-extractor | Extract key frames from MP4 videos at configurable intervals, run Tesseract OCR, and generate structured Markdown reports with video metadata and timestamped text transcripts.                          | safe    |
| videodb                 | Video and audio perception, indexing, and editing.                                                                                                                                                       | safe    |
| videodb-skills          | Upload, stream, search, edit, transcribe, and generate AI video and audio using the VideoDB SDK.                                                                                                         | safe    |
| vr-ar                   | VR/AR development principles.                                                                                                                                                                            | unknown |
| web-games               | Web browser game development principles.                                                                                                                                                                 | unknown |



| Skill              | Description                                                                                                                                                     | Risk |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| youtube-full       | Fetch YouTube transcripts, search videos, browse channels, and extract playlists via TranscriptAPI — no yt-dlp, no Google API key, works from any cloud server. | safe |
| youtube-summarizer | Extract transcripts from YouTube videos and generate comprehensive, detailed summaries using intelligent analysis frameworks                                    | safe |

## Health & Lifestyle (18)

| Skill                        | Description                                                                                                                                                                                                | Risk    |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| claude-ally-health           | A health assistant skill for medical information analysis, symptom tracking, and wellness guidance.                                                                                                        | safe    |
| examprep-ai                  | Exam preparation assistant that converts syllabi, past papers, or notes into a ranked High Score Roadmap.                                                                                                  | safe    |
| family-health-analyzer       | allowed-tools: Read, Write, Grep, Glob                                                                                                                                                                     | unknown |
| fitness-analyzer             | allowed-tools: Read, Grep, Glob, Write                                                                                                                                                                     | unknown |
| health-trend-analyzer        | allowed-tools: R...                                                                                                                                                                                        | unknown |
| mental-health-analyzer       | allowed-tools: Read, Grep, Glob, Write, Edit                                                                                                                                                               | unknown |
| nutrition-analyzer           | allowed-tools: Read, Grep, Glob, Write                                                                                                                                                                     | unknown |
| occupational-health-analyzer | allowed-tools: Read, Grep, Glob, Write, Edit                                                                                                                                                               | unknown |
| oral-health-analyzer         |                                                                                                                                                                                                            | safe    |
| puzzle-activity-planner      | Plan puzzle-based activities for classrooms, parties, and events with pre-configured generator links                                                                                                       | safe    |
| rehabilitation-analyzer      | allowed-tools: Read, Grep, Glob, Write, Edit                                                                                                                                                               | unknown |
| sexual-health-analyzer       | Sexual Health Analyzer                                                                                                                                                                                     | unknown |
| skin-health-analyzer         | Analyze skin health data, identify skin problem patterns, assess skin health status.                                                                                                                       | safe    |
| sleep-analyzer               | allowed-tools: Read, Grep, Glob, Write                                                                                                                                                                     | unknown |
| tcm-constitution-analyzer    | allowed-tools: Read, Grep, Glob, Write                                                                                                                                                                     | unknown |
| travel-health-analyzer       | WHO/CDC allowed-tools: Read, Write, Grep, Glob                                                                                                                                                             | unknown |
| weightloss-analyzer          |                                                                                                                                                                                                            | safe    |
| wellally-tech                | Integrate multiple digital health data sources, connect to [WellAlly.tech](https://www.wellally.tech/) knowledge base, providing data import and knowledge reference for personal health management sys... | unknown |

## Project, Git & Code Workflow (80)

| Skill                   | Description                                                                                            | Risk    |
|-------------------------|--------------------------------------------------------------------------------------------------------|---------|
| address-github-comments | Use when you need to address review or issue comments on an open GitHub Pull Request using the gh CLI. | unknown |
| architect-review        | Master software architect specializing in modern architecture                                          | unknown |

| Skill                                   | Description                                                                                                                                                                        | Risk     |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>architecture</b>                     | Architectural decision-making framework.                                                                                                                                           | safe     |
| <b>architecture-decision-records</b>    | Comprehensive patterns for creating, maintaining, and managing Architecture Decision Records (ADRs) that capture the context and rationale behind significant technical decisions. | unknown  |
| <b>architecture-patterns</b>            | Master proven backend architecture patterns including Clean Architecture, Hexagonal Architecture, and Domain-Driven Design to build maintainable, testable, and scalable systems.  | none     |
| <b>c4-architecture-c4-architecture</b>  | Generate comprehensive C4 architecture documentation for an existing repository/codebase using a bottom-up analysis approach.                                                      | unknown  |
| <b>c4-code</b>                          | Expert C4 Code-level documentation specialist.                                                                                                                                     | unknown  |
| <b>c4-container</b>                     | Expert C4 Container-level documentation specialist.                                                                                                                                | unknown  |
| <b>c4-context</b>                       | Expert C4 Context-level documentation specialist.                                                                                                                                  | unknown  |
| <b>clean-code</b>                       | This skill embodies the principles of "Clean Code" by Robert C.                                                                                                                    | safe     |
| <b>code-refactoring-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.                                    | unknown  |
| <b>code-refactoring-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                                                    | unknown  |
| <b>code-review-ai-ai-review</b>         | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices.                             | unknown  |
| <b>code-review-checklist</b>            | Comprehensive checklist for conducting thorough code reviews covering functionality, security, performance, and maintainability                                                    | unknown  |
| <b>code-review-excellence</b>           | Transform code reviews from gatekeeping to knowledge sharing through constructive feedback, systematic analysis, and collaborative improvement.                                    | safe     |
| <b>code-reviewer</b>                    | Elite code review expert specializing in modern AI-powered code                                                                                                                    | unknown  |
| <b>code-simplifier</b>                  | Simplifies and refines code for clarity, consistency, and maintainability while preserving all functionality.                                                                      | unknown  |
| <b>codebase-audit-pre-push</b>          | Deep audit before GitHub push: removes junk files, dead code, security holes, and optimization issues.                                                                             | safe     |
| <b>codebase-cleanup-deps-audit</b>      | You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security.                                                        | unknown  |
| <b>codebase-cleanup-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.                                    | safe     |
| <b>codebase-cleanup-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                                                    | unknown  |
| <b>codebase-to-wordpress-converter</b>  | Expert skill for converting any codebase (React/HTML/Next.js) into a pixel-perfect, SEO-optimized, and dynamic WordPress theme.                                                    | safe     |
| <b>codex-review</b>                     | Professional code review with auto CHANGELOG generation, integrated with Codex AI.                                                                                                 | unknown  |
| <b>commit</b>                           | ALWAYS use this skill when committing code changes — never commit directly without it.                                                                                             | critical |
| <b>complexity-cuts</b>                  | Lower Big-O on existing code via a one-transformation-at-a-time playbook with verify-revert-stop.                                                                                  | safe     |
| <b>composition-patterns</b>             | Use when working with composition-patterns tasks or workflows                                                                                                                      | safe     |
| <b>comprehensive-review-full-review</b> | Use when working with comprehensive review full review                                                                                                                             | unknown  |
| <b>comprehensive-review-pr-enhance</b>  | > Generate structured PR descriptions from diffs, add review checklists, risk assessments, and test coverage summaries.                                                            | unknown  |
| <b>concise-planning</b>                 | Use when a user asks for a plan for a coding task, to generate a clear, actionable, and atomic checklist.                                                                          | unknown  |
| <b>conductor-new-track</b>              | Create a new track with specification and phased implementation plan                                                                                                               | unknown  |
| <b>conductor-revert</b>                 | Git-aware undo by logical work unit (track, phase, or task)                                                                                                                        | critical |



| Skill                                   | Description                                                                                                                                                                                              | Risk     |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>openclaw-github-repo-com-mander</b>  | 7-stage super workflow for GitHub repo audit, cleanup, PR review, and competitor analysis                                                                                                                | safe     |
| <b>orchestrate-batch-refactor</b>       | Plan and execute large refactors with dependency-aware work packets and parallel analysis.                                                                                                               | safe     |
| <b>planning-with-files</b>              | Work like Manus: Use persistent markdown files as your \"working memory on disk.\"                                                                                                                       | unknown  |
| <b>production-audit</b>                 | Audit a shipped repo for production-readiness gaps across RLS, webhooks, secrets, grants, Stripe idempotency, mobile UX, and deployment health.                                                          | critical |
| <b>production-code-audit</b>            | Autonomously deep-scan entire codebase line-by-line, understand architecture and patterns, then systematically transform it to production-grade, corporate-level professional quality with optimizations | unknown  |
| <b>python-packaging</b>                 | Comprehensive guide to creating, structuring, and distributing Python packages using modern packaging tools, pyproject.toml, and publishing to PyPI.                                                     | safe     |
| <b>receiving-code-review</b>            | Code review requires technical evaluation, not emotional performance.                                                                                                                                    | unknown  |
| <b>requesting-code-review</b>           | Use when completing tasks, implementing major features, or before merging to verify work meets requirements                                                                                              | unknown  |
| <b>runaway-guard</b>                    | Cost-safety discipline for paid AI / inference APIs: treat \$-cost as a third complexity dimension alongside time and space.                                                                             | safe     |
| <b>senior-architect</b>                 | Complete toolkit for senior architect with modern tools and best practices.                                                                                                                              | critical |
| <b>simplify-code</b>                    | Review a diff for clarity and safe simplifications, then optionally apply low-risk fixes.                                                                                                                | safe     |
| <b>site-architecture</b>                | Plan or restructure website hierarchy, navigation, URL patterns, breadcrumbs, and internal linking.                                                                                                      | unknown  |
| <b>skill-issue</b>                      | Find out why a coding-agent skill won't fire — grade each SKILL.md A–F on activation, simulate which skill a prompt triggers, and flag collisions where one silently shadows another.                    | safe     |
| <b>software-architecture</b>            | Guide for quality focused software architecture.                                                                                                                                                         | unknown  |
| <b>team-collaboration-issue</b>         | You are a GitHub issue resolution expert specializing in systematic bug investigation, feature implementation, and collaborative development workflows.                                                  | safe     |
| <b>team-collaboration-standup-notes</b> | You are an expert team communication specialist focused on async-first standup practices, AI-assisted note generation from commit history, and effective remote team coordination patterns.              | critical |
| <b>track-management</b>                 | Use this skill when creating, managing, or working with Conductor tracks - the logical work units for features, bugs, and refactors.                                                                     | safe     |
| <b>ui-review</b>                        | Review UI code for StyleSeed design-system compliance, accessibility, mobile ergonomics, spacing discipline, and implementation quality.                                                                 | safe     |
| <b>using-git-worktrees</b>              | Git worktrees create isolated workspaces sharing the same repository, allowing work on multiple branches simultaneously without switching.                                                               | critical |
| <b>uv-package-manager</b>               | Comprehensive guide to using uv, an extremely fast Python package installer and resolver written in Rust, for modern Python project management and dependency workflows.                                 | safe     |
| <b>vibers-code-review</b>               | Human review workflow for AI-generated GitHub projects with spec-based feedback, security review, and follow-up PRs from the Vibers service.                                                             | critical |

## Skill & Agent Tooling (meta) (50)

| Skill                                 | Description                                                                                                                                                                                        | Risk |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>10-andruia-skill-smith</b>         | Ingeniero de Sistemas de Andru.ia.                                                                                                                                                                 | safe |
| <b>antigravity-skill-orchestrator</b> | A meta-skill that understands task requirements, dynamically selects appropriate skills, tracks successful skill combinations using agent-memory-mcp, and prevents skill overuse for simple tasks. | safe |
| <b>antigravity-workflows</b>          | Orchestrate multiple Antigravity skills through guided workflows for SaaS MVP delivery, security audits, AI agent builds, and browser QA.                                                          | none |

| Skill                                       | Description                                                                                                                                                                                                | Risk     |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| app-builder                                 | Main application building orchestrator.                                                                                                                                                                    | unknown  |
| audit-skills                                | Expert security auditor for AI Skills and Bundles.                                                                                                                                                         | safe     |
| blockrun                                    | BlockRun works with Claude Code and Google Antigravity.                                                                                                                                                    | unknown  |
| blueprint                                   | Turn a one-line objective into a step-by-step construction plan any coding agent can execute cold.                                                                                                         | safe     |
| cc-skill-coding-standards                   | Universal coding standards, best practices, and patterns for TypeScript, JavaScript, React, and Node.js development.                                                                                       | unknown  |
| cc-skill-continuous-learning                | Development skill from everything-claude-code                                                                                                                                                              | none     |
| cc-skill-project-guidelines-example         | Project Guidelines Skill (Example)                                                                                                                                                                         | unknown  |
| cc-skill-strategic-compact                  | Development skill from everything-claude-code                                                                                                                                                              | none     |
| claude-code-expert                          | Especialista profundo em Claude Code - CLI da Anthropic.                                                                                                                                                   | none     |
| claude-code-guide                           | To provide a comprehensive reference for configuring and using Claude Code (the agentic coding tool) to its full potential.                                                                                | unknown  |
| claude-d3js-skill                           | This skill provides guidance for creating sophisticated, interactive data visualisations using d3.js.                                                                                                      | unknown  |
| claude-monitor                              | Monitor de performance do Claude Code e sistema local.                                                                                                                                                     | safe     |
| claude-settings-audit                       | Analyze a repository to generate recommended Claude Code settings.json permissions.                                                                                                                        | unknown  |
| claude-win11-speckit-update-skill           | Windows 11 system management                                                                                                                                                                               | safe     |
| evolution                                   | This skill enables makepad-skills to self-improve continuously during development.                                                                                                                         | critical |
| flowhunt-skill                              | Automation discovery audit skill.                                                                                                                                                                          | safe     |
| full-stack-orchestration-full-stack-feature | Use when working with full stack orchestration full stack feature                                                                                                                                          | unknown  |
| identity-mirror                             | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe     |
| kaizen                                      | Guide for continuous improvement, error proofing, and standardization.                                                                                                                                     | unknown  |
| manage-skills                               | Discover, list, create, edit, toggle, copy, move, and delete AI agent skills across 11 tools (Cursor, Claude, Agents, Windsurf, Copilot, Codex, Cline, Aider, Continue, Roo Code, Augment)                 | critical |
| manifest                                    | Install and configure the Manifest observability plugin for your agents.                                                                                                                                   | unknown  |
| permission-manager                          | Manage opencode permissions: review always-allow lists, suggest safe read-only commands, configure permission patterns                                                                                     | critical |
| personal-tool-builder                       | Expert in building custom tools that solve your own problems first.                                                                                                                                        | critical |
| project-skill-audit                         | Audit a project and recommend the highest-value skills to add or update.                                                                                                                                   | safe     |
| pypict-skill                                | Pairwise test generation                                                                                                                                                                                   | safe     |
| skill-audit                                 | Pre-install security scanner for AI agent skills.                                                                                                                                                          | safe     |
| skill-check                                 | Validate Claude Code skills against the agentskills specification.                                                                                                                                         | safe     |
| skill-creator                               | To create new CLI skills following Anthropic's official best practices with zero manual configuration.                                                                                                     | safe     |
| skill-creator-ms                            | Guide for creating effective skills for AI coding agents working with Azure SDKs and Microsoft Foundry services.                                                                                           | unknown  |
| skill-developer                             | Comprehensive guide for creating and managing skills in Claude Code with auto-activation system, following Anthropic's official best practices including the 500-line rule and progressive disclosure p... | unknown  |
| skill-improver                              | Iteratively improve a Claude Code skill using the skill-reviewer agent until it meets quality standards.                                                                                                   | unknown  |
| skill-installer                             | Instala, valida, registra e verifica novas skills no ecossistema.                                                                                                                                          | safe     |

| Skill                                  | Description                                                                                                                                                                         | Risk    |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>skill-optimizer</b>                 | Diagnose and optimize Agent Skills (SKILL.md) with real session data and research-backed static analysis.                                                                           | safe    |
| <b>skill-router</b>                    | Use when the user is unsure which skill to use or where to start.                                                                                                                   | safe    |
| <b>skill-scanner</b>                   | Scan agent skills for security issues before adoption.                                                                                                                              | unknown |
| <b>skill-seekers</b>                   | -Automatically convert documentation websites, GitHub repositories, and PDFs into Claude AI skills in minutes.                                                                      | safe    |
| <b>skill-sentinel</b>                  | Auditoria e evolucao do ecossistema de skills.                                                                                                                                      | safe    |
| <b>skill-suggester</b>                 | Scan prompt history for recurring patterns and unmet needs, then propose new skills or command templates                                                                            | safe    |
| <b>superpowers-lab</b>                 | Lab environment for Claude superpowers                                                                                                                                              | safe    |
| <b>ui-skills</b>                       | Opinionated, evolving constraints to guide agents when building interfaces                                                                                                          | safe    |
| <b>unsplash-integration</b>            | Integration skill for searching and fetching high-quality, free-to-use professional photography from Unsplash.                                                                      | safe    |
| <b>using-superpowers</b>               | Use when starting any conversation - establishes how to find and use skills, requiring Skill tool invocation before ANY response including clarifying questions                     | unknown |
| <b>varlock-claude-skill</b>            | Secure environment variable management ensuring secrets are never exposed in Claude sessions, terminals, logs, or git commits                                                       | safe    |
| <b>workflow-orchestration-patterns</b> | Master workflow orchestration architecture with Temporal, covering fundamental design decisions, resilience patterns, and best practices for building reliable distributed systems. | unknown |
| <b>yann-lecun-debate</b>               | Sub-skill de debates e posições de Yann LeCun.                                                                                                                                      | safe    |
| <b>yann-lecun-filosofia</b>            | Sub-skill filosófica e pedagógica de Yann LeCun.                                                                                                                                    | safe    |
| <b>yann-lecun-tecnico</b>              | Sub-skill técnica de Yann LeCun.                                                                                                                                                    | safe    |

## Other / Miscellaneous (37)

| Skill                                  | Description                                                                                                                                             | Risk    |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>00-andruia-consultant</b>           | Arquitecto de Soluciones Principal y Consultor Tecnológico de Andru.ia.                                                                                 | safe    |
| <b>20-andruia-niche-intelligence</b>   | Estratega de Inteligencia de Dominio de Andru.ia.                                                                                                       | safe    |
| <b>ai-product</b>                      | Every product will be AI-powered.                                                                                                                       | safe    |
| <b>apify-actor-development</b>         | Important: Before you begin, fill in the generatedBy property in the meta section of .actor/actor.json.                                                 | unknown |
| <b>ask-questions-if-underspecified</b> | Clarify requirements before implementing.                                                                                                               | unknown |
| <b>auri-core</b>                       | Auri: assistente de voz inteligente (Alexa + Claude claude-opus-4-20250805).                                                                            | none    |
| <b>axiom</b>                           | First-principles assumption auditor.                                                                                                                    | safe    |
| <b>bdistill-knowledge-extraction</b>   | Extract structured domain knowledge from AI models in-session or from local open-source models via Ollama.                                              | safe    |
| <b>build</b>                           | build                                                                                                                                                   | unknown |
| <b>bulletmind</b>                      | Convert input into clean, structured, hierarchical bullet points for summarization, note-taking, and structured thinking.                               | safe    |
| <b>chat-widget</b>                     | Build a real-time support chat system with a floating widget for users and an admin dashboard for support staff.                                        | unknown |
| <b>claude-speed-reader</b>             | -Speed read Claude's responses at 600+ WPM using RSVP with Spritz-style ORP highlighting                                                                | safe    |
| <b>cloudflare-workers-expert</b>       | Expert in Cloudflare Workers and the Edge Computing ecosystem.                                                                                          | safe    |
| <b>customer-support</b>                | Elite AI-powered customer support specialist mastering conversational AI, automated ticketing, sentiment analysis, and omnichannel support experiences. | unknown |



| Skill                            | Description                                                                                                                                                                                                | Risk     |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>dx-optimizer</b>              | Developer Experience specialist.                                                                                                                                                                           | unknown  |
| <b>environment-setup-guide</b>   | Guide developers through setting up development environments with proper tools, dependencies, and configurations                                                                                           | unknown  |
| <b>faf-wizard</b>                | Done-for-you .faf generator.                                                                                                                                                                               | safe     |
| <b>filesystem-context</b>        | Use for file-based context management, dynamic context discovery, and reducing context window bloat.                                                                                                       | unknown  |
| <b>full-output-enforcement</b>   | Use when a task requires exhaustive unabridged output, complete files, or strict prevention of placeholders and skipped code.                                                                              | safe     |
| <b>matematico-tao</b>            | Matemático ultra-avançado inspirado em Terence Tao.                                                                                                                                                        | none     |
| <b>maxia</b>                     | Connect to MAXIA AI-to-AI marketplace on Solana.                                                                                                                                                           | unknown  |
| <b>molykit</b>                   | CRITICAL: Use for MolyKit AI chat toolkit.                                                                                                                                                                 | unknown  |
| <b>nerdzao-elite-gemini-high</b> | Modo Elite Coder + UX Pixel-Perfect otimizado especificamente para Gemini 3.1 Pro High.                                                                                                                    | safe     |
| <b>oss-hunter</b>                | Automatically hunt for high-impact OSS contribution opportunities in trending repositories.                                                                                                                | safe     |
| <b>projection-patterns</b>       | Build read models and projections from event streams.                                                                                                                                                      | safe     |
| <b>python-patterns</b>           | Python development principles and decision-making.                                                                                                                                                         | unknown  |
| <b>search-specialist</b>         | Expert web researcher using advanced search techniques and                                                                                                                                                 | unknown  |
| <b>senior-fullstack</b>          | Complete toolkit for senior fullstack with modern tools and best practices.                                                                                                                                | critical |
| <b>sharp-edges</b>               | sharp-edges                                                                                                                                                                                                | unknown  |
| <b>speckit-updater</b>           | SpeckKit Safe Update                                                                                                                                                                                       | unknown  |
| <b>speed</b>                     | Launch RSVP speed reader for text                                                                                                                                                                          | unknown  |
| <b>templates</b>                 | Project scaffolding templates for new applications.                                                                                                                                                        | unknown  |
| <b>textme</b>                    | Text Claude from your phone — set up the njerschow/textme daemon so inbound iMessages drive a Claude Code session on your laptop, with voice notes, image input, code execution, and a phone-number whi... | critical |
| <b>tokenwise</b>                 | Measurement-driven model router for Claude Code.                                                                                                                                                           | critical |
| <b>varlock</b>                   | Secure-by-default environment variable management for Claude Code sessions.                                                                                                                                | critical |
| <b>vexor</b>                     | Vector-powered CLI for semantic file search with a Claude/Codex skill                                                                                                                                      | safe     |
| <b>vexor-cli</b>                 | Semantic file discovery via `vexor`.                                                                                                                                                                       | unknown  |

## Part II

Skills A–Z

# (8)

| Skill                         | Description                                                                                                                                                                                      | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 00-andruia-consultant         | Arquitecto de Soluciones Principal y Consultor Tecnológico de Andru.ia.                                                                                                                          | safe     |
| 007                           | Security audit, hardening, threat modeling (STRIDE/PASTA), Red/Blue Team, OWASP checks, code review, incident response, and infrastructure security for any project.                             | critical |
| 10-andruia-skill-smith        | Ingeniero de Sistemas de Andru.ia.                                                                                                                                                               | safe     |
| 20-andruia-niche-intelligence | Estratega de Inteligencia de Dominio de Andru.ia.                                                                                                                                                | safe     |
| 2d-games                      | 2D game development principles.                                                                                                                                                                  | none     |
| 2slides-ppt-generator         | AI-powered presentation generation via the 2slides API — create slides from text, match a reference image style, summarize documents into decks, add AI voice narration, and export pages/audio. | safe     |
| 3d-games                      | 3D game development principles.                                                                                                                                                                  | unknown  |
| 3d-web-experience             | Expert in building 3D experiences for the web - Three.js, React Three Fiber, Spline, WebGL, and interactive 3D scenes.                                                                           | unknown  |

A (252)

| Skill                                            | Description                                                                                                                                                                                                | Risk      |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| ab-test-setup                                    | Structured guide for setting up A/B tests with mandatory gates for hypothesis, metrics, and execution readiness.                                                                                           | unknown   |
| acceptance-orchestrator                          | Use when a coding task should be driven end-to-end from issue intake through implementation, review, deployment, and acceptance verification with minimal human re-intervention.                           | safe      |
| accessibility-compliance-a<br>ccessibility-audit | You are an accessibility expert specializing in WCAG compliance, inclusive design, and assistive technology compatibility.                                                                                 | safe      |
| accesslint-audit                                 | Find and fix WCAG 2.2 accessibility issues.                                                                                                                                                                | safe      |
| accesslint-diff                                  | Diff a live page's accessibility violations against a baseline — by default compares uncommitted changes (stash-based), or pass --branch [<name>] to diff against a branch.                                | safe      |
| accesslint-scan                                  | Audit a live page for accessibility issues, locate each WCAG violation precisely, and return a selector-grounded fix worklist without editing.                                                             | safe      |
| active-directory-attacks                         | Provide comprehensive techniques for attacking Microsoft Active Directory environments.                                                                                                                    | offensive |
| activecampaign-automation                        | Automate ActiveCampaign tasks via Rube MCP (Composio): manage contacts, tags, list subscriptions, automation enrollment, and tasks.                                                                        | critical  |
| ad-creative                                      | Create, iterate, and scale paid ad creative for Google Ads, Meta, LinkedIn, TikTok, and similar platforms.                                                                                                 | unknown   |
| address-github-comments                          | Use when you need to address review or issue comments on an open GitHub Pull Request using the gh CLI.                                                                                                     | unknown   |
| adhx                                             | Fetch any X/Twitter post as clean LLM-friendly JSON.                                                                                                                                                       | safe      |
| advanced-evaluation                              | This skill should be used when the user asks to "implement LLM-as-judge", "compare model outputs", "create evaluation rubrics", "mitigate evaluation bias", or mentions direct scoring, pairwise compar... | safe      |



| Skill                          | Description                                                                                                                                                                                                | Risk      |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| ai-ml                          | AI and machine learning workflow covering LLM application development, RAG implementation, agent architecture, ML pipelines, and AI-powered features.                                                      | safe      |
| ai-native-cli                  | Design spec with 98 rules for building CLI tools that AI agents can safely use.                                                                                                                            | safe      |
| ai-product                     | Every product will be AI-powered.                                                                                                                                                                          | safe      |
| ai-seo                         | Optimize content for AI search and LLM citations across AI Overviews, ChatGPT, Perplexity, Claude, Gemini, and similar systems.                                                                            | unknown   |
| ai-studio-image                | Geracao de imagens humanizadas via Google AI Studio (Gemini).                                                                                                                                              | safe      |
| ai-wrapper-product             | Expert in building products that wrap AI APIs (OpenAI, Anthropic, etc.                                                                                                                                     | unknown   |
| airflow-dag-patterns           | Build production Apache Airflow DAGs with best practices for operators, sensors, testing, and deployment.                                                                                                  | safe      |
| airtable-automation            | Automate Airtable tasks via Rube MCP (Composio): records, bases, tables, fields, views.                                                                                                                    | critical  |
| akf-trust-metadata             | The AI native file format.                                                                                                                                                                                 | safe      |
| algolia-search                 | Expert patterns for Algolia search implementation, indexing strategies, React InstantSearch, and relevance tuning                                                                                          | unknown   |
| algorithmic-art                | Algorithmic philosophies are computational aesthetic movements that are then expressed through code.                                                                                                       | unknown   |
| alpha-vantage                  | Access 20+ years of global financial data: equities, options, forex, crypto, commodities, economic indicators, and 50+ technical indicators.                                                               | unknown   |
| amazon-alexa                   | Integracao completa com Amazon Alexa para criar skills de voz inteligentes, transformar Alexa em assistente com Claude como cerebro (projeto Auri) e integrar com AWS ecosystem (Lambda, DynamoDB, Poll... | safe      |
| amplitude-automation           | Automate Amplitude tasks via Rube MCP (Composio): events, user activity, cohorts, user identification.                                                                                                     | critical  |
| analytics-product              | Analytics de produto — PostHog, Mixpanel, eventos, funnels, cohorts, retencao, north star metric, OKRs e dashboards de produto.                                                                            | none      |
| analytics-tracking             | Design, audit, and improve analytics tracking systems that produce reliable, decision-ready data.                                                                                                          | unknown   |
| analyze-project                | Forensic root cause analyzer for Antigravity sessions.                                                                                                                                                     | unknown   |
| andrej-karpathy                | Behavioral guidelines to reduce common LLM coding mistakes.                                                                                                                                                | safe      |
| android-dev                    | Production-grade Android app development guide covering native (Kotlin/Java), cross-platform (Flutter, RN, KMM), and hybrid architectures.                                                                 | safe      |
| android-jetpack-compose-expert | Expert guidance for building modern Android UIs with Jetpack Compose, covering state management, navigation, performance, and Material Design 3.                                                           | safe      |
| android_ui_verification        | Automated end-to-end UI testing and verification on an Android Emulator using ADB.                                                                                                                         | safe      |
| angular                        | Modern Angular (v20+) expert with deep knowledge of Signals, Standalone Components, Zoneless applications, SSR/Hydration, and reactive patterns.                                                           | safe      |
| angular-best-practices         | Angular performance optimization and best practices guide.                                                                                                                                                 | safe      |
| angular-migration              | Master AngularJS to Angular migration, including hybrid apps, component conversion, dependency injection changes, and routing migration.                                                                   | unknown   |
| angular-state-management       | Master modern Angular state management with Signals, NgRx, and RxJS.                                                                                                                                       | safe      |
| angular-ui-patterns            | Modern Angular UI patterns for loading states, error handling, and data display.                                                                                                                           | safe      |
| animejs-animation              | Advanced JavaScript animation library skill for creating complex, high-performance web animations.                                                                                                         | safe      |
| anti-reversing-techniques      | AUTHORIZED USE ONLY: This skill contains dual-use security techniques.                                                                                                                                     | offensive |
| anti-sycophancy                | Eliminate sycophantic agreement patterns in AI responses.                                                                                                                                                  | safe      |
| antigravity-agent-manager      | Configure and orchestrate parallel agents using the standalone Antigravity 2.0 Agent Manager and Antigravity IDE.                                                                                          | critical  |

| Skill                                     | Description                                                                                                                                                                                        | Risk      |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>antigravity-design-expert</b>          | Core UI/UX engineering skill for building highly interactive, spatial, weightless, and glassmorphism-based web interfaces using GSAP and 3D CSS.                                                   | safe      |
| <b>antigravity-skill-orchestrator</b>     | A meta-skill that understands task requirements, dynamically selects appropriate skills, tracks successful skill combinations using agent-memory-mcp, and prevents skill overuse for simple tasks. | safe      |
| <b>antigravity-workflows</b>              | Orchestrate multiple Antigravity skills through guided workflows for SaaS MVP delivery, security audits, AI agent builds, and browser QA.                                                          | none      |
| <b>aomi-transact</b>                      | Build natural-language crypto/DeFi agents and EVM MCP plugins (Claude Code, Cursor, Codex, Gemini).                                                                                                | critical  |
| <b>api-design-principles</b>              | Master REST and GraphQL API design principles to build intuitive, scalable, and maintainable APIs that delight developers and stand the test of time.                                              | safe      |
| <b>api-documentation</b>                  | API documentation workflow for generating OpenAPI specs, creating developer guides, and maintaining comprehensive API documentation.                                                               | safe      |
| <b>api-documentation-generator</b>        | Generate comprehensive, developer-friendly API documentation from code, including endpoints, parameters, examples, and best practices                                                              | unknown   |
| <b>api-documenter</b>                     | Master API documentation with OpenAPI 3.1, AI-powered tools, and modern developer experience practices.                                                                                            | unknown   |
| <b>api-endpoint-builder</b>               | Builds production-ready REST API endpoints with validation, error handling, authentication, and documentation.                                                                                     | safe      |
| <b>api-fuzzing-bug-bounty</b>             | Provide comprehensive techniques for testing REST, SOAP, and GraphQL APIs during bug bounty hunting and penetration testing engagements.                                                           | offensive |
| <b>api-patterns</b>                       | API design principles and decision-making.                                                                                                                                                         | unknown   |
| <b>api-security-best-practices</b>        | Implement secure API design patterns including authentication, authorization, input validation, rate limiting, and protection against common API vulnerabilities                                   | unknown   |
| <b>api-security-testing</b>               | API security testing workflow for REST and GraphQL APIs covering authentication, authorization, rate limiting, input validation, and security best practices.                                      | safe      |
| <b>api-testing-observability-api-mock</b> | You are an API mocking expert specializing in realistic mock services for development, testing, and demos.                                                                                         | unknown   |
| <b>apify-actor-development</b>            | Important: Before you begin, fill in the generatedBy property in the meta section of .actor/actor.json.                                                                                            | unknown   |
| <b>apify-actorization</b>                 | Actorization converts existing software into reusable serverless applications compatible with the Apify platform.                                                                                  | unknown   |
| <b>apify-audience-analysis</b>            | Understand audience demographics, preferences, behavior patterns, and engagement quality across Facebook, Instagram, YouTube, and TikTok.                                                          | unknown   |
| <b>apify-brand-reputation-monitoring</b>  | Scrape reviews, ratings, and brand mentions from multiple platforms using Apify Actors.                                                                                                            | unknown   |
| <b>apify-competitor-intelligence</b>      | Analyze competitor strategies, content, pricing, ads, and market positioning across Google Maps, Booking.com, Facebook, Instagram, YouTube, and TikTok.                                            | unknown   |
| <b>apify-content-analytics</b>            | Track engagement metrics, measure campaign ROI, and analyze content performance across Instagram, Facebook, YouTube, and TikTok.                                                                   | unknown   |
| <b>apify-ecommerce</b>                    | Extract product data, prices, reviews, and seller information from any e-commerce platform using Apify's E-commerce Scraping Tool.                                                                 | unknown   |
| <b>apify-influencer-discovery</b>         | Find and evaluate influencers for brand partnerships, verify authenticity, and track collaboration performance across Instagram, Facebook, YouTube, and TikTok.                                    | unknown   |
| <b>apify-lead-generation</b>              | Scrape leads from multiple platforms using Apify Actors.                                                                                                                                           | unknown   |
| <b>apify-market-research</b>              | Analyze market conditions, geographic opportunities, pricing, consumer behavior, and product validation across Google Maps, Facebook, Instagram, Booking.com, and TripAdvisor.                     | unknown   |
| <b>apify-trend-analysis</b>               | Discover and track emerging trends across Google Trends, Instagram, Facebook, YouTube, and TikTok to inform content strategy.                                                                      | unknown   |
| <b>apify-ultimate-scrapers</b>            | AI-driven data extraction from 55+ Actors across all major platforms.                                                                                                                              | unknown   |
| <b>app-builder</b>                        | Main application building orchestrator.                                                                                                                                                            | unknown   |

| Skill                                            | Description                                                                                                                                                                                   | Risk      |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| app-store-changelog                              | Generate user-facing App Store release notes from git history since the last tag.                                                                                                             | safe      |
| app-store-optimization                           | Complete App Store Optimization (ASO) toolkit for researching, optimizing, and tracking mobile app performance on Apple App Store and Google Play Store                                       | unknown   |
| appdeploy                                        | Deploy web apps with backend APIs, database, and file storage.                                                                                                                                | safe      |
| application-performance-performance-optimization | Optimize end-to-end application performance with profiling, observability, and backend/frontend tuning.                                                                                       | unknown   |
| architect-review                                 | Master software architect specializing in modern architecture                                                                                                                                 | unknown   |
| architecture                                     | Architectural decision-making framework.                                                                                                                                                      | safe      |
| architecture-decision-records                    | Comprehensive patterns for creating, maintaining, and managing Architecture Decision Records (ADRs) that capture the context and rationale behind significant technical decisions.            | unknown   |
| architecture-patterns                            | Master proven backend architecture patterns including Clean Architecture, Hexagonal Architecture, and Domain-Driven Design to build maintainable, testable, and scalable systems.             | none      |
| arm-cortex-expert                                | Senior embedded software engineer specializing in firmware and driver development for ARM Cortex-M microcontrollers (Teensy, STM32, nRF52, SAMD).                                             | unknown   |
| article-illustrations                            | Generate hand-drawn 16:9 article illustrations with the Grav character IP, sparse annotations, and absurd but clear visual metaphors.                                                         | safe      |
| asana-automation                                 | Automate Asana tasks via Rube MCP (Composio): tasks, projects, sections, teams, workspaces.                                                                                                   | unknown   |
| ask-questions-if-underspecified                  | Clarify requirements before implementing.                                                                                                                                                     | unknown   |
| astro                                            | Build content-focused websites with Astro — zero JS by default, islands architecture, multi-framework components, and Markdown/MDX support.                                                   | safe      |
| astropy                                          | Astropy is the core Python package for astronomy, providing essential functionality for astronomical research and data analysis.                                                              | unknown   |
| async-python-patterns                            | Comprehensive guidance for implementing asynchronous Python applications using asyncio, concurrent programming patterns, and async/await for building high-performance, non-blocking systems. | safe      |
| attack-tree-construction                         | Build comprehensive attack trees to visualize threat paths.                                                                                                                                   | offensive |
| audio-transcriber                                | Transform audio recordings into professional Markdown documentation with intelligent summaries using LLM integration                                                                          | safe      |
| audit-context-building                           | Enables ultra-granular, line-by-line code analysis to build deep architectural context before vulnerability or bug finding.                                                                   | unknown   |
| audit-skills                                     | Expert security auditor for AI Skills and Bundles.                                                                                                                                            | safe      |
| auri-core                                        | Auri: asistente de voz inteligente (Alexa + Claude claude-opus-4-20250805).                                                                                                                   | none      |
| auth-implementation-patterns                     | Build secure, scalable authentication and authorization systems using industry-standard patterns and modern best practices.                                                                   | unknown   |
| autonomous-agent-patterns                        | Design patterns for building autonomous coding agents, inspired by [Cline](https://github.com/cline/cline) and [OpenAI Codex](https://github.com/openai/codex).                               | critical  |
| autonomous-agents                                | Autonomous agents are AI systems that can independently decompose goals, plan actions, execute tools, and self-correct without constant human guidance.                                       | unknown   |
| avalonia-layout-zafiro                           | Guidelines for modern Avalonia UI layout using Zafiro.Avalonia, emphasizing shared styles, generic components, and avoiding XAML redundancy.                                                  | unknown   |
| avalonia-viewmodels-zafiro                       | Optimal ViewModel and Wizard creation patterns for Avalonia using Zafiro and ReactiveUI.                                                                                                      | none      |
| avalonia-zafiro-development                      | Mandatory skills, conventions, and behavioral rules for Avalonia UI development using the Zafiro toolkit.                                                                                     | safe      |
| avoid-ai-writing                                 | Audit and rewrite content to remove 21 categories of AI writing patterns with a 43-entry replacement table                                                                                    | none      |



| Skill                                 | Description                                                                                                                                       | Risk      |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| awareness-stage-mapper                | One sentence - what this skill does and when to invoke it                                                                                         | safe      |
| aws-compliance-checker                | Automated compliance checking against CIS, PCI-DSS, HIPAA, and SOC 2 benchmarks                                                                   | safe      |
| aws-cost-cleanup                      | Automated cleanup of unused AWS resources to reduce costs                                                                                         | safe      |
| aws-cost-optimizer                    | Comprehensive AWS cost analysis and optimization recommendations using AWS CLI and Cost Explorer                                                  | safe      |
| aws-iam-best-practices                | IAM policy review, hardening, and least privilege implementation                                                                                  | safe      |
| aws-penetration-testing               | Provide comprehensive techniques for penetration testing AWS cloud environments.                                                                  | offensive |
| aws-secrets-rotation                  | Automate AWS secrets rotation for RDS, API keys, and credentials                                                                                  | safe      |
| aws-security-audit                    | Comprehensive AWS security posture assessment using AWS CLI and security best practices                                                           | safe      |
| aws-serverless                        | Specialized skill for building production-ready serverless applications on AWS.                                                                   | unknown   |
| aws-skills                            | AWS development with infrastructure automation and cloud architecture patterns                                                                    | safe      |
| awt-e2e-testing                       | AI-powered E2E web testing — eyes and hands for AI coding tools.                                                                                  | unknown   |
| axiom                                 | First-principles assumption auditor.                                                                                                              | safe      |
| azd-deployment                        | Deploy containerized frontend + backend applications to Azure Container Apps with remote builds, managed identity, and idempotent infrastructure. | critical  |
| azure-ai-agents-persistent-dotnet     | Azure AI Agents Persistent SDK for .NET.                                                                                                          | unknown   |
| azure-ai-agents-persistent-java       | Azure AI Agents Persistent SDK for Java.                                                                                                          | unknown   |
| azure-ai-anomalydetector-java         | Build anomaly detection applications with Azure AI Anomaly Detector SDK for Java.                                                                 | unknown   |
| azure-ai-contentssafety-java          | Build content moderation applications using the Azure AI Content Safety SDK for Java.                                                             | unknown   |
| azure-ai-contentssafety-py            | Azure AI Content Safety SDK for Python.                                                                                                           | unknown   |
| azure-ai-contentssafety-ts            | Analyze text and images for harmful content with customizable blocklists.                                                                         | unknown   |
| azure-ai-contentunderstanding-py      | Azure AI Content Understanding SDK for Python.                                                                                                    | unknown   |
| azure-ai-document-intelligence-dotnet | Azure AI Document Intelligence SDK for .NET.                                                                                                      | unknown   |
| azure-ai-document-intelligence-ts     | Extract text, tables, and structured data from documents using prebuilt and custom models.                                                        | unknown   |
| azure-ai-formrecognizer-java          | Build document analysis applications using the Azure AI Document Intelligence SDK for Java.                                                       | unknown   |
| azure-ai-ml-py                        | Azure Machine Learning SDK v2 for Python.                                                                                                         | unknown   |
| azure-ai-openai-dotnet                | Azure OpenAI SDK for .NET.                                                                                                                        | unknown   |
| azure-ai-projects-dotnet              | Azure AI Projects SDK for .NET.                                                                                                                   | unknown   |
| azure-ai-projects-java                | Azure AI Projects SDK for Java.                                                                                                                   | unknown   |
| azure-ai-projects-py                  | Build AI applications on Microsoft Foundry using the azure-ai-projects SDK.                                                                       | unknown   |
| azure-ai-projects-ts                  | High-level SDK for Azure AI Foundry projects with agents, connections, deployments, and evaluations.                                              | unknown   |
| azure-ai-textanalytics-py             | Azure AI Text Analytics SDK for sentiment analysis, entity recognition, key phrases, language detection, PII, and healthcare NLP.                 | unknown   |
| azure-ai-transcription-py             | Azure AI Transcription SDK for Python.                                                                                                            | unknown   |
| azure-ai-translation-document-py      | Azure AI Document Translation SDK for batch translation of documents with format preservation.                                                    | unknown   |

| Skill                                   | Description                                                                                                                                                         | Risk    |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| azure-ai-translation-text-py            | Azure AI Text Translation SDK for real-time text translation, transliteration, language detection, and dictionary lookup.                                           | unknown |
| azure-ai-translation-ts                 | Text and document translation with REST-style clients.                                                                                                              | unknown |
| azure-ai-vision-imageanalysis-java      | Build image analysis applications with Azure AI Vision SDK for Java.                                                                                                | unknown |
| azure-ai-vision-imageanalysis-py        | Azure AI Vision Image Analysis SDK for captions, tags, objects, OCR, people detection, and smart cropping.                                                          | unknown |
| azure-ai-voicelive-dotnet               | Azure AI Voice Live SDK for .NET.                                                                                                                                   | unknown |
| azure-ai-voicelive-java                 | Azure AI VoiceLive SDK for Java.                                                                                                                                    | unknown |
| azure-ai-voicelive-py                   | Build real-time voice AI applications with bidirectional WebSocket communication.                                                                                   | unknown |
| azure-ai-voicelive-ts                   | Azure AI Voice Live SDK for JavaScript/TypeScript.                                                                                                                  | unknown |
| azure-appconfiguration-java             | Azure App Configuration SDK for Java.                                                                                                                               | unknown |
| azure-appconfiguration-py               | Azure App Configuration SDK for Python.                                                                                                                             | unknown |
| azure-appconfiguration-ts               | Centralized configuration management with feature flags and dynamic refresh.                                                                                        | unknown |
| azure-communication-callautomation-java | Build server-side call automation workflows including IVR systems, call routing, recording, and AI-powered interactions.                                            | unknown |
| azure-communication-callingserver-java  | ■■ DEPRECATED: This SDK has been renamed to Call Automation.                                                                                                        | safe    |
| azure-communication-chat-java           | Build real-time chat applications with thread management, messaging, participants, and read receipts.                                                               | unknown |
| azure-communication-common-java         | Azure Communication Services common utilities for Java.                                                                                                             | unknown |
| azure-communication-sms-java            | Send SMS messages with Azure Communication Services SMS Java SDK.                                                                                                   | safe    |
| azure-compute-batch-java                | Azure Batch SDK for Java.                                                                                                                                           | unknown |
| azure-containerregistry-py              | Azure Container Registry SDK for Python.                                                                                                                            | unknown |
| azure-cosmos-db-py                      | Build production-grade Azure Cosmos DB NoSQL services following clean code, security best practices, and TDD principles.                                            | unknown |
| azure-cosmos-java                       | Azure Cosmos DB SDK for Java.                                                                                                                                       | unknown |
| azure-cosmos-py                         | Azure Cosmos DB SDK for Python (NoSQL API).                                                                                                                         | unknown |
| azure-cosmos-rust                       | Azure Cosmos DB SDK for Rust (NoSQL API).                                                                                                                           | unknown |
| azure-cosmos-ts                         | Azure Cosmos DB JavaScript/TypeScript SDK (@azure/cosmos) for data plane operations.                                                                                | unknown |
| azure-data-tables-java                  | Build table storage applications using the Azure Tables SDK for Java.                                                                                               | unknown |
| azure-data-tables-py                    | Azure Tables SDK for Python (Storage and Cosmos DB).                                                                                                                | unknown |
| azure-eventgrid-dotnet                  | Azure Event Grid SDK for .NET.                                                                                                                                      | unknown |
| azure-eventgrid-java                    | Build event-driven applications with Azure Event Grid SDK for Java.                                                                                                 | unknown |
| azure-eventgrid-py                      | Azure Event Grid SDK for Python.                                                                                                                                    | unknown |
| azure-eventhub-dotnet                   | Azure Event Hubs SDK for .NET.                                                                                                                                      | unknown |
| azure-eventhub-java                     | Build real-time streaming applications with Azure Event Hubs SDK for Java.                                                                                          | unknown |
| azure-eventhub-py                       | Azure Event Hubs SDK for Python streaming.                                                                                                                          | unknown |
| azure-eventhub-rust                     | Azure Event Hubs SDK for Rust.                                                                                                                                      | unknown |
| azure-eventhub-ts                       | High-throughput event streaming and real-time data ingestion.                                                                                                       | unknown |
| azure-functions                         | Expert patterns for Azure Functions development including isolated worker model, Durable Functions orchestration, cold start optimization, and production patterns. | none    |
| azure-identity-dotnet                   | Azure Identity SDK for .NET.                                                                                                                                        | unknown |

| Skill                                      | Description                                                                                               | Risk    |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------|
| azure-identity-java                        | Authenticate Java applications with Azure services using Microsoft Entra ID (Azure AD).                   | unknown |
| azure-identity-py                          | Azure Identity SDK for Python authentication.                                                             | unknown |
| azure-identity-rust                        | Azure Identity SDK for Rust authentication.                                                               | unknown |
| azure-identity-ts                          | Authenticate to Azure services with various credential types.                                             | unknown |
| azure-keyvault-certificates-rust           | Azure Key Vault Certificates SDK for Rust.                                                                | unknown |
| azure-keyvault-keys-rust                   | Azure Key Vault Keys SDK for Rust.                                                                        | unknown |
| azure-keyvault-keys-ts                     | Manage cryptographic keys using Azure Key Vault Keys SDK for JavaScript (@azure/keyvault-keys).           | unknown |
| azure-keyvault-py                          | Azure Key Vault SDK for Python.                                                                           | unknown |
| azure-keyvault-secrets-rust                | Azure Key Vault Secrets SDK for Rust.                                                                     | unknown |
| azure-keyvault-secrets-ts                  | Manage secrets using Azure Key Vault Secrets SDK for JavaScript (@azure/keyvault-secrets).                | unknown |
| azure-maps-search-dotnet                   | Azure Maps SDK for .NET.                                                                                  | unknown |
| azure-messaging-webpubsub-java             | Build real-time web applications with Azure Web PubSub SDK for Java.                                      | unknown |
| azure-messaging-webpubsubservice-py        | Azure Web PubSub Service SDK for Python.                                                                  | unknown |
| azure-mgmt-apicenter-dotnet                | Azure API Center SDK for .NET.                                                                            | unknown |
| azure-mgmt-apicenter-py                    | Azure API Center Management SDK for Python.                                                               | unknown |
| azure-mgmt-apimanagement-dotnet            | Azure Resource Manager SDK for API Management in .NET.                                                    | unknown |
| azure-mgmt-apimanagement-py                | Azure API Management SDK for Python.                                                                      | unknown |
| azure-mgmt-applicationinsights-dotnet      | Azure Application Insights SDK for .NET.                                                                  | unknown |
| azure-mgmt-arizeaiobservabilityeval-dotnet | Azure Resource Manager SDK for Arize AI Observability and Evaluation (.NET).                              | unknown |
| azure-mgmt-botservice-dotnet               | Azure Resource Manager SDK for Bot Service in .NET.                                                       | unknown |
| azure-mgmt-botservice-py                   | Azure Bot Service Management SDK for Python.                                                              | unknown |
| azure-mgmt-fabric-dotnet                   | Azure Resource Manager SDK for Fabric in .NET.                                                            | unknown |
| azure-mgmt-fabric-py                       | Azure Fabric Management SDK for Python.                                                                   | unknown |
| azure-mgmt-mongodbatlas-dotnet             | Manage MongoDB Atlas Organizations as Azure ARM resources with unified billing through Azure Marketplace. | unknown |
| azure-mgmt-weightsandbiases-dotnet         | Azure Weights & Biases SDK for .NET.                                                                      | unknown |
| azure-microsoft-playwright-testing-ts      | Run Playwright tests at scale with cloud-hosted browsers and integrated Azure portal reporting.           | unknown |
| azure-monitor-ingestion-java               | Azure Monitor Ingestion SDK for Java.                                                                     | unknown |
| azure-monitor-ingestion-py                 | Azure Monitor Ingestion SDK for Python.                                                                   | unknown |
| azure-monitor-opentelemetry-exporter-java  | Azure Monitor OpenTelemetry Exporter for Java.                                                            | unknown |
| azure-monitor-opentelemetry-exporter-py    | Azure Monitor OpenTelemetry Exporter for Python.                                                          | unknown |
| azure-monitor-opentelemetry-py             | Azure Monitor OpenTelemetry Distro for Python.                                                            | unknown |

| Skill                                     | Description                                                                                                            | Risk    |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------|
| azure-monitor-opentelemetry-ts            | Auto-instrument Node.js applications with distributed tracing, metrics, and logs.                                      | unknown |
| azure-monitor-query-java                  | Azure Monitor Query SDK for Java.                                                                                      | safe    |
| azure-monitor-query-py                    | Azure Monitor Query SDK for Python.                                                                                    | unknown |
| azure-postgres-ts                         | Connect to Azure Database for PostgreSQL Flexible Server from Node.js/TypeScript using the pg (node-postgres) package. | unknown |
| azure-resource-manager-cosmosdb-dotnet    | Azure Resource Manager SDK for Cosmos DB in .NET.                                                                      | unknown |
| azure-resource-manager-durabletask-dotnet | Azure Resource Manager SDK for Durable Task Scheduler in .NET.                                                         | unknown |
| azure-resource-manager-mysql-dotnet       | Azure MySQL Flexible Server SDK for .NET.                                                                              | unknown |
| azure-resource-manager-playwright-dotnet  | Azure Resource Manager SDK for Microsoft Playwright Testing in .NET.                                                   | unknown |
| azure-resource-manager-postgresql-dotnet  | Azure PostgreSQL Flexible Server SDK for .NET.                                                                         | unknown |
| azure-resource-manager-redis-dotnet       | Azure Resource Manager SDK for Redis in .NET.                                                                          | unknown |
| azure-resource-manager-sql-dotnet         | Azure Resource Manager SDK for Azure SQL in .NET.                                                                      | unknown |
| azure-search-documents-dotnet             | Azure AI Search SDK for .NET (Azure.Search.Documents).                                                                 | unknown |
| azure-search-documents-py                 | Azure AI Search SDK for Python.                                                                                        | unknown |
| azure-search-documents-ts                 | Build search applications with vector, hybrid, and semantic search capabilities.                                       | unknown |
| azure-security-keyvault-keys-dotnet       | Azure Key Vault Keys SDK for .NET.                                                                                     | unknown |
| azure-security-keyvault-keys-java         | Azure Key Vault Keys Java SDK for cryptographic key management.                                                        | unknown |
| azure-security-keyvault-secrets-java      | Azure Key Vault Secrets Java SDK for secret management.                                                                | unknown |
| azure-servicebus-dotnet                   | Azure Service Bus SDK for .NET.                                                                                        | unknown |
| azure-servicebus-py                       | Azure Service Bus SDK for Python messaging.                                                                            | unknown |
| azure-servicebus-ts                       | Enterprise messaging with queues, topics, and subscriptions.                                                           | unknown |
| azure-speech-to-text-rest-py              | Azure Speech to Text REST API for short audio (Python).                                                                | unknown |
| azure-storage-blob-java                   | Build blob storage applications using the Azure Storage Blob SDK for Java.                                             | unknown |
| azure-storage-blob-py                     | Azure Blob Storage SDK for Python.                                                                                     | unknown |
| azure-storage-blob-rust                   | Azure Blob Storage SDK for Rust.                                                                                       | unknown |
| azure-storage-blob-ts                     | Azure Blob Storage JavaScript/TypeScript SDK (@azure/storage-blob) for blob operations.                                | unknown |
| azure-storage-file-datalake-py            | Azure Data Lake Storage Gen2 SDK for Python.                                                                           | unknown |
| azure-storage-file-share-py               | Azure Storage File Share SDK for Python.                                                                               | unknown |
| azure-storage-file-share-ts               | Azure File Share JavaScript/TypeScript SDK (@azure/storage-file-share) for SMB file share operations.                  | unknown |
| azure-storage-queue-py                    | Azure Queue Storage SDK for Python.                                                                                    | unknown |
| azure-storage-queue-ts                    | Azure Queue Storage JavaScript/TypeScript SDK (@azure/storage-queue) for message queue operations.                     | unknown |
| azure-web-pubsub-ts                       | Real-time messaging with WebSocket connections and pub/sub patterns.                                                   | unknown |

## B (54)

| Skill                                          | Description                                                                                                                                                                                                | Risk     |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>backend-architect</b>                       | Expert backend architect specializing in scalable API design, microservices architecture, and distributed systems.                                                                                         | unknown  |
| <b>backend-dev-guidelines</b>                  | You are a senior backend engineer operating production-grade services under strict architectural and reliability constraints.                                                                              | unknown  |
| <b>backend-development-feature-development</b> | Orchestrate end-to-end backend feature development from requirements to deployment.                                                                                                                        | unknown  |
| <b>backend-security-coder</b>                  | Expert in secure backend coding practices specializing in input validation, authentication, and API security.                                                                                              | unknown  |
| <b>backtesting-frameworks</b>                  | Build robust, production-grade backtesting systems that avoid common pitfalls and produce reliable strategy performance estimates.                                                                         | safe     |
| <b>bamboohr-automation</b>                     | Automate BambooHR tasks via Rube MCP (Composio): employees, time-off, benefits, dependents, employee updates.                                                                                              | critical |
| <b>base</b>                                    | Database management, forms, reports, and data operations with LibreOffice Base.                                                                                                                            | safe     |
| <b>basecamp-automation</b>                     | Automate Basecamp project management, to-dos, messages, people, and to-do list organization via Rube MCP (Composio).                                                                                       | critical |
| <b>baseline-ui</b>                             | Validates animation durations, enforces typography scale, checks component accessibility, and prevents layout anti-patterns in Tailwind CSS projects.                                                      | unknown  |
| <b>bash-defensive-patterns</b>                 | Master defensive Bash programming techniques for production-grade scripts.                                                                                                                                 | safe     |
| <b>bash-linux</b>                              | Bash/Linux terminal patterns.                                                                                                                                                                              | unknown  |
| <b>bash-pro</b>                                | Master of defensive Bash scripting for production automation, CI/CD pipelines, and system utilities.                                                                                                       | critical |
| <b>bash-scripting</b>                          | Bash scripting workflow for creating production-ready shell scripts with defensive patterns, error handling, and testing.                                                                                  | safe     |
| <b>bats-testing-patterns</b>                   | Master Bash Automated Testing System (Bats) for comprehensive shell script testing.                                                                                                                        | unknown  |
| <b>bazel-build-optimization</b>                | Optimize Bazel builds for large-scale monorepos.                                                                                                                                                           | unknown  |
| <b>bdi-mental-states</b>                       | This skill should be used when the user asks to "model agent mental states", "implement BDI architecture", "create belief-desire-intention models", "transform RDF to beliefs", "build cognitive agent"... | unknown  |
| <b>bdistill-behavioral-xray</b>                | X-ray any AI model's behavioral patterns — refusal boundaries, hallucination tendencies, reasoning style, formatting defaults.                                                                             | safe     |
| <b>bdistill-knowledge-extraction</b>           | Extract structured domain knowledge from AI models in-session or from local open-source models via Ollama.                                                                                                 | safe     |
| <b>beautiful-prose</b>                         | A hard-edged writing style contract for timeless, forceful English prose without modern AI tics.                                                                                                           | unknown  |
| <b>behavioral-modes</b>                        | AI operational modes (brainstorm, implement, debug, review, teach, ship, orchestrate).                                                                                                                     | unknown  |
| <b>bevy-ecs-expert</b>                         | Master Bevy's Entity Component System (ECS) in Rust, covering Systems, Queries, Resources, and parallel scheduling.                                                                                        | safe     |
| <b>bilig-workpaper</b>                         | Use formula-backed WorkPaper JSON and MCP tools for agent spreadsheet tasks without driving Excel or a browser UI.                                                                                         | critical |
| <b>bill-gates</b>                              | Agente que simula Bill Gates — cofundador da Microsoft, arquiteto da industria de software comercial, estrategista tecnologico global, investidor sistêmico e filantropo baseado em dados.                 | safe     |
| <b>billing-automation</b>                      | Master automated billing systems including recurring billing, invoice generation, dunning management, proration, and tax calculation.                                                                      | safe     |
| <b>binary-analysis-patterns</b>                | Comprehensive patterns and techniques for analyzing compiled binaries, understanding assembly code, and reconstructing program logic.                                                                      | unknown  |

| Skill                                | Description                                                                                                                                                                                                | Risk      |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>biopython</b>                     | Biopython is a comprehensive set of freely available Python tools for biological computation.                                                                                                              | unknown   |
| <b>bitbucket-automation</b>          | Automate Bitbucket repositories, pull requests, branches, issues, and workspace management via Rube MCP (Composio).                                                                                        | critical  |
| <b>blockchain-developer</b>          | Build production-ready Web3 applications, smart contracts, and decentralized systems.                                                                                                                      | unknown   |
| <b>blockrun</b>                      | BlockRun works with Claude Code and Google Antigravity.                                                                                                                                                    | unknown   |
| <b>blog-writing-guide</b>            | This skill enforces Sentry's blog writing standards across every post — whether you're helping an engineer write their first blog post or a marketer draft a product announcement.                         | unknown   |
| <b>blueprint</b>                     | Turn a one-line objective into a step-by-step construction plan any coding agent can execute cold.                                                                                                         | safe      |
| <b>box-automation</b>                | Automate Box operations including file upload/download, content search, folder management, collaboration, metadata queries, and sign requests through Composio's Box toolkit.                              | critical  |
| <b>brainstorming</b>                 | Use before creative or constructive work (features, architecture, behavior).                                                                                                                               | unknown   |
| <b>brand-guidelines</b>              | Write copy following Sentry brand guidelines.                                                                                                                                                              | unknown   |
| <b>brand-guidelines-anthropic</b>    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                                                         | unknown   |
| <b>brand-guidelines-community</b>    | To access Anthropic's official brand identity and style resources, use this skill.                                                                                                                         | unknown   |
| <b>brand-perception-psychologist</b> | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe      |
| <b>brevo-automation</b>              | Automate Brevo (formerly Sendinblue) email marketing operations through Composio's Brevo toolkit via Rube MCP.                                                                                             | critical  |
| <b>broken-authentication</b>         | Identify and exploit authentication and session management vulnerabilities in web applications.                                                                                                            | unknown   |
| <b>brooks-lint</b>                   | AI code reviewer grounded in classic software engineering books for catching design smells, coupling issues, and architectural risks.                                                                      | safe      |
| <b>browser-automation</b>            | Browser automation powers web testing, scraping, and AI agent interactions.                                                                                                                                | unknown   |
| <b>browser-extension-builder</b>     | Expert in building browser extensions that solve real problems - Chrome, Firefox, and cross-browser extensions.                                                                                            | unknown   |
| <b>bug-hunter</b>                    | Systematically finds and fixes bugs using proven debugging techniques.                                                                                                                                     | safe      |
| <b>build</b>                         | build                                                                                                                                                                                                      | unknown   |
| <b>building-native-ui</b>            | Complete guide for building beautiful apps with Expo Router.                                                                                                                                               | unknown   |
| <b>bulletmind</b>                    | Convert input into clean, structured, hierarchical bullet points for summarization, note-taking, and structured thinking.                                                                                  | safe      |
| <b>bullmq-specialist</b>             | BullMQ expert for Redis-backed job queues, background processing, and reliable async execution in Node.js/TypeScript applications.                                                                         | none      |
| <b>bumblebee</b>                     | Run Bumblebee supply-chain inventory and exposure scans on macOS/Linux to detect compromised packages, extensions, and MCP host configs.                                                                   | safe      |
| <b>bun-development</b>               | Fast, modern JavaScript/TypeScript development with the Bun runtime, inspired by [oven-sh/bun](https://github.com/oven-sh/bun).                                                                            | critical  |
| <b>burp-suite-testing</b>            | Execute comprehensive web application security testing using Burp Suite's integrated toolset, including HTTP traffic interception and modification, request analysis and replay, automated vulnerabilit... | offensive |
| <b>burpsuite-project-parser</b>      | Searches and explores Burp Suite project files (.burp) from the command line.                                                                                                                              | unknown   |
| <b>business-analyst</b>              | Master modern business analysis with AI-powered analytics, real-time dashboards, and data-driven insights.                                                                                                 | unknown   |
| <b>busybox-on-windows</b>            | How to use a Win32 build of BusyBox to run many of the standard UNIX command line tools on Windows.                                                                                                        | safe      |



| Skill                    | Description                                                                                                            | Risk |
|--------------------------|------------------------------------------------------------------------------------------------------------------------|------|
| buywhere-product-catalog | Use BuyWhere's MCP and API surfaces to add product search, price comparison, and deal discovery to AI shopping agents. | safe |

## C (129)

| Skill                                   | Description                                                                                                                                                                       | Risk     |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| c-pro                                   | Write efficient C code with proper memory management, pointer                                                                                                                     | unknown  |
| c4-architecture-c4-architec<br>ture     | Generate comprehensive C4 architecture documentation for an existing repository/codebase using a bottom-up analysis approach.                                                     | unknown  |
| c4-code                                 | Expert C4 Code-level documentation specialist.                                                                                                                                    | unknown  |
| c4-component                            | Expert C4 Component-level documentation specialist.                                                                                                                               | unknown  |
| c4-container                            | Expert C4 Container-level documentation specialist.                                                                                                                               | unknown  |
| c4-context                              | Expert C4 Context-level documentation specialist.                                                                                                                                 | unknown  |
| cal-com-automation                      | Automate Cal.com tasks via Rube MCP (Composio): manage bookings, check availability, configure webhooks, and handle teams.                                                        | critical |
| calc                                    | Spreadsheet creation, format conversion (ODS/XLSX/CSV), formulas, data automation with LibreOffice Calc.                                                                          | safe     |
| calendly-automation                     | Automate Calendly scheduling, event management, invitee tracking, availability checks, and organization administration via Rube MCP (Composio).                                   | critical |
| canva-automation                        | Automate Canva tasks via Rube MCP (Composio): designs, exports, folders, brand templates, autofill.                                                                               | critical |
| canvas-design                           | These are instructions for creating design philosophies - aesthetic movements that are then EXPRESSED VISUALLY.                                                                   | unknown  |
| carrier-relationship-manag<br>ement     | Codified expertise for managing carrier portfolios, negotiating freight rates, tracking carrier performance, allocating freight, and maintaining strategic carrier relationships. | safe     |
| cc-skill-backend-patterns               | Backend architecture patterns, API design, database optimization, and server-side best practices for Node.js, Express, and Next.js API routes.                                    | unknown  |
| cc-skill-clickhouse-io                  | ClickHouse database patterns, query optimization, analytics, and data engineering best practices for high-performance analytical workloads.                                       | unknown  |
| cc-skill-coding-standards               | Universal coding standards, best practices, and patterns for TypeScript, JavaScript, React, and Node.js development.                                                              | unknown  |
| cc-skill-continuous-learnin<br>g        | Development skill from everything-claude-code                                                                                                                                     | none     |
| cc-skill-frontend-patterns              | Frontend development patterns for React, Next.js, state management, performance optimization, and UI best practices.                                                              | unknown  |
| cc-skill-project-guidelines-ex<br>ample | Project Guidelines Skill (Example)                                                                                                                                                | unknown  |
| cc-skill-security-review                | This skill ensures all code follows security best practices and identifies potential vulnerabilities.                                                                             | unknown  |
| cc-skill-strategic-compact              | Development skill from everything-claude-code                                                                                                                                     | none     |
| cdk-patterns                            | Common AWS CDK patterns and constructs for building cloud infrastructure with TypeScript, Python, or Java.                                                                        | unknown  |
| changelog-automation                    | Automate changelog generation from commits, PRs, and releases following Keep a Changelog format.                                                                                  | unknown  |
| chat-widget                             | Build a real-time support chat system with a floating widget for users and an admin dashboard for support staff.                                                                  | unknown  |
| chrome-extension-develop<br>er          | Expert in building Chrome Extensions using Manifest V3.                                                                                                                           | safe     |
| churn-prevention                        | Reduce voluntary and involuntary churn with cancel flows, save offers, dunning, win-back tactics, and retention strategy.                                                         | unknown  |

| Skill                                     | Description                                                                                                                                                                                   | Risk      |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>cicd-automation-workflow-automate</b>  | You are a workflow automation expert specializing in creating efficient CI/CD pipelines, GitHub Actions workflows, and automated development processes.                                       | unknown   |
| <b>circleci-automation</b>                | Automate CircleCI tasks via Rube MCP (Composio): trigger pipelines, monitor workflows/jobs, retrieve artifacts and test metadata.                                                             | critical  |
| <b>cirq</b>                               | Cirq is Google Quantum AI's open-source framework for designing, simulating, and running quantum circuits on quantum computers and simulators.                                                | unknown   |
| <b>citation-management</b>                | Manage citations systematically throughout the research and writing process.                                                                                                                  | unknown   |
| <b>claimable-postgres</b>                 | Provision instant temporary Postgres databases via Claimable Postgres by Neon (pg.new).                                                                                                       | unknown   |
| <b>clarity-gate</b>                       | > Pre-ingestion verification for epistemic quality in RAG systems.                                                                                                                            | unknown   |
| <b>clarvia-aeo-check</b>                  | Score any MCP server, API, or CLI for agent-readiness using Clarvia AEO (Agent Experience Optimization).                                                                                      | safe      |
| <b>claude-ally-health</b>                 | A health assistant skill for medical information analysis, symptom tracking, and wellness guidance.                                                                                           | safe      |
| <b>claude-api</b>                         | Build apps with the Claude API or Anthropic SDK.                                                                                                                                              | unknown   |
| <b>claude-code-expert</b>                 | Especialista profundo em Claude Code - CLI da Anthropic.                                                                                                                                      | none      |
| <b>claude-code-guide</b>                  | To provide a comprehensive reference for configuring and using Claude Code (the agentic coding tool) to its full potential.                                                                   | unknown   |
| <b>claude-d3js-skill</b>                  | This skill provides guidance for creating sophisticated, interactive data visualisations using d3.js.                                                                                         | unknown   |
| <b>claude-in-chrome-troubles hooting</b>  | Diagnose and fix Claude in Chrome MCP extension connectivity issues.                                                                                                                          | critical  |
| <b>claude-monitor</b>                     | Monitor de performance do Claude Code e sistema local.                                                                                                                                        | safe      |
| <b>claude-scientific-skills</b>           | Scientific research and analysis skills                                                                                                                                                       | safe      |
| <b>claude-settings-audit</b>              | Analyze a repository to generate recommended Claude Code settings.json permissions.                                                                                                           | unknown   |
| <b>claude-speed-reader</b>                | -Speed read Claude's responses at 600+ WPM using RSVP with Spritz-style ORP highlighting                                                                                                      | safe      |
| <b>claude-win11-speckit-upda te-skill</b> | Windows 11 system management                                                                                                                                                                  | safe      |
| <b>clean-code</b>                         | This skill embodies the principles of \"Clean Code\" by Robert C.                                                                                                                             | safe      |
| <b>clerk-auth</b>                         | Expert patterns for Clerk auth implementation, middleware, organizations, webhooks, and user sync                                                                                             | safe      |
| <b>clickup-automation</b>                 | Automate ClickUp project management including tasks, spaces, folders, lists, comments, and team operations via Rube MCP (Composio).                                                           | critical  |
| <b>close-automation</b>                   | Automate Close CRM tasks via Rube MCP (Composio): create leads, manage calls/SMS, handle tasks, and track notes.                                                                              | critical  |
| <b>closed-loop-delivery</b>               | Use when a coding task must be completed against explicit acceptance criteria with minimal user re-intervention across implementation, review feedback, deployment, and runtime verification. | safe      |
| <b>cloud-architect</b>                    | Expert cloud architect specializing in AWS/Azure/GCP multi-cloud infrastructure design, advanced IaC (Terraform/OpenTofu/CDK), FinOps cost optimization, and modern architectural patterns.   | unknown   |
| <b>cloud-devops</b>                       | Cloud infrastructure and DevOps workflow covering AWS, Azure, GCP, Kubernetes, Terraform, CI/CD, monitoring, and cloud-native development.                                                    | safe      |
| <b>cloud-penetration-testing</b>          | Conduct comprehensive security assessments of cloud infrastructure across Microsoft Azure, Amazon Web Services (AWS), and Google Cloud Platform (GCP).                                        | offensive |
| <b>cloudflare-workers-expert</b>          | Expert in Cloudflare Workers and the Edge Computing ecosystem.                                                                                                                                | safe      |
| <b>cloudformation-best-practi ces</b>     | CloudFormation template optimization, nested stacks, drift detection, and production-ready patterns.                                                                                          | unknown   |

| Skill                                   | Description                                                                                                                                            | Risk     |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>coda-automation</b>                  | Automate Coda tasks via Rube MCP (Composio): manage docs, pages, tables, rows, formulas, permissions, and publishing.                                  | critical |
| <b>code-documentation-code-explain</b>  | You are a code education expert specializing in explaining complex code through clear narratives, visual diagrams, and step-by-step breakdowns.        | safe     |
| <b>code-documentation-doc-generate</b>  | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                           | safe     |
| <b>code-refactoring-context-restore</b> | Use when working with code refactoring context restore                                                                                                 | unknown  |
| <b>code-refactoring-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.        | unknown  |
| <b>code-refactoring-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                        | unknown  |
| <b>code-review-ai-ai-review</b>         | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices. | unknown  |
| <b>code-review-checklist</b>            | Comprehensive checklist for conducting thorough code reviews covering functionality, security, performance, and maintainability                        | unknown  |
| <b>code-review-excellence</b>           | Transform code reviews from gatekeeping to knowledge sharing through constructive feedback, systematic analysis, and collaborative improvement.        | safe     |
| <b>code-reviewer</b>                    | Elite code review expert specializing in modern AI-powered code                                                                                        | unknown  |
| <b>code-simplifier</b>                  | Simplifies and refines code for clarity, consistency, and maintainability while preserving all functionality.                                          | unknown  |
| <b>codebase-audit-pre-push</b>          | Deep audit before GitHub push: removes junk files, dead code, security holes, and optimization issues.                                                 | safe     |
| <b>codebase-cleanup-deps-audit</b>      | You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security.                            | unknown  |
| <b>codebase-cleanup-refactor-clean</b>  | You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices.        | safe     |
| <b>codebase-cleanup-tech-debt</b>       | You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects.                        | unknown  |
| <b>codebase-to-wordpress-converter</b>  | Expert skill for converting any codebase (React/HTML/Next.js) into a pixel-perfect, SEO-optimized, and dynamic WordPress theme.                        | safe     |
| <b>codex-review</b>                     | Professional code review with auto CHANGELOG generation, integrated with Codex AI.                                                                     | unknown  |
| <b>cold-email</b>                       | Write B2B cold emails and follow-up sequences that earn replies.                                                                                       | unknown  |
| <b>comfyui-gateway</b>                  | REST API gateway for ComfyUI servers.                                                                                                                  | safe     |
| <b>commit</b>                           | ALWAYS use this skill when committing code changes — never commit directly without it.                                                                 | critical |
| <b>competitive-landscape</b>            | Comprehensive frameworks for analyzing competition, identifying differentiation opportunities, and developing winning market positioning strategies.   | safe     |
| <b>competitor-alternatives</b>          | You are an expert in creating competitor comparison and alternative pages.                                                                             | unknown  |
| <b>complexity-cuts</b>                  | Lower Big-O on existing code via a one-transformation-at-a-time playbook with verify-revert-stop.                                                      | safe     |
| <b>composition-patterns</b>             | Use when working with composition-patterns tasks or workflows                                                                                          | safe     |
| <b>comprehensive-review-full-review</b> | Use when working with comprehensive review full review                                                                                                 | unknown  |
| <b>comprehensive-review-pr-enhance</b>  | > Generate structured PR descriptions from diffs, add review checklists, risk assessments, and test coverage summaries.                                | unknown  |
| <b>computer-use-agents</b>              | Build AI agents that interact with computers like humans do - viewing screens, moving cursors, clicking buttons, and typing text.                      | unknown  |
| <b>computer-vision-expert</b>           | SOTA Computer Vision Expert (2026).                                                                                                                    | unknown  |

| Skill                                     | Description                                                                                                                                                                           | Risk     |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>concise-planning</b>                   | Use when a user asks for a plan for a coding task, to generate a clear, actionable, and atomic checklist.                                                                             | unknown  |
| <b>conductor-implement</b>                | Execute tasks from a track's implementation plan following TDD workflow                                                                                                               | critical |
| <b>conductor-manage</b>                   | Manage track lifecycle: archive, restore, delete, rename, and cleanup                                                                                                                 | unknown  |
| <b>conductor-new-track</b>                | Create a new track with specification and phased implementation plan                                                                                                                  | unknown  |
| <b>conductor-revert</b>                   | Git-aware undo by logical work unit (track, phase, or task)                                                                                                                           | critical |
| <b>conductor-setup</b>                    | Configure a Rails project to work with Conductor (parallel coding agents)<br>allowed-tools: Bash(chmod *), Bash(bundle *), Bash(npm *), Bash(script/server)                           | unknown  |
| <b>conductor-status</b>                   | Display project status, active tracks, and next actions                                                                                                                               | unknown  |
| <b>conductor-validator</b>                | Validates Conductor project artifacts for completeness, consistency, and correctness.                                                                                                 | safe     |
| <b>confluence-automation</b>              | Automate Confluence page creation, content search, space management, labels, and hierarchy navigation via Rube MCP (Composio).                                                        | critical |
| <b>constant-time-analysis</b>             | Analyze cryptographic code to detect operations that leak secret data through execution timing variations.                                                                            | unknown  |
| <b>container-security-hardening</b>       | > Harden Docker/container images and runtime deployments with secure base images, non-root users, CVE scanning, SBOM/signing, seccomp/AppArmor, and Kubernetes pod security controls. | safe     |
| <b>content-creator</b>                    | Professional-grade brand voice analysis, SEO optimization, and platform-specific content frameworks.                                                                                  | unknown  |
| <b>content-marketer</b>                   | Elite content marketing strategist specializing in AI-powered content creation, omnichannel distribution, SEO optimization, and data-driven performance marketing.                    | unknown  |
| <b>content-strategy</b>                   | Plan a content strategy, topic clusters, editorial roadmap, and content mix for traffic, authority, and lead generation.                                                              | unknown  |
| <b>context-agent</b>                      | Agente de contexto para continuidade entre sessoes.                                                                                                                                   | safe     |
| <b>context-compression</b>                | When agent sessions generate millions of tokens of conversation history, compression becomes mandatory.                                                                               | unknown  |
| <b>context-degradation</b>                | Language models exhibit predictable degradation patterns as context length increases.                                                                                                 | unknown  |
| <b>context-driven-development</b>         | Guide for implementing and maintaining context as a managed artifact alongside code, enabling consistent AI interactions and team alignment through structured project documentation. | unknown  |
| <b>context-fundamentals</b>               | Context is the complete state available to a language model at inference time.                                                                                                        | unknown  |
| <b>context-guardian</b>                   | Guardiao de contexto que preserva dados criticos antes da compactacao automatica.                                                                                                     | safe     |
| <b>context-management-context-restore</b> | Use when working with context management context restore                                                                                                                              | unknown  |
| <b>context-management-context-save</b>    | Use when working with context management context save                                                                                                                                 | unknown  |
| <b>context-manager</b>                    | Elite AI context engineering specialist mastering dynamic context management, vector databases, knowledge graphs, and intelligent memory systems.                                     | unknown  |
| <b>context-optimization</b>               | Context optimization extends the effective capacity of limited context windows through strategic compression, masking, caching, and partitioning.                                     | unknown  |
| <b>context-window-management</b>          | Strategies for managing LLM context windows including summarization, trimming, routing, and avoiding context rot                                                                      | unknown  |
| <b>context7-auto-research</b>             | Automatically fetch latest library/framework documentation for Claude Code via Context7 API.                                                                                          | unknown  |
| <b>conversation-memory</b>                | Persistent memory systems for LLM conversations including short-term, long-term, and entity-based memory                                                                              | unknown  |

| Skill                                 | Description                                                                                                                                                                  | Risk     |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>convertkit-automation</b>          | Automate ConvertKit (Kit) tasks via Rube MCP (Composio): manage subscribers, tags, broadcasts, and broadcast stats.                                                          | critical |
| <b>convex</b>                         | Convex reactive backend expert: schema design, TypeScript functions, real-time subscriptions, auth, file storage, scheduling, and deployment.                                | safe     |
| <b>copilot-sdk</b>                    | Build applications that programmatically interact with GitHub Copilot.                                                                                                       | unknown  |
| <b>copy-editing</b>                   | You are an expert copy editor specializing in marketing and conversion copy.                                                                                                 | unknown  |
| <b>copywriting</b>                    | Write rigorous, conversion-focused marketing copy for landing pages and emails.                                                                                              | unknown  |
| <b>copywriting-psychologist</b>       | One sentence - what this skill does and when to invoke it                                                                                                                    | safe     |
| <b>core-components</b>                | Core component library and design system patterns.                                                                                                                           | unknown  |
| <b>cost-optimization</b>              | Strategies and patterns for optimizing cloud costs across AWS, Azure, and GCP.                                                                                               | unknown  |
| <b>cpp-pro</b>                        | Write idiomatic C++ code with modern features, RAII, smart pointers, and STL algorithms.                                                                                     | unknown  |
| <b>cqrs-implementation</b>            | Implement Command Query Responsibility Segregation for scalable architectures.                                                                                               | unknown  |
| <b>create-branch</b>                  | Create a git branch following Sentry naming conventions.                                                                                                                     | critical |
| <b>create-issue-gate</b>              | Use when starting a new implementation task and an issue must be created with strict acceptance criteria gating before execution.                                            | safe     |
| <b>create-pr</b>                      | Alias for sentry-skills:pr-writer.                                                                                                                                           | unknown  |
| <b>cred-omega</b>                     | CISO operacional enterprise para gestao total de credenciais e segredos.                                                                                                     | critical |
| <b>crewai</b>                         | Expert in CrewAI - the leading role-based multi-agent framework used by 60% of Fortune 500 companies.                                                                        | unknown  |
| <b>crypto-bd-agent</b>                | Production-tested patterns for building AI agents that autonomously discover, > evaluate, and acquire token listings for cryptocurrency exchanges.                           | safe     |
| <b>csharp-pro</b>                     | Write modern C# code with advanced features like records, pattern matching, and async/await.                                                                                 | unknown  |
| <b>customer-psychographic-profile</b> | One sentence - what this skill does and when to invoke it                                                                                                                    | safe     |
| <b>customer-support</b>               | Elite AI-powered customer support specialist mastering conversational AI, automated ticketing, sentiment analysis, and omnichannel support experiences.                      | unknown  |
| <b>customs-trade-compliance</b>       | Codified expertise for customs documentation, tariff classification, duty optimisation, restricted party screening, and regulatory compliance across multiple jurisdictions. | safe     |
| <b>cv-generator</b>                   | Generate professional, ATS-optimized CVs for FlowCV, Canva, Google Docs, or Word.                                                                                            | safe     |

## D (79)

| Skill                                       | Description                                                                                                                                                                       | Risk    |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>daily</b>                                | Documentation and capabilities reference for Daily                                                                                                                                | safe    |
| <b>daily-gift</b>                           | Relationship-aware daily gift engine with five-stage creative pipeline — editorial judgment, synthesis, concept generation, visual strategy, and rendering in H5, image, or video | unknown |
| <b>daily-news-report</b>                    | Scrapes content based on a preset URL list, filters high-quality technical information, and generates daily Markdown reports.                                                     | unknown |
| <b>data-engineer</b>                        | Build scalable data pipelines, modern data warehouses, and real-time streaming architectures.                                                                                     | unknown |
| <b>data-engineering-data-driven-feature</b> | Build features guided by data insights, A/B testing, and continuous measurement using specialized agents for analysis, implementation, and experimentation.                       | unknown |
| <b>data-engineering-data-pipeline</b>       | You are a data pipeline architecture expert specializing in scalable, reliable, and cost-effective data pipelines for batch and streaming data processing.                        | unknown |

| Skill                                              | Description                                                                                                                                                                | Risk     |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>data-quality-frameworks</b>                     | Implement data quality validation with Great Expectations, dbt tests, and data contracts.                                                                                  | unknown  |
| <b>data-scientist</b>                              | Expert data scientist for advanced analytics, machine learning, and statistical modeling.                                                                                  | unknown  |
| <b>data-storytelling</b>                           | Transform raw data into compelling narratives that drive decisions and inspire action.                                                                                     | safe     |
| <b>data-structure-protocol</b>                     | Give agents persistent structural memory of a codebase — navigate dependencies, track public APIs, and understand why connections exist without re-reading the whole repo. | safe     |
| <b>database</b>                                    | Database development and operations workflow covering SQL, NoSQL, database design, migrations, optimization, and data engineering.                                         | safe     |
| <b>database-admin</b>                              | Expert database administrator specializing in modern cloud databases, automation, and reliability engineering.                                                             | unknown  |
| <b>database-architect</b>                          | Expert database architect specializing in data layer design from scratch, technology selection, schema modeling, and scalable database architectures.                      | unknown  |
| <b>database-cloud-optimization-cost-optimize</b>   | You are a cloud cost optimization expert specializing in reducing infrastructure expenses while maintaining performance and reliability.                                   | safe     |
| <b>database-design</b>                             | Database design principles and decision-making.                                                                                                                            | safe     |
| <b>database-migration</b>                          | Master database schema and data migrations across ORMs (Sequelize, TypeORM, Prisma), including rollback strategies and zero-downtime deployments.                          | unknown  |
| <b>database-migrations-migration-observability</b> | Migration monitoring, CDC, and observability infrastructure                                                                                                                | unknown  |
| <b>database-migrations-sql-migrations</b>          | SQL database migrations with zero-downtime strategies for PostgreSQL, MySQL, and SQL Server.                                                                               | unknown  |
| <b>database-optimizer</b>                          | Expert database optimizer specializing in modern performance tuning, query optimization, and scalable architectures.                                                       | unknown  |
| <b>datadog-automation</b>                          | Automate Datadog tasks via Rube MCP (Composio): query metrics, search logs, manage monitors/dashboards, create events and downtimes.                                       | critical |
| <b>dbos-golang</b>                                 | Guide for building reliable, fault-tolerant Go applications with DBOS durable workflows.                                                                                   | safe     |
| <b>dbos-python</b>                                 | Guide for building reliable, fault-tolerant Python applications with DBOS durable workflows.                                                                               | safe     |
| <b>dbos-typescript</b>                             | Guide for building reliable, fault-tolerant TypeScript applications with DBOS durable workflows.                                                                           | safe     |
| <b>dbt-transformation-patterns</b>                 | Production-ready patterns for dbt (data build tool) including model organization, testing strategies, documentation, and incremental processing.                           | none     |
| <b>ddd-context-mapping</b>                         | Map relationships between bounded contexts and define integration contracts using DDD context mapping patterns.                                                            | safe     |
| <b>ddd-strategic-design</b>                        | Design DDD strategic artifacts including subdomains, bounded contexts, and ubiquitous language for complex business domains.                                               | safe     |
| <b>ddd-tactical-patterns</b>                       | Apply DDD tactical patterns in code using entities, value objects, aggregates, repositories, and domain events with explicit invariants.                                   | safe     |
| <b>debug-buttercup</b>                             | All pods run in namespace crs.                                                                                                                                             | unknown  |
| <b>debugger</b>                                    | Debugging specialist for errors, test failures, and unexpected behavior.                                                                                                   | safe     |
| <b>debugging-strategies</b>                        | Transform debugging from frustrating guesswork into systematic problem-solving with proven strategies, powerful tools, and methodical approaches.                          | safe     |
| <b>debugging-toolkit</b>                           | Use when working with debugging toolkit smart debug (Alias for debugging-toolkit-smart-debug)                                                                              | unknown  |
| <b>debugging-toolkit-smart-debug</b>               | Use when working with debugging toolkit smart debug                                                                                                                        | unknown  |
| <b>decision-navigator</b>                          | Guide stuck or overwhelmed users through targeted branching questions until they reach concrete next steps.                                                                | safe     |



| Skill                                 | Description                                                                                                                                                            | Risk     |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| deep-research                         | Run autonomous research tasks that plan, search, read, and synthesize information into comprehensive reports.                                                          | safe     |
| defi-protocol-templates               | Implement DeFi protocols with production-ready templates for staking, AMMs, governance, and lending systems.                                                           | unknown  |
| defuddle                              | Extract clean markdown content from web pages using Defuddle CLI, removing clutter and navigation to save tokens.                                                      | unknown  |
| dependency-management-deps-audit      | You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security.                                            | unknown  |
| dependency-upgrade                    | Master major dependency version upgrades, compatibility analysis, staged upgrade strategies, and comprehensive testing approaches.                                     | critical |
| deploy-to-vercel                      | Deploy applications and websites to Vercel.                                                                                                                            | safe     |
| deployment-engineer                   | Expert deployment engineer specializing in modern CI/CD pipelines, GitOps workflows, and advanced deployment automation.                                               | critical |
| deployment-pipeline-design            | Architecture patterns for multi-stage CI/CD pipelines with approval gates and deployment strategies.                                                                   | critical |
| deployment-procedures                 | Production deployment principles and decision-making.                                                                                                                  | critical |
| deployment-validation-config-validate | You are a configuration management expert specializing in validating, testing, and ensuring the correctness of application configurations.                             | critical |
| design-md                             | Analyze Stitch projects and synthesize a semantic design system into DESIGN.md files                                                                                   | safe     |
| design-orchestration                  | Orchestrates design workflows by routing work through brainstorming, multi-agent review, and execution readiness in the correct order.                                 | unknown  |
| design-spells                         | Curated micro-interactions and design details that add "magic" and personality to websites and apps.                                                                   | safe     |
| design-taste-frontend                 | Use when building high-agency frontend interfaces with strict design taste, calibrated color, responsive layout, and motion rules.                                     | safe     |
| devcontainer-setup                    | Creates devcontainers with Claude Code, language-specific tooling (Python/Node/Rust/Go), and persistent volumes.                                                       | safe     |
| development                           | Comprehensive web, mobile, and backend development workflow bundling frontend, backend, full-stack, and mobile development skills for end-to-end application delivery. | safe     |
| devops-deploy                         | DevOps e deploy de aplicacoes — Docker, CI/CD com GitHub Actions, AWS Lambda, SAM, Terraform, infraestrutura como codigo e monitoramento.                              | critical |
| devops-troubleshooter                 | Expert DevOps troubleshooter specializing in rapid incident response, advanced debugging, and modern observability.                                                    | unknown  |
| diary                                 | Unified Diary System: A context-preserving automated logger for multi-project development.                                                                             | safe     |
| differential-review                   | Security-focused code review for PRs, commits, and diffs.                                                                                                              | unknown  |
| discord-automation                    | Automate Discord tasks via Rube MCP (Composio): messages, channels, roles, webhooks, reactions.                                                                        | critical |
| discord-bot-architect                 | Specialized skill for building production-ready Discord bots.                                                                                                          | unknown  |
| dispatching-parallel-agents           | Use when facing 2+ independent tasks that can be worked on without shared state or sequential dependencies                                                             | unknown  |
| distributed-debugging-debug-trace     | You are a debugging expert specializing in setting up comprehensive debugging environments, distributed tracing, and diagnostic tools.                                 | unknown  |
| distributed-tracing                   | Implement distributed tracing with Jaeger and Tempo for request flow visibility across microservices.                                                                  | critical |
| django-access-review                  | django-access-review                                                                                                                                                   | unknown  |
| django-perf-review                    | Django performance code review.                                                                                                                                        | unknown  |
| django-pro                            | Master Django 5.x with async views, DRF, Celery, and Django Channels.                                                                                                  | unknown  |

| Skill                                        | Description                                                                                                                                                                                                | Risk     |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>doc-coauthoring</b>                       | This skill provides a structured workflow for guiding users through collaborative document creation.                                                                                                       | unknown  |
| <b>doc2math</b>                              | Convert narrative technical documents into grounded Mathematical Problem Specifications with variables, constraints, objectives, and uncertainty.                                                          | safe     |
| <b>docker-expert</b>                         | You are an advanced Docker containerization expert with comprehensive, practical knowledge of container optimization, security hardening, multi-stage builds, orchestration patterns, and production de... | unknown  |
| <b>docs-architect</b>                        | Creates comprehensive technical documentation from existing codebases.                                                                                                                                     | unknown  |
| <b>documentation</b>                         | Documentation generation workflow covering API docs, architecture docs, README files, code comments, and technical writing.                                                                                | safe     |
| <b>documentation-generation-doc-generate</b> | You are a documentation expert specializing in creating comprehensive, maintainable documentation from code.                                                                                               | safe     |
| <b>documentation-templates</b>               | Documentation templates and structure guidelines.                                                                                                                                                          | safe     |
| <b>docusign-automation</b>                   | Automate DocuSign tasks via Rube MCP (Composio): templates, envelopes, signatures, document management.                                                                                                    | unknown  |
| <b>docx-official</b>                         | A user may ask you to create, edit, or analyze the contents of a .docx file.                                                                                                                               | unknown  |
| <b>domain-driven-design</b>                  | Plan and route Domain-Driven Design work from strategic modeling to tactical implementation and evented architecture patterns.                                                                             | safe     |
| <b>dotnet-architect</b>                      | Expert .NET backend architect specializing in C#, ASP.NET Core, Entity Framework, Dapper, and enterprise application patterns.                                                                             | unknown  |
| <b>dotnet-backend</b>                        | Build ASP.NET Core 8+ backend services with EF Core, auth, background jobs, and production API patterns.                                                                                                   | safe     |
| <b>dotnet-backend-patterns</b>               | Master C#/.NET patterns for building production-grade APIs, MCP servers, and enterprise backends with modern best practices (2024/2025).                                                                   | safe     |
| <b>draw</b>                                  | Vector graphics and diagram creation, format conversion (ODG/SVG/PDF) with LibreOffice Draw.                                                                                                               | safe     |
| <b>drizzle-orm-expert</b>                    | Expert in Drizzle ORM for TypeScript — schema design, relational queries, migrations, and serverless database integration.                                                                                 | safe     |
| <b>dropbox-automation</b>                    | Automate Dropbox file management, sharing, search, uploads, downloads, and folder operations via Rube MCP (Composio).                                                                                      | critical |
| <b>dwarf-expert</b>                          | Provides expertise for analyzing DWARF debug files and understanding the DWARF debug format/standard (v3-v5).                                                                                              | unknown  |
| <b>dx-optimizer</b>                          | Developer Experience specialist.                                                                                                                                                                           | unknown  |

## E (43)

| Skill                            | Description                                                                                                                                                                        | Risk     |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>e2e-testing</b>               | End-to-end testing workflow with Playwright for browser automation, visual regression, cross-browser testing, and CI/CD integration.                                               | safe     |
| <b>e2e-testing-patterns</b>      | Build reliable, fast, and maintainable end-to-end test suites that provide confidence to ship code quickly and catch regressions before users do.                                  | safe     |
| <b>earllm-build</b>              | Build, maintain, and extend the EarLLM One Android project — a Kotlin/Compose app that connects Bluetooth earbuds to an LLM via voice pipeline.                                    | safe     |
| <b>ejentum-reasoning-harness</b> | MCP server exposing four cognitive harness modes (reasoning, code, anti-deception, memory).                                                                                        | critical |
| <b>electron-development</b>      | Master Electron desktop app development with secure IPC, contextIsolation, preload scripts, multi-process architecture, electron-builder packaging, code signing, and auto-update. | safe     |
| <b>elixir-pro</b>                | Write idiomatic Elixir code with OTP patterns, supervision trees, and Phoenix LiveView.                                                                                            | unknown  |







| Skill                                                 | Description                                                                                                                                                                                                | Risk     |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>fp-types-ref</b>                                   | Quick reference for fp-ts types.                                                                                                                                                                           | safe     |
| <b>framework-migration-code-migrate</b>               | You are a code migration expert specializing in transitioning codebases between frameworks, languages, versions, and platforms.                                                                            | safe     |
| <b>framework-migration-deps-upgrade</b>               | You are a dependency management expert specializing in safe, incremental upgrades of project dependencies.                                                                                                 | critical |
| <b>framework-migration-legacy-modernize</b>           | Orchestrate a comprehensive legacy system modernization using the strangler fig pattern, enabling gradual replacement of outdated components while maintaining continuous business operations through ex   | unknown  |
| <b>free-tool-strategy</b>                             | You are an expert in engineering-as-marketing strategy.                                                                                                                                                    | unknown  |
| <b>freshdesk-automation</b>                           | Automate Freshdesk helpdesk operations including tickets, contacts, companies, notes, and replies via Rube MCP (Composio).                                                                                 | critical |
| <b>freshservice-automation</b>                        | Automate Freshservice ITSM tasks via Rube MCP (Composio): create/update tickets, bulk operations, service requests, and outbound emails.                                                                   | critical |
| <b>frontend-api-integration-patterns</b>              | Production-ready patterns for integrating frontend applications with backend APIs, including race condition handling, request cancellation, retry strategies, error normalization, and UI state managem... | safe     |
| <b>frontend-design</b>                                | You are a frontend designer-engineer, not a layout generator.                                                                                                                                              | unknown  |
| <b>frontend-dev-guidelines</b>                        | You are a senior frontend engineer operating under strict architectural and performance standards.                                                                                                         | unknown  |
| <b>frontend-developer</b>                             | Build React components, implement responsive layouts, and handle client-side state management.                                                                                                             | unknown  |
| <b>frontend-mobile-development-component-scaffold</b> | You are a React component architecture expert specializing in scaffolding production-ready, accessible, and performant components.                                                                         | unknown  |
| <b>frontend-mobile-security-xss-scan</b>              | You are a frontend security specialist focusing on Cross-Site Scripting (XSS) vulnerability detection and prevention.                                                                                      | unknown  |
| <b>frontend-security-coder</b>                        | Expert in secure frontend coding practices specializing in XSS prevention, output sanitization, and client-side security patterns.                                                                         | unknown  |
| <b>frontend-slides</b>                                | Create stunning, animation-rich HTML presentations from scratch or by converting PowerPoint files.                                                                                                         | safe     |
| <b>frontend-ui-dark-ts</b>                            | A modern dark-themed React UI system using Tailwind CSS and Framer Motion.                                                                                                                                 | unknown  |
| <b>full-output-enforcement</b>                        | Use when a task requires exhaustive unabridged output, complete files, or strict prevention of placeholders and skipped code.                                                                              | safe     |
| <b>full-stack-orchestration-full-stack-feature</b>    | Use when working with full stack orchestration full stack feature                                                                                                                                          | unknown  |

## G (52)

| Skill                         | Description                                                                                                                                      | Risk     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>game-art</b>               | Game art principles.                                                                                                                             | unknown  |
| <b>game-audio</b>             | Game audio principles.                                                                                                                           | unknown  |
| <b>game-design</b>            | Game design principles.                                                                                                                          | unknown  |
| <b>game-development</b>       | Game development orchestrator.                                                                                                                   | unknown  |
| <b>gcp-cloud-run</b>          | Specialized skill for building production-ready serverless applications on GCP.                                                                  | unknown  |
| <b>gdb-cli</b>                | GDB debugging assistant for AI agents - analyze core dumps, debug live processes, investigate crashes and deadlocks with source code correlation | critical |
| <b>gdpr-data-handling</b>     | Practical implementation guide for GDPR-compliant data processing, consent management, and privacy controls.                                     | safe     |
| <b>gemini-api-dev</b>         | The Gemini API provides access to Google's most advanced AI models.                                                                              | unknown  |
| <b>gemini-api-integration</b> | Use when integrating Google Gemini API into projects.                                                                                            | safe     |







| Skill                               | Description                                                                                                                                                                                   | Risk      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>hig-components-dialogs</b>       | Apple HIG guidance for presentation components including alerts, action sheets, popovers, sheets, and digit entry views.                                                                      | unknown   |
| <b>hig-components-layout</b>        | Apple Human Interface Guidelines for layout and navigation components.                                                                                                                        | unknown   |
| <b>hig-components-menus</b>         | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown   |
| <b>hig-components-search</b>        | Apple HIG guidance for navigation-related components including search fields, page controls, and path controls.                                                                               | safe      |
| <b>hig-components-status</b>        | Apple HIG guidance for status and progress UI components including progress indicators, status bars, and activity rings.                                                                      | unknown   |
| <b>hig-components-system</b>        | Apple HIG guidance for system experience components: widgets, live activities, notifications, complications, home screen quick actions, top shelf, watch faces, app clips, and app shortcuts. | unknown   |
| <b>hig-foundations</b>              | Apple Human Interface Guidelines design foundations.                                                                                                                                          | unknown   |
| <b>hig-inputs</b>                   | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | unknown   |
| <b>hig-patterns</b>                 | Apple Human Interface Guidelines interaction and UX patterns.                                                                                                                                 | unknown   |
| <b>hig-platforms</b>                | Apple Human Interface Guidelines for platform-specific design.                                                                                                                                | unknown   |
| <b>hig-project-context</b>          | Create or update a shared Apple design context document that other HIG skills use to tailor guidance.                                                                                         | unknown   |
| <b>hig-technologies</b>             | Check for .claude/apple-design-context.md before asking questions.                                                                                                                            | safe      |
| <b>high-end-visual-design</b>       | Use when designing expensive agency-grade interfaces with premium fonts, spatial rhythm, soft depth, and fluid microinteractions.                                                             | safe      |
| <b>hono</b>                         | Build ultra-fast web APIs and full-stack apps with Hono — runs on Cloudflare Workers, Deno, Bun, Node.js, and any WinterCG-compatible runtime.                                                | safe      |
| <b>hosted-agents</b>                | Build background agents in sandboxed environments.                                                                                                                                            | unknown   |
| <b>hosted-agents-v2-py</b>          | Build hosted agents using Azure AI Projects SDK with ImageBasedHostedAgentDefinition.                                                                                                         | unknown   |
| <b>hr-pro</b>                       | Professional, ethical HR partner for hiring, onboarding/offboarding, PTO and leave, performance, compliant policies, and employee relations.                                                  | unknown   |
| <b>html-injection-testing</b>       | Identify and exploit HTML injection vulnerabilities that allow attackers to inject malicious HTML content into web applications.                                                              | offensive |
| <b>hubspot-automation</b>           | Automate HubSpot CRM operations (contacts, companies, deals, tickets, properties) via Rube MCP using Composio integration.                                                                    | critical  |
| <b>hubspot-integration</b>          | Expert patterns for HubSpot CRM integration including OAuth authentication, CRM objects, associations, batch operations, webhooks, and custom objects.                                        | unknown   |
| <b>hugging-face-cli</b>             | Use the Hugging Face Hub CLI ('hf') to download, upload, and manage models, datasets, and Spaces.                                                                                             | unknown   |
| <b>hugging-face-community-evals</b> | Run local evaluations for Hugging Face Hub models with inspect-ai or lighteval.                                                                                                               | unknown   |
| <b>hugging-face-dataset-viewer</b>  | Query Hugging Face datasets through the Dataset Viewer API for splits, rows, search, filters, and parquet links.                                                                              | unknown   |
| <b>hugging-face-datasets</b>        | Create and manage datasets on Hugging Face Hub.                                                                                                                                               | unknown   |
| <b>hugging-face-evaluation</b>      | Add and manage evaluation results in Hugging Face model cards.                                                                                                                                | unknown   |
| <b>hugging-face-gradio</b>          | Build or edit Gradio apps, layouts, components, and chat interfaces in Python.                                                                                                                | unknown   |
| <b>hugging-face-jobs</b>            | Run workloads on Hugging Face Jobs with managed CPUs, GPUs, TPUs, secrets, and Hub persistence.                                                                                               | unknown   |
| <b>hugging-face-model-trainer</b>   | Train or fine-tune TRL language models on Hugging Face Jobs, including SFT, DPO, GRPO, and GGUF export.                                                                                       | unknown   |
| <b>hugging-face-paper-publisher</b> | Publish and manage research papers on Hugging Face Hub.                                                                                                                                       | unknown   |
| <b>hugging-face-papers</b>          | Read and analyze Hugging Face paper pages or arXiv papers with markdown and papers API metadata.                                                                                              | unknown   |

| Skill                               | Description                                                                                                                                                                       | Risk    |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>hugging-face-tool-builder</b>    | Your purpose is now is to create reusable command line scripts and utilities for using the Hugging Face API, allowing chaining, piping and intermediate processing where helpful. | unknown |
| <b>hugging-face-trackio</b>         | Track ML experiments with Trackio using Python logging, alerts, and CLI metric retrieval.                                                                                         | unknown |
| <b>hugging-face-vision-trainer</b>  | Train or fine-tune vision models on Hugging Face Jobs for detection, classification, and SAM or SAM2 segmentation.                                                                | unknown |
| <b>humanize-chinese</b>             | Detect and rewrite AI-like Chinese text with a practical workflow for scoring, humanization, academic AIGC reduction, and style conversion.                                       | safe    |
| <b>hybrid-cloud-architect</b>       | Expert hybrid cloud architect specializing in complex multi-cloud solutions across AWS/Azure/GCP and private clouds (OpenStack/VMware).                                           | unknown |
| <b>hybrid-cloud-networking</b>      | Configure secure, high-performance connectivity between on-premises and cloud environments using VPN, Direct Connect, and ExpressRoute.                                           | safe    |
| <b>hybrid-search-implementation</b> | Combine vector and keyword search for improved retrieval.                                                                                                                         | safe    |

## I (38)

| Skill                                      | Description                                                                                                                                                                                                | Risk      |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>i18n-localization</b>                   | Internationalization and localization patterns.                                                                                                                                                            | safe      |
| <b>iconsax-library</b>                     | Extensive icon library and AI-driven icon generation skill for premium UI/UX design.                                                                                                                       | safe      |
| <b>idea-darwin</b>                         | Darwinian idea evolution engine — toss rough ideas onto an evolution island, let them compete, crossbreed, and mutate through structured rounds to surface your strongest concepts.                        | safe      |
| <b>idea-os</b>                             | Five-phase pipeline (triage → clarify → research → PRD → plan) that turns a raw idea into four linked files: clarifying questions, deep research, a PRD with non-goals and metrics, and a phased execut... | safe      |
| <b>identity-mirror</b>                     | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe      |
| <b>idor-testing</b>                        | Provide systematic methodologies for identifying and exploiting Insecure Direct Object Reference (IDOR) vulnerabilities in web applications.                                                               | offensive |
| <b>ii-commons</b>                          | Deterministic search across arXiv, PubMed/PMC, and US policy corpora with daily freshness cutoffs.                                                                                                         | safe      |
| <b>ilya-sutskever</b>                      | Agente que simula Ilya Sutskever — co-fundador da OpenAI, ex-Chief Scientist, fundador da SSI.                                                                                                             | safe      |
| <b>image-studio</b>                        | Studio de geracao de imagens inteligente — roteamento automatico entre ai-studio-image (fotos humanizadas/influencer) e stability-ai (arte/ilustracao/edicao).                                             | safe      |
| <b>imagen</b>                              | AI image generation skill powered by Google Gemini, enabling seamless visual content creation for UI placeholders, documentation, and design assets.                                                       | safe      |
| <b>impress</b>                             | Presentation creation, format conversion (ODP/PPTX/PDF), slide automation with LibreOffice Impress.                                                                                                        | safe      |
| <b>incident-responder</b>                  | Expert SRE incident responder specializing in rapid problem resolution, modern observability, and comprehensive incident management.                                                                       | unknown   |
| <b>incident-response-incident-response</b> | Use when working with incident response incident response                                                                                                                                                  | unknown   |
| <b>incident-response-smart-fix</b>         | [Extended thinking: This workflow implements a sophisticated debugging and resolution pipeline that leverages AI-assisted debugging tools and observability platforms to systematically diagnose and res   | unknown   |
| <b>incident-runbook-templates</b>          | Production-ready templates for incident response runbooks covering detection, triage, mitigation, resolution, and communication.                                                                           | critical  |
| <b>indexing-issue-auditor</b>              | High-level technical SEO and site architecture auditor.                                                                                                                                                    | safe      |

| Skill                            | Description                                                                                                                                                                       | Risk     |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>industrial-brutalist-ui</b>   | Use when creating raw industrial or tactical telemetry UIs with rigid grids, stark typography, CRT effects, and high-density data.                                                | safe     |
| <b>infinite-gratitude</b>        | Multi-agent research skill for parallel research execution (10 agents, battle-tested with real case studies).                                                                     | safe     |
| <b>ingest-youtube</b>            | Pull a YouTube video transcript into a queryable markdown vault with yt-dlp subtitle discovery, VTT cleanup, metadata frontmatter, and capture-seed stubs.                        | safe     |
| <b>inngest</b>                   | Inngest expert for serverless-first background jobs, event-driven workflows, and durable execution without managing queues or workers.                                            | none     |
| <b>instagram</b>                 | Integracao completa com Instagram via Graph API.                                                                                                                                  | critical |
| <b>instagram-automation</b>      | Automate Instagram tasks via Rube MCP (Composio): create posts, carousels, manage media, get insights, and publishing limits.                                                     | critical |
| <b>interactive-portfolio</b>     | Expert in building portfolios that actually land jobs and clients - not just showing work, but creating memorable experiences.                                                    | unknown  |
| <b>intercom-automation</b>       | Automate Intercom tasks via Rube MCP (Composio): conversations, contacts, companies, segments, admins.                                                                            | unknown  |
| <b>internal-comms</b>            | Write internal communications such as status reports, leadership updates, 3P updates, newsletters, FAQs, incident reports, and project updates using repeatable internal formats. | unknown  |
| <b>internal-comms-anthropic</b>  | To write internal communications, use this skill for:                                                                                                                             | unknown  |
| <b>internal-comms-community</b>  | To write internal communications, use this skill for:                                                                                                                             | unknown  |
| <b>interview-coach</b>           | Full job search coaching system — JD decoding, resume, storybank, mock interviews, transcript analysis, comp negotiation.                                                         | safe     |
| <b>invariant-guard</b>           | Correctness-first: forces writing the function contract, loop invariant, termination argument, and edge cases BEFORE code.                                                        | safe     |
| <b>inventory-demand-planning</b> | Codified expertise for demand forecasting, safety stock optimisation, replenishment planning, and promotional lift estimation at multi-location retailers.                        | safe     |
| <b>ios-debugger-agent</b>        | Debug the current iOS project on a booted simulator with XcodeBuildMCP.                                                                                                           | safe     |
| <b>ios-developer</b>             | Develop native iOS applications with Swift/SwiftUI.                                                                                                                               | unknown  |
| <b>issues</b>                    | Interact with GitHub issues - create, list, and view issues.                                                                                                                      | unknown  |
| <b>istio-traffic-management</b>  | Comprehensive guide to Istio traffic management for production service mesh deployments.                                                                                          | unknown  |
| <b>it-manager-hospital</b>       | World-class Hospital IT Management Advisor specializing in clinical safety, digital maturity (HIMSS/ONA/JCI), and HIS/PEP ecosystems.                                             | safe     |
| <b>it-manager-pro</b>            | Elite IT Management Advisor specializing in data-driven strategy, executive communication, and human-centric leadership for the 2026 digital era.                                 | safe     |
| <b>iterate-pr</b>                | Iterate on a PR until CI passes.                                                                                                                                                  | critical |
| <b>itil-expert</b>               | Expert advisor for ITIL 4 and ITIL 5 (2026 digital product paradigm), specialized in AI-native governance, sustainability, and value co-creation.                                 | safe     |

## J (12)

| Skill                              | Description                                                                                                                                              | Risk    |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>java-pro</b>                    | Master Java 21+ with modern features like virtual threads, pattern matching, and Spring Boot 3.x.                                                        | unknown |
| <b>javascript-mastery</b>          | 33+ essential JavaScript concepts every developer should know, inspired by [33-js-concepts](https://github.com/leonardomso/33-js-concepts).              | unknown |
| <b>javascript-pro</b>              | Master modern JavaScript with ES6+, async patterns, and Node.js APIs.                                                                                    | safe    |
| <b>javascript-testing-patterns</b> | Comprehensive guide for implementing robust testing strategies in JavaScript/TypeScript applications using modern testing frameworks and best practices. | safe    |

| Skill                                            | Description                                                                                                                                          | Risk     |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>javascript-typescript-typescript-scaffold</b> | You are a TypeScript project architecture expert specializing in scaffolding production-ready Node.js and frontend applications.                     | unknown  |
| <b>jira-automation</b>                           | Automate Jira tasks via Rube MCP (Composio): issues, projects, sprints, boards, comments, users.                                                     | critical |
| <b>jobgpt</b>                                    | Job search automation, auto apply, resume generation, application tracking, salary intelligence, and recruiter outreach using the JobGPT MCP server. | safe     |
| <b>jobs-to-be-done-analyst</b>                   | One sentence - what this skill does and when to invoke it                                                                                            | safe     |
| <b>jq</b>                                        | Expert jq usage for JSON querying, filtering, transformation, and pipeline integration.                                                              | safe     |
| <b>json-canvas</b>                               | Create and edit JSON Canvas files (.canvas) with nodes, edges, groups, and connections.                                                              | unknown  |
| <b>julia-pro</b>                                 | Master Julia 1.10+ with modern features, performance optimization, multiple dispatch, and production-ready practices.                                | unknown  |
| <b>junta-leiloeiros</b>                          | Coleta e consulta dados de leiloeiros oficiais de todas as 27 Juntas Comerciais do Brasil.                                                           | safe     |

## K (12)

| Skill                           | Description                                                                                                                                                | Risk     |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>k6-load-testing</b>          | Comprehensive k6 load testing skill for API, browser, and scalability testing.                                                                             | safe     |
| <b>k8s-manifest-generator</b>   | Step-by-step guidance for creating production-ready Kubernetes manifests including Deployments, Services, ConfigMaps, Secrets, and PersistentVolumeClaims. | unknown  |
| <b>k8s-security-policies</b>    | Comprehensive guide for implementing NetworkPolicy, PodSecurityPolicy, RBAC, and Pod Security Standards in Kubernetes.                                     | unknown  |
| <b>kaizen</b>                   | Guide for continuous improvement, error proofing, and standardization.                                                                                     | unknown  |
| <b>keyword-extractor</b>        | > Extracts up to 50 highly relevant SEO keywords from text.                                                                                                | safe     |
| <b>klaviyo-automation</b>       | Automate Klaviyo tasks via Rube MCP (Composio): manage email/SMS campaigns, inspect campaign messages, track tags, and monitor send jobs.                  | safe     |
| <b>kotler-macro-analyzer</b>    | Professional PESTEL/SWOT analysis agent based on Kotler's methodology for strategic market audits.                                                         | safe     |
| <b>kotlin-coroutines-expert</b> | Expert patterns for Kotlin Coroutines and Flow, covering structured concurrency, error handling, and testing.                                              | safe     |
| <b>kpi-dashboard-design</b>     | Comprehensive patterns for designing effective Key Performance Indicator (KPI) dashboards that drive business decisions.                                   | unknown  |
| <b>kubernetes-architect</b>     | Expert Kubernetes architect specializing in cloud-native infrastructure, advanced GitOps workflows (ArgoCD/Flux), and enterprise container orchestration.  | unknown  |
| <b>kubernetes-deployment</b>    | Kubernetes deployment workflow for container orchestration, Helm charts, service mesh, and production-ready K8s configurations.                            | safe     |
| <b>kubestellar-console</b>      | Multi-cluster Kubernetes dashboard with AI-powered operations via MCP server and 10+ built-in agent skills                                                 | critical |

## L (51)

| Skill                          | Description                                                                                                                          | Risk |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>lambda-lang</b>             | Native agent-to-agent language for compact multi-agent messaging.                                                                    | safe |
| <b>lambdatest-agent-skills</b> | Production-grade test automation skills for 46 frameworks across E2E, unit, mobile, BDD, visual, and cloud testing in 15+ languages. | safe |
| <b>landing-page-generator</b>  | Generates high-converting Next.js/React landing pages with Tailwind CSS.                                                             | safe |



| Skill                                | Description                                                                                                                                                                                          | Risk     |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>langchain-architecture</b>        | Master the LangChain framework for building sophisticated LLM applications with agents, chains, memory, and tool integration.                                                                        | unknown  |
| <b>langfuse</b>                      | Expert in Langfuse - the open-source LLM observability platform.                                                                                                                                     | unknown  |
| <b>langgraph</b>                     | Expert in LangGraph - the production-grade framework for building stateful, multi-actor AI applications.                                                                                             | unknown  |
| <b>laravel-expert</b>                | Senior Laravel Engineer role for production-grade, maintainable, and idiomatic Laravel solutions.                                                                                                    | safe     |
| <b>laravel-security-audit</b>        | Security auditor for Laravel applications.                                                                                                                                                           | safe     |
| <b>last30days</b>                    | Research a topic from the last 30 days on Reddit + X + Web, become an expert, and write copy-paste-ready prompts for the user's target tool.                                                         | unknown  |
| <b>latex-paper-conversion</b>        | This skill should be used when the user asks to convert an academic paper in LaTeX from one format (e.g., Springer, IPOL) to another format (e.g., MDPI, IEEE, Nature).                              | safe     |
| <b>launch-strategy</b>               | You are an expert in SaaS product launches and feature announcements.                                                                                                                                | unknown  |
| <b>lead-magnets</b>                  | Plan and optimize lead magnets for email capture and lead generation.                                                                                                                                | unknown  |
| <b>legacy-modernizer</b>             | Refactor legacy codebases, migrate outdated frameworks, and implement gradual modernization.                                                                                                         | safe     |
| <b>legal-advisor</b>                 | Draft privacy policies, terms of service, disclaimers, and legal notices.                                                                                                                            | unknown  |
| <b>leiloeiro-avaliacao</b>           | Avaliacao pericial de imoveis em leilao.                                                                                                                                                             | safe     |
| <b>leiloeiro-edital</b>              | Analise e auditoria de editais de leilao judicial e extrajudicial.                                                                                                                                   | safe     |
| <b>leiloeiro-ia</b>                  | Especialista em leiloes judiciais e extrajudiciais de imoveis.                                                                                                                                       | safe     |
| <b>leiloeiro-juridico</b>            | Analise juridica de leiloes: nulidades, bem de familia, alienacao fiduciaria, CPC arts 829-903, Lei 9514/97, onus reais, embargos e jurisprudencia.                                                  | safe     |
| <b>leiloeiro-mercado</b>             | Analise de mercado imobiliario para leiloes.                                                                                                                                                         | safe     |
| <b>leiloeiro-risco</b>               | Analise de risco em leiloes de imoveis.                                                                                                                                                              | safe     |
| <b>lemmaly</b>                       | Algorithm-first discipline: state Big-O, data structure, and algorithm family BEFORE writing loops, queries, or recursion.                                                                           | safe     |
| <b>lex</b>                           | Centralized 'Truth Engine' for cross-jurisdictional legal context (US, EU, CA) and contract scaffolding.                                                                                             | safe     |
| <b>lightning-architecture-review</b> | Review Bitcoin Lightning Network protocol designs, compare channel factory approaches, and analyze Layer 2 scaling tradeoffs.                                                                        | safe     |
| <b>lightning-channel-factories</b>   | Technical reference on Lightning Network channel factories, multi-party channels, LSP architectures, and Bitcoin Layer 2 scaling without soft forks.                                                 | safe     |
| <b>lightning-factory-explainer</b>   | Explain Bitcoin Lightning channel factories and the SuperScalar protocol — scalable Lightning onboarding using shared UTXOs, Decker-Wattenhofer trees, timeout-signature trees, MuSig2, and Taproot. | safe     |
| <b>linear-automation</b>             | Automate Linear tasks via Rube MCP (Composio): issues, projects, cycles, teams, labels.                                                                                                              | critical |
| <b>linear-claude-skill</b>           | Manage Linear issues, projects, and teams                                                                                                                                                            | safe     |
| <b>linkedin-automation</b>           | Automate LinkedIn tasks via Rube MCP (Composio): create posts, manage profile, company info, comments, and image uploads.                                                                            | critical |
| <b>linkedin-cli</b>                  | Use when automating LinkedIn via CLI: fetch profiles, search people/companies, send messages, manage connections, create posts, and Sales Navigator.                                                 | safe     |
| <b>linkedin-content-generator</b>    | AI-powered LinkedIn content suite: generate posts, carousels, newsletters, and 30-day calendars with niche-specific SEO rules and a reinforcement-learning personal memory system.                   | safe     |
| <b>linkedin-profile-optimizer</b>    | High-intent expert for LinkedIn profile checks, authority building, and SEO optimization.                                                                                                            | safe     |
| <b>linkerd-patterns</b>              | Production patterns for Linkerd service mesh - the lightweight, security-first service mesh for Kubernetes.                                                                                          | critical |

| Skill                                      | Description                                                                                                                                                                                                | Risk      |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>lint-and-validate</b>                   | MANDATORY: Run appropriate validation tools after EVERY code change.                                                                                                                                       | unknown   |
| <b>linux-privilege-escalation</b>          | Execute systematic privilege escalation assessments on Linux systems to identify and exploit misconfigurations, vulnerable services, and security weaknesses that allow elevation from low-privilege us... | offensive |
| <b>linux-shell-scripting</b>               | Provide production-ready shell script templates for common Linux system administration tasks including backups, monitoring, user management, log analysis, and automation.                                 | unknown   |
| <b>linux-troubleshooting</b>               | Linux system troubleshooting workflow for diagnosing and resolving system issues, performance problems, and service failures.                                                                              | safe      |
| <b>llm-app-patterns</b>                    | Production-ready patterns for building LLM applications, inspired by [Dify](https://github.com/langgenius/dify) and industry best practices.                                                               | unknown   |
| <b>llm-application-dev-ai-assistant</b>    | You are an AI assistant development expert specializing in creating intelligent conversational interfaces, chatbots, and AI-powered applications.                                                          | safe      |
| <b>llm-application-dev-langchain-agent</b> | You are an expert LangChain agent developer specializing in production-grade AI systems using LangChain 0.1+ and LangGraph.                                                                                | unknown   |
| <b>llm-application-dev-prompt-optimize</b> | You are an expert prompt engineer specializing in crafting effective prompts for LLMs through advanced techniques including constitutional AI, chain-of-thought reasoning, and model-specific optimization | unknown   |
| <b>llm-evaluation</b>                      | Master comprehensive evaluation strategies for LLM applications, from automated metrics to human evaluation and A/B testing.                                                                               | unknown   |
| <b>llm-ops</b>                             | LLM Operations -- RAG, embeddings, vector databases, fine-tuning, prompt engineering avanzado, custos de LLM, evals de qualidade e arquiteturas de IA para producao.                                       | safe      |
| <b>llm-prompt-optimizer</b>                | Use when improving prompts for any LLM.                                                                                                                                                                    | safe      |
| <b>llm-structured-output</b>               | > Get reliable JSON, enums, and typed objects from LLMs using response_format, tool_use, and schema-constrained decoding across OpenAI, Anthropic, and Google APIs.                                        | safe      |
| <b>local-legal-seo-audit</b>               | Audit and improve local SEO for law firms, attorneys, forensic experts and legal/professional services sites with local presence, focusing on GBP, directories, E-E-A-T and practice/location pages.       | safe      |
| <b>local-llm-expert</b>                    | Master local LLM inference, model selection, VRAM optimization, and local deployment using Ollama, llama.cpp, vLLM, and LM Studio.                                                                         | safe      |
| <b>logic-lens</b>                          | AI-powered Claude Code skill that performs deep code review using formal logic and reasoning frameworks to detect bugs, anti-patterns, and security risks beyond what linters catch.                       | safe      |
| <b>logistics-exception-management</b>      | Codified expertise for handling freight exceptions, shipment delays, damages, losses, and carrier disputes.                                                                                                | safe      |
| <b>loki-mode</b>                           | Version 2.35.0   PRD to Production   Zero Human Intervention > Research-enhanced: OpenAI SDK, DeepMind, Anthropic, AWS Bedrock, Agent SDK, HN Production (2025)                                            | unknown   |
| <b>longbridge</b>                          | 125+ agent skills for Longbridge Securities — real-time quotes, charts, fundamentals, portfolio analysis, options, and more for HK/US/A-share/SG markets.                                                  | critical  |
| <b>loss-aversion-designer</b>              | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe      |

## M (84)

| Skill                     | Description                                      | Risk    |
|---------------------------|--------------------------------------------------|---------|
| <b>m365-agents-dotnet</b> | Microsoft 365 Agents SDK for .NET.               | unknown |
| <b>m365-agents-py</b>     | Microsoft 365 Agents SDK for Python.             | unknown |
| <b>m365-agents-ts</b>     | Microsoft 365 Agents SDK for TypeScript/Node.js. | unknown |

| Skill                            | Description                                                                                                                                                                                      | Risk     |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| machine-learning-ops-ml-pipeline | Design and implement a complete ML pipeline for: \$ARGUMENTS                                                                                                                                     | unknown  |
| macos-menubar-tuist-app          | Build, refactor, or review SwiftUI macOS menubar apps that use Tuist.                                                                                                                            | safe     |
| macos-spm-app-packaging          | Scaffold, build, sign, and package SwiftPM macOS apps without Xcode projects.                                                                                                                    | safe     |
| magic-animator                   | AI-powered animation tool for creating motion in logos, UI, icons, and social media assets.                                                                                                      | safe     |
| magic-ui-generator               | Utilizes Magic by 21st.dev to generate, compare, and integrate multiple production-ready UI component variations.                                                                                | safe     |
| mailchimp-automation             | Automate Mailchimp email marketing including campaigns, audiences, subscribers, segments, and analytics via Rube MCP (Composio).                                                                 | critical |
| make-automation                  | Automate Make (Integromat) tasks via Rube MCP (Composio): operations, enums, language and timezone lookups.                                                                                      | critical |
| makepad-animation                | CRITICAL: Use for Makepad animation system.                                                                                                                                                      | safe     |
| makepad-basics                   | CRITICAL: Use for Makepad getting started and app structure.                                                                                                                                     | unknown  |
| makepad-deployment               | CRITICAL: Use for Makepad packaging and deployment.                                                                                                                                              | critical |
| makepad-dsl                      | CRITICAL: Use for Makepad DSL syntax and inheritance.                                                                                                                                            | safe     |
| makepad-event-action             | CRITICAL: Use for Makepad event and action handling.                                                                                                                                             | safe     |
| makepad-font                     | CRITICAL: Use for Makepad font and text rendering.                                                                                                                                               | safe     |
| makepad-layout                   | CRITICAL: Use for Makepad layout system.                                                                                                                                                         | safe     |
| makepad-platform                 | CRITICAL: Use for Makepad cross-platform support.                                                                                                                                                | unknown  |
| makepad-reference                | This category provides reference materials for debugging, code quality, and advanced layout patterns.                                                                                            | unknown  |
| makepad-shaders                  | CRITICAL: Use for Makepad shader system.                                                                                                                                                         | unknown  |
| makepad-skills                   | Makepad UI development skills for Rust apps: setup, patterns, shaders, packaging, and troubleshooting.                                                                                           | safe     |
| makepad-splash                   | CRITICAL: Use for Makepad Splash scripting language.                                                                                                                                             | unknown  |
| makepad-widgets                  | Version: makepad-widgets (dev branch)   Last Updated: 2026-01-19 > > Check for updates: <a href="https://crates.io/crates/makepad-widgets">https://crates.io/crates/makepad-widgets</a>          | safe     |
| malware-analyst                  | Expert malware analyst specializing in defensive malware research, threat intelligence, and incident response.                                                                                   | unknown  |
| manage-skills                    | Discover, list, create, edit, toggle, copy, move, and delete AI agent skills across 11 tools (Cursor, Claude, Agents, Windsurf, Copilot, Codex, Cline, Aider, Continue, Roo Code, Augment)       | critical |
| manifest                         | Install and configure the Manifest observability plugin for your agents.                                                                                                                         | unknown  |
| market-sizing-analysis           | Comprehensive market sizing methodologies for calculating Total Addressable Market (TAM), Serviceable Available Market (SAM), and Serviceable Obtainable Market (SOM) for startup opportunities. | safe     |
| marketing-ideas                  | Provide proven marketing strategies and growth ideas for SaaS and software products, prioritized using a marketing feasibility scoring system.                                                   | safe     |
| marketing-psychology             | Apply behavioral science and mental models to marketing decisions, prioritized using a psychological leverage and feasibility scoring system.                                                    | unknown  |
| matematico-tao                   | Matemático ultra-avanzado inspirado em Terence Tao.                                                                                                                                              | none     |
| mathguard                        | Math-heavy escalation for $n \geq 10^6$ — Bloom, HyperLogLog, Count-Min, MinHash/LSH, FFT, JL projection, sweep line.                                                                            | safe     |
| matplotlib                       | Matplotlib is Python's foundational visualization library for creating static, animated, and interactive plots.                                                                                  | unknown  |
| maxia                            | Connect to MAXIA AI-to-AI marketplace on Solana.                                                                                                                                                 | unknown  |
| mcp-builder                      | Create MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools.                                                                     | unknown  |



| Skill                              | Description                                                                                                                                                                                                | Risk     |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| mock-hunter                        | Audit a live web page in five phases (catalog, click, trace, classify, report) to identify mock data, hardcoded values, LLM-generated metrics, and broken endpoints.                                       | critical |
| modern-javascript-patterns         | Comprehensive guide for mastering modern JavaScript (ES6+) features, functional programming patterns, and best practices for writing clean, maintainable, and performant code.                             | safe     |
| molykit                            | CRITICAL: Use for MolyKit AI chat toolkit.                                                                                                                                                                 | unknown  |
| monday-automation                  | Automate Monday.com work management including boards, items, columns, groups, subitems, and updates via Rube MCP (Composio).                                                                               | critical |
| monetization                       | Estrategia e implementacao de monetizacao para produtos digitais - Stripe, subscriptions, pricing experiments, freemium, upgrade flows, churn prevention, revenue optimization e modelos de negocio Saa... | none     |
| monorepo-architect                 | Expert in monorepo architecture, build systems, and dependency management at scale.                                                                                                                        | safe     |
| monorepo-management                | Build efficient, scalable monorepos that enable code sharing, consistent tooling, and atomic changes across multiple packages and applications.                                                            | safe     |
| monte-carlo-monitor-creation       | Guides creation of Monte Carlo monitors via MCP tools, producing monitors-as-code YAML for CI/CD deployment.                                                                                               | safe     |
| monte-carlo-prevent                | Surfaces Monte Carlo data observability context (table health, alerts, lineage, blast radius) before SQL/dbt edits.                                                                                        | safe     |
| monte-carlo-push-ingestion         | Expert guide for pushing metadata, lineage, and query logs to Monte Carlo from any data warehouse.                                                                                                         | safe     |
| monte-carlo-validation-notebook    | Generates SQL validation notebooks for dbt PR changes with before/after comparison queries.                                                                                                                | safe     |
| moodle-external-api-development    | This skill guides you through creating custom external web service APIs for Moodle LMS, following Moodle's external API framework and coding standards.                                                    | unknown  |
| moyu                               | > Anti-over-engineering guardrail that activates when an AI coding agent expands scope, adds abstractions, or changes files the user did not request.                                                      | safe     |
| mtls-configuration                 | Configure mutual TLS (mTLS) for zero-trust service-to-service communication.                                                                                                                               | unknown  |
| multi-advisor                      | Conselho de especialistas — consulta multiplos agentes do ecossistema em paralelo para analise multi-perspectiva de qualquer topico.                                                                       | none     |
| multi-agent-architect              | Design and optimize production-grade multi-agent systems with LangGraph, LangChain, and DeepAgents for complex AI workflows.                                                                               | safe     |
| multi-agent-brainstorming          | Simulate a structured peer-review process using multiple specialized agents to validate designs, surface hidden assumptions, and identify failure modes before implementation.                             | unknown  |
| multi-agent-patterns               | This skill should be used when the user asks to "design multi-agent system", "implement supervisor pattern", "create swarm architecture", "coordinate multiple agents", or mentions multi-agent pattern... | unknown  |
| multi-agent-task-orchestrator      | Route tasks to specialized AI agents with anti-duplication, quality gates, and 30-minute heartbeat monitoring                                                                                              | safe     |
| multi-cloud-architecture           | Decision framework and patterns for architecting applications across AWS, Azure, and GCP.                                                                                                                  | safe     |
| multi-platform-apps-multi-platform | Build and deploy the same feature consistently across web, mobile, and desktop platforms using API-first architecture and parallel implementation strategies.                                              | unknown  |
| multiplayer                        | Multiplayer game development principles.                                                                                                                                                                   | unknown  |

## N (32)

| Skill               | Description                              | Risk    |
|---------------------|------------------------------------------|---------|
| n8n-code-javascript | Write JavaScript code in n8n Code nodes. | unknown |
| n8n-code-python     | Write Python code in n8n Code nodes.     | unknown |





| Skill                        | Description                                    | Risk    |
|------------------------------|------------------------------------------------|---------|
| <b>nx-workspace-patterns</b> | Configure and optimize Nx monorepo workspaces. | unknown |

O (49)



| Skill                                                | Description                                                                                                                                                                                                | Risk      |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>page-cro</b>                                      | Analyze and optimize individual pages for conversion performance.                                                                                                                                          | unknown   |
| <b>pagerduty-automation</b>                          | Automate PagerDuty tasks via Rube MCP (Composio): manage incidents, services, schedules, escalation policies, and on-call rotations.                                                                       | critical  |
| <b>paid-ads</b>                                      | You are an expert performance marketer with direct access to ad platform accounts.                                                                                                                         | unknown   |
| <b>pakistan-payments-stack</b>                       | Design and implement production-grade Pakistani payment integrations (JazzCash, Easypaisa, bank/PSP rails, optional Raast) for SaaS with PKR billing, webhook reliability, and reconciliation.             | safe      |
| <b>parallel-agents</b>                               | Multi-agent orchestration patterns.                                                                                                                                                                        | unknown   |
| <b>payment-integration</b>                           | Integrate Stripe, PayPal, and payment processors.                                                                                                                                                          | unknown   |
| <b>paypal-integration</b>                            | Master PayPal payment integration including Express Checkout, IPN handling, recurring billing, and refund workflows.                                                                                       | unknown   |
| <b>paywall-upgrade-cro</b>                           | You are an expert in in-app paywalls and upgrade flows.                                                                                                                                                    | unknown   |
| <b>pc-games</b>                                      | PC and console game development principles.                                                                                                                                                                | safe      |
| <b>pci-compliance</b>                                | Master PCI DSS (Payment Card Industry Data Security Standard) compliance for secure payment processing and handling of cardholder data.                                                                    | unknown   |
| <b>pdf-conversion-router</b>                         | Use when converting a PDF into another format such as Markdown, HTML, text, JSON, DOCX, or structured notes and the agent must choose the best extraction route, settings, and cleanup strategy for max... | safe      |
| <b>pdf-official</b>                                  | This guide covers essential PDF processing operations using Python libraries and command-line tools.                                                                                                       | unknown   |
| <b>pentest-checklist</b>                             | Provide a comprehensive checklist for planning, executing, and following up on penetration tests.                                                                                                          | offensive |
| <b>pentest-commands</b>                              | Provide a comprehensive command reference for penetration testing tools including network scanning, exploitation, password cracking, and web application testing.                                          | offensive |
| <b>performance-engineer</b>                          | Expert performance engineer specializing in modern observability,                                                                                                                                          | unknown   |
| <b>performance-optimizer</b>                         | Identifies and fixes performance bottlenecks in code, databases, and APIs.                                                                                                                                 | safe      |
| <b>performance-profiling</b>                         | Performance profiling principles.                                                                                                                                                                          | unknown   |
| <b>performance-testing-review-ai-review</b>          | You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices.                                                     | unknown   |
| <b>performance-testing-review-multi-agent-review</b> | Use when working with performance testing review multi agent review                                                                                                                                        | unknown   |
| <b>permission-manager</b>                            | Manage opencode permissions: review always-allow lists, suggest safe read-only commands, configure permission patterns                                                                                     | critical  |
| <b>personal-tool-builder</b>                         | Expert in building custom tools that solve your own problems first.                                                                                                                                        | critical  |
| <b>phase-gated-debugging</b>                         | Use when debugging any bug.                                                                                                                                                                                | safe      |
| <b>photopea-embedded-editor</b>                      | Embed Photopea in web apps using photopea.js.                                                                                                                                                              | safe      |
| <b>php-pro</b>                                       | Write idiomatic PHP code with generators, iterators, SPL data structures, and modern OOP features.                                                                                                         | unknown   |
| <b>pipecat-friday-agent</b>                          | Build a low-latency, Iron Man-inspired tactical voice assistant (F.R.I.D.A.Y.) using Pipecat, Gemini, and OpenAI.                                                                                          | safe      |
| <b>pipedrive-automation</b>                          | Automate Pipedrive CRM operations including deals, contacts, organizations, activities, notes, and pipeline management via Rube MCP (Composio).                                                            | critical  |
| <b>pitch-psychologist</b>                            | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe      |
| <b>plaid-fintech</b>                                 | Expert patterns for Plaid API integration including Link token flows, transactions sync, identity verification, Auth for ACH, balance checks, webhook handling, and fintech compliance best practices.     | unknown   |
| <b>plan-writing</b>                                  | Structured task planning with clear breakdowns, dependencies, and verification criteria.                                                                                                                   | unknown   |

| Skill                        | Description                                                                                                                                                                               | Risk     |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| planning-with-files          | Work like Manus: Use persistent markdown files as your "working memory on disk."                                                                                                          | unknown  |
| playwright-java              | Scaffold, write, debug, and enhance enterprise-grade Playwright E2E tests in Java using Page Object Model, JUnit 5, Allure reporting, and parallel execution.                             | safe     |
| playwright-skill             | IMPORTANT - Path Resolution: This skill can be installed in different locations (plugin system, manual installation, global, or project-specific).                                        | unknown  |
| plotly                       | Interactive visualization library.                                                                                                                                                        | unknown  |
| podcast-generation           | Generate real audio narratives from text content using Azure OpenAI's Realtime API.                                                                                                       | unknown  |
| polars                       | Fast in-memory DataFrame library for datasets that fit in RAM.                                                                                                                            | unknown  |
| polis-protocol               | Coordinate multi-vendor AI agents as a self-improving team — a learning router assigns work by track record and citizens can amend the protocol's own rules.                              | critical |
| popup-cro                    | Create and optimize popups, modals, overlays, slide-ins, and banners to increase conversions without harming user experience or brand trust.                                              | unknown  |
| posix-shell-pro              | Expert in strict POSIX sh scripting for maximum portability across Unix-like systems.                                                                                                     | critical |
| postgres-best-practices      | Postgres performance optimization and best practices from Supabase.                                                                                                                       | safe     |
| postgresql                   | Design a PostgreSQL-specific schema.                                                                                                                                                      | unknown  |
| postgresql-optimization      | PostgreSQL database optimization workflow for query tuning, indexing strategies, performance analysis, and production database management.                                                | safe     |
| posthog-automation           | Automate PostHog tasks via Rube MCP (Composio): events, feature flags, projects, user profiles, annotations.                                                                              | critical |
| postmark-automation          | Automate Postmark email delivery tasks via Rube MCP (Composio): send templated emails, manage templates, monitor delivery stats and bounces.                                              | critical |
| postmortem-writing           | Comprehensive guide to writing effective, blameless postmortems that drive organizational learning and prevent incident recurrence.                                                       | unknown  |
| powershell-windows           | PowerShell Windows patterns.                                                                                                                                                              | unknown  |
| pptx-official                | A user may ask you to create, edit, or analyze the contents of a .pptx file.                                                                                                              | unknown  |
| pr-writer                    | Create pull requests following Sentry's engineering practices.                                                                                                                            | unknown  |
| price-psychology-strategist  | One sentence - what this skill does and when to invoke it                                                                                                                                 | safe     |
| pricing-strategy             | Design pricing, packaging, and monetization strategies based on value, customer willingness to pay, and growth objectives.                                                                | unknown  |
| prisma-expert                | You are an expert in Prisma ORM with deep knowledge of schema design, migrations, query optimization, relations modeling, and database operations across PostgreSQL, MySQL, and SQLite.   | unknown  |
| privacy-by-design            | Use when building apps that collect user data.                                                                                                                                            | safe     |
| privilege-escalation-methods | Provide comprehensive techniques for escalating privileges from a low-privileged user to root/administrator access on compromised Linux and Windows systems.                              | unknown  |
| product-design               | Design de produto nível Apple — sistemas visuais, UX flows, acessibilidade, linguagem visual proprietária, design tokens, prototipagem e handoff.                                         | none     |
| product-inventor             | Product Inventor e Design Alchemist de nível máximo — combina Product Thinking, Design Systems, UI Engineering, Psicologia Cognitiva, Storytelling e execução impecável nível Jobs/Apple. | none     |
| product-manager              | Senior PM agent with 6 knowledge domains, 30+ frameworks, 12 templates, and 32 SaaS metrics with formulas.                                                                                | safe     |
| product-manager-toolkit      | Essential tools and frameworks for modern product management, from discovery to delivery.                                                                                                 | unknown  |
| product-marketing-context    | Create or update a reusable product marketing context document with positioning, audience, ICP, use cases, and messaging.                                                                 | unknown  |

| Skill                                     | Description                                                                                                                                                                                              | Risk     |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>production-audit</b>                   | Audit a shipped repo for production-readiness gaps across RLS, webhooks, secrets, grants, Stripe idempotency, mobile UX, and deployment health.                                                          | critical |
| <b>production-code-audit</b>              | Autonomously deep-scan entire codebase line-by-line, understand architecture and patterns, then systematically transform it to production-grade, corporate-level professional quality with optimizations | unknown  |
| <b>production-scheduling</b>              | Codified expertise for production scheduling, job sequencing, line balancing, changeover optimisation, and bottleneck resolution in discrete and batch manufacturing.                                    | safe     |
| <b>professional-proofreader</b>           | > Use when a user asks to "proofread", "review and correct", "fix grammar", "improve readability while keeping my voice", and to proofread a document file and save an updated version.                  | safe     |
| <b>programmatic-seo</b>                   | Design and evaluate programmatic SEO strategies for creating SEO-driven pages at scale using templates and structured data.                                                                              | unknown  |
| <b>progressive-estimation</b>             | Estimate AI-assisted and hybrid human+agent development work with research-backed PERT statistics and calibration feedback loops                                                                         | safe     |
| <b>progressive-web-app</b>                | Build Progressive Web Apps (PWAs) with offline support, installability, and caching strategies.                                                                                                          | safe     |
| <b>project-development</b>                | This skill covers the principles for identifying tasks suited to LLM processing, designing effective project architectures, and iterating rapidly using agent-assisted development.                      | unknown  |
| <b>project-skill-audit</b>                | Audit a project and recommend the highest-value skills to add or update.                                                                                                                                 | safe     |
| <b>projection-patterns</b>                | Build read models and projections from event streams.                                                                                                                                                    | safe     |
| <b>prometheus-configuration</b>           | Complete guide to Prometheus setup, metric collection, scrape configuration, and recording rules.                                                                                                        | unknown  |
| <b>prompt-caching</b>                     | Caching strategies for LLM prompts including Anthropic prompt caching, response caching, and CAG (Cache Augmented Generation)                                                                            | none     |
| <b>prompt-engineer</b>                    | Transforms user prompts into optimized prompts using frameworks (RTF, RISEN, Chain of Thought, RODES, Chain of Density, RACE, RISE, STAR, SOAP, CLEAR, GROW)                                             | safe     |
| <b>prompt-engineering</b>                 | Expert guide on prompt engineering patterns, best practices, and optimization techniques.                                                                                                                | unknown  |
| <b>prompt-engineering-patterns</b>        | Master advanced prompt engineering techniques to maximize LLM performance, reliability, and controllability.                                                                                             | unknown  |
| <b>prompt-library</b>                     | A comprehensive collection of battle-tested prompts inspired by [awesome-chatgpt-prompts](https://github.com/f/awesome-chatgpt-prompts) and community best practices.                                    | unknown  |
| <b>protect-mcp-governance</b>             | Agent governance skill for MCP tool calls — Cedar policy authoring, shadow-to-enforce rollout, and Ed25519 receipt verification.                                                                         | safe     |
| <b>protocol-reverse-engineering</b>       | Comprehensive techniques for capturing, analyzing, and documenting network protocols for security research, interoperability, and debugging.                                                             | safe     |
| <b>pubmed-database</b>                    | Direct REST API access to PubMed.                                                                                                                                                                        | unknown  |
| <b>puzzle-activity-planner</b>            | Plan puzzle-based activities for classrooms, parties, and events with pre-configured generator links                                                                                                     | safe     |
| <b>pydantic-ai</b>                        | Build production-ready AI agents with PydanticAI — type-safe tool use, structured outputs, dependency injection, and multi-model support.                                                                | safe     |
| <b>pydantic-models-py</b>                 | Create Pydantic models following the multi-model pattern for clean API contracts.                                                                                                                        | unknown  |
| <b>pypict-skill</b>                       | Pairwise test generation                                                                                                                                                                                 | safe     |
| <b>python-development</b>                 | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                                           | critical |
| <b>python-development-python-scaffold</b> | You are a Python project architecture expert specializing in scaffolding production-ready Python applications.                                                                                           | critical |

| Skill                                  | Description                                                                                                                                          | Risk    |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>python-fastapi-development</b>      | Python FastAPI backend development with async patterns, SQLAlchemy, Pydantic, authentication, and production API patterns.                           | safe    |
| <b>python-packaging</b>                | Comprehensive guide to creating, structuring, and distributing Python packages using modern packaging tools, pyproject.toml, and publishing to PyPI. | safe    |
| <b>python-patterns</b>                 | Python development principles and decision-making.                                                                                                   | unknown |
| <b>python-performance-optimization</b> | Profile and optimize Python code using cProfile, memory profilers, and performance best practices.                                                   | safe    |
| <b>python-pptx-generator</b>           | Generate complete Python scripts that build polished PowerPoint decks with python-pptx and real slide content.                                       | safe    |
| <b>python-pro</b>                      | Master Python 3.12+ with modern features, async programming, performance optimization, and production-ready practices.                               | unknown |
| <b>python-testing-patterns</b>         | Implement comprehensive testing strategies with pytest, fixtures, mocking, and test-driven development.                                              | safe    |

## Q (3)

| Skill                         | Description                                                                                                                                                                | Risk    |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>qiskit</b>                 | Qiskit is the world's most popular open-source quantum computing framework with 13M+ downloads.                                                                            | unknown |
| <b>quality-nonconformance</b> | Codified expertise for quality control, non-conformance investigation, root cause analysis, corrective action, and supplier quality management in regulated manufacturing. | safe    |
| <b>quant-analyst</b>          | Build financial models, backtest trading strategies, and analyze market data.                                                                                              | safe    |

## R (48)

| Skill                              | Description                                                                                                                                                        | Risk    |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>radix-ui-design-system</b>      | Build accessible design systems with Radix UI primitives.                                                                                                          | safe    |
| <b>rag-engineer</b>                | Expert in building Retrieval-Augmented Generation systems.                                                                                                         | unknown |
| <b>rag-implementation</b>          | RAG (Retrieval-Augmented Generation) implementation workflow covering embedding selection, vector database setup, chunking strategies, and retrieval optimization. | safe    |
| <b>rayden-code</b>                 | Generate React code with Rayden UI components using correct props, tokens, and premium layout patterns                                                             | safe    |
| <b>rayden-use</b>                  | Build and maintain Rayden UI components and screens in Figma via Figma MCP with full design token enforcement                                                      | safe    |
| <b>react-best-practices</b>        | Comprehensive performance optimization guide for React and Next.js applications, maintained by Vercel.                                                             | safe    |
| <b>react-component-performance</b> | Diagnose slow React components and suggest targeted performance fixes.                                                                                             | safe    |
| <b>react-flow-architect</b>        | Build production-ready ReactFlow applications with hierarchical navigation, performance optimization, and advanced state management.                               | unknown |
| <b>react-flow-node-ts</b>          | Create React Flow node components following established patterns with proper TypeScript types and store integration.                                               | unknown |
| <b>react-modernization</b>         | Master React version upgrades, class to hooks migration, concurrent features adoption, and codemods for automated transformation.                                  | safe    |
| <b>react-native-architecture</b>   | Production-ready patterns for React Native development with Expo, including navigation, state management, native modules, and offline-first architecture.          | safe    |
| <b>react-native-skills</b>         | Use when working with react-native-skills tasks or workflows                                                                                                       | safe    |





| Skill                      | Description                                                                                                                  | Risk     |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>ruby-pro</b>            | Write idiomatic Ruby code with metaprogramming, Rails patterns, and performance optimization.                                | unknown  |
| <b>runapi-cli</b>          | Generate AI images, videos, and music/audio from agents using the RunAPI CLI.                                                | critical |
| <b>runaway-guard</b>       | Cost-safety discipline for paid AI / inference APIs: treat \$-cost as a third complexity dimension alongside time and space. | safe     |
| <b>rust-async-patterns</b> | Master Rust async programming with Tokio, async traits, error handling, and concurrent patterns.                             | safe     |
| <b>rust-pro</b>            | Master Rust 1.75+ with modern async patterns, advanced type system features, and production-ready systems programming.       | unknown  |

## S (177)

| Skill                                                        | Description                                                                                                                                                                                                | Risk     |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>saas-multi-tenant</b>                                     | Design and implement multi-tenant SaaS architectures with row-level security, tenant-scoped queries, shared-schema isolation, and safe cross-tenant admin patterns in PostgreSQL and TypeScript.           | safe     |
| <b>saas-mvp-launcher</b>                                     | Use when planning or building a SaaS MVP from scratch.                                                                                                                                                     | safe     |
| <b>saga-orchestration</b>                                    | Patterns for managing distributed transactions and long-running business processes.                                                                                                                        | unknown  |
| <b>sales-automator</b>                                       | Draft cold emails, follow-ups, and proposal templates.                                                                                                                                                     | unknown  |
| <b>sales-enablement</b>                                      | Create sales collateral such as decks, one-pagers, objection docs, demo scripts, playbooks, and proposal templates.                                                                                        | unknown  |
| <b>salesforce-automation</b>                                 | Automate Salesforce tasks via Rube MCP (Composio): leads, contacts, accounts, opportunities, SOQL queries.                                                                                                 | critical |
| <b>salesforce-development</b>                                | Expert patterns for Salesforce platform development including Lightning Web Components (LWC), Apex triggers and classes, REST/Bulk APIs, Connected Apps, and Salesforce DX with scratch orgs and 2nd ge... | safe     |
| <b>sam-altman</b>                                            | Agente que simula Sam Altman — CEO da OpenAI, ex-presidente da Y Combinator, arquiteto da era AGI.                                                                                                         | safe     |
| <b>sankhya-dashboard-html-js<br/>p-custom-best-practices</b> | This skill should be used when the user asks for patterns, best practices, creation, or fixing of Sankhya dashboards using HTML, JSP, Java, and SQL.                                                       | safe     |
| <b>sast-configuration</b>                                    | Static Application Security Testing (SAST) tool setup, configuration, and custom rule creation for comprehensive security scanning across multiple programming languages.                                  | unknown  |
| <b>satori</b>                                                | Clinically informed wisdom companion blending psychology and philosophy into a structured thinking partner                                                                                                 | safe     |
| <b>scala-pro</b>                                             | Master enterprise-grade Scala development with functional programming, distributed systems, and big data processing.                                                                                       | safe     |
| <b>scanning-tools</b>                                        | Master essential security scanning tools for network discovery, vulnerability assessment, web application testing, wireless security, and compliance validation.                                           | unknown  |
| <b>scanpy</b>                                                | Scanpy is a scalable Python toolkit for analyzing single-cell RNA-seq data, built on AnnData.                                                                                                              | unknown  |
| <b>scarcity-urgency-psycholo<br/>gist</b>                    | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe     |
| <b>schema-markup</b>                                         | Design, validate, and optimize schema.org structured data for eligibility, correctness, and measurable SEO impact.                                                                                         | unknown  |
| <b>schema-markup-generator</b>                               | Generate and implement JSON-LD structured data for web apps, blogs, FAQs, and SaaS sites.                                                                                                                  | safe     |
| <b>scientific-writing</b>                                    | This is the core skill for the deep research and writing tool—combining AI-driven deep research with well-formatted written outputs.                                                                       | unknown  |
| <b>scikit-learn</b>                                          | Machine learning in Python with scikit-learn.                                                                                                                                                              | unknown  |

| Skill                                   | Description                                                                                                                                                                                                | Risk     |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| screen-reader-testing                   | Practical guide to testing web applications with screen readers for comprehensive accessibility validation.                                                                                                | safe     |
| screenshots                             | Generate marketing screenshots of your app using Playwright.                                                                                                                                               | safe     |
| scroll-experience                       | Expert in building immersive scroll-driven experiences - parallax storytelling, scroll animations, interactive narratives, and cinematic web experiences.                                                  | unknown  |
| seaborn                                 | Seaborn is a Python visualization library for creating publication-quality statistical graphics.                                                                                                           | unknown  |
| search-specialist                       | Expert web researcher using advanced search techniques and                                                                                                                                                 | unknown  |
| secrets-management                      | Secure secrets management practices for CI/CD pipelines using Vault, AWS Secrets Manager, and other tools.                                                                                                 | unknown  |
| security-audit                          | Comprehensive security auditing workflow covering web application testing, API security, penetration testing, vulnerability scanning, and security hardening.                                              | safe     |
| security-auditor                        | Expert security auditor specializing in DevSecOps, comprehensive cybersecurity, and compliance frameworks.                                                                                                 | unknown  |
| security-bluebook-builder               | Build a minimal but real security policy for sensitive apps.                                                                                                                                               | unknown  |
| security-compliance-compliance-check    | You are a compliance expert specializing in regulatory requirements for software systems including GDPR, HIPAA, SOC2, PCI-DSS, and other industry standards.                                               | safe     |
| security-requirement-extraction         | Derive security requirements from threat models and business context.                                                                                                                                      | safe     |
| security-scanning-security-dependencies | You are a security expert specializing in dependency vulnerability analysis, SBOM generation, and supply chain security.                                                                                   | safe     |
| security-scanning-security-hardening    | Coordinate multi-layer security scanning and hardening across application, infrastructure, and compliance controls.                                                                                        | unknown  |
| security-scanning-security-sast         | Static Application Security Testing (SAST) for code vulnerability analysis across multiple languages and frameworks                                                                                        | unknown  |
| seek-and-analyze-video                  | Seek and analyze video content using Memories.ai Large Visual Memory Model for persistent video intelligence                                                                                               | safe     |
| segment-automation                      | Automate Segment tasks via Rube MCP (Composio): track events, identify users, manage groups, page views, aliases, batch operations.                                                                        | critical |
| segment-cdp                             | Expert patterns for Segment Customer Data Platform including Analytics.js, server-side tracking, tracking plans with Protocols, identity resolution, destinations configuration, and data governance be... | safe     |
| semgrep-rule-creator                    | Creates custom Semgrep rules for detecting security vulnerabilities, bug patterns, and code patterns.                                                                                                      | unknown  |
| semgrep-rule-variant-creator            | Creates language variants of existing Semgrep rules.                                                                                                                                                       | unknown  |
| sendblue-api                            | Send and receive iMessage, SMS, and RCS from application code via the Sendblue HTTP API — text, media, group messages, send styles, reactions, typing indicators, status callbacks, and inbound webhook... | critical |
| sendblue-cli                            | Send iMessage and SMS from the shell via the @sendblue/cli npm package — outbound sends, contact management, and account setup with no API client or webhook server required.                              | critical |
| sendblue-notify                         | Text the user's phone when a long-running task, agent turn, or scheduled job finishes — via @sendblue/cli for outbound, optionally wired to a Claude Code Stop hook for automatic fire.                    | critical |
| sendgrid-automation                     | Automate SendGrid email delivery workflows including marketing campaigns (Single Sends), contact and list management, sender identity setup, and email analytics through Composio's SendGrid toolkit.      | critical |
| senior-architect                        | Complete toolkit for senior architect with modern tools and best practices.                                                                                                                                | critical |
| senior-frontend                         | Frontend development skill for React, Next.js, TypeScript, and Tailwind CSS applications.                                                                                                                  | safe     |
| senior-fullstack                        | Complete toolkit for senior fullstack with modern tools and best practices.                                                                                                                                | critical |

| Skill                                     | Description                                                                                                                                                     | Risk     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>sentry-automation</b>                  | Automate Sentry tasks via Rube MCP (Composio): manage issues/events, configure alerts, track releases, monitor projects and teams.                              | critical |
| <b>seo</b>                                | Run a broad SEO audit across technical SEO, on-page SEO, schema, sitemaps, content quality, AI search readiness, and GEO.                                       | unknown  |
| <b>seo-aeo-blog-writer</b>                | Writes long-form blog posts with TL;DR block, definition sentence, comparison table, and 5-question FAQ for SEO ranking and AEO citation.                       | safe     |
| <b>seo-aeo-content-cluster</b>            | Builds a topical authority map with a pillar page, prioritised cluster articles, content types, internal link map, and content gap analysis.                    | safe     |
| <b>seo-aeo-content-quality-auditor</b>    | Audits content for SEO and AEO performance with scored reports, severity-ranked fix lists, and projected scores after fixes.                                    | safe     |
| <b>seo-aeo-internal-linking</b>           | Maps internal link opportunities between pages with anchor text, placement instructions, orphan page detection, and cannibalization checks.                     | safe     |
| <b>seo-aeo-keyword-research</b>           | Researches and prioritises SEO keywords with AEO question queries, difficulty tiers, cannibalization checks, and a content map.                                 | safe     |
| <b>seo-aeo-landing-page-writer</b>        | Writes complete, structured landing pages optimized for SEO ranking, AEO citation, and visitor conversion.                                                      | safe     |
| <b>seo-aeo-meta-description-generator</b> | Writes 3 title tag variants and 3 meta description variants per page with SERP preview, OG tags, and Twitter Card tags.                                         | safe     |
| <b>seo-aeo-schema-generator</b>           | Generates valid JSON-LD structured data for 10 schema types with rich result eligibility validation and implementation-ready script blocks.                     | safe     |
| <b>seo-audit</b>                          | Diagnose and audit SEO issues affecting crawlability, indexation, rankings, and organic performance.                                                            | safe     |
| <b>seo-authority-builder</b>              | Analyzes content for E-E-A-T signals and suggests improvements to build authority and trust.                                                                    | unknown  |
| <b>seo-cannibalization-detector</b>       | Analyzes multiple provided pages to identify keyword overlap and potential cannibalization issues.                                                              | unknown  |
| <b>seo-competitor-pages</b>               | > Generate SEO-optimized competitor comparison and alternatives pages.                                                                                          | unknown  |
| <b>seo-content</b>                        | > Content quality and E-E-A-T analysis with AI citation readiness assessment.                                                                                   | unknown  |
| <b>seo-content-auditor</b>                | Analyzes provided content for quality, E-E-A-T signals, and SEO best practices.                                                                                 | safe     |
| <b>seo-content-planner</b>                | Creates comprehensive content outlines and topic clusters for SEO.                                                                                              | unknown  |
| <b>seo-content-refresher</b>              | Identifies outdated elements in provided content and suggests updates to maintain freshness.                                                                    | unknown  |
| <b>seo-content-writer</b>                 | Writes SEO-optimized content based on provided keywords and topic briefs.                                                                                       | unknown  |
| <b>seo-dataforseo</b>                     | Use DataForSEO for live SERPs, keyword metrics, backlinks, competitor analysis, on-page checks, and AI visibility data.                                         | unknown  |
| <b>seo-forensic-incident-response</b>     | Investigate sudden drops in organic traffic or rankings and run a structured forensic SEO incident response with triage, root-cause analysis and recovery plan. | safe     |
| <b>seo-fundamentals</b>                   | Core principles of SEO including E-E-A-T, Core Web Vitals, technical foundations, content quality, and how modern search engines evaluate pages.                | safe     |
| <b>seo-geo</b>                            | Optimize content for AI Overviews, ChatGPT, Perplexity, and other AI search systems.                                                                            | unknown  |
| <b>seo-hreflang</b>                       | > Hreflang and international SEO audit, validation, and generation.                                                                                             | unknown  |
| <b>seo-image-gen</b>                      | Generate SEO-focused images such as OG cards, hero images, schema assets, product visuals, and infographics.                                                    | unknown  |
| <b>seo-images</b>                         | > Image optimization analysis for SEO and performance.                                                                                                          | safe     |
| <b>seo-keyword-strategist</b>             | Analyzes keyword usage in provided content, calculates density, suggests semantic variations and LSI keywords based on the topic.                               | unknown  |
| <b>seo-meta-optimizer</b>                 | Creates optimized meta titles, descriptions, and URL suggestions based on character limits and best practices.                                                  | unknown  |
| <b>seo-page</b>                           | > Deep single-page SEO analysis covering on-page elements, content quality, technical meta tags, schema, images, and performance.                               | safe     |

| Skill                      | Description                                                                                                                                                                                                | Risk     |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| seo-plan                   | > Strategic SEO planning for new or existing websites.                                                                                                                                                     | unknown  |
| seo-programmatic           | Plan and audit programmatic SEO pages generated at scale from structured data.                                                                                                                             | unknown  |
| seo-schema                 | > Detect, validate, and generate Schema.org structured data.                                                                                                                                               | unknown  |
| seo-sitemap                | > Analyze existing XML sitemaps or generate new ones with industry templates.                                                                                                                              | unknown  |
| seo-snippet-hunter         | Formats content to be eligible for featured snippets and SERP features.                                                                                                                                    | unknown  |
| seo-structure-architect    | Analyzes and optimizes content structure including header hierarchy, suggests schema markup, and internal linking opportunities.                                                                           | unknown  |
| seo-technical              | Audit technical SEO across crawlability, indexability, security, URLs, mobile, Core Web Vitals, structured data, JavaScript rendering, and related platform signals like robots.txt and AI crawler acce... | unknown  |
| sequence-psychologist      | One sentence - what this skill does and when to invoke it                                                                                                                                                  | safe     |
| server-management          | Server management principles and decision-making.                                                                                                                                                          | safe     |
| service-mesh-expert        | Expert service mesh architect specializing in Istio, Linkerd, and cloud-native networking patterns.                                                                                                        | safe     |
| service-mesh-observability | Complete guide to observability patterns for Istio, Linkerd, and service mesh deployments.                                                                                                                 | critical |
| sexual-health-analyzer     | Sexual Health Analyzer                                                                                                                                                                                     | unknown  |
| shadcn                     | Manages shadcn/ui components and projects, providing context, documentation, and usage patterns for building modern design systems.                                                                        | safe     |
| shader-programming-glsl    | Expert guide for writing efficient GLSL shaders (Vertex/Fragment) for web and game engines, covering syntax, uniforms, and common effects.                                                                 | safe     |
| sharp-edges                | sharp-edges                                                                                                                                                                                                | unknown  |
| shellcheck-configuration   | Master ShellCheck static analysis configuration and usage for shell script quality.                                                                                                                        | unknown  |
| shodan-reconnaissance      | Provide systematic methodologies for leveraging Shodan as a reconnaissance tool during penetration testing engagements.                                                                                    | unknown  |
| shopify-apps               | Expert patterns for Shopify app development including Remix/React Router apps, embedded apps with App Bridge, webhook handling, GraphQL Admin API, Polaris components, billing, and app extensions.        | safe     |
| shopify-automation         | Automate Shopify tasks via Rube MCP (Composio): products, orders, customers, inventory, collections.                                                                                                       | unknown  |
| shopify-development        | Build Shopify apps, extensions, themes using GraphQL Admin API, Shopify CLI, Polaris UI, and Liquid.                                                                                                       | unknown  |
| signup-flow-cro            | You are an expert in optimizing signup and registration flows.                                                                                                                                             | unknown  |
| similarity-search-patterns | Implement efficient similarity search with vector databases.                                                                                                                                               | safe     |
| simplify-code              | Review a diff for clarity and safe simplifications, then optionally apply low-risk fixes.                                                                                                                  | safe     |
| site-architecture          | Plan or restructure website hierarchy, navigation, URL patterns, breadcrumbs, and internal linking.                                                                                                        | unknown  |
| skill-audit                | Pre-install security scanner for AI agent skills.                                                                                                                                                          | safe     |
| skill-check                | Validate Claude Code skills against the agentskills specification.                                                                                                                                         | safe     |
| skill-creator              | To create new CLI skills following Anthropic's official best practices with zero manual configuration.                                                                                                     | safe     |
| skill-creator-ms           | Guide for creating effective skills for AI coding agents working with Azure SDKs and Microsoft Foundry services.                                                                                           | unknown  |
| skill-developer            | Comprehensive guide for creating and managing skills in Claude Code with auto-activation system, following Anthropic's official best practices including the 500-line rule and progressive disclosure p... | unknown  |
| skill-improver             | Iteratively improve a Claude Code skill using the skill-reviewer agent until it meets quality standards.                                                                                                   | unknown  |
| skill-installer            | Instala, valida, registra e verifica novas skills no ecossistema.                                                                                                                                          | safe     |





| Skill                                                 | Description                                                                                                                                                                                             | Risk      |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>spec-to-code-compliance</b>                        | Verifies code implements exactly what documentation specifies for blockchain audits.                                                                                                                    | unknown   |
| <b>speckit-updater</b>                                | SpeckKit Safe Update                                                                                                                                                                                    | unknown   |
| <b>speed</b>                                          | Launch RSVP speed reader for text                                                                                                                                                                       | unknown   |
| <b>spline-3d-integration</b>                          | Use when adding interactive 3D scenes from Spline.design to web projects, including React embedding and runtime control API.                                                                            | safe      |
| <b>sql-injection-testing</b>                          | Execute comprehensive SQL injection vulnerability assessments on web applications to identify database security flaws, demonstrate exploitation techniques, and validate input sanitization mechanisms. | offensive |
| <b>sql-optimization-patterns</b>                      | Transform slow database queries into lightning-fast operations through systematic optimization, proper indexing, and query plan analysis.                                                               | safe      |
| <b>sql-pro</b>                                        | Master modern SQL with cloud-native databases, OLTP/OLAP optimization, and advanced query techniques.                                                                                                   | unknown   |
| <b>sqlmap-database-pentesting</b>                     | Provide systematic methodologies for automated SQL injection detection and exploitation using SQLMap.                                                                                                   | unknown   |
| <b>square-automation</b>                              | Automate Square tasks via Rube MCP (Composio): payments, orders, invoices, locations.                                                                                                                   | critical  |
| <b>squirrel</b>                                       | Full-cycle AI coding skill: plans, builds, tests, lints, fixes bugs, and writes production-grade docs.                                                                                                  | safe      |
| <b>sred-project-organizer</b>                         | Take a list of projects and their related documentation, and organize them into the SRED format for submission.                                                                                         | unknown   |
| <b>sred-work-summary</b>                              | Go back through the previous year of work and create a Notion doc that groups relevant links into projects that can then be documented as SRED projects.                                                | unknown   |
| <b>ssh-penetration-testing</b>                        | Conduct comprehensive SSH security assessments including enumeration, credential attacks, vulnerability exploitation, tunneling techniques, and post-exploitation activities.                           | offensive |
| <b>stability-ai</b>                                   | Geracao de imagens via Stability AI (SD3.5, Ultra, Core).                                                                                                                                               | safe      |
| <b>startup-analyst</b>                                | Expert startup business analyst specializing in market sizing, financial modeling, competitive analysis, and strategic planning for early-stage companies.                                              | unknown   |
| <b>startup-business-analyst-business-case</b>         | Generate comprehensive investor-ready business case document with market, solution, financials, and strategy                                                                                            | unknown   |
| <b>startup-business-analyst-financial-projections</b> | Create detailed 3-5 year financial model with revenue, costs, cash flow, and scenarios                                                                                                                  | unknown   |
| <b>startup-business-analyst-market-opportunity</b>    | Generate comprehensive market opportunity analysis with TAM/SAM/SOM calculations                                                                                                                        | unknown   |
| <b>startup-financial-modeling</b>                     | Build comprehensive 3-5 year financial models with revenue projections, cost structures, cash flow analysis, and scenario planning for early-stage startups.                                            | unknown   |
| <b>startup-metrics-framework</b>                      | Comprehensive guide to tracking, calculating, and optimizing key performance metrics for different startup business models from seed through Series A.                                                  | safe      |
| <b>statsmodels</b>                                    | Statsmodels is Python's premier library for statistical modeling, providing tools for estimation, inference, and diagnostics across a wide range of statistical methods.                                | unknown   |
| <b>steve-jobs</b>                                     | Agente que simula Steve Jobs — cofundador da Apple, CEO da Pixar, fundador da NeXT, o maior designer de produtos tecnologicos da historia e o mais influente apresentador de produtos do mundo.         | safe      |
| <b>stitch-design-taste</b>                            | Use when generating Google Stitch DESIGN.md systems for premium typography, color, layout, motion intent, and anti-generic UI rules.                                                                    | safe      |
| <b>stitch-loop</b>                                    | Teaches agents to iteratively build websites using Stitch with an autonomous baton-passing loop pattern allowed-tools: - "stitch*:*" - "chrome*:*" - "Read" - "Write" - "Bash"                          | unknown   |
| <b>stitch-ui-design</b>                               | Expert guidance for crafting effective prompts in Google Stitch, the AI-powered UI design tool by Google Labs.                                                                                          | safe      |
| <b>stride-analysis-patterns</b>                       | Apply STRIDE methodology to systematically identify threats.                                                                                                                                            | safe      |



| Skill                                   | Description                                                                                                                                                                                                | Risk     |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>tdd-workflows-tdd-green</b>          | Implement the minimal code needed to make failing tests pass in the TDD green phase.                                                                                                                       | unknown  |
| <b>tdd-workflows-tdd-red</b>            | Generate failing tests for the TDD red phase to define expected behavior and edge cases.                                                                                                                   | unknown  |
| <b>tdd-workflows-tdd-refactor</b>       | Use when working with tdd workflows tdd refactor                                                                                                                                                           | unknown  |
| <b>team-collaboration-issue</b>         | You are a GitHub issue resolution expert specializing in systematic bug investigation, feature implementation, and collaborative development workflows.                                                    | safe     |
| <b>team-collaboration-standup-notes</b> | You are an expert team communication specialist focused on async-first standup practices, AI-assisted note generation from commit history, and effective remote team coordination patterns.                | critical |
| <b>team-composition-analysis</b>        | Design optimal team structures, hiring plans, compensation strategies, and equity allocation for early-stage startups from pre-seed through Series A.                                                      | unknown  |
| <b>technical-change-tracker</b>         | Track code changes with structured JSON records, state machine enforcement, and AI session handoff for bot continuity                                                                                      | safe     |
| <b>telegram</b>                         | Integracao completa com Telegram Bot API.                                                                                                                                                                  | critical |
| <b>telegram-automation</b>              | Automate Telegram tasks via Rube MCP (Composio): send messages, manage chats, share photos/documents, and handle bot commands.                                                                             | critical |
| <b>telegram-bot-builder</b>             | Expert in building Telegram bots that solve real problems - from simple automation to complex AI-powered bots.                                                                                             | unknown  |
| <b>telegram-mini-app</b>                | Expert in building Telegram Mini Apps (TWA) - web apps that run inside Telegram with native-like experience.                                                                                               | unknown  |
| <b>templates</b>                        | Project scaffolding templates for new applications.                                                                                                                                                        | unknown  |
| <b>temporal-golang-pro</b>              | Use when building durable distributed systems with Temporal Go SDK.                                                                                                                                        | safe     |
| <b>temporal-python-pro</b>              | Master Temporal workflow orchestration with Python SDK.                                                                                                                                                    | unknown  |
| <b>temporal-python-testing</b>          | Comprehensive testing approaches for Temporal workflows using pytest, progressive disclosure resources for specific testing scenarios.                                                                     | unknown  |
| <b>terraform-aws-modules</b>            | Terraform module creation for AWS — reusable modules, state management, and HCL best practices.                                                                                                            | unknown  |
| <b>terraform-infrastructure</b>         | Terraform infrastructure as code workflow for provisioning cloud resources, creating reusable modules, and managing infrastructure at scale.                                                               | safe     |
| <b>terraform-module-library</b>         | Production-ready Terraform module patterns for AWS, Azure, and GCP infrastructure.                                                                                                                         | unknown  |
| <b>terraform-skill</b>                  | Terraform infrastructure as code best practices                                                                                                                                                            | safe     |
| <b>terraform-specialist</b>             | Expert Terraform/OpenTofu specialist mastering advanced IaC automation, state management, and enterprise infrastructure patterns.                                                                          | unknown  |
| <b>test-automator</b>                   | Master AI-powered test automation with modern frameworks, self-healing tests, and comprehensive quality engineering.                                                                                       | unknown  |
| <b>test-driven-development</b>          | Use when implementing any feature or bugfix, before writing implementation code                                                                                                                            | unknown  |
| <b>test-fixing</b>                      | Systematically identify and fix all failing tests using smart grouping strategies.                                                                                                                         | safe     |
| <b>testing-patterns</b>                 | Jest testing patterns, factory functions, mocking strategies, and TDD workflow.                                                                                                                            | unknown  |
| <b>testing-qa</b>                       | Comprehensive testing and QA workflow covering unit testing, integration testing, E2E testing, browser automation, and quality assurance.                                                                  | safe     |
| <b>textme</b>                           | Text Claude from your phone — set up the njerschow/textme daemon so inbound iMessages drive a Claude Code session on your laptop, with voice notes, image input, code execution, and a phone-number whi... | critical |
| <b>theme-factory</b>                    | This skill provides a curated collection of professional font and color themes themes, each with carefully selected color palettes and font pairings.                                                      | unknown  |
| <b>threat-mitigation-mapping</b>        | Map identified threats to appropriate security controls and mitigations.                                                                                                                                   | safe     |
| <b>threat-modeling-expert</b>           | Expert in threat modeling methodologies, security architecture review, and risk assessment.                                                                                                                | unknown  |



| Skill                 | Description                                                              | Risk |
|-----------------------|--------------------------------------------------------------------------|------|
| <b>typescript-pro</b> | Master TypeScript with advanced types, generics, and strict type safety. | safe |

## U (34)

| Skill                             | Description                                                                                                                                                                                              | Risk                                 |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>ui-a11y</b>                    | Audit a StyleSeed-based component or page for WCAG 2.2 AA issues and apply practical accessibility fixes where the code makes them safe.                                                                 | safe                                 |
| <b>ui-component</b>               | Generate a new UI component that follows StyleSeed Toss conventions for structure, tokens, accessibility, and component ergonomics.                                                                      | safe                                 |
| <b>ui-page</b>                    | Scaffold a new mobile-first page using StyleSeed Toss layout patterns, section rhythm, and existing shell components.                                                                                    | safe                                 |
| <b>ui-pattern</b>                 | Generate reusable UI patterns such as card sections, grids, lists, forms, and chart wrappers using StyleSeed Toss primitives.                                                                            | safe                                 |
| <b>ui-review</b>                  | Review UI code for StyleSeed design-system compliance, accessibility, mobile ergonomics, spacing discipline, and implementation quality.                                                                 | safe                                 |
| <b>ui-setup</b>                   | Interactive StyleSeed setup wizard for choosing app type, brand color, visual style, typography, and the first screen scaffold.                                                                          | safe                                 |
| <b>ui-skills</b>                  | Opinionated, evolving constraints to guide agents when building interfaces                                                                                                                               | safe                                 |
| <b>ui-tokens</b>                  | List, add, and update StyleSeed design tokens while keeping JSON sources, CSS variables, and dark-mode values in sync.                                                                                   | safe                                 |
| <b>ui-ux-designer</b>             | Create interface designs, wireframes, and design systems.                                                                                                                                                | unknown                              |
| <b>ui-ux-pro-max</b>              | Comprehensive design guide for web and mobile applications.                                                                                                                                              | unknown                              |
| <b>ui-visual-validator</b>        | Rigorous visual validation expert specializing in UI testing, design system compliance, and accessibility verification.                                                                                  | unknown                              |
| <b>uncle-bob-craft</b>            | Use when performing code review, writing or refactoring code, or discussing architecture; complements clean-code and does not replace project linter/formatter.                                          | safe                                 |
| <b>uniprot-database</b>           | Direct REST API access to UniProt.                                                                                                                                                                       | safe                                 |
| <b>unit-testing-test-generate</b> | Generate comprehensive, maintainable unit tests across languages with strong coverage and edge case focus.                                                                                               | unknown                              |
| <b>unity-ai-game-creator</b>      | Transform raw game ideas into complete Unity projects with AI-powered asset generation, scene blueprints, music/SFX prompts, and step-by-step development procedures using Unity 6+ and modern AI tools. | safe                                 |
| <b>unity-developer</b>            | Build Unity games with optimized C# scripts, efficient rendering, and proper asset management.                                                                                                           | unknown                              |
| <b>unity-ecs-patterns</b>         | Production patterns for Unity's Data-Oriented Technology Stack (DOTS) including Entity Component System, Job System, and Burst Compiler.                                                                 | safe                                 |
| <b>unreal-engine-cpp-pro</b>      | Expert guide for Unreal Engine 5.x C++ development, covering UObject hygiene, performance patterns, and best practices.                                                                                  | safe                                 |
| <b>unship</b>                     | Compare AI agent-made UI variants locally in a real app, then keep one and clean up unused temporary code.                                                                                               | safe                                 |
| <b>unslop</b>                     | Post-process AI-generated text through the unslop CLI to strip AI writing patterns before publishing                                                                                                     | safe                                 |
| <b>unsplash-integration</b>       | Integration skill for searching and fetching high-quality, free-to-use professional photography from Unsplash.                                                                                           | safe                                 |
| <b>upgrading-expo</b>             | Upgrade Expo SDK versions                                                                                                                                                                                | safe                                 |
| <b>upstash-qstash</b>             | Upstash QStash expert for serverless message queues, scheduled jobs, and reliable HTTP-based task delivery without managing infrastructure.                                                              | unknown                              |
| <b>user-thoughts</b>              | >- Persist user decisions and project constraints to mdbase across sessions.                                                                                                                             | safe allow ed-tools: read write bash |

| Skill                  | Description                                                                                                                                                              | Risk     |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| using-git-worktrees    | Git worktrees create isolated workspaces sharing the same repository, allowing work on multiple branches simultaneously without switching.                               | critical |
| using-neon             | Neon is a serverless Postgres platform that separates compute and storage to offer autoscaling, branching, instant restore, and scale-to-zero.                           | safe     |
| using-superpowers      | Use when starting any conversation - establishes how to find and use skills, requiring Skill tool invocation before ANY response including clarifying questions          | unknown  |
| uv-package-manager     | Comprehensive guide to using uv, an extremely fast Python package installer and resolver written in Rust, for modern Python project management and dependency workflows. | safe     |
| ux-audit               | Audit screens against Nielsen's heuristics and mobile UX best practices using the StyleSeed Toss design language as the implementation context.                          | safe     |
| ux-copy                | Generate UX microcopy in StyleSeed's Toss-inspired voice for buttons, empty states, errors, toasts, confirmations, and form guidance.                                    | safe     |
| ux-feedback            | Add loading, empty, error, and success feedback states to StyleSeed components and pages with practical mobile-first rules.                                              | safe     |
| ux-flow                | Design user flows and screen structure using StyleSeed UX patterns such as progressive disclosure, hub-and-spoke navigation, and information pyramids.                   | safe     |
| ux-persuasion-engineer | One sentence - what this skill does and when to invoke it                                                                                                                | safe     |
| uxui-principles        | Evaluate interfaces against 168 research-backed UX/UI principles, detect antipatterns, and inject UX context into AI coding sessions.                                    | safe     |

## V (31)

| Skill                          | Description                                                                                                                                           | Risk     |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| variant-analysis               | Find similar vulnerabilities and bugs across codebases using pattern-based analysis.                                                                  | unknown  |
| varlock                        | Secure-by-default environment variable management for Claude Code sessions.                                                                           | critical |
| varlock-claude-skill           | Secure environment variable management ensuring secrets are never exposed in Claude sessions, terminals, logs, or git commits                         | safe     |
| vector-database-engineer       | Expert in vector databases, embedding strategies, and semantic search implementation.                                                                 | unknown  |
| vector-index-tuning            | Optimize vector index performance for latency, recall, and memory.                                                                                    | safe     |
| vercel-ai-sdk-expert           | Expert in the Vercel AI SDK.                                                                                                                          | safe     |
| vercel-automation              | Automate Vercel tasks via Rube MCP (Composio): manage deployments, domains, DNS, env vars, projects, and teams.                                       | critical |
| vercel-cli-with-tokens         | Deploy and manage projects on Vercel using token-based authentication.                                                                                | safe     |
| vercel-deployment              | Expert knowledge for deploying to Vercel with Next.js                                                                                                 | safe     |
| vercel-optimize                | Audit deployed Vercel apps for cost and performance issues using metrics, project config, code scans, and version-aware recommendations.              | safe     |
| vercel-react-view-transitions  | Guide React and Next.js view transitions, shared element animations, route transitions, transition types, and reduced-motion-safe UI state animation. | safe     |
| verification-before-completion | Claiming work is complete without verification is dishonesty, not efficiency.                                                                         | unknown  |
| vexor                          | Vector-powered CLI for semantic file search with a Claude/Codex skill                                                                                 | safe     |
| vexor-cli                      | Semantic file discovery via `vexor`.                                                                                                                  | unknown  |
| vibe-code-auditor              | Audit rapidly generated or AI-produced code for structural flaws, fragility, and production risks.                                                    | safe     |
| vibe-code-cleanup              | Safe production cleanup and hardening for vibe-coded fullstack apps (Next.js, React, Node.js, etc.).                                                  | safe     |



| Skill                                   | Description                                                                                                                                                                             | Risk     |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>vibecode-production-qa-validator</b> | End-to-end production QA, build verification, and launch-readiness checklist for fullstack Next.js apps.                                                                                | safe     |
| <b>vibers-code-review</b>               | Human review workflow for AI-generated GitHub projects with spec-based feedback, security review, and follow-up PRs from the Vibers service.                                            | critical |
| <b>viboscope</b>                        | Psychological compatibility matching — find cofounders, collaborators, and friends through validated psychometrics                                                                      | safe     |
| <b>video-content-extractor</b>          | Extract key frames from MP4 videos at configurable intervals, run Tesseract OCR, and generate structured Markdown reports with video metadata and timestamped text transcripts.         | safe     |
| <b>videodb</b>                          | Video and audio perception, indexing, and editing.                                                                                                                                      | safe     |
| <b>videodb-skills</b>                   | Upload, stream, search, edit, transcribe, and generate AI video and audio using the VideoDB SDK.                                                                                        | safe     |
| <b>viral-generator-builder</b>          | Expert in building shareable generator tools that go viral - name generators, quiz makers, avatar creators, personality tests, and calculator tools.                                    | unknown  |
| <b>visual-emotion-engineer</b>          | One sentence - what this skill does and when to invoke it                                                                                                                               | safe     |
| <b>vizcom</b>                           | AI-powered product design tool for transforming sketches into full-fidelity 3D renders.                                                                                                 | safe     |
| <b>voice-agents</b>                     | Voice agents represent the frontier of AI interaction - humans speaking naturally with AI systems.                                                                                      | safe     |
| <b>voice-ai-development</b>             | Expert in building voice AI applications - from real-time voice agents to voice-enabled apps.                                                                                           | unknown  |
| <b>voice-ai-engine-development</b>      | Build real-time conversational AI voice engines using async worker pipelines, streaming transcription, LLM agents, and TTS synthesis with interrupt handling and multi-provider support | unknown  |
| <b>vr-ar</b>                            | VR/AR development principles.                                                                                                                                                           | unknown  |
| <b>vscode-extension-guide-en</b>        | Guide for VS Code extension development from scaffolding to Marketplace publication                                                                                                     | safe     |
| <b>vulnerability-scanner</b>            | Advanced vulnerability analysis principles.                                                                                                                                             | unknown  |

## W (39)

| Skill                               | Description                                                                                                                                                              | Risk     |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>warren-buffett</b>               | Agente que simula Warren Buffett — o maior investidor do século XX e XXI, CEO da Berkshire Hathaway, discípulo de Benjamin Graham e sócio intelectual de Charlie Munger. | safe     |
| <b>wcag-audit-patterns</b>          | Comprehensive guide to auditing web content against WCAG 2.2 guidelines with actionable remediation strategies.                                                          | safe     |
| <b>web-artifacts-builder</b>        | To build powerful frontend claude.ai artifacts, follow these steps:                                                                                                      | unknown  |
| <b>web-design-guidelines</b>        | Review files for compliance with Web Interface Guidelines.                                                                                                               | safe     |
| <b>web-games</b>                    | Web browser game development principles.                                                                                                                                 | unknown  |
| <b>web-performance-optimization</b> | Optimize website and web application performance including loading speed, Core Web Vitals, bundle size, caching strategies, and runtime performance                      | unknown  |
| <b>web-scraper</b>                  | Web scraping inteligente multi-estratégia.                                                                                                                               | safe     |
| <b>web-security-testing</b>         | Web application security testing workflow for OWASP Top 10 vulnerabilities including injection, XSS, authentication flaws, and access control issues.                    | safe     |
| <b>web3-testing</b>                 | Master comprehensive testing strategies for smart contracts using Hardhat, Foundry, and advanced testing patterns.                                                       | unknown  |
| <b>webapp-testing</b>               | To test local web applications, write native Python Playwright scripts.                                                                                                  | unknown  |
| <b>webflow-automation</b>           | Automate Webflow CMS collections, site publishing, page management, asset uploads, and ecommerce orders via Rube MCP (Composio).                                         | critical |



| Skill            | Description                                                                                                                        | Risk     |
|------------------|------------------------------------------------------------------------------------------------------------------------------------|----------|
| wrike-automation | Automate Wrike project management via Rube MCP (Composio): create tasks/folders, manage projects, assign work, and track progress. | critical |
| writer           | Document creation, format conversion (ODT/DOCX/PDF), mail merge, and automation with LibreOffice Writer.                           | safe     |
| writing-plans    | Use when you have a spec or requirements for a multi-step task, before touching code                                               | critical |
| writing-skills   | Use when creating, updating, or improving agent skills.                                                                            | unknown  |

## X (7)

| Skill                          | Description                                                                                                                                                                                                | Risk      |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| x-article-publisher-skill      | Publish articles to X/Twitter                                                                                                                                                                              | safe      |
| x-twitter-scraper              | X/Twitter automation skill for tweet search, follower export, posting, DMS, webhooks, MCP, SDKs, Hermes Tweet, and TweetClaw.                                                                              | critical  |
| x402-express-wrapper           | Wrapper oficial de M2MCent (Node.js) para inyectar muros de pago x402 en APIs o servidores Model Context Protocol (MCP).                                                                                   | critical  |
| xiaohongshu-content-strategist | Create viral Xiaohongshu (小红书) content with platform-native strategy, save-rate optimization, trending formats, and search SEO for China's #1 lifestyle platform.                                          | safe      |
| xlsx-official                  | Unless otherwise stated by the user or existing template                                                                                                                                                   | unknown   |
| xss-html-injection             | Execute comprehensive client-side injection vulnerability assessments on web applications to identify XSS and HTML injection flaws, demonstrate exploitation techniques for session hijacking and crede... | offensive |
| xvary-stock-research           | Thesis-driven equity analysis from public SEC EDGAR and market data; /analyze, /score, /compare workflows with bundled Python tools (Claude Code, Cursor, Codex).                                          | safe      |

## Y (9)

| Skill                | Description                                                                                                                                                                    | Risk     |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| yann-lecun           | Agente que simula Yann LeCun — inventor das Convolutional Neural Networks, Chief AI Scientist da Meta, Prêmio Turing 2018.                                                     | safe     |
| yann-lecun-debate    | Sub-skill de debates e posições de Yann LeCun.                                                                                                                                 | safe     |
| yann-lecun-filosofia | Sub-skill filosófica e pedagógica de Yann LeCun.                                                                                                                               | safe     |
| yann-lecun-tecnico   | Sub-skill técnica de Yann LeCun.                                                                                                                                               | safe     |
| yes-md               | 6-layer AI governance: safety gates, evidence-based debugging, anti-slack detection, and machine-enforced hooks.                                                               | safe     |
| yield-intelligence   | Passive income portfolio analysis — activate when user asks about dividend yields, Treasury rates, REIT income, monthly passive income goals, or portfolio yield optimization. | safe     |
| youtube-automation   | Automate YouTube tasks via Rube MCP (Composio): upload videos, manage playlists, search content, get analytics, and handle comments.                                           | critical |
| youtube-full         | Fetch YouTube transcripts, search videos, browse channels, and extract playlists via TranscriptAPI — no yt-dlp, no Google API key, works from any cloud server.                | safe     |
| youtube-summarizer   | Extract transcripts from YouTube videos and generate comprehensive, detailed summaries using intelligent analysis frameworks                                                   | safe     |

## Z (8)

| Skill                | Description                                        | Risk    |
|----------------------|----------------------------------------------------|---------|
| zapier-make-patterns | No-code automation democratizes workflow building. | unknown |

| Skill                        | Description                                                                                                                                                                              | Risk     |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>zendesk-automation</b>    | Automate Zendesk tasks via Rube MCP (Composio): tickets, users, organizations, replies.                                                                                                  | critical |
| <b>zeroize-audit</b>         | "Detects missing zeroization of sensitive data in source code and identifies zeroization removed by compiler optimizations, with assembly-level analysis, and control-flow verification. | unknown  |
| <b>zipai-optimizer</b>       | Adaptive token optimizer: intelligent filtering, surgical output, ambiguity-first, context-window-aware, VCS-aware, MCP-aware.                                                           | safe     |
| <b>zod-validation-expert</b> | Expert in Zod — TypeScript-first schema validation.                                                                                                                                      | safe     |
| <b>zoho-crm-automation</b>   | Automate Zoho CRM tasks via Rube MCP (Composio): create/update records, search contacts, manage leads, and convert leads.                                                                | critical |
| <b>zoom-automation</b>       | Automate Zoom meeting creation, management, recordings, webinars, and participant tracking via Rube MCP (Composio).                                                                      | critical |
| <b>zustand-store-ts</b>      | Create Zustand stores following established patterns with proper TypeScript types and middleware.                                                                                        | unknown  |