Scope

Roof Drainage
Proprietary outlet gully fully sealed discharge to hopper and 100mm downpipe discharge onto footpath

GCP Green Roof
100mm seedum subsoil on 25mm Hydroduct 550RS drainage layer on 80mm kingspan greenguard insulation on Integritank 2 part epoxy waterproof on 200mm RC Composite Slab comflor 60 A393 mesh C28/35 10mm aggregate laid to fall on new 305x165UB40 beams

New M&E Builders works opes FF

7.330
04.050m
4.80m
LIFT 1
GREEN ROOF
SVP Dp

Proposed 2nd floor plan

GCP Green Roof
100mm seedum subsoil on 25mm Hydroduct 550RS drainage layer on 80mm kingspan greenguard insulation on Integritank 2 part epoxy waterproof on 200mm RC Composite Slab comflor 60 A393 mesh C28/35 10mm aggregate laid to fall on new 305x165UB40 beams

08.485m
11.255m
08.485m
AOV /access
OPEN AREA
New M&E 300x1000 ope FF
Hammer double entry outlet Gullies

Scope

06.735m
07.300m
Comflor 60 with A393 mesh overall 190mm dp Slab C28/35 10mm
LIFT 1

Proposed 3rd floor plan

07.365m

AOV
form new opening for AOV 1050x1050 in existing timber roof trim existing 175x44 rafters allow for flashings

retain existing purlin
retain kingpost truss
12.010m
Builder to allow for all cranes, lifting gear required to construct the works including crane base / hoarding and hoarding permit
Lift RC Cover Slab 225mm dp B16-150 ctrs Top & Btm with lifting beam cast in 203uc46
Allow for removal of roof slate and retain for reuse, remove existing secondary rafters and battens retain existing king post trussess and main purins in place to allow for access for new frame and demolitions
OPEN AREA
New M&E Builders works opes
New M&E Builders works opes FF

Scope

Proposed Roof plan



GENERAL NOTES:

1. DO NOT SCALE FROM THIS DRAWING
2. ALL DIMENSIONS ARE IN MM UNLESS NOTED OTHERWISE
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS DRAWINGS, SPECIFICATIONS AND CONTRACT DOCUMENTS
4. ALL WORKS ARE TO BE IN ACCORDANCE WITH THE RELEVANT AND CURRENT HEALTH AND SAFETY LEGISLATION
5. SPECIFICATION OF THE WORKS TO BE TO THE APPROPRIATE EURO STANDARD OR THE EQUIVALENT BRITISH STANDARD
6. EXCAVATIONS FOR FOUNDATIONS TO BE INSPECTED BY THE ENGINEER PRIOR TO POURING OF THE FOUNDATIONS

KEY TO SYMBOLS AND ABBREVIATIONS:

TOC	STRUCTURAL FLOOR LEVEL
TOC	TOP LEVEL OF STRUCTURAL CONCRETE
TOS	TOP LEVEL OF STEEL BEAM/COLUMN
FFL	FINISHED FLOOR LEVEL
RC	REINFORCED CONCRETE
PC	PRE-CAST
BM.	BEAM/S
COL	COLUMN/S
CONC.	CONCRETE
	GRID LINE / CENTRE LINE
IJ	ISOLATION JOINT
LJ	LONGITUDINAL JOINT
TJ	TRANSVERSE JOINT
MJ	MOVEMENT JOINT
T.L.	TOP LEVEL
THK.	THICK
HDG	HOT DIPPED GALVANIZED

LEGEND:

- DEMOLITION EXISTING BLOCK WALL 215mm
- DEMOLITION EXISTING STONE WALL 500-600mm
- NEW 215mm SOLID 7.5N BLOCKWORK WALL
- NEW 40mm STONE FACING REFER TO ARCH
- L1 — 100x 65dp PRESTRESSED LINTEL 225mm BEARING
- L2 — 215x 65dp PRESTRESSED LINTEL 225mm BEARING
- RISING CONCRETE OUTLINES
- SPLAY/EDGE UNDER FLOOR SLAB
- VOID IN CONCRETE
- 1 / S002 — DETAILED SECTION 1-1 SHOW ON DRG. T4030-S002
- 1 / S003 — MEANS REFER TO DRAWING T4030-S003 FOR DETAIL ENLARGED DETAIL '1'
- DIRECTION OF SPAN OF SLAB

STEEL S275 JO UNO
C1 203x133ub
C2 152x127RSJ37 with 350x350 rc surround
C3 203uc46
C4 254uc73
C5 350x700 RC column
C6 350x1150 RC column
C7 305uc97
C8 152uc37 (S355)
C9 152uc44 (S355)

B1 533x210ub122
B2 203x102ub
B3 203uc52
B4 305uc97
B5 305uc118
B6 152x127RSJ37 with 350x350 rc surround
B7 203x152RSJ52 300x600dp rc
B8 178x102ub19 with 12mm x200 BTM Plate stitch welded
B9 178x102ub19
B10 200x90pfc
B11 230x90pfc30
B12 203uc60
B13 305uc118
B14 305x165ub60
B15 254uc73
B16 203uc46

SLABS C28/35 (20mm)
S1 450mm dp B20 150 EW T&B
S2 190dp Comflor 60 with A393
S3 450mm dp B20 150 EW T&B
S4 200-275 Comflor 60 with A393

REV	REV BY	APP'D	DESCRIPTION	DATE
-	CF	CF	TENDER ISSUE	28.04.26

TENDER ISSUE

JA Gorman consulting engineers project managers
Forest Park, Mullingar, Co. Westmeath.
Tel: 044-9347338 / 9347341
Fax: 044-9347400
Email: info@jagorman.ie
Web: www.jagorman.ie

CLIENT: CARROLLS IRISH GIFTS

PROJECT TITLE: IMMERSIVE EXPERIENCE TALBOT STREET DUBLIN

DRAWING TITLE: PROPOSED SECOND,THIRD & ROOF PLANS STRUCTURE

PLOT SIZE:	PLOT SCALE:	DRAWN BY:	CHECKED BY:
A1	1:75	CF	CF
APPROVED BY:	PROJECT No:	DRAWING No:	REV:
JG	4988	T4988-S009	-

Copyright © J.A Gorman Consulting Engineers Ltd. Unauthorised reproduction prohibited.