Discussion

<u>Help</u>

shengtatng v

★ Course / UNIT 3 / Lecture 7 - Inferential Statistics

<u>Dates</u>

()



<u>Calendar</u>

<u>Notes</u>

Exercise 5

<u>Course</u>

☐ Bookmark this page

<u>Progress</u>

Lecture Sequence due Dec 15, 2022 07:30 +08 Completed

Exercise 5

8/8 points (graded)

In the lecture, you saw a uniform and a normal distribution. There is another type of distribution, called an <u>exponential distribution</u>. For the following real-life situations, fill in the blank with the appropriate distribution model (normal, uniform, or exponential) that would best simulate the situation.

1. Rolling a fair 6-sided die uniform 2. Sum of rolling 2 fair 6-sided dice normal 3. Women's shoe sizes normal 4. Human intelligence (IQ) scores normal 5. Amount of mold on bread, assuming an infinite supply of bread exponential 6. The winning lottery numbers uniform 7. Skilled person throwing darts at a dart board normal 8. Radioactive decay (time between successive atom decays) exponential Submit Exercise 5 **Hide Discussion** Topic: Lecture 7 / Exercise 5 Show all posts Why is the sum of two fair 6-sided dies a normal distribution? 2 It has got a triangular form. Mold is 'a fungus that eats the organic compounds found in bread and other foods.' 1 Being non-native speaker, this is quite an unintelligible sentence for me. First, I struggled with the meaning of the word 'mold'. My fir... Mold on bread 2 "amount of mold on bread"... are we looking across different loaves of bread or across the same bread over time? we get a different ... Previous Next >



edX

<u>About</u>

Affiliates

edX for Business

Open edX

Careers

News

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

Blog

Contact Us

Help Center

<u>Security</u>

Media Kit















© 2022 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>