**Discussion** 

<u>Help</u>

shengtatng v

★ Course / UNIT 3 / Lecture 8 - Monte Carlo Simulations

<u>Dates</u>

()



<u>Calendar</u>

<u>Notes</u>

### **Exercise 4**

<u>Course</u>

□ Bookmark this page

<u>Progress</u>

Lecture Sequence due Dec 15, 2022 07:30 +08 Completed

#### Exercise 4

5.0/5.0 points (graded)

You have a bucket with 3 red balls and 3 green balls. Assume that once you draw a ball out of the bucket, you don't replace it. What is the probability of drawing 3 balls of the same color?

Write a Monte Carlo simulation to solve the above problem. Feel free to write a helper function if you wish.

```
1 def oneTrial():
3
      Simulates one trial of drawing 3 balls out of a bucket containing
      3 red and 3 green balls. Balls are not replaced once
5
      drawn. Returns True if all three balls are the same color,
6
      False otherwise.
7
      balls = ['r', 'r', 'r', 'g', 'g', 'g']
8
9
      chosenBalls = []
10
      for t in range(3):
11
          # For three trials, pick a ball
12
          ball = random.choice(balls)
          # Remove the chosen ball from the set of balls
13
14
          balls.remove(ball)
15
          # and add it to a list of balls we picked
```

Press ESC then TAB or click outside of the code editor to exit

Correct

#### Test results

CO	RRECT			<u>See full output</u>	
				See full output	
Sı	ubmit				
Exercise 4				Hide Discussion	
Topic: Lecture 8 / Exercise 4					
Sho	Show all posts   ✓ by recen				
?	? Getting close to the real value in ~ 500 Trials. Can't passed first couple of tests. Help.  Lam getting close to the actual probability value (0.05) in ~ 500 trials. Because it is much less than the 5000 used by the grader Lam				
?	? Not enough uses of random?  Limplemented a more complex model of the estimation of fraction of times three balls of same color being drawn, adding in samples				
2	MAJOR SPOILER - why am I getting this: "You used the random module less times than the number of trials, so you are probably not running a real simulation." import random three_same = 0 for i in range(numTrials): L = ["red","red","green","green","green"] red_ct = 0 green_ct = 0 for j in r				
?	<u>spolier</u> Hi all, what	spolier  Hi all, what is different between these two codes? what I am missing? ball = random.choice(balls) balls.remove(ball) and balls.pop(r			
		Previous	Next >		



# edX

<u>About</u>

**Affiliates** 

edX for Business

Open edX

**Careers** 

**News** 

# Legal

Terms of Service & Honor Code

Privacy Policy

**Accessibility Policy** 

Trademark Policy

<u>Sitemap</u>

# **Connect**

**Blog** 

**Contact Us** 

Help Center

<u>Security</u>

Media Kit















© 2022 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>