
<u>Help</u>

shengtatng ~



Finger Exercises due Oct 27, 2022 07:30 +08 Completed

Exercise 2

1/1 point (graded)

ESTIMATED TIME TO COMPLETE: 5 minutes

Consider the following code specification:

© All Rights Reserved

def union(set1, set2):

ea**y** ""

set1 and set2 are collections of objects, each of which might be empty.

Fach set has no duplicates within itself, but there may be objects that

are in both sets. Objects are assumed to be of the same type.

edX

This function returns one set containing all elements from

About both input sets, but with no duplicates.

Affiliates"""

edX for Business indicate which of the conditions below would combine to make a good black box test suite for the function OpenuedX by selecting the appropriate choice(s).

Careers

News V

set1 is an empty set; set2 is an empty set

Lecal set1 is an empty set; set2 is of size greater than or equal to 1

Terms Service & Honor Code than or equal to 1; set2 is an empty set

Privacy Policy

Accessibility Policial set2 are both nonempty sets which do not contain any objects in common

Trademark Policy

Sitemas set1 and set2 are both nonempty sets which contain objects in common

Connect

Blog

Contacsubmit

Help Center

Media Kit



Hide Discussion





by recent activity 🗸

×

© 2022 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>

Previous

Next >