BASICS

"Hello, World" program

```kotlin
fun main(args: Array<String>) {
    println("Hello, World")
}
```

Declaring function

```kotlin
fun sum(a: Int, b: Int): Int {
    return a + b
}
```

Single-expression function

```kotlin
fun sum(a: Int, b: Int) = a + b
```

Declaring variables

```kotlin
val name = "Marcin"  // Can't be changed
var age = 5          // Can be changed
age++
```

Variables with nullable types

```kotlin
var name: String? = null
val length: Int
length = name?.length ?: 0
// length, or 0 if name is null
length = name?.length ?: return
// length, or return when name is null
length = name?.length ?: throw Error()
// length, or throw error when name is null
```

CONTROL STRUCTURES

If as an expression

```kotlin
fun bigger(a: Int, b: Int) = if (a > b) a else b
```

For loop

```kotlin
val list = listOf("A", "B", "C")
for (element in list) {
    println(element)
}
```

When expression

```kotlin
fun numberTypeName(x: Number) = when(x) {
    0 -> "Zero"                  // Equality check
    in 1..4 -> "Four or less"    // Range check
    5, 6, 7 -> "Five to seven"   // Multiple values
    is Byte -> "Byte"            // Type check
    else -> "Some number"
}
```

When expression with predicates

```kotlin
fun signAsString(x: Int)= when {
    x < 0 -> "Negative"
    x == 0 -> "Zero"
    else -> "Positive"
}
```

CLASSES

Primary constructor

val declares a read-only property, var a mutable one
```kotlin
class Person(val name: String, var age: Int)
// name is read-only, age is mutable
```

Inheritance

```kotlin
open class Person(val name: String) {
    open fun hello() = "Hello, I am $name"
    // Final by default so we need open
}
class PolishPerson(name: String) : Person(name) {
    override fun hello() = "Dzień dobry, jestem $name"
}
```

Properties with assessors

```kotlin
class Person(var name: String, var surname: String) {
    var fullName: String
        get() = "$name $surname"
        set(value) {
            val (first, rest) = value.split(" ", limit = 2)
            name = first
            surname = rest
        }
}
```

Data classes

```kotlin
data class Person(val name: String, var age: Int)
val mike = Person("Mike", 23)
```

Modifier `data` adds:

1. `toString` that displays all primary constructor properties
```kotlin
print(mike.toString()) // Person(name=Mike, age=23)
```

2. `equals` that compares all primary constructor properties
```kotlin
print(mike == Person("Mike", 23)) // True
print(mike == Person("Mike", 21)) // False
```

3. `hashCode` that is based on all primary constructor properties
```kotlin
val hash = mike.hashCode()
print(hash == Person("Mike", 23).hashCode()) // True
print(hash == Person("Mike", 21).hashCode()) // False
```

4. `component1`, `component2` etc. that allows deconstruction
```kotlin
val (name, age) = mike
print("$name $age") // Mike 23
```

5. `copy` that returns copy of object with concrete properties changed
```kotlin
val jake = mike.copy(name = "Jake")
```

CHEAT SHEET

COLLECTION LITERALS

```
listOf(1,2,3,4) // List<Int>
mutableListOf(1,2,3,4) // MutableList<Int>

setOf("A", "B", "C") // Set<String>
mutableSetOf("A", "B", "C") // MutableSet<String>

arrayOf('a', 'b', 'c') // Array<Char>

mapOf(1 to "A", 2 to "B") // Map<Int, String>
mutableMapOf(1 to "A", 2 to "B")
// MutableMap<Int, String>

sequenceOf(4,3,2,1) // Sequence<Int>

1 to "A" // Pair<Int, String>

List(4) { it * 2 } // List<Int>
generateSequence(4) { it + 2 } // Sequence<Int>
```

COLLECTION PROCESSING

```
students
    .filter { it.passing && it.averageGrade > 4.0 }
    // Only passing students
    .sortedByDescending { it.averageGrade }
    // Starting from ones with biggest grades
    .take(10) // Take first 10
    .sortedWith(compareBy({ it.surname }, { it.name }))
    // Sort by surname and then name

generateSequence(0) { it + 1 }
// Infinitive sequence of next numbers starting on 0
    .filter { it % 2 == 0 } // Keep only even
    .map { it * 3 } // Triple every one
    .take(100) // Take first 100
    .average() // Count average
```

Most important functions for collection processing
```
val l = listOf(1,2,3,4)
```
filter - returns only elements matched by predicate
```
l.filter { it % 2 == 0 } // [2, 4]
```
map - returns elements after transformation
```
l.map { it * 2 } // [2, 4, 6, 8]
```
flatMap - returns elements yielded from results of trans.
```
l.flatMap { listOf(it, it + 10) } // [1, 11, 2, 12, 3, 13, 4, 14]
```
fold/reduce - accumulates elements
```
l.fold(0.0) { acc, i -> acc + i } // 10.0
l.reduce { acc, i -> acc * i } // 24
```
forEach/onEach - perfons an action on every element
```
l.forEach { print(it) } // Prints 1234, returns Unit
l.onEach { print(it) } // Prints 1234, returns [1, 2, 3, 4]
```

partition - splits into pair of lists
```
val (even, odd) = l.partition { it % 2 == 0 }
print(even) // [2, 4]
print(odd) // [1, 3]
```
min/max/minBy/maxBy
```
l.min() // 1, possible because we can compare Int
l.minBy { -it } // 4
l.max() // 4, possible because we can compare Int
l.maxBy { -it } // 1
```
first/firstBy
```
l.first() // 1
l.first { it % 2 == 0 } // 2 (first even number)
```
count - count elements matched by predicate
```
l.count { it % 2 == 0 } // 2
```
sorted/sortedBy - returns sorted collection
```
listOf(2,3,1,4).sorted() // [1, 2, 3, 4]
l.sortedBy { it % 2 } // [2, 4, 1, 3]
```
groupBy - group elements on collection by key
```
l.groupBy { it % 2 } // Map: {1=[1, 3], 0=[2, 4]}
```
distinct/distinctBy - returns only unique elements
```
listOf(1,1,2,2).distinct() // [1, 2]
```

Mutable vs immutable collection processing functions

```
val list = mutableListOf(3,4,2,1)
val sortedResult = list.sorted() // Returns sorted
println(sortedResult) // [1, 2, 3, 4]
println(list) // [3, 4, 2, 1]
val sortResult = list.sort() // Sorts mutable collection
println(sortResult) // kotlin.Unit
println(list) // [1, 2, 3, 4]
```

EXTENSION FUNCTIONS TO ANY OBJECT

Returns / Reference to receiver	Receiver	Results of lambda
it	also	let
this	apply	run/with

```
val dialog = Dialog().apply {
    title = "Dialog title"
    onClick { print("Clicked") }
}
```

CHEAT SHEET

FUNCTIONS

Function types

`()->Unit` - takes no arguments and returns nothing (`Unit`).
`(Int, Int)->Int` - takes two arguments of type `Int` and returns `Int`.
`(()->Unit)->Int` - takes another function and returns `Int`.
`(Int)->()->Unit` - takes argument of type `Int` and returns function.

Function literals

val add: (Int, Int) -> Int = { i, j -> i + j }
// Simple lambda expression

val printAndDouble: (Int) -> Int = {
  println(**it**)
  // When single parameter, we can reference it using `it`
  it * 2 *// In lambda, last expression is returned*
}

// Anonymous function alternative
val printAndDoubleFun: (Int) -> Int = **fun**(i: Int): Int {
  println(i) *// Single argument can't be referenced by `it`*
  return i * 2 *// Needs return like any function*
}

val i = printAndDouble(10) *// 10*
print(i) *// 20*

Extension functions

fun Int.isEven() = **this** % 2 == 0
print(2.isEven()) *// true*

fun List<Int>.average() = 1.0 * sum() / **size**
print(listOf(1, 2, 3, 4).average()) *// 2.5*

DELEGATES

Lazy - calculates value before first usage
val i **by** *lazy* { *print*(**"init "**); 10 }
print(i) *// Prints: init 10*
print(i) *// Prints: 10*

notNull - returns last setted value, or throws error if no value has been set

observable/vetoable - calls function every time value changes. In vetoable function also decides if new value should be set.
var name **by** observable(**"Unset"**) { p, old, new ->
  println(**"${**p.**name} changed $**old **-> $**new**"**)
}
name = **"Marcin"**
// Prints: name changed Unset -> Marcin

Map/MutableMap - finds value on map by property name
val **map** = *mapOf*(**"a"** *to* **10**)
val a **by** **map**
print(a) *// Prints: 10*

VISIBILITY MODIFIERS

Modifier	Class members	Top-level
Public (default)	Visible everywhere	Visible everywhere
Private	Visible only in the same class	Visible in the same file
Protected	Visible only in the same class and subclasses	Not allowed
Internal	Visible in the same module if class is accessible	Visible in the same module

VARIANCE MODIFIERS

Invariance
class Box <T>

Covariance
class Box <**out** T>

Contravariance
class Box <**in** T>

Number
↑
Int

Box<Number>
✕
Box<Int>

Box<Number>
↑
Box<Int>

Box<Number>
↓
Box<Int>