



[DP Basic]. Bài 13. Maximum points

DSA



View as PDF

Bạn được cung cấp mảng **A[]** gồm **N** phần tử, bạn muốn tối đa số điểm nhận được bằng cách thực hiện thao tác sau nhiều lần trên mảng **A[]** :

- Chọn phần tử **A[i]** bất kỳ và nhận được số điểm bằng với **A[i]**, nhưng khi chọn **A[i]** bạn phải xóa toàn bộ các giá trị **A[i] - 1** và **A[i] + 1** trong mảng, ví dụ bạn chọn **A[i] = 3** thì bạn phải xóa hết những số có giá trị 2, 4 trong mảng.

Bạn được thực hiện thao tác trên nhiều lần, hãy tìm số điểm tối đa bạn có thể nhận được ?

Đầu vào

- Dòng 1 là là **N**
- Dòng 2 gồm **N** số trong mảng **A[]**

Giới hạn

- $1 \leq N \leq 10^5$
- $1 \leq A[i] \leq 10^5$

Đầu ra

- In ra số điểm tối đa bạn nhận được

Ví dụ :

Input 01

```
7
4 3 3 3 2 2 6
```

Copy

[Submit solution](#)[My submissions](#)[All submissions](#)[Best submissions](#)✓ **Points:** 1.00 (partial)⌚ **Time limit:** 1.0s📄 **Memory limit:** 256M⌨ **Input:** stdin🖨 **Output:** stdout✍ **Problem source:**
28Tech➤ **Problem type**▼ **Allowed languages**C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch



15

Copy

Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.

New comment

Post!

Được phát triển bởi **28TECH.COM.VN**