



✓ [Xâu Ký Tự Cơ Bản]. Bài 1. Chữ số đứng giữa



C



C++ CB NC



C++ NC



DSA

JAVA OOP

View
as PDF

Cho số nguyên không âm **N**, hãy xác định chữ số đứng giữa của **N**, trong trường hợp **N** không có chữ số đứng giữa thì in ra "**NOT FOUND**".

Ví dụ : **N** = 12345 thì số đứng giữa là 3, **N** = 2213 thì không có chữ số đứng giữa.

Đầu vào

Một dòng duy nhất chứa số nguyên dương **N**

Giới hạn

$0 \leq N \leq 10^{18}$

Đầu ra

In ra chữ số đứng giữa của **N** hoặc in ra **NOT FOUND** nếu **N** không có số đứng giữa

Ví dụ :

Input 01

999996472

Copy

Output 01

9

Copy

Submit solution

[My submissions](#)

[All submissions](#)

[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

⌨ **Input:** stdin

🖨 **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**

▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch



Hello, Nguyễn Bảo Toàn.

Please read the [guidelines](#) before commenting.



Kelvin2206

commented 8:48:54 pm, 04/04/2026

**include <iostream>**[Copy](#)



```
#include <algorithm>
#include <map>
#include <set>
#include <queue>
#include <stack>
#include <string>
#include <cstring>
#include <sstream>
#include <cmath>
#include <iomanip>
#include <numeric>
#include <utility>
using namespace std;

typedef long long ll;
typedef long double ld;
typedef string str;
typedef vector<ll> vi;
typedef pair<ll, ll> pi;

#define pb push_back
#define rs resize
#define all(x) x.begin(), x.end()
#define el '\n'

const ll INF = 1e18;
const ll MOD = 1e9 + 7;

vi a;

void Solve() {
    str s; cin >> s;
    if (!(s.size() & 1)) cout << "NOT FOUND";
    else cout << s[s.size() / 2];
}

int main() {
    ios::sync_with_stdio(0); cin.tie(nullptr);

    ll t = 1; // cin >> t;
```



^
-2
v



commented 8:49:22 pm, 11/09/2025

quanphan475



full ac

```
#include <iostream>
using namespace std;
int main(){
    string n;
    cin >> n;
    if (n.size() % 2 == 0) cout << "NOT FOUND";
    else cout << n[(n.size() - 1) / 2];
}
```

Copy

^
0
v



commented 10:06:38 am, 08/09/2025

hoang_minh_862



```
string n; cin >> n;
```

```
if (n.size() % 2 == 0){ cout << "NOT FOUND"; } else{ cout <<
n[(n.size() - 1) / 2]; }
```

^
0
v



commented 5:02:43 pm, 07/09/2025

nduc1907



```
include <iostream>
include <string.h>
```

```
using namespace std;
```

```
int main(){ ios::syncwithstdio(false); cin.tie(0);
```



Hello, Nguyễn Bảo Toàn.

```
if (n.size() % 2 == 0){  
    cout << "NOT FOUND";  
}  
else{  
    cout << n[(n.size() - 1) / 2];  
}
```

```
}
```

New comment

Post!

Được phát triển bởi **28TECH.COM.VN**