



✓ [Xâu Ký Tự Cơ Bản]. Bài 13. Liệt kê từ

[View as PDF](#)

Cho một xâu **S** gồm nhiều từ, các từ được phân cách nhau bởi dấu cách hoặc các dấu '!', ',', '!', '?',

Hãy liệt kê các từ xuất hiện trong xâu, giữa các từ cách nhau một dấu cách

Đầu vào

Dòng duy nhất chứa xâu **S**

Giới hạn

$1 \leq \text{len}(S) \leq 10000$

S chỉ bao gồm các chữ cái, dấu cách và các dấu câu đã liệt kê ở trên.

Đầu ra

Liệt kê các từ trong xâu

Ví dụ :

Input 01

```
oSAz ?oiaz iSaSz SDA ,bbW oWA AIIia .
```

[Copy](#)

Output 01

```
oSAz oiaz iSaSz SDA bbW oWA AIIia
```

[Copy](#)[Submit solution](#)[My submissions](#)[All submissions](#)[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

⌨ **Input:** stdin

🖨 **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**

▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch

[Report an issue](#)



Please read the [guidelines](#) before commenting.



boluclac

commented 1:29:28 pm, 27/04/2026

**include <bits/stdc++.h>**

using namespace std;

```
int main() { iosbase::syncwith_stdio(false); cin.tie(NULL); string s;
getline(cin ,s); string word = ""; bool kytu = true; for(int i = 0 ; i <
s.length() ; i++){ if(s[i] == '.' || s[i] == ',' || s[i] == '!' || s[i] == '?' || s[i]
== ' '){ if(word != ""){ cout << word << " "; word = ""; } } else{ word
+= s[i]; } } if(word != ""){ cout << word; }
```

```
return 0;
```

Copy

}



huhuhahaha

commented 9:19:38 pm, 24/03/2026



Full AC:

Copy



```
using namespace std;

int main() {
    ios::sync_with_stdio(false);
    cin.tie(nullptr);


    string s;
    getline(cin, s);

    for (char &c : s) {
        if (c == '.' || c == ',' || c == '!' || c ==
'?' ) {
            c = ' ';
        }
    }

    stringstream ss(s);
    string word;
    while (ss >> word) {
        cout << word << " ";
    }

    return 0;
}
```

^
-2
v



theguy777_jaboi

commented 7:35:18 pm, 23/01/2026



include <bits/stdc++.h>

```
using namespace std;
```

```
string s;
```

```
int main()
```

```
{
```

Copy



```
for(int i=0;i<s.size();i++){

    if(s[i]!=',' && s[i]!='.' && s[i]!='!' &&
s[i]!='?'){

        cout<<s[i];


    }

}

return 0;
```

}

test 31 la j v



commented 10:44:01 am, 07/12/2025



Tien_Minh

test case 31 là gì vậy mn:

```
include <iostream>
include <cstring>
define MAX 10000
```

using namespace std;

```
int main() { char s[MAX]; cin.getline(s, MAX); for (int i = 0; i <
strlen(s); i++) { if (s[i] == '.' || s[i] == ',' || s[i] == '!' || s[i] == '?' || (s[i]
== ' ' && i == strlen(s) - 1)) continue; cout << s[i]; } }
```



commented 4:34:42 pm, 17/10/2025

Van_dinh_211



```
include<bits/stdc++.h>
```



Hello, Nguyễn Bảo Toàn.

```
for(int i=1;i<n;i++) { long long l=a[i-1]; long long r=a[i+1];
if(a[i]*r<0||a[i]*l<0) cout<<a[i]<<" "; } }
```

sao code mình lại sai v mn



peterphuc290306

commented 11:20:30 pm, 18/11/2025

**include <bits/stdc++.h>**

using namespace std;

```
int main() { string s; getline(cin, s); for(char &c : s){ if(c == ',' || c
== '.' || c == '?' || c == '!'){ c = ' '; } } stringstream ss(s); string
word; bool check = true; while(ss >> word){ if(!check) cout <<
" "; cout << word; check = false;
```

}

Copy

}

New comment

Post!



Hello, Nguyễn Bảo Toàn.

Được phát triển bởi 28TECH.COM.VN