



✓ [Xâu Ký Tự Cơ Bản]. Bài 30. Permutation

[C++ CB NC](#)[C++ NC](#)[DSA](#)[JAVA OOP](#)[View as PDF](#)

Cho 2 xâu **S**, **T** bạn hãy kiểm tra xem 2 xâu này có phải là **hoán vị** của nhau hay không? Ví dụ **S = 28tech** và **T = t28ceh** được coi là 2 hoán vị của nhau

[Submit solution](#)

Đầu vào

Dòng duy nhất chứa xâu S và T

Giới hạn

$1 \leq \text{len}(S), \text{len}(T) \leq 10000$

S và **T** chứa kí tự là chữ cái, chữ số

Đầu ra

In ra **28tech** nếu **S** và **T** là hoán vị của nhau, ngược lại in ra **29tech**

Ví dụ :

Input 01

```
28tech tech28
```

[Copy](#)

Output 01

```
28tech
```

[Copy](#)[My submissions](#)[All submissions](#)[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

⌨ **Input:** stdin

🖨 **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**


▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch

[Report an issue](#)



Hello, Nguyễn Bảo Toàn.

Please read the [guidelines](#) before commenting.



commented 2:01:03 pm, 26/11/2025

[anhthuy_](#)

full ac ;)

[Copy](#)



```
#define iosf
ios::sync_with_stdio(false);cin.tie(nullptr);cout.tie
(nullptr);
using namespace std;

int main(){
    iosf

    string S,T;

    cin >> S >> T;

    multiset<char> a;
    multiset<char> b;

    for(char c: S){
        a.insert(c);
    }

    for(char c: T){
        b.insert(c);
    }

    for(char c: S){
        if (a.count(c) != b.count(c)) {
            cout << "29tech";
            return 0;
        }
    }

    cout << "28tech";

    return 0;
}
```



commented 8:18:56 pm, 13/09/2025

quanphan475



```
#include <bits/stdc++.h>
using namespace std;
int main() {
    string s, t;
    cin >> s >> t;
    sort(s.begin(), s.end());
    sort(t.begin(), t.end());
    if (s == t) cout << "28tech";
    else cout << "29tech";
    return 0;
}
```

[Copy](#)

New comment

[Post!](#)

Được phát triển bởi **28TECH.COM.VN**