



✓ [Comparator Lower_bound Upper_bound]. Bài 11. First position

[C++ CB NC](#)[C++ NC](#)[DSA](#)[JAVA OOP](#)[View as PDF](#)

Cho mảng **A[]** gồm **N** phần tử được sắp xếp theo thứ tự tăng dần, nhiệm vụ của bạn là tìm **vị trí đầu tiên của X** trong mảng hoặc kết luận là **X** không xuất hiện.

Lưu ý bài này các bạn cần code bằng 2 cách : Tự cài đặt theo hướng dẫn trong slide và sử dụng hàm **lower_bound**. Độ phức tạp cần đạt được cho code là **O(logN)**

Đầu vào

- Dòng 1 là **N** và **X** : số lượng phần tử trong mảng và **X**
- Dòng 2 gồm **N** số viết cách nhau 1 dấu cách

Giới hạn

- $1 \leq N \leq 1000$
- $0 \leq A[i] \leq 10^9$

Đầu ra

In ra vị trí đầu tiên (**theo chỉ số tính từ 0**) của phần tử **X** hoặc in ra **-1** nếu **X** không xuất hiện trong mảng.

Ví dụ :

Input 01

[Submit solution](#)[My submissions](#)[All submissions](#)[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

⌨ **Input:** stdin

🖨 **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**

▼ **Allowed languages**
C, C++, Java, Kotlin, Pascal, PyPy, Python, Scratch

[Copy](#)



1 1 1 2 2 2 3 3 3 3

Output 01

6

Copy



Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.

New comment

Post!

Được phát triển bởi **28TECH.COM.VN**