



✓ [Comparator Lower_bound Upper_bound]. Bài 3. Lower_bound, Upper_bound

[C++ CB NC](#)
[C++ NC](#)
[DSA](#)

[View as PDF](#)

Cho mảng **A[]** gồm **N** phần tử **ĐÃ SẮP XẾP TĂNG DẦN** và số nguyên **X**, nhiệm vụ của bạn là :

1. In ra chỉ số đầu tiên của phần tử $\geq X$ trong mảng, nếu không có phần tử nào $\geq X$ thì in ra -1.
2. In ra chỉ số đầu tiên của phần tử $> X$ trong mảng, nếu không có phần tử nào $> X$ thì in ra -1.
3. In ra **chỉ số đầu tiên của phần tử X** trong mảng, nếu **X** không tồn tại in ra -1.
4. In ra **chỉ số cuối cùng của phần tử X** trong mảng, nếu **X** không tồn tại in ra -1.
5. Từ kết quả của 3 và 4 in ra số lần xuất hiện của **X** trong mảng.

Bài này các bạn nên tự code 4 hàm kia, sau khi code thành thạo có thể sử dụng luôn **lowerbound** và **upperbound**

Đầu vào

- Dòng 1 là **N** : số lượng phần tử trong mảng
- Dòng 2 là **N** số trong mảng

Giới hạn

- $1 \leq N \leq 10^5$
- $0 \leq A[i] \leq 10^9$

Đầu ra

[Submit solution](#)
[My submissions](#)
[All submissions](#)
[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

🖱️ **Input:** stdin

🖨️ **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**

▼ **Allowed languages**
C, C++, Java, Kotlin, Pascal, PyPy, Python, Scratch



Ví dụ :

Input 01

```
12 8
2 3 4 4 5 6 8 8 8 8 10 10
```

[Copy](#)

Output 01

```
6
10
6
9
4
```

[Copy](#)

Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.



Hello, Nguyễn Bảo Toàn.

Post!

Được phát triển bởi **28TECH.COM.VN**