



[DP Basic]. Bài 11. Chi phí nhỏ nhất

DSA



View as PDF

Một ngôi nhà có N bậc, để bước lên tầng tiếp theo bạn cần đi qua N bậc cầu thang này, mỗi bậc cầu thang có 1 chi phí nhất định nếu bạn bước vào bậc đó. Mảng $A[]$ gồm N phần tử, trong đó $A[i]$ là chi phí của bậc thứ i trên cầu thang, nếu bạn trả phí $A[i]$ này bạn có thể bước lên 1 hoặc 2 bậc từ bậc thứ i này.

Nhiệm vụ của bạn là hãy tìm chi phí nhỏ nhất để có thể lên tới trần nhà tiếp theo, biết rằng bạn có thể bắt đầu từ bậc thứ 0 hoặc bậc thứ 1.

Ví dụ $A[] = \{8, 13, 21\}$ thì bạn có thể bắt đầu từ bậc 1, và khi đó có thể bước sang tới bậc cuối (chi phí 21) hoặc tới trần nhà tiếp theo. Vậy chi phí nhỏ nhất trong trường hợp này là 13.

Đầu vào

- Dòng 1 là N
- Dòng 2 gồm N số trong mảng $A[]$

Giới hạn

- $1 \leq N \leq 10^5$
- $1 \leq A[i] \leq 10^6$

Đầu ra

- In ra chi phí nhỏ nhất

Ví dụ :

Input 01

[Submit solution](#)[My submissions](#)[All submissions](#)[Best submissions](#)✓ **Points:** 1.00 (partial)⌚ **Time limit:** 1.0s📄 **Memory limit:** 256M⌨ **Input:** stdin🖨 **Output:** stdout📝 **Problem source:**
28Tech➤ **Problem type**▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch

Copy



8 13 21

Output 01

13

Copy

Input 02

10

1 100 1 1 1 100 1 1 100 1

Copy

Output 02

6

Copy



Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.



Hello, Nguyễn Bảo Toàn.

Post!

Được phát triển bởi **28TECH.COM.VN**