



✓ [Sliding Window]. Bài 6. Minimum window

C++ NC

DSA

View as PDF

Cho 2 chuỗi ký tự **S** và **T**, nhiệm vụ của bạn là tìm chuỗi con ngắn nhất của **S** chứa đầy đủ mọi ký tự của chuỗi **T**. Ví dụ **S** = ADOBECODEBANCC, **T** = CABCC thì chuỗi con BANCC là chuỗi con ngắn nhất của **S** chứa đầy đủ mọi ký tự của **T**

[Submit solution](#)

Đầu vào

- Dòng 1 là chuỗi **S**
- Dòng 2 là chuỗi **T**

Giới hạn

- $1 \leq \text{len}(T), \text{len}(S) \leq 10^6$
- **S**, **T** chỉ chứa các ký tự in thường

Đầu ra

In ra chuỗi con nhỏ nhất thỏa mãn và xuất hiện đầu tiên nếu có nhiều chuỗi thỏa mãn. Nếu không tồn tại đáp án in ra **-1**

Ví dụ :

Input 01

```
dbcd dbaaccacb
ab
```

Copy

Output 01

Copy

[My submissions](#)[All submissions](#)[Best submissions](#)✓ **Points:** 1.00 (partial)🕒 **Time limit:** 1.0s📄 **Memory limit:** 256M💻 **Input:** stdin🖨️ **Output:** stdout📝 **Problem source:**
28Tech➤ **Problem type**▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch



Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.

New comment

Post!

Được phát triển bởi **28TECH.COM.VN**