



✓ [Sliding Window]. Bài 7. Minimum subarray

C++ NC
DSA

View as
PDF

Cho mảng **A[]** có **N** phần tử, bạn hãy tìm ra dãy con các phần tử liên tiếp có tổng tối thiểu bằng **K**. Nếu có nhiều dãy con thỏa mãn hãy in ra dãy con ngắn nhất xuất hiện đầu tiên, trong trường hợp không tồn tại dãy con thỏa mãn in ra **-1**.

Submit solution

[My submissions](#)
[All submissions](#)
[Best submissions](#)

Đầu vào

- Dòng 1 là **N** và **K**
- Dòng 2 gồm **N** số trong mảng **A[]**

Giới hạn

- $1 \leq N \leq 10^6$
- $0 \leq A[i] \leq 10^6$
- $0 \leq K \leq 10^9$

Đầu ra

In ra đáp án của bài toán

✓ **Points:** 1.00 (partial)
🕒 **Time limit:** 1.0s
📄 **Memory limit:** 256M
⌨ **Input:** stdin
🖨 **Output:** stdout

📝 **Problem source:**
28Tech

➤ **Problem type**

✓ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch

Ví dụ :

Input 01

```
11 7
2 4 0 4 2 3 3 2 0 0 3
```

Copy

Output 01



Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.

New comment

Post!

Được phát triển bởi **28TECH.COM.VN**