



[Ngăn Xếp]. Bài 6. Remove Duplicate 2

DSA

[View as PDF](#)

Cho một chuỗi ký tự **S** chỉ bao gồm ký tự in thường, nhiệm vụ của bạn là xóa k ký tự liên tiếp giống nhau khỏi chuỗi **S**.

Ví dụ chuỗi aaabbbccccdddeeu sau khi xóa 3 ký tự liên tiếp giống nhau khỏi chuỗi **S** sẽ trở thành : u

Đầu vào

Dòng 1 chứa chuỗi ký tự **S**

Dòng 2 chứa số nguyên dương **k**

Giới hạn

 $1 \leq \text{len}(S) \leq 10000$ $2 \leq k \leq \text{len}(S)$

Đầu ra

In ra chuỗi **S** sau khi xóa, in ra **EMPTY** nếu **S** trở thành chuỗi rỗng

Ví dụ :

Input 01

aabbcccedde

2

Copy

Output 01

Copy

[Submit solution](#)[All submissions](#)[Best submissions](#)✓ **Points:** 1.00 (partial)🕒 **Time limit:** 1.0s📄 **Memory limit:** 256M💻 **Input:** stdin🖨️ **Output:** stdout📝 **Problem source:**
28Tech➤ **Problem type**▼ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch



Input 02

```
aaaccddda
```

```
3
```

[Copy](#)

Output 02

```
cca
```

[Copy](#)

Comments

[Report an issue](#)

Please read the [guidelines](#) before commenting.

There are no comments at the moment.



Hello, Nguyễn Bảo Toàn.

Post!

Được phát triển bởi **28TECH.COM.VN**