




✓ [Xâu Ký Tự Cơ Bản]. Bài 7. In ra chữ số

[View
as PDF](#)

Cho xâu ký tự **S** bao gồm chữ cái và chữ số, thực hiện tách riêng chữ số và chữ cái của **S**.

[Submit solution](#)

Đầu vào

Dòng duy nhất chứa xâu **S**

Giới hạn

$1 \leq \text{len}(S) \leq 10000$

Đầu ra

Dòng 1 in ra những chữ số xuất hiện trong **S** theo thứ tự xuất hiện.

Dòng 2 in ra những chữ cái xuất hiện trong **S** theo thứ tự xuất hiện.

Ví dụ :

Input 01

```
28tech2828techcpp
```

[Copy](#)

Output 01

```
282828  
techtechcpp
```

[Copy](#)[My submissions](#)[All submissions](#)[Best submissions](#)

✓ **Points:** 1.00 (partial)

🕒 **Time limit:** 1.0s

📄 **Memory limit:** 256M

🖨️ **Input:** stdin

🖨️ **Output:** stdout

📄 **Problem source:**
28Tech

➤ **Problem type**

✓ **Allowed languages**
C, C++, Java, Kotlin,
Pascal, PyPy, Python,
Scratch



Please read the [guidelines](#) before commenting.





commented 3:52:12 pm, 14/01/2026



nhandzvc

```
#include <bits/stdc++.h>
#define ll long long
#define endl "\n"
#define suy ios_base::sync_with_stdio(0);cin.tie(0)
using namespace std;
void solve()
{
    string s; cin >> s;
    vector<char> s1, s2;
    for(auto &x : s)
    {
        if(int(x) >= 48 && int(x) <= 57)
s1.push_back(x);
        else s2.push_back(x);
    }
    for(auto &x : s1) cout << x;
    cout << endl;
    for(auto &x : s2) cout << x;
}
int main()
{
    suy;
    solve();
    return 0;
}
```


Copy



L8_DuongThanhKiem

**FULL AC:**

```
#include <bits/stdc++.h>
using namespace std;
string s;
int main() {
    getline(cin, s);
    for (int i = 0; i < s.size(); i++){
        if (s[i] >= '0' && s[i] <= '9') cout << s[i];
    }
    cout << endl;
    for (int i = 0; i < s.size(); i++){
        if (s[i] >= 'a' && s[i] <= 'z' ||
            s[i] >= 'A' && s[i] <= 'Z'){
            cout << s[i];
        }
    }
    return 0;
}
```

Copy

commented 5:46:45 pm, 10/12/2025

theguy777_jaboi

**#include <bits/stdc++.h>****using namespace std;****string sixseven,digit,alpha;****int main()****{****getline(cin,sixseven);**




```
if(isdigit(sixseven[i])){  
  
    digit.push_back(sixseven[i]);  
  
}  
  
if(isalpha(sixseven[i])){  
  
    alpha.push_back(sixseven[i]);  
  
}  
  
}  
  
for(auto x:digit){  
  
    cout<<x;  
  
}  
  
cout<<endl;  
  
for(auto x:alpha){  
  
    cout<<x;  
  
}  
  
return 0;  
  
}
```



Hello, Nguyễn Bảo Toàn.

commented 9:20:27 pm, 20/09/2025




ledinhvinh1403

**include <bits/stdc++.h>**

using namespace std;

```
int main() { string s; cin>>s; string chuso=""; string chucai="";  
for(char c:s){ if(isdigit(c)){ chuso+=c; }else if(isalpha(c)){ chucai+=c; } }  
cout<<chuso<
```

commented 9:28:02 pm, 28/09/2025



ledinhvinh1403

**include <bits/stdc++.h>**

using namespace std;

```
int main() { string s; cin>>s; string chuso=""; string chucai="";  
for(char c:s){ if(isdigit(c)){ chuso+=c; }else if(isalpha(c)){ chucai+=c; } }  
cout<<chuso<
```



Hello, Nguyễn Bảo Toàn.

Post!

Được phát triển bởi **28TECH.COM.VN**