
```
Nguyễn Thái Bình - 19146050 - Nhóm 02CLC - 10 Food
import numpy as np
from tensorflow import keras
from tensorflow.keras.models import load model
from tensorflow.keras.utils import load_img,img_to_array
from tensorflow.keras.preprocessing import image
from tensorflow.keras.optimizers import SGD
from tensorflow.keras.preprocessing.image import ImageDataGenerator
import matplotlib.pyplot as plt
import os
import matplotlib.pyplot as plt
from skimage import io
from keras.models import Sequential
from keras.utils import np utils
from keras.layers import Dense, Activation, Dropout, LSTM, BatchNormalization
from keras.layers import Flatten
from tensorflow.keras.optimizers import RMSprop
from tensorflow.keras.utils import to categorical
from keras.layers.convolutional import Conv2D
from keras.layers.convolutional import MaxPooling2D
trainset='/content/drive/MyDrive/10_Food_data/train'
validationset='/content/drive/MyDrive/10 Food data/validation'
train=ImageDataGenerator(rescale=1/255.0, validation_split=0)
validation=ImageDataGenerator(rescale=1/255.0,validation split=0.9)
train_data=train.flow_from_directory(trainset,target_size=(150,150),batch_size=10,class_mode=
validation set=validation.flow from directory(validationset, target size=(150,150), batch size=
     Found 127 images belonging to 10 classes.
     Found 79 images belonging to 10 classes.
print(train_data.class_indices)
print(validation_set.class_indices)
     {'banh_mi': 0, 'banh_xeo': 1, 'bun_dau': 2, 'che': 3, 'coffee': 4, 'com_tam': 5, 'goi_cu
     {'banh mi': 0, 'banh xeo': 1, 'bun dau': 2, 'che': 3, 'coffee': 4, 'com tam': 5, 'goi cu
model=Sequential()
model.add(Conv2D(32,(3,3),activation='relu',input_shape=(150,150,3)))
model.add(MaxPooling2D((2,2)))
model.add(Conv2D(64,(3,3),activation='relu'))
model.add(MaxPooling2D((2,2)))
model.add(Conv2D(128,(3,3),activation='relu'))
model.add(MaxPooling2D((2,2)))
```

```
model.add(Dense(128,activation='relu'))
model.add(Dense(10,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='rmsprop',metrics=['accuracy'])
history=model.fit(train data,batch size=5,epochs=50,verbose=1,validation data=validation set)
 1)/1) [----- ---- - τος 15/step - 1050. 2.400/e-συ - accuracy.
□→ Epoch 23/50
 13/13 [============== ] - 18s 1s/step - loss: 4.9297 - accuracy: 0.905
 Epoch 24/50
 Epoch 25/50
 Epoch 26/50
 Epoch 27/50
 Epoch 28/50
 Epoch 29/50
 Epoch 30/50
 Epoch 31/50
 Epoch 32/50
 Epoch 33/50
 Epoch 34/50
 Epoch 35/50
 Epoch 36/50
 Epoch 37/50
 Epoch 38/50
 Epoch 39/50
 Epoch 40/50
 Epoch 41/50
 Epoch 42/50
 Epoch 43/50
 Epoch 44/50
 Epoch 45/50
```

model.add(Flatten())

```
plt.plot(history.history['accuracy'])
plt.plot(history.history['val_accuracy'])
plt.title('Model Accuracy')
plt.ylabel('accuracy')
plt.xlabel('epoch')
plt.legend(['Train','validation'],loc='upper left')
plt.show()
```



model.save('/content/drive/MyDrive/BT AI/10 Food.h5')

```
5:'com_tam',
       6: 'goi_cuon',
       7:'hot_vit_lon',
      8:'pho',
       9:'xoi'}
plt.figure(figsize=(12,12))
for i in range(len(generator_data.filenames)):
   plt.subplot(4,4,i+1)
   plt.imshow(io.imread(os.path.join(generator_data.directory,generator_data.filenames[i])))
   plt.xticks([])
   plt.yticks([])
   img=load_img('/content/drive/MyDrive/Test food/'+generator_data.filenames[i],target_size=
   img=img_to_array(img)
   img=img.reshape(1,150,150,3)
   img=img.astype('float')
   img=img/255
   plt.xlabel(food[np.argmax(model.predict(img))])
plt.show()
```

Found 10 images belonging to 1 classes.



√ 10 giây hoàn thành lúc 14:20

• X