

Operating System

Project: CPU Scheduling

GIC-I4-Group-B

Student Name:

ID:

Nget Darapich

e20221646

Keo Chanponlork

e20220660

THOU Thearo


e20220910

SOPHAL Mengchhiv

e20221053

Lecturer: Mr. HENG Rathpisey

Academic year 2025-2026



The screenshot shows the 'CPU Scheduling Algorithm Simulator' interface. It features a title bar with a leaf icon and the text 'CPU Scheduling Algorithm Simulator'. Below the title bar is a large heading 'CPU Scheduling Simulator' with a gear icon. The interface is divided into two main sections: 'Process Input' and 'Controls'.

Process Input: This section contains four buttons: '+ Add', 'Edit', 'Remove', and 'Clear All'. Below these buttons is a table with the following data:

PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3

Controls: This section contains five radio buttons for selecting a scheduling algorithm: FCFS (selected), SJF, SRT, Round Robin, and MLFQ. Below these is a 'Run Simulation' button with a play icon.

CPU Scheduling Algorithm Simulator

 CPU Scheduling Simulator

Process Input

+ Add

Edit

Remove

Clear All

PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3

Controls

☒ FCFS

☐ SJF

☐ SRT

☐ Round Robin

☐ MLFQ

Run Simulation

Add/Edit Process

Process ID: P5

Arrival Time: 0

Burst Time: 5

Priority: 1

OK

Cancel

2 / 7

CPU Scheduling Simulator

Process Input

+ Add Edit Remove Clear All


PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3
P5	0	5	1


Controls

- ☒ FCFS
 - ☐ SJF
 - ☐ SRT
 - ☐ Round Robin
 - ☐ MLFQ
- Run Simulation

Gantt Chart Metrics

Gantt Chart





CPU Scheduling Simulator

Process Input

+ Add Edit Remove Clear All

PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3
P5	0	5	1


Controls

- ☐ FCFS
- ☐ SJF
- ☒ SRT
- ☐ Round Robin
- ☐ MLFQ

Run Simulation

Gantt Chart Metrics

Gantt Chart



CPU Scheduling Simulator

Process Input

+ Add Edit Remove Clear All

PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3
P5	0	5	1

Controls


- ☐ FCFS
- ☐ SJF
- ☐ SRT
- ☒ Round Robin
- ☐ MLFQ

Run Simulation

Quantum: 2

Gantt Chart Metrics

Gantt Chart



CPU Scheduling Algorithm Simulator

CPU Scheduling Simulator

Process Input

+ Add

Edit

Remove

Clear All

PID	Arrival	Burst	Priority
P1	0	5	1
P2	1	3	2
P3	2	8	1
P4	3	6	3

Controls

☐ FCFS

☐ SJF

☐ SRT

☐ Round Robin

☒ MLFQ

Run Simulation

Configure MLFQ

Q1: RR (q=4), Q2: RR (q=7), Q3: FCFS (N/A)

MLFQ Configuration

Configure MLFQ Queues

Set algorithm and quantum for each queue level:

Queue 1 (Highest Priority)

Algorithm: RR

Quantum: 4 (used for RR)

Queue 2

Algorithm: RR

Quantum: 7 (used for RR)

Queue 3 (Lowest Priority)

Algorithm: FCFS

Quantum: 1 (used for RR)

