

Title		
Size	Number	Revision
A4		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\MCU.SchDoc	Drawn By:

A

A

B


B

C













C

D






D



Title		
Size	Number	Revision
A4		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\..\Sensor.SchDoc	Drawn By:



Title		
Size	Number	Revision
A4		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\Motor Control.SchDoc	Drawn By:




Title		
Size	Number	Revision
A4		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\Bluetooth.SchDoc	Drawn By:

MATTERS NEEDING ATTENTION





On every boot/reset/wakeup
GPIO15 MUST keep LOW, GPIO2 MUST keep HIGH
GPIO0 HIGH->RUN MODE. LOW->FLASH MODE

When you need to use the sleep mode, GPIO16 and RST should be connected,
and GPIO16 will output LOW to reset the system at the time of wakeup.






AUTO PROGRAM CIRCUIT
DTR RTS RST GPIO0
1 1 1 1
0 0 1 1
1 0 0 0
0 1 1 0

Title		
Size	Number	Revision
A4		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\Wifi.SchDoc	Drawn By:



Title		
Size	Number	Revision
A		
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\RF.SchDoc	Drawn By:



Title		
Size A	Number	Revision
Date:	31/8/2020	Sheet of
File:	D:\Pif course\...\DecaWave.SchDoc	Drawn By: