

LoveYou Use-Case Model

Assignee	Reviewer	Editor
Minh Hoàng	Hoàng Tấn	Ngô Trung Nghĩa

1. Actors

1.1 Guest User

A Guest User is a person who has not yet registered or logged in. The Guest User can create an account and access the login function.

1.2 User


A User is a registered and authenticated person who uses LoveYou to manage a profile, discover candidates, communicate with matches, and manage privacy and safety settings.

1.3 Admin


An Admin is an authorized platform administrator who manages users, monitors platform statistics, and manages the interest-tag catalogue.

2. Account, Profile, and Onboarding


2.1 Authentication & Authorization (FG-01)



2.2 User Profile Management (FG-02)




2.3 Onboarding & Preference Setup (FG-10)




3. Discovery, Matching, and Communication


3.1 AI-Powered Smart Matching (FG-03)




3.2 Swipe & Match System (FG-04)




3.3 Advanced Search & Filtering (FG-05)




3.4 Real-time Messaging (FG-06)



3.5 Notification Center (FG-07)




3.6 Privacy & Safety Controls (FG-08)




4. Administration

4.1 Admin Dashboard & User Management (FG-09)



4.2 Interest Tag Catalogue Management (FG-09)



5. Functional Group Traceability

Functional Group	Description	Use-Case Model Section
FG-01	Authentication & Authorization	Section 2.1
FG-02	User Profile Management	Section 2.2
FG-03	AI-Powered Smart Matching	Section 3.1
FG-04	Swipe & Match System	Section 3.2
FG-05	Advanced Search & Filtering	Section 3.3
FG-06	Real-time Messaging	Section 3.4
FG-07	Notification Center	Section 3.5
FG-08	Privacy & Safety Controls	Section 3.6
FG-09	Admin Dashboard	Sections 4.1 and 4.2
FG-10	Onboarding & Preference Setup	Section 2.3

6. Modeling Corrections Applied for PA4

1. **Guest User** is explicitly modeled for **UC01: Sign Up**, addressing the TA feedback that a registered **User** should not be the actor for sign-up.
2. UC identifiers remain visible in every diagram.
3. Relationship directions are written from the base use case to the included use case for **«include»**.
4. Optional behaviors are modeled with **«extend»** where they are conditional rather than mandatory.
5. The previous temporary repair note and duplicate responsibility table are removed.
6. Search/filter labels remain user-goal oriented; implementation details are kept out of the use-case model.
7. The model contains the same 56 use cases and 10 functional groups as the supplied PA4 model.