

A Linguist's Guide to Easy Formatting:

A Crash Course in L^AT_EX

Neal Digre*

1 Introduction

It's only hours until the deadline and your linguistics paper is a jumble of words, diagrams, and fonts. It seems that no amount of cat-herding can fix your formatting woes. Every time you fix one issue another one crops up in its place. With this guide to easy formatting, you can turn even the most chaotic drafts into a clean, polished, professional looking paper that will surely impress your audience and keep those unruly cats at bay.

L^AT_EX is a FREE document preparation system that takes away the worry of formatting and lets the author focus on content. L^AT_EX includes several useful tools that make formatting for linguistics particularly convenient.

We begin by walking through downloading L^AT_EX and learning a few L^AT_EX document essentials, like the preamble, sectioning, and figures. Once we have the basics down, we delve into some of the linguistic applications, looking at how to write IPA symbols for phonetics using L^AT_EX's `tipa` package and an overview of L^AT_EX's Syntax tools, including the creation of syntax tree diagrams with `qtree` and numbered examples with `gb4e`. For adventurous students, I also touch briefly on creating a bibliography and appendices. Lastly, if you want to learn more about L^AT_EX, the web addresses of several documentation pages are provided in Appendix B.

*This work was completed, in part, during my coursework for the Computer Science Department at Western Washington University. If you have questions, comments, or suggestions for additional topics you'd like covered, please email me at [neal\[dot\]digre\[at\]gmail.com](mailto:neal[dot]digre[at]gmail.com)

2 Getting Started

2.1 Installing L^AT_EX

Let's begin by learning how to install L^AT_EX on your own computer. Go to the L^AT_EX project site by copying this url, <https://latex-project.org/ftp.html>, into your web browser address bar. Then, select the proper version for your operating system, and follow the instructions for downloading the appropriate .pkg, .exe, or .zip file. Once the download finishes, click on the downloaded file to start the installer. Again, follow the on-screen instructions. After that's finished, you're ready to use L^AT_EX! It's that simple! If you do happen to run into problems with installation, visit L^AT_EX's Help section or Google; there's a massive online community of L^AT_EX users that have probably run into similar issues.

2.2 Document Basics

2.2.1 Commands and the Preamble

Figure 1: A preamble example

```
\documentclass[12pt]{article}
\usepackage{geometry}
\geometry{letterpaper} % change the page dimensions
\geometry{margin=1in} % change the margins
\usepackage{fancyhdr} % Set this AFTER setting up the page geometry
\pagestyle{fancy} % options: empty , plain , fancy
\renewcommand{\headrulewidth}{0.0pt} % customise the layout...
\lhead{}\chead{}\rhead{\thepage} % add a header with page #
\setlength{\parindent}{4em} % set paragraph indent
\renewcommand{\baselinestretch}{1.5} % set line spacing
```

Before diving into linguistics, we must first look at the basic components of a L^AT_EX document. Instead of manually formatting like you would for Microsoft Word or some other word processor, you give L^AT_EX commands. It interprets those commands and prints your text in a nice format . The basic form of commands is: `\command{arguments}`. Commands are

the backbone of L^AT_EX's functionality; you use commands to format text and organize your document. The document itself is defined by commands in the **preamble**. The preamble for a document that follows general linguistics paper formatting rules (as this one does) might look something like in Figure 1.

Note in Figure 1 that the command `\usepackage` is used to import packages that provide additional functionality. (You'll see more of these later.) Also note that anything after a `%` character will be interpreted as a comment, and will not show up in your typeset document. This is one of many reserved characters that serve special functions in L^AT_EX. You've already seen `\`, which starts commands. It can also be used to start a new line by writing two consecutively: `\\`. If you wish to have a backslash character in your text as I have above, you need to use the command `\textbackslash`. Other reserved characters include `#` `$` `^` `&` `_` `{` `}` and `~`, which can be produced by `\#` `\$` `\^{}` `\&` `_` `\{` `\}` `\~{}` , respectively. For information on what these reserved characters mean and are used for, please refer to the general documentation.

2.2.2 Title, Sectioning, and Typesetting

Once you have the basic format of your paper defined in the preamble, it's time to actually create your document. Under your preamble, you may create a document title and list the author or authors using the commands `\title{Your Title Here}` and `\author{Your Name Here}`¹, respectively. To get your title to show up, you have to use `\maketitle` after beginning your document with `\begin{document}`. Any text and figures you want in your document go between your `\begin{document}` command and its matching `\end{document}` command. An example with sections is provided in Figure 2.

To turn your commands into a document, use the typeset button (typically a green circle with a triangle in it) in the top left corner of the editor. If you're not sure on the syntax for a command or think you're missing a package, don't worry; when you try to typeset your document, L^AT_EX will print out an error message and tell you where the error happened. This makes it easy to find your mistake and try again.

¹Please forgive the intrusion into my margin. But this way I get to demonstrate how footnotes work (see source code in `ling.template.tex`).

Figure 2: A simple document example

```

\title{A Linguist's Guide to Easy Formatting: \\
      \large A Crash Course in \LaTeX}
\author{Neal Digre}
\date{} % Remove this line to add the current date to your title
        % or keep it and put a certain date inside the brackets.

\begin{document}
\maketitle
\pagestyle{fancy}

\section{Introduction}
Introductory text
\subsection{I'm a Subsection!}
More text
\subsubsection{I'm a Subsubsection!}
This is just getting ridiculous.

\end{document}

```

2.2.3 Figures

Many good papers have figures to support and illustrate their point or provide a visual of results (and NOT just to add fluff and up your page count). Figures are crucial to conveying information in an easily digestible manner. I've already used two figures in this document to separate some source code from the main text. Imagine how difficult it would be to grasp \LaTeX commands if you had to parse through a block of text to identify specific commands instead of seeing a nice clear example in a figure? In general, figures could be anything from source code, to pictures or plots, but they are almost always in an image format. In this section I'll walk through an example of adding a figure to your text.

(a) This is sooooo meta

```

\begin{figure}[h]
\centering
\begin{tabular}{l c r} % Column alignment
\begin{subfigure}[b]{0.60\textwidth}
\caption{This is sooooo meta} \label{fig:imsource}
\lstset{basicstyle=\scriptsize} % Make the text smaller
% Source-code commands here. Avoid infinite loops.
\end{subfigure}
& & % Alignment for the tabular environment
\begin{subfigure}[b]{0.30\textwidth}
\caption{Definitely not fluff. This is educational!}
\includegraphics[width=\textwidth]{spacecat.jpg}
\end{subfigure}
\end{tabular}
\caption{A figure insertion example} \label{fig:image}
\end{figure}


```

(b) Definitely not fluff. This is educational!


Source: Twitter @SCatsx



Figure 3: A figure insertion example



(a) Group 1



(b) Group 2

Figure 4: A figure I included in my final paper for Dr. Jordan Sandoval's LING 411 Course: Topics in Phonetics and Phonology, Western Washington University, Spring 2016.

L^AT_EX allows you to import most major image formats (e.g. JPEG, PNG, PDF) using the `graphicx` package. It's easiest if the image file is in the same folder as your `.tex` file, though it is possible to specify a different folder using `\graphicspath`. An example with source code is provided in Figure 3, while Figure 4 is more typical of something you might see in a technical linguistics paper. To demonstrate a citation (see Section 5.1), the plots in Figure 4 were created using R Statistical Software (R Development Core Team, 2008).

Note the `[h]` option in `\begin{figure}[h]` from Figure 3a; this is used to give L^AT_EX an idea of where you would like to position the figure. L^AT_EX usually does a pretty good job at placing figures somewhere that minimizes blank space, but if you want more control over where the figure goes, some common options include `h` (place the figure approximately here), `H` (place the figure at precisely the location from the source code), `t` (top of page), `b` (bottom of page), or `p` (put it on a special page for figures). It may take some trial-and-error to find what works best for you. Also, note the ability to place the caption at the top or bottom of the figure by placing the `\caption{}` command either at the beginning or end of the `figure` block, respectively. For more detailed examples, there's a fantastic wiki page on figures https://en.wikibooks.org/wiki/LaTeX/Floats,_Figures_and_Captions.

Now that you've learned the basics, it's time to move on to linguistics!

3 Phonology

Phonetics and Phonology require a very special set of characters: the International Phonetic Alphabet (IPA). Instead of having to download a new font, put it in the proper folder on your computer, make sure it's compatible with whatever word processor you're using, and struggle to remember the shortcut keys that produce certain symbols, with L^AT_EX you simply include `\usepackage{tipa}` in your preamble. This provides all the IPA symbols you'll need in writing a phonetics or phonology paper. A useful table with all the IPA symbol encodings is provided at <http://people.ucsc.edu/~ajgreenw/LaTeXIPASymbols.pdf>. As a simple example, if I type the command `\textipa{DIs Iz In \t{aI} p\super hi \t{eI}` L^AT_EX produces:

ðɪs ɪz ɪn ʌɪ p^hi eɪ

And if you need to create columns of data, no problem! Just use the `tabular` environment, where the number of columns and alignment are specified in the argument to the `\begin{tabular}` command. Columns are separated by the `&` character. As an example, the commands in Figure 5 produce the following output:

Figure 5: An example dataset using tabular environment

```
\begin{center}
\begin{tabular}{l l l}
\textipa{[Dɪs]} & \textipa{[Iz]} & \textipa{[æ̃ n]} \\
\textipa{[Egzæ̃ mp̃s{l}]} & \textipa{[deR@sEt]} & \textipa{[fõ *r]} \\
\textipa{[ju]} & \textipa{[t̃super hu]} & \textipa{[Eñt̃{dZ}\t̃{OI}]}
\end{tabular}
\end{center}
```

[ðɪs]	[ɪz]	[æ̃ n]
[ɛgzæ̃ mp̃l]	[dɛrəsɛt]	[fõɪ]
[ju]	[t̃ ^h u]	[ɛ̃nd̃ʒ̃ɔ̃ɪ]

It is also possible to easily write phonological rules using the `phonrule` package. A simple example and its typeset output is provided in Figure 6.

Figure 6: Phonological rule example commands

```
\textit{Word-final obstruent devoicing} \\
\hspace*{1cm} \phonr{\phonfeat{-sonorant} \ +voice}}
{\phonfeat{-voice}}{\#} \\
\textit{An obstruent in word-final position will get devoiced.}
```

Word-final obstruent devoicing

$$\left[\begin{array}{c} -\text{sonorant} \\ +\text{voice} \end{array} \right] \rightarrow \left[-\text{voice} \right] / _ \#$$


An obstruent in word-final position will get devoiced.

With the easy-to-use commands outlined in this section, you can create beautifully organized phonetics and phonology papers with little hassle. Next, we'll look at how L^AT_EX makes writing Syntax papers just as easy.

4 Syntax

A major component of Syntax papers is diagramming sentences in tree diagrams. Conveniently, L^AT_EX provides a handy tree package called `qtree`. A new tree is started using the `\Tree` command. Each (sub-)tree is indicated by brackets. The root of a (sub-)tree is preceded by a period (.). Leaf nodes, i.e. words in the sentence, are expressed by their labels. Below is a simple example with its corresponding commands in Figure 7. Pay close attention to the spaces before each closed bracket; they are required. The other formatting is merely meant to give some indication of tree structure and make the commands easier to read.

Figure 7: Syntax tree example commands

$$\backslash \text{Tree} [.IP [.DP [.D\backslash 1 [.D \setminus \textit{textit}\{\text{the}\}] \\ [.NP [.N\backslash 1 [.N \setminus \textit{textit}\{\text{cat}\}]]]]]] \\ [.I\backslash 1 [.I \setminus \textit{textsc}\{\text{past}\}] \\ [.VP [.V\backslash 1 [.V \setminus \textit{textit}\{\text{sat}\}] \\ [.PP [.P\backslash 1 [.P \setminus \textit{textit}\{\text{on}\}] \\ \backslash \text{qroof}\{ \setminus \textit{textit}\{\text{the mat}\} \}.DP [] [] [] []]]]]]$$


Unfortunately, this string of commands and brackets can be confusing and, admittedly, there are many things \LaTeX can't do (easily), such as tracing word movement. If you prefer to use an external tree diagram software package (e.g. TreeForm), you can save your diagram as an image and import it into your \LaTeX document as a figure (see Section 2.2.3).

Another tool critical to Syntax papers is numbering glosses and examples. It's often necessary to change the order of examples many times before a paper is complete. \LaTeX makes this easy with the package `gb4e`. (IMPORTANT: be sure to make `gb4e` the last `\usepackage` call in the preamble, otherwise you might get an error.) Instead of having to go back through, changing the number of each example by hand – potentially missing one – all you have to do is cut and paste the line `\ex Example Sentence` and \LaTeX does the rest. Example commands and output are given below in Figure 8.

Figure 8: Example commands for numbered examples

```
\begin{exe}
  \ex This is an example sentence!
  \ex This sentence is grammatical English.
  \ex[*] {This sentence English in ungrammatical is.}
\end{exe}
```

- (1) This is an example sentence!
- (2) This sentence is grammatical English.
- (3) * This sentence English in ungrammatical is.

These tools should be enough to get you started down the path of magnificent syntax papers. For more detailed examples on numbered examples and glosses, refer to the Linguistics specific \LaTeX wiki (Appendix B).

5 End Material

5.1 Bibliography

The bibliography is a vital part of any research paper. It gives credit to the authors whose ideas helped shape your argument. But if you have, say, 20 references, typing out each one and making sure they're alphabetized and in the correct format can be a pain. So why not let LaTeX do the work for you? In this section, we'll see one way to add a bibliography to your document. There are many other ways, (and one of them may be more appropriate depending on your operating system or desired format) but I demonstrate this specific method because it's the easiest way I've found to get everything in APA format, which is the format most linguistics papers follow.

Figure 9: An example BibTeX entry

```
@Manual{RStats, % The short label to reference it by
  title = {R: A Language and Environment for Statistical Computing},
  author = {{R Development Core Team}},
  organization = {R Foundation for Statistical Computing},
  address = {Vienna, Austria},
  year = {2008},
  note = {{ISBN} 3-900051-07-0},
  url = {http://www.R-project.org},
}
```

It's possible to embed your references directly where you want the bibliography to go, but it's cleaner (and more instructive) to provide your references in a separate .bib file using what are called BibTeX entries. The benefit to using BibTeX entries is that many online journals or article databases already provide a BibTeX entry for each article, which means you just have to copy+paste and let L^AT_EX do the rest! An example BibTeX entry is provided in Figure 9. I've included several other entries in my .bib file, but because I don't actually cite them, they won't appear in my reference list. They're there to give you an idea of how to define your own BibTeX entry if the online journal, etc. doesn't provide one.

When you want to cite the article (or Software, in my case) just call `\cite{<label>}`, using the short label you define in the reference’s BibTeX entry. The other commands you need to know are `\usepackage{apacite}`, which should go in your preamble, and `\bibliographystyle{apacite} \bibliography{bibliography.bib}`, where `bibliography.bib` is the name of your .bib file. The last two commands should be called wherever you want your reference list to be displayed, e.g. after the appendices.

After typesetting your document, if the citations don’t appear, go to the drop-down next to the typeset button, select BibTeX, hit the typeset button, then run the typeset procedure one last time with pdfLaTeX (or whatever you were using before that worked).

5.2 Appendices

When writing a linguistics paper, you frequently have too much data to include in the main body of your text. But it’s still important to include all that data so readers can replicate your experiments. That’s where appendices come in. It’s where you dump everything that doesn’t belong in the main text but is still there for those interested. I’ve included two appendices for your reference. One is data from the Buckeye Corpus (Pitt et al., 2007) that I used in LING 411 (refer back to Figure 4), and the other is a list of websites I think are useful but take up too much space when referred to in-line.

There isn’t much to creating an appendix. Can you guess what the command is? If you guessed `\appendix`, you’re right! See, you’re a L^AT_EX expert already! After calling the `\appendix` command, you can treat each appendix like a new section, using the same `\section` command as in Section 2.2.2. The only change is you add an asterisk (*) before the argument, e.g. `\section*{Appendix A: Sample Data}`.

6 Conclusion

While it takes much longer than the few hours before a paper is due to master L^AT_EX, we’ve seen how a basic grasp of specific linguistics packages such as `tipa` and `qtree` can make formatting easy! With the tools outlined in this paper and a few hours of practice, anyone can create beautiful linguistics papers. And we’ve barely scratched the surface! There’s

a multitude of other L^AT_EX packages and commands you can use to make your documents even more awesome! But I'll leave those for you to discover. In the meantime, let all your words, diagrams, and fonts fall neatly in place and say goodbye to time and frustration spent herding cats.

Appendix A: Sample Data

Group 1 (6 words each):

e	ei	ey	y
recipe(3)	caffeine	disney (10)	accurately
arena (2)	ceiling	keyboard	biology (3)
egotistical	protein (2)	chocolatey	ecstasy (6)
eon	neil	eyor	sanctuary (2)
cerebral	conceive (2)	parsley	agony
creole	deceiving	rodney	controversy

Group 2 (24 words each):

ee	ea	ie	i
breed	appearances	achieve (3)	funniest
disagreement (2)	bean	agencies	scarier
dundee	beaver	apiece	vienna
esteem	conceal	belief (10)	assigning
feeble	eager	boundaries	chili
freeway (8)	feasible (2)	buggies	deviate
glee	guinea (2)	cashier	ding (4)
greece	ideal (5)	ceremonies (3)	gasoline (4)
nominee	jeans	comedies	indian (9)
oversee	mainstream (2)	communities (2)	ink
peeling	plea (5)	mommies	victoria
proceeded (2)	reaper	hippie	mafia (2)
racketeering	sears (4)	juries	mini (2)
reel (1)	seas	penalties (5)	missouri (4)
screening (6)	squealer	piercings	parochial (3)
sheer (2)	squeamish	policies (2)	ski (2)
sneeze	tease (2)	johnnie	skiing (2)
steer	breathed	rabies	sodium
tee (2)	wheat	relieve	studios
teen (6)	cleaver	retriever (2)	visa (4)
tennessee (6)	spears	spiel	committing
tweed	bleach	thingies	zucchini
unseen (3)	feature (2)	tootsie	trivia
yankees	leash (2)	zombie	naive (2)

Appendix B: L^AT_EX Documentation

General

<https://latex-project.org/guides/>

https://www.sharelatex.com/learn/Main_Page

If you can't quickly find an answer to your question in the documentation, Google it! There are many more helpful resources available for L^AT_EX.

Linguistics Specific

<https://en.wikibooks.org/wiki/LaTeX/Linguistics>

IPA encodings: http://people.ucsc.edu/~ajgreenw/LaTeX_TIPASymbols.pdf

Phonological Rules: <http://ctan.math.utah.edu/ctan/tex-archive/macros/latex/contrib/phonrule/phonrule-doc.pdf>

Qtree: <http://www.ling.upenn.edu/advice/latex/qtrees/qtreenotes.pdf>

Some Style Guides and Guidelines to Writing Linguistics Papers (not L^AT_EX specific):

- http://www.linguisticsociety.org/sites/default/files/LANGUAGE_journal_style_sheet.pdf
- http://www.anglistik.uni-jena.de/wp-content/pdfs/linguistik/Practical\%20Guidelines\%20for\%20Papers\%20in\%20Linguistics_2010.pdf
- <http://www.lel.ed.ac.uk/~lhlew/WritingGuidance.pdf>

References

Pitt, M., Dilley, L., Johnson, K., Kiesling, S., Raymond, W., Hume, E., & Fosler-Lussier, E. (2007). *Buckeye corpus of conversational speech (2nd release)*. Retrieved from www.buckeyecorpus.osu.edu

R Development Core Team. (2008). R: A language and environment for statistical computing [Computer software manual]. Vienna, Austria. Retrieved from <http://www.R-project.org> (ISBN 3-900051-07-0)