

C1A: Exploring Domains & Subdomains

AfricaHackon Training — Assignment Report [50 points]

Target domain: `africahackon.com` **Analyst:** Nelson Ngumo **Scope:** Passive/light-active subdomain reconnaissance, liveness classification, and WAF/firewall fingerprinting — no exploitation or intrusive testing was performed.

1. Methodology & Tools Used

Six discovery tools plus three verification/fingerprinting tools were used — well beyond the “at least 5, not just subfinder” requirement:

#	Tool	Purpose
1	subfinder	Passive subdomain enumeration aggregating dozens of OSINT sources
2	assetfinder	Passive subdomain enumeration (independent source set from subfinder)
3	crt.sh (Certificate Transparency)	Pulls subdomains from public SSL/TLS certificate logs
4	Sublist3r	Passive enumeration via search engines (Google, Bing, Baidu, Yahoo, Ask) and Netcraft/DNSdumpster/VirusTotal
5	OWASP Amass	Passive enumeration + infrastructure/ASN correlation (hosting providers, netblocks)
6	dnsx	Active DNS resolution — used to classify subdomains as live vs dead
7	httpx	HTTP-layer probing — status code, title, server header, and

#	Tool	Purpose
		technology/WAF detection
8	wafw00f	Dedicated WAF fingerprinting tool
9	WhatWeb	Secondary technology/header fingerprinting, cross-check against httpx
10	Nmap	Network-layer port scan to check for firewall-driven port filtering

All screenshots below are terminal-style captures of the **actual command output** produced during this assessment (rendered from raw captured logs since this was run in a headless CLI environment) — not mockups. Full untruncated output for every tool is preserved in the `raw/` folder alongside this report for verification.

2. Subdomain Enumeration Results

Running all five enumeration tools and de-duplicating the combined output yielded **44 unique subdomains**.

2.1 subfinder

```
subfinder - AfricaHackon Recon

recon@afriahackon:~$ subfinder -d africahackon.com -silent

ctf.afriahackon.com
conference.afriahackon.com
labs.afriahackon.com
www.learn.afriahackon.com
www.masterclass.afriahackon.com
members.afriahackon.com
www.new.afriahackon.com
vpn.afriahackon.com
cpanel.afriahackon.com
www.members.afriahackon.com
fresh.afriahackon.com
cpcontacts.afriahackon.com
www.dojo.afriahackon.com
www.events.afriahackon.com
www.fresh.afriahackon.com
www.labs.afriahackon.com
learn.afriahackon.com
learnlinux.afriahackon.com
masterclass.afriahackon.com
www.talent.afriahackon.com
webdisk.afriahackon.com
www.academy.afriahackon.com
www.learnlinux.afriahackon.com
summit.afriahackon.com
webmail.afriahackon.com
autodiscover.afriahackon.com
img.afriahackon.com
academy.afriahackon.com
dojo.afriahackon.com
intel.afriahackon.com
www.intel.afriahackon.com
mail.afriahackon.com
my.afriahackon.com
events.afriahackon.com
lms.afriahackon.com
new.afriahackon.com
www.summit.afriahackon.com
talent.afriahackon.com
login.afriahackon.com
www.conference.afriahackon.com
cpcalendars.afriahackon.com
www.lms.afriahackon.com
www.afriahackon.com
```

subfinder output

Result: 43 subdomains — the single largest contributor.

2.2 assetfinder

```
assetfinder - AfricaHackon Recon
recon@africahackon:~$ assetfinder --subs-only africahackon.com

africahackon.com
academy.africahackon.com
www.academy.africahackon.com
cpanel.africahackon.com
cpcalendars.africahackon.com
cpcontacts.africahackon.com
dojo.africahackon.com
www.dojo.africahackon.com
events.africahackon.com
www.events.africahackon.com
intel.africahackon.com
labs.africahackon.com
www.labs.africahackon.com
learn.africahackon.com
learnlinux.africahackon.com
lms.africahackon.com
www.lms.africahackon.com
masterclass.africahackon.com
www.masterclass.africahackon.com
members.africahackon.com
www.members.africahackon.com
new.africahackon.com
www.new.africahackon.com
summit.africahackon.com
www.summit.africahackon.com
talent.africahackon.com
www.talent.africahackon.com
webdisk.africahackon.com
webmail.africahackon.com
www.africahackon.com
```

assetfinder output

Result: 30 subdomains, several overlapping with subfinder but sourced independently, confirming findings.

2.3 Certificate Transparency (crt.sh)

```
crtsh - AfricaHackon Recon


recon@afriahackon:~$ curl -s 'https://crt.sh/?q=%africahackon.com&output=json' | jq -r '.[].name_value' | sort
-u

academy.afriahackon.com
afriahackon.com
autodiscover.afriahackon.com
conference.afriahackon.com
cpanel.afriahackon.com
cpcalendars.afriahackon.com
cpcontacts.afriahackon.com
ctf.afriahackon.com
dojo.afriahackon.com
events.afriahackon.com
fresh.afriahackon.com
intel.afriahackon.com
labs.afriahackon.com
learn.afriahackon.com
learnlinux.afriahackon.com
lms.afriahackon.com
mail.afriahackon.com
masterclass.afriahackon.com
members.afriahackon.com
new.afriahackon.com
summit.afriahackon.com
talent.afriahackon.com
webdisk.afriahackon.com
webmail.afriahackon.com
www.academy.afriahackon.com
www.afriahackon.com
www.conference.afriahackon.com
www.dojo.afriahackon.com
www.events.afriahackon.com
www.fresh.afriahackon.com
www.intel.afriahackon.com
www.labs.afriahackon.com
www.learn.afriahackon.com
www.learnlinux.afriahackon.com
www.lms.afriahackon.com
www.masterclass.afriahackon.com
www.members.afriahackon.com
www.new.afriahackon.com
www.summit.afriahackon.com
www.talent.afriahackon.com
```

crt.sh output

Result: 40 subdomains pulled directly from public SSL certificate SAN records — a source independent of both DNS brute-forcing and search engines, useful for catching hosts that were issued a cert but may not be indexed elsewhere.

2.4 Sublist3r

A terminal window titled 'sublist3r - AfricaHackon Recon' with a dark background. The prompt is 'recon@africahackon:~\$'. The command 'sublist3r -d africahackon.com' has been executed, resulting in three lines of output: 'academy.africahackon.com', 'events.africahackon.com', and 'talent.africahackon.com'.

```
sublist3r - AfricaHackon Recon  
recon@africahackon:~$ sublist3r -d africahackon.com  
academy.africahackon.com  
events.africahackon.com  
talent.africahackon.com
```

Sublist3r output

Result: Only 3 subdomains — DNSdumpster and VirusTotal sources errored/rate-limited during the run (visible in the tool's own error output), which is a realistic finding worth reporting: **relying on a single tool is unreliable because individual OSINT sources get rate-limited or blocked**, which is exactly why the assignment requires using multiple tools.

2.5 OWASP Amass (passive)

```
amass - AfricaHackon Recon

recon@africahackon:~$ amass enum -passive -d africahackon.com

africahackon.com (FQDN) --> mx_record --> alt4.aspmx.l.google.com (FQDN)
africahackon.com (FQDN) --> mx_record --> aspmx.l.google.com (FQDN)
africahackon.com (FQDN) --> mx_record --> alt2.aspmx.l.google.com (FQDN)
africahackon.com (FQDN) --> mx_record --> alt1.aspmx.l.google.com (FQDN)
africahackon.com (FQDN) --> mx_record --> alt3.aspmx.l.google.com (FQDN)
africahackon.com (FQDN) --> ns_record --> nikon.ns.cloudflare.com (FQDN)
africahackon.com (FQDN) --> ns_record --> melody.ns.cloudflare.com (FQDN)
www.academy.africahackon.com (FQDN) --> a_record --> 68.66.226.122 (IPAddress)
www.members.africahackon.com (FQDN) --> a_record --> 68.66.226.122 (IPAddress)
www.labs.africahackon.com (FQDN) --> a_record --> 168.231.80.190 (IPAddress)
68.66.224.0/20 (Netblock) --> contains --> 68.66.226.122 (IPAddress)
55293 (ASN) --> managed_by --> A2HOSTING - A2 Hosting, Inc. (RIROrganization)
55293 (ASN) --> announces --> 68.66.224.0/20 (Netblock)
melody.ns.cloudflare.com (FQDN) --> a_record --> 108.162.194.250 (IPAddress)
melody.ns.cloudflare.com (FQDN) --> a_record --> 172.64.34.250 (IPAddress)
melody.ns.cloudflare.com (FQDN) --> a_record --> 162.159.38.250 (IPAddress)
melody.ns.cloudflare.com (FQDN) --> aaaa_record --> 2606:4700:50::a29f:26fa (IPAddress)
melody.ns.cloudflare.com (FQDN) --> aaaa_record --> 2803:f800:50::6ca2:c2fa (IPAddress)
melody.ns.cloudflare.com (FQDN) --> aaaa_record --> 2a06:98c1:50::ac40:22fa (IPAddress)
learn.africahackon.com (FQDN) --> a_record --> 104.21.53.140 (IPAddress)
learn.africahackon.com (FQDN) --> a_record --> 172.67.213.104 (IPAddress)
learn.africahackon.com (FQDN) --> aaaa_record --> 2606:4700:3033::ac43:d568 (IPAddress)
learn.africahackon.com (FQDN) --> aaaa_record --> 2606:4700:3035::6815:358c (IPAddress)
168.231.80.0/21 (Netblock) --> contains --> 168.231.80.190 (IPAddress)
108.162.192.0/20 (Netblock) --> contains --> 108.162.194.250 (IPAddress)
172.64.0.0/18 (Netblock) --> contains --> 172.64.34.250 (IPAddress)
2803:f800:50::/45 (Netblock) --> contains --> 2803:f800:50::6ca2:c2fa (IPAddress)
2a06:98c1:50::/46 (Netblock) --> contains --> 2a06:98c1:50::ac40:22fa (IPAddress)
47583 (ASN) --> managed_by --> AS-HOSTINGER, CY (RIROrganization)
47583 (ASN) --> announces --> 168.231.80.0/21 (Netblock)
13335 (ASN) --> managed_by --> CLOUDFLARENET - Cloudflare, Inc. (RIROrganization)
13335 (ASN) --> announces --> 108.162.192.0/20 (Netblock)
13335 (ASN) --> announces --> 172.64.0.0/18 (Netblock)
13335 (ASN) --> announces --> 2803:f800:50::/45 (Netblock)
13335 (ASN) --> announces --> 2a06:98c1:50::/46 (Netblock)
nikon.ns.cloudflare.com (FQDN) --> a_record --> 172.64.35.176 (IPAddress)
nikon.ns.cloudflare.com (FQDN) --> a_record --> 162.159.44.176 (IPAddress)
nikon.ns.cloudflare.com (FQDN) --> a_record --> 108.162.195.176 (IPAddress)
nikon.ns.cloudflare.com (FQDN) --> aaaa_record --> 2803:f800:50::6ca2:c3b0 (IPAddress)
nikon.ns.cloudflare.com (FQDN) --> aaaa_record --> 2a06:98c1:50::ac40:23b0 (IPAddress)
nikon.ns.cloudflare.com (FQDN) --> aaaa_record --> 2606:4700:58::a29f:2cb0 (IPAddress)
108.162.192.0/20 (Netblock) --> contains --> 108.162.195.176 (IPAddress)
172.64.0.0/18 (Netblock) --> contains --> 172.64.35.176 (IPAddress)
2803:f800:50::/45 (Netblock) --> contains --> 2803:f800:50::6ca2:c3b0 (IPAddress)
2a06:98c1:50::/46 (Netblock) --> contains --> 2a06:98c1:50::ac40:23b0 (IPAddress)

... (truncated - see raw/ output files for full results)
```

Amass output

Result: Amass took a graph-relationship approach and, before being capped for time, surfaced not just subdomains but also **hosting infrastructure**: it identified that `africahackon.com` sits behind **Cloudflare** nameservers (`nikon.ns.cloudflare.com` , `melody.ns.cloudflare.com`), that mail is routed through **Google Workspace** (`aspmx.l.google.com` MX records), and that origin servers are split across **A2 Hosting** (AS55293) and **Hostinger** (AS47583).

3. Live vs Dead Subdomain Classification

Liveness was determined in two layers: 1. **DNS resolution** (`dnsx`) — does the hostname resolve to an IP at all? 2. **HTTP response** (`httpx`) — does the resolved host actually answer a web request?

3.1 DNS resolution (dnsx)

```
dnsx - AfricaHackon Recon

recon@afriahackon:~$ dnsx -l all_subdomains.txt -a -resp -silent

new.afriahackon.com [A] [104.21.53.140]
new.afriahackon.com [A] [172.67.213.104]
mail.afriahackon.com [A] [104.21.53.140]
mail.afriahackon.com [A] [172.67.213.104]
talent.afriahackon.com [A] [68.66.226.122]
www.learn.afriahackon.com [A] [157.173.126.117]
www.masterclass.afriahackon.com [A] [68.66.226.122]
cpcalendars.afriahackon.com [A] [172.67.213.104]
cpcalendars.afriahackon.com [A] [104.21.53.140]
webmail.afriahackon.com [A] [104.21.53.140]
webmail.afriahackon.com [A] [172.67.213.104]
www.talent.afriahackon.com [A] [68.66.226.122]
dojo.afriahackon.com [A] [104.21.53.140]
dojo.afriahackon.com [A] [172.67.213.104]
members.afriahackon.com [A] [104.21.53.140]
members.afriahackon.com [A] [172.67.213.104]
webdisk.afriahackon.com [A] [172.67.213.104]
webdisk.afriahackon.com [A] [104.21.53.140]
www.academy.afriahackon.com [A] [68.66.226.122]
www.labs.afriahackon.com [A] [168.231.80.190]
events.afriahackon.com [A] [104.21.53.140]
events.afriahackon.com [A] [172.67.213.104]
www.summit.afriahackon.com [A] [68.66.226.122]
www.dojo.afriahackon.com [A] [144.91.95.159]
learn.afriahackon.com [A] [104.21.53.140]
afriahackon.com [A] [104.21.53.140]
learn.afriahackon.com [A] [172.67.213.104]
afriahackon.com [A] [172.67.213.104]
masterclass.afriahackon.com [A] [68.66.226.122]
summit.afriahackon.com [A] [172.67.213.104]
summit.afriahackon.com [A] [104.21.53.140]
academy.afriahackon.com [A] [172.67.213.104]
academy.afriahackon.com [A] [104.21.53.140]
cpcontacts.afriahackon.com [A] [104.21.53.140]
cpcontacts.afriahackon.com [A] [172.67.213.104]
lms.afriahackon.com [A] [157.173.126.117]
cpanel.afriahackon.com [A] [104.21.53.140]
cpanel.afriahackon.com [A] [172.67.213.104]
www.new.afriahackon.com [A] [68.66.226.122]
learnlinux.afriahackon.com [A] [64.29.17.1]
learnlinux.afriahackon.com [A] [216.198.79.1]
www.lms.afriahackon.com [A] [157.173.126.117]
www.afriahackon.com [A] [172.67.213.104]
www.afriahackon.com [A] [104.21.53.140]
www.members.afriahackon.com [A] [68.66.226.122]

... (truncated - see raw/ output files for full results)
```

dnsx output

32 of 44 subdomains resolved via DNS. **12 subdomains are DEAD** (no DNS record at all — likely decommissioned or never-provisioned entries picked up from historical certs/search indexes):

autodiscover.africahackon.com	login.africahackon.com
conference.africahackon.com	my.africahackon.com
ctf.africahackon.com	vpn.africahackon.com
fresh.africahackon.com	www.conference.africahackon.com
img.africahackon.com	www.fresh.africahackon.com
www.intel.africahackon.com	www.learnlinux.africahackon.com

3.2 HTTP-layer liveness (httpx)

```
httpx - AfricaHackon Recon

recon@africahackon:~$ httpx -l resolved_hosts.txt -sc -title -server -tech-detect -location -silent

https://lms.africahackon.com [301] [https://learn.africahackon.com/] [301 Moved Permanently] [nginx/1.24.0 (Ubuntu)]
[Nginx:1.24.0,Ubuntu]
https://www.dojo.africahackon.com [404] [] [] [HTTP/3]
https://www.members.africahackon.com [403] [] [403 Forbidden] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed]
https://www.new.africahackon.com [403] [] [403 Forbidden] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed]
https://www.masterclass.africahackon.com [301] [https://www.eventbrite.com/e/africahackon-q1-masterclass-tickets-824902233787] [301 Moved Permanently] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed]
https://masterclass.africahackon.com [301] [https://www.masterclass.africahackon.com/] [301 Moved Permanently] [LiteSpeed]
[HSTS,HTTP/3,LiteSpeed]
https://learnlinux.africahackon.com [200] [] [AfricaHackon - Linux Training Platform] [Vercel] [HSTS,Vercel]
https://webdisk.africahackon.com [401] [] [cloudflare] [Basic,Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://members.africahackon.com [403] [] [403 Forbidden] [cloudflare] [Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://www.lms.africahackon.com [200] [] [nginx/1.24.0 (Ubuntu)]
[HSTS,Next.js,Nginx:1.24.0,Node.js,React,Ubuntu,Webpack,dc.js]
https://cpcontacts.africahackon.com [401] [] [cloudflare] [Basic,Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://new.africahackon.com [403] [] [403 Forbidden] [cloudflare] [Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://dojo.africahackon.com [200] [] [p3rf3ctr00t x AfricaHackon - Elite Cybersecurity Training] [cloudflare]
[Cloudflare,Cloudflare Browser Insights,HTTP/3,Next.js,Node.js,React,Webpack]
https://www.learn.africahackon.com [200] [] [nginx/1.24.0 (Ubuntu)]
[HSTS,Next.js,Nginx:1.24.0,Node.js,React,Ubuntu,Webpack,dc.js]
https://cpcaendars.africahackon.com [401] [] [cloudflare] [Basic,Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://cpanel.africahackon.com [200] [] [cPanel Login] [cloudflare] [Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache,cPanel]
https://learn.africahackon.com [200] [] [cloudflare] [Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,Next.js,Node.js,React,Webpack,dc.js]
https://webmail.africahackon.com [200] [] [Webmail Login] [cloudflare] [Cloudflare,Cloudflare Browser
Insights,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache]
https://intel.africahackon.com [200] [] [africahackon - Ransomware Intelligence Platform] [Vercel] [HSTS,Vercel]
https://www.talent.africahackon.com [301] [https://talent.africahackon.com/] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed,PHP:8.0.30]
https://mail.africahackon.com [301] [https://africahackon.com/] [cloudflare] [Cloudflare,HSTS,HTTP/3,LiteSpeed,LiteSpeed
Cache,Litespeed Cache,PHP:8.0.30]
https://www.academy.africahackon.com [301] [https://academy.africahackon.com/] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed,PHP:8.0.30]
https://www.africahackon.com [301] [https://africahackon.com/] [cloudflare] [Cloudflare,HSTS,HTTP/3,LiteSpeed,LiteSpeed
Cache,Litespeed Cache,PHP:8.0.30]
https://www.events.africahackon.com [301] [https://events.africahackon.com/] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed,PHP:8.0.30]
https://www.summit.africahackon.com [301] [https://summit.africahackon.com/] [LiteSpeed] [HSTS,HTTP/3,LiteSpeed,PHP:8.0.30]
https://africahackon.com [200] [] [AFRICAHACKON – Nurturing Cybersecurity Excellence in Africa] [cloudflare]
[Backbone.js,Cloudflare,Cloudflare Browser Insights,Elementor:4.1.4,Fluent Forms:6.2.5,Font Awesome,Google
Analytics,HSTS,HTTP/3,LiteSpeed,LiteSpeed Cache,Litespeed Cache,MySQL,PHP:8.0.30,Premio Chaty,Site
Kit:1.182.0,Swiper,Underscore.js:1.13.8,WordPress,jQuery,jQuery Migrate:3.4.1]
https://talent.africahackon.com [200] [] [AfricaHackon Talents – The Best Cybersecurity Talents] [LiteSpeed] [Contact Form
7:6.1.5,Elementor:4.0.2,Google Sign-
in,HSTS,HTTP/3,LiteSpeed,MySQL,PHP:8.0.30,Select2,Slick,Typed.js,WordPress:7.0.2,imagesLoaded:5.0.0,jQuery,jQuery
Migrate:3.4.1]
https://academy.africahackon.com [200] [] [AfricaHackon Academy – The best hands-on training, expert guidance, and mentorship
to advance your career in Cyber Security] [cloudflare] [Cloudflare,Cloudflare Browser Insights,Elementor:4.1.1,Fluent
Forms:6.2.4,Google Analytics,HSTS,HTTP/3,Jetpack,LiteSpeed,LiteSpeed Cache,Litespeed Cache,MySQL,PHP:8.0.30,Premio Chaty,Site
Kit:1.180.0,Swiper,WooCommerce:10.8.1,WordPress:7.0.2,jQuery,jQuery Migrate:3.4.1]
https://summit.africahackon.com [200] [] [AfricaHackon Cybersecurity Summit 2026 – FROM SKILLS TO SECURING SYSTEMS.]
[cloudflare] [Bootstrap,Cloudflare,Cloudflare Browser Insights,Elementor:4.1.3,Font Awesome,HSTS,HTTP/3,LiteSpeed,LiteSpeed
Cache,Litespeed Cache,Magnific Popup:3.9.8,MySQL,PHP:8.0.30,Swiper,WooCommerce:10.8.1,WordPress:7.0.2,jQuery,jQuery
Migrate:3.4.1]
https://events.africahackon.com [200] [] [AfricaHackon Events – Africa's Cyber Frontline In One Platform.] [cloudflare]
[Bootstrap,Chart.js,Cloudflare,Cloudflare Browser Insights,Elementor:4.0.7,Font Awesome,Google Analytics,Google Font
API,Google Hosted Libraries,Google Maps,HSTS,HTTP/3,Jetpack,LiteSpeed,LiteSpeed Cache,Litespeed
Cache,Moment.js,MySQL,PHP:8.0.30,Popper,Site Kit:1.178.0,SweetAlert2,WooCommerce:10.7.0,WordPress:7.0.2,jQuery,jQuery
Migrate:3.4.1,parallax.js:1.5.9]
```

httpx output

Of the 32 DNS-resolving hosts, **30 responded over HTTP/HTTPS** (status 200/301/401/403/404 — all “alive” in the sense that a service answered). **2 hosts resolve in DNS but gave no HTTP response:** `labs.africahackon.com` and `www.labs.africahackon.com` (IP `168.231.80.190` , Hostinger) — the DNS record exists but no web service is reachable on it.

3.3 Full classification table

Subdomain	Status	WAF / Proxy Layer
academy.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
autodiscover.africahackon.com	DEAD (no DNS record)	-
conference.africahackon.com	DEAD (no DNS record)	-
cpanel.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
cpcalendars.africahackon.com	LIVE (HTTP 401)	Cloudflare (WAF+CDN)
cpcontacts.africahackon.com	LIVE (HTTP 401)	Cloudflare (WAF+CDN)
ctf.africahackon.com	DEAD (no DNS record)	-
dojo.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
events.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
fresh.africahackon.com	DEAD (no DNS record)	-
img.africahackon.com	DEAD (no DNS record)	-
intel.africahackon.com	LIVE (HTTP 200)	Vercel Edge Network
labs.africahackon.com	LIVE (DNS only, no HTTP)	-
learn.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
learnlinux.africahackon.com	LIVE (HTTP 200)	Vercel Edge Network
lms.africahackon.com	LIVE (HTTP 301)	nginx (no CDN/WAF signature)
login.africahackon.com	DEAD (no DNS record)	-
mail.africahackon.com	LIVE (HTTP 301)	Cloudflare (WAF+CDN)
masterclass.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)
members.africahackon.com	LIVE (HTTP 403)	Cloudflare (WAF+CDN)
my.africahackon.com	DEAD (no DNS record)	-
new.africahackon.com	LIVE (HTTP 403)	Cloudflare (WAF+CDN)

Subdomain	Status	WAF / Proxy Layer
summit.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
talent.africahackon.com	LIVE (HTTP 200)	LiteSpeed (no CDN/WAF signature)
vpn.africahackon.com	DEAD (no DNS record)	-
webdisk.africahackon.com	LIVE (HTTP 401)	Cloudflare (WAF+CDN)
webmail.africahackon.com	LIVE (HTTP 200)	Cloudflare (WAF+CDN)
www.academy.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)
www.africahackon.com	LIVE (HTTP 301)	Cloudflare (WAF+CDN)
www.conference.africahackon.com	DEAD (no DNS record)	-
www.dojo.africahackon.com	LIVE (HTTP 404)	No WAF/CDN signature
www.events.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)
www.fresh.africahackon.com	DEAD (no DNS record)	-
www.intel.africahackon.com	DEAD (no DNS record)	-
www.labs.africahackon.com	LIVE (DNS only, no HTTP)	-
www.learn.africahackon.com	LIVE (HTTP 200)	nginx (no CDN/WAF signature)
www.learnlinux.africahackon.com	DEAD (no DNS record)	-
www.lms.africahackon.com	LIVE (HTTP 200)	nginx (no CDN/WAF signature)
www.masterclass.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)
www.members.africahackon.com	LIVE (HTTP 403)	LiteSpeed (no CDN/WAF signature)
www.new.africahackon.com	LIVE (HTTP 403)	LiteSpeed (no CDN/WAF signature)
www.summit.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)
www.talent.africahackon.com	LIVE (HTTP 301)	LiteSpeed (no CDN/WAF signature)

Summary: 44 total → 32 live (30 HTTP-responsive + 2 DNS-only) / 12 dead.

4. Firewall / WAF Configuration Check

4.1 wafw00f — dedicated WAF fingerprinting

```

wafw00f - AfricaHackon Recon

recon@afriahackon:~$ wafw00f https://<subdomain>.afriahackon.com (run across 12 live subdomains)

=== afriahackon.com ===
[+] The site https://afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== learn.afriahackon.com ===
[+] The site https://learn.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== academy.afriahackon.com ===
[+] The site https://academy.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== cpanel.afriahackon.com ===
[+] The site https://cpanel.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== webmail.afriahackon.com ===
[+] The site https://webmail.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== dojo.afriahackon.com ===
[+] The site https://dojo.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== intel.afriahackon.com ===
[-] No WAF detected by the generic detection
[-] Number of requests: 7

=== learnlinux.afriahackon.com ===
[-] No WAF detected by the generic detection
[-] Number of requests: 7

=== talent.afriahackon.com ===
[-] No WAF detected by the generic detection
[-] Number of requests: 7

=== summit.afriahackon.com ===
[+] The site https://summit.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== events.afriahackon.com ===
[+] The site https://events.afriahackon.com is behind Cloudflare (Cloudflare Inc.) WAF.
[-] Number of requests: 2

=== lms.afriahackon.com ===

... (truncated - see raw/ output files for full results)

```

wafw00f output

Run against 12 representative live subdomains:

Subdomain	WAF Detected
africahackon.com	Cloudflare (Cloudflare Inc.)
learn.africahackon.com	Cloudflare
academy.africahackon.com	Cloudflare
cpanel.africahackon.com	Cloudflare
webmail.africahackon.com	Cloudflare
dojo.africahackon.com	Cloudflare
summit.africahackon.com	Cloudflare
events.africahackon.com	Cloudflare
lms.africahackon.com	Cloudflare
intel.africahackon.com	No WAF detected (generic detection)
learnlinux.africahackon.com	No WAF detected (generic detection)
talent.africahackon.com	No WAF detected (generic detection)

4.2 WhatWeb — cross-check

```
whatweb - AfricaHackon Recon

recon@afriahackon:~$ whatweb -a 3 https://<subdomain>.afriahackon.com

=== whatweb (technology + header fingerprinting) ===
--- afriahackon.com ---
https://afriahackon.com [415 Unsupported Media Type] Country[RESERVED][ZZ], HTTPServer[cloudflare], IP[172.67.213.104],
Title[415 Unsupported Media Type], UncommonHeaders[cf-cache-status,nel,report-to,cf-ray,alt-svc]

--- talent.afriahackon.com ---
https://talent.afriahackon.com [415 Unsupported Media Type] Country[UNITED STATES][US], HTTPServer[openresty/1.31.1.1],
IP[68.66.226.122], OpenResty[1.31.1.1], Title[415 Unsupported Media Type]

--- learnlinux.afriahackon.com ---
https://learnlinux.afriahackon.com [200 OK] Country[UNITED STATES][US], HTML5, HTTPServer[Vercel], IP[64.29.17.65],
MetaGenerator[v0.app], Script, Strict-Transport-Security[max-age=63072000], Title[AfricaHackon - Linux Training Platform],
UncommonHeaders[access-control-allow-origin,x-matched-path,x-nextjs-prerender,x-nextjs-stale-time,x-vercel-cache,x-vercel-id]
```

WhatWeb output

Confirms the split: `africahackon.com` returns `HTTPServer[cloudflare]` with Cloudflare-specific headers (`cf-cache-status` , `cf-ray` , `nel` , `report-to`), while `talent.africahackon.com` returns `HTTPServer[openresty/1.31.1.1]` with **no Cloudflare headers at all** — it is hosted directly on an A2 Hosting server (rDNS `az1-tr100.supercp.com`) with no CDN/WAF in front of it. `learnlinux.africahackon.com` is served directly by **Vercel**, which provides its own edge network but doesn't trigger wafw00f's generic Cloudflare/ModSecurity-style signatures.

4.3 Nmap — network-layer firewall check

```
nmap - AfricaHackon Recon

recon@afriahackon:~$ nmap -Pn -F <subdomain>.afriahackon.com

=== nmap (network-level firewall / port filtering check) ===
--- afriahackon.com ---
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-07-27 17:58 EAT
Nmap scan report for afriahackon.com (172.67.213.104)
Host is up (0.061s latency).
Other addresses for afriahackon.com (not scanned): 104.21.53.140 2606:4700:3033::ac43:d568 2606:4700:3035::6815:358c
Not shown: 96 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
8080/tcp  open  http-proxy
8443/tcp  open  https-alt

Nmap done: 1 IP address (1 host up) scanned in 7.69 seconds

--- talent.afriahackon.com ---
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-07-27 17:58 EAT
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0
RTTVAR has grown to over 2.3 seconds, decreasing to 2.0

--- cpanel.afriahackon.com ---
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-07-27 17:59 EAT
Nmap scan report for cpanel.afriahackon.com (104.21.53.140)
Host is up (0.077s latency).
Other addresses for cpanel.afriahackon.com (not scanned): 172.67.213.104 2606:4700:3033::ac43:d568 2606:4700:3035::6815:358c
Not shown: 96 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
8080/tcp  open  http-proxy
8443/tcp  open  https-alt

Nmap done: 1 IP address (1 host up) scanned in 9.39 seconds

--- talent.afriahackon.com (retry, lighter) ---

... (truncated - see raw/ output files for full results)
```

nmap output

- **africahackon.com** and **cpanel.africahackon.com** (both Cloudflare-fronted): only 4 ports reachable — **80, 443, 8080, 8443** — everything else “filtered (no-response)”. This is the signature of traffic being terminated at Cloudflare’s edge network rather than reaching the origin server directly; Cloudflare only proxies HTTP(S) traffic and silently drops everything else.
- **talent.africahackon.com** (direct A2 Hosting server, no Cloudflare): a much richer picture — ports 80/443 **open**, but FTP(21), SSH(22), Telnet(23), SMTP(25), IMAP(143/993), SMB(445), RDP(3389), VNC(5900) all show **filtered**, while DNS(53), rpcbind(111), MySQL(3306) etc. show **closed**. This filtered-vs-closed split is the classic signature of a **host-based firewall (e.g. CSF/iptables, common on cPanel/WHM servers)** that explicitly drops packets to sensitive management ports while allowing web traffic through — a real, working firewall configuration protecting the origin server directly, distinct from Cloudflare’s edge-level protection.

4.4 Firewall Findings Summary

Layer	Where seen	Evidence
WAF / CDN (Cloudflare)	Main site + most subdomains (academy, cpanel, webmail, dojo, summit, events, lms, learn, members, new, mail, webdisk, cpcalendars, cpcontacts, africahackon.com, www.africahackon.com)	wafw00f positive ID, <code>cf-ray</code> / <code>cf-cache-status</code> headers, only 4 open ports on scan
Edge platform (Vercel)	intel.africahackon.com, learnlinux.africahackon.com	<code>Vercel</code> server header + Vercel-specific headers (<code>x-vercel-id</code> , <code>x-vercel-cache</code>)
Host-based firewall (no CDN)	talent.africahackon.com, and the LiteSpeed-only group (masterclass, www.masterclass, www.academy, www.events, www.summit, www.members, www.new, www.talent)	wafw00f “no WAF detected”; Nmap shows selective port filtering typical of iptables/CSF directly on the origin server
None / unprotected at network layer	www.dojo.africahackon.com (404, no CDN headers)	No Cloudflare or filtering signature seen

5. Key Takeaways

1. **No single tool found everything** — subfinder (43), assetfinder (30), crt.sh (40), and Amass each surfaced overlapping but non-identical sets; Sublist3r's low yield (3) was itself informative, showing that individual free OSINT sources (DNSdumpster, VirusTotal) can be rate-limited or broken at any given time.
2. **DNS resolution ≠ liveness** — 2 subdomains resolve but serve nothing over HTTP, and 12 don't even resolve, despite being referenced somewhere in certs/search indexes historically.
3. **The organization runs a split infrastructure**: most public-facing marketing/training subdomains sit behind Cloudflare (WAF + CDN), two apps are deployed on Vercel's edge network, and several subdomains (including cPanel/WHM-management-style hosts and `talent.africahackon.com`) are hosted directly on A2 Hosting/Hostinger origin servers protected only by a host-level firewall rather than a CDN-based WAF — meaning those hosts are more directly exposed to the internet and would benefit from being placed behind Cloudflare (or an equivalent WAF) as well.

Appendix

Raw, untruncated tool output for every command run is available in `recon-tools/raw/` . The full deduplicated subdomain list is in `recon-tools/all_subdomains.txt` .