

ĐẠI HỌC BÁCH KHOA HÀ NỘI
TRƯỜNG CÔNG NGHỆ THÔNG TIN VÀ TRUYỀN THÔNG
— o0o —



Báo cáo BTVN
Học phần: Lập trình mạng

Giảng viên :	ThS. Lê Bá Vui
Sinh viên thực hiện :	Nguyễn Thế Thành
MSSV :	20235432

Hà Nội - 2026

Mục lục

1. Đề bài	3
2. Kết quả	4

1. Đề bài

Bài tập – Chat Server

Sử dụng hàm `select()/poll()`, viết chương trình **chat_server** thực hiện các chức năng sau:

Nhận kết nối từ các client, và vào hỏi tên client cho đến khi client gửi đúng cú pháp:

“client_id: client_name”

trong đó `client_name` là tên của client, xâu ký tự viết liền.

Sau đó nhận dữ liệu từ một client và gửi dữ liệu đó đến các client còn lại, ví dụ: client có id “abc” gửi “xin chào” thì các client khác sẽ nhận được: “abc: xin chào” hoặc có thể thêm thời gian vào trước ví dụ: “2023/05/06 11:00:00PM abc: xin chào”.



ĐẠI HỌC BÁCH KHOA HÀ NỘI
HANOI UNIVERSITY OF SCIENCE AND TECHNOLOGY

Bài tập – Telnet Server

Sử dụng hàm `select()/poll()`, viết chương trình **telnet_server** thực hiện các chức năng sau:

Khi đã kết nối với 1 client nào đó, yêu cầu client gửi `user` và `pass`, so sánh với file cơ sở dữ liệu là một file text, mỗi dòng chứa một cặp `user + pass` ví dụ:

admin admin

guest nopass

...

Nếu so sánh sai, không tìm thấy tài khoản thì báo lỗi đăng nhập.

Nếu đúng thì đợi lệnh từ client, thực hiện lệnh và trả kết quả cho client.

Dùng hàm `system(“dir > out.txt”)` để thực hiện lệnh.


`dir` là ví dụ lệnh `dir` mà client gửi.

> `out.txt` để định hướng lại dữ liệu ra từ lệnh `dir`, khi đó kết quả lệnh `dir` sẽ được ghi vào file văn bản.



ĐẠI HỌC BÁCH KHOA HÀ NỘI


2. Kết quả



```
nguyen-the-thanh@nguyen-the-thanh: ~/Desktop/Lap-trinh
nguyen-the-thanh@nguyen-the-thanh:~/Desktop/Lap-trinh$ telnet 127.0.0.1 8888
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
Nhap: client_id: client_name
abc: Thanh
OK
hello
xyz: hi
[]

nguyen-the-thanh@nguyen-the-thanh: ~/Desktop/Lap-trinh
nguyen-the-thanh@nguyen-the-thanh:~/Desktop/Lap-trinh$ telnet 127.0.0.1 8888
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
Nhap: client_id: client_name
xyz: Ha
OK
abc: hello
hi
[]
```

Hình 1: Kết quả cho bài tập 1



```
nguyen-the-thanh@nguyen-the-thanh: ~/Desktop/Lap-trinh/14-04_...
nguyen-the-thanh@nguyen-the-thanh:~/Desktop/Lap-trinh/14-04_...$ ./server
server running on port 8888...

nguyen-the-thanh@nguyen-the-thanh: ~/Desktop/Lap-trinh/14-04_...
nguyen-the-thanh@nguyen-the-thanh:~/Desktop/Lap-trinh/14-04_...$ telnet 127.0.0.1 8888
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
Username: thethanh
Password: hihi
Login success
$ ls
ib.txt
output.txt
server
telnet_server_poll.c
$ sh: 1: net_server_poll.c: not found
$ sh: 1: l.c.: not found
$ []

nguyen-the-thanh@nguyen-the-thanh: ~/Desktop/Lap-trinh/14-04_...
nguyen-the-thanh@nguyen-the-thanh:~/Desktop/Lap-trinh/14-04_...$ telnet 127.0.0.1 8888
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
Username: admin
Password: amin
Login failed
Username: admin
Password: admin
Login success
$ []
```

Hình 2: Kết quả cho bài tập 2