

Examination Regulations

You are allowed to use only the following during the examination:

- Microsoft SQL Server.
- SQL Server Management Studio (SSMS) with no AI features, AI assistants, AI plug-ins, or AI extensions enabled or installed.
- Printed materials or offline documents that were saved on your computer before the examination.
- A network connection **only** to the **ExamOnline** Wi-Fi network for examination purposes.

The following are strictly prohibited:

- Connecting to any network other than the **ExamOnline** Wi-Fi network, including personal hotspots, mobile data, VPNs, remote desktop services, cloud storage, or any other Internet connection.
- Accessing any website or online service that is not required for the examination.
- Any online or offline AI tools, including but not limited to ChatGPT, Microsoft Copilot, GitHub Copilot, Gemini, Claude, DeepSeek, Cursor AI, Codeium, Tabnine, Amazon Q, NotebookLM, LMStudio, Visual Studio Code (VSCode), or any other AI coding assistant.
- Any AI-powered extensions, plug-ins, browser add-ons, or IDE/SSMS extensions that provide code generation, code completion, explanations, or suggestions.
- Any communication or file sharing with other candidates or external parties.

Violation Policy


Failing to comply with any of the above requirements or examination regulations will be considered academic misconduct, and the examination will receive a score of 0.

Database dùng cho Question 2 trở đi

From Question 2 onward, use the database provided in the accompanying .sql file. Before answering the questions, run the provided script to create the required tables and populate them with the supplied data. The database schema is shown in the diagram below.

Các bảng và cột (khóa chính = PK, đánh dấu bằng biểu tượng chìa khóa trong sơ đồ):

- **Booking**: BookingID (PK), GuestID, BookingDate, CheckInDate, CheckOutDate, Status, TotalAmount, PaymentDate, PaymentMethod, PaymentStatus, Notes
- **BookingDetail**: DetailID (PK), BookingID, RoomID, PricePerNight, NumNights, SubTotal
- **BookingGuest**: BookingGuestID (PK), DetailID, GuestID, IsPrimaryGuest
- **Guest**: GuestID (PK), FirstName, LastName, Email, Phone, NationalID, Nationality, DateOfBirth, CreatedAt
- **Room**: RoomID (PK), RoomNumber, RoomTypeID, Floor, Status
- **RoomType**: RoomTypeID (PK), TypeName, Description, BasePrice, MaxOccupancy
- **BookingService**: BookingServiceID (PK), BookingID, ServiceID, Quantity, ServiceDate, TotalCost
- **Service**: ServiceID (PK), ServiceName, Category, UnitPrice, Unit



[Hình ảnh: Sơ đồ quan hệ (database diagram kiểu SSMS) của CSDL đặt phòng khách sạn gồm 8 bảng, mỗi bảng là một hộp liệt kê các cột với biểu tượng chìa khóa ở khóa chính. Các bảng: Booking (BookingID PK, GuestID, BookingDate, CheckInDate, CheckOutDate, Status, TotalAmount, PaymentDate, PaymentMethod, PaymentStatus, Notes); BookingDetail (DetailID PK, BookingID, RoomID, PricePerNight, NumNights, SubTotal); BookingGuest (BookingGuestID PK, DetailID, GuestID, IsPrimaryGuest); Guest (GuestID PK, FirstName, LastName, Email, Phone, NationalID, Nationality, DateOfBirth, CreatedAt); Room (RoomID PK, RoomNumber, RoomTypeID, Floor, Status); RoomType (RoomTypeID PK, TypeName, Description, BasePrice, MaxOccupancy); BookingService (BookingServiceID PK, BookingID, ServiceID, Quantity, ServiceDate, TotalCost); Service (ServiceID PK, ServiceName, Category, UnitPrice, Unit). Các đường quan hệ 1-nhiều (ký hiệu chìa khóa / vòng tròn-vô cực ở hai đầu) nối: Booking.BookingID – BookingDetail.BookingID; Booking.GuestID – Guest.GuestID; BookingDetail.RoomID – Room.RoomID; BookingDetail.DetailID – BookingGuest.DetailID; BookingGuest.GuestID – Guest.GuestID; Room.RoomTypeID – RoomType.RoomTypeID; Booking.BookingID – BookingService.BookingID; BookingService.ServiceID – Service.ServiceID.]

Question 1

Create a database, then write SQL statements that create, inside that database, all tables derived from the ERD shown in the following picture with appropriate attributes, primary keys, and foreign keys.

NOTE that when creating the SQL commands as requested, you MUST keep the names of tables, relationships, attributes, and data types of attributes exactly as given in the ERD.

Underlined attributes are the primary key of each entity.


Attributes that reference the primary key of another table must have the same names as the attributes of the primary key of the table they reference.

If a table must be created to represent a relationship, that table must have the same name as the relationship.

When submitting your answer for this question, include only the SQL statements that create tables with their corresponding keys and foreign keys. Do not use "create database", "Alter database", "use database_name" or any statement that uses the database's name in your submission.

You must apply ER-style conversions for any subclasses that exist in this diagram.

The table that represents a multi-valued attribute must be named by concatenating the table name and the attribute name. For example, if a table named Student has a multi-valued attribute named Phone, the corresponding table must be named StudentPhone.



— Tài liệu được thành viên đăng tải tại [FUOVERFLOW](#) và được biên soạn lại để hỗ trợ ôn tập —

[Hình ảnh: Sơ đồ ER (Picture 1.1) của hệ thống thư viện. Các thực thể (hình chữ nhật) và thuộc tính (hình ellipse, thuộc tính khóa chính gạch chân, thuộc tính đa trị là ellipse kép, thuộc tính phức hợp nối tới các ellipse thành phần):

- Members: memberID: int (gạch chân = PK); phone: nvarchar(20) (ellipse kép = thuộc tính đa trị); name (thuộc tính phức hợp) nối tới firstName: nvarchar(50) và lastName: nvarchar(50).
- Librarian: librarianID: int (gạch chân = PK); name: nvarchar(100).
- Loans: borrowDate: date (gạch chân = PK); returnDate: date.
- Books: bookCode: nvarchar(20) (gạch chân = PK); author: nvarchar(60); title: nvarchar(100).

Các mối quan hệ (hình thoi) và lực lượng:

- borrow (hình thoi viền kép): nối Members (lực lượng 1) với Loans (lực lượng N).
- process (hình thoi): nối Librarian (lực lượng 1) với Loans (lực lượng N).
- include (hình thoi viền kép): nối Loans (lực lượng N) với Books (lực lượng 1).

Ghi chú: Loans là thực thể yếu/quan hệ có thuộc tính riêng (returnDate, borrowDate); borrow và include vẽ viền kép 1

Picture 1.1

Question 2

Write an SQL query to display all services whose unit price is between 10 and 30 (inclusive), as shown below:

	ServiceID	ServiceName	Category	UnitPrice	Unit
1	1	Breakfast Buffet	Food & Beverage	15.00	per person per day
2	2	Breakfast Room Service	Food & Beverage	10.00	per order
3	3	Airport Transfer	Transport	25.00	per trip
4	6	Mini Bar Refill	Food & Beverage	20.00	per refill
5	10	Business Center	Business	10.00	per hour

Picture 2.1

Question 3

Write an SQL query to display BookingID, GuestName (concatenate FirstName, a white space, and LastName), Nationality, BookingDate, DetailID, and RoomNumber for all bookings with a BookingDate in 2024 made by guests whose nationality is Chinese or Japanese, as shown below:

	BookingID	GuestName	Nationality	BookingDate	DetailID	RoomNumber
1	9	Chen Wei	Chinese	2024-09-16 00:00:00.000	18	604
2	10	Chen Wei	Chinese	2024-03-24 00:00:00.000	19	605
3	10	Chen Wei	Chinese	2024-03-24 00:00:00.000	20	606
4	11	Chen Wei	Chinese	2024-10-26 00:00:00.000	21	701
5	11	Chen Wei	Chinese	2024-10-26 00:00:00.000	22	702
6	11	Chen Wei	Chinese	2024-10-26 00:00:00.000	23	703
7	12	Chen Wei	Chinese	2024-05-28 00:00:00.000	24	704
8	17	Hiroshi Tanaka	Japanese	2024-05-21 00:00:00.000	33	201
9	17	Hiroshi Tanaka	Japanese	2024-05-21 00:00:00.000	34	202
10	17	Hiroshi Tanaka	Japanese	2024-05-21 00:00:00.000	35	301
11	19	Hiroshi Tanaka	Japanese	2024-07-31 00:00:00.000	37	401
12	19	Hiroshi Tanaka	Japanese	2024-07-31 00:00:00.000	38	402
13	20	Hiroshi Tanaka	Japanese	2024-03-02 00:00:00.000	39	403
14	20	Hiroshi Tanaka	Japanese	2024-03-02 00:00:00.000	40	404
15	20	Hiroshi Tanaka	Japanese	2024-03-02 00:00:00.000	41	501
16	33	Linda Le	Chinese	2024-10-17 00:00:00.000	66	302
17	34	Linda Le	Chinese	2024-05-19 00:00:00.000	67	401
18	34	Linda Le	Chinese	2024-05-19 00:00:00.000	68	402
19	39	Yuki Suzuki	Japanese	2024-05-04 00:00:00.000	78	604
20	40	Yuki Suzuki	Japanese	2024-12-06 00:00:00.000	79	605
21	40	Yuki Suzuki	Japanese	2024-12-06 00:00:00.000	80	606
22	41	Yuki Suzuki	Japanese	2024-07-08 00:00:00.000	81	701
23	41	Yuki Suzuki	Japanese	2024-07-08 00:00:00.000	82	702
24	41	Yuki Suzuki	Japanese	2024-07-08 00:00:00.000	83	703

Question 4

Write an SQL query to display GuestID, FirstName, LastName, BookingID, BookingDate, ServiceName, Category, and ServiceDate for all Japanese guests. For each guest, display his or her bookings and the services used for each booking. Include all Japanese guests, even if they have not made any bookings. If a booking has no associated services, it should still be included in the result. Missing values should appear as NULL. Sort the output by ServiceName in ascending order, then by BookingDate in descending order, as shown below:

	GuestID	FirstName	LastName	BookingID	BookingDate	ServiceName	Category	ServiceDate
1	31	Kenji	Yamamoto	85	2025-06-02 00:00:00.000	NULL	NULL	NULL
2	11	Yuki	Suzuki	40	2024-12-06 00:00:00.000	NULL	NULL	NULL
3	5	Hiroshi	Tanaka	20	2024-03-02 00:00:00.000	NULL	NULL	NULL
4	51	Aisha	Osaki	NULL	NULL	NULL	NULL	NULL
5	5	Hiroshi	Tanaka	19	2024-07-31 00:00:00.000	Breakfast Room Service	Food & Beverage	2024-08-05
6	5	Hiroshi	Tanaka	17	2024-05-21 00:00:00.000	Breakfast Room Service	Food & Beverage	2024-05-24
7	11	Yuki	Suzuki	39	2024-05-04 00:00:00.000	Breakfast Room Service	Food & Beverage	2024-05-15
8	5	Hiroshi	Tanaka	18	2023-12-29 00:00:00.000	Breakfast Room Service	Food & Beverage	2024-01-02
9	32	Sakura	Nakamura	86	2025-01-04 00:00:00.000	Gym Access	Recreation	2025-01-06
10	5	Hiroshi	Tanaka	19	2024-07-31 00:00:00.000	Gym Access	Recreation	2024-08-05
11	5	Hiroshi	Tanaka	17	2024-05-21 00:00:00.000	Gym Access	Recreation	2024-05-24
12	11	Yuki	Suzuki	39	2024-05-04 00:00:00.000	Gym Access	Recreation	2024-05-15
13	5	Hiroshi	Tanaka	18	2023-12-29 00:00:00.000	Gym Access	Recreation	2024-01-02
14	11	Yuki	Suzuki	41	2024-07-08 00:00:00.000	Laundry Service	Housekeeping	2024-07-21
15	5	Hiroshi	Tanaka	19	2024-07-31 00:00:00.000	Spa & Massage	Wellness	2024-08-05
16	11	Yuki	Suzuki	39	2024-05-04 00:00:00.000	Spa & Massage	Wellness	2024-05-15
17	5	Hiroshi	Tanaka	18	2023-12-29 00:00:00.000	Spa & Massage	Wellness	2024-01-02
18	5	Hiroshi	Tanaka	19	2024-07-31 00:00:00.000	Swimming Pool	Recreation	2024-08-05
19	11	Yuki	Suzuki	39	2024-05-04 00:00:00.000	Swimming Pool	Recreation	2024-05-15

Picture 4.1

Question 5

Write a SQL query to generate a report showing the performance of each room type in January 2024. The report must include the following columns:

- RoomTypeID - the room type identifier.
- TypeName - the room type name.
- TotalBookings - the total number of distinct bookings that checked in during January 2024.
- TotalRevenue - the total revenue generated from bookings that checked in during January 2024.
- AveragePricePerNight - the average revenue earned per occupied night, calculated as:

— Tài liệu được thành viên đăng tải tại **FUOVERFLOW** và được biên soạn lại để hỗ trợ ôn tập —

TotalRevenue/TotalNumberOfNights, where the total number of nights (TotalNumberOfNights) is the sum of NumNights for all bookings of the room type that checked in during January 2024.

Requirements:

- Consider only bookings whose CheckInDate falls in January 2024.
- Include all room types, even those without any bookings during this period.
- Show 0 for TotalRevenue and AveragePricePerNight when there are no bookings.
- Display AveragePricePerNight as a DECIMAL(10,2) value.
- Sort the result by TotalRevenue in descending order. Room types with equal revenue are sorted by TypeName in ascending order.

	RoomTypeID	TypeName	TotalBookings	TotalRevenue	AveragePricePerNight
1	2	Deluxe	2	4410.00	163.33
2	4	Family	1	2520.00	210.00
3	1	Standard	3	1808.00	86.10
4	5	Penthouse	1	1200.00	600.00
5	3	Suite	0	0.00	0.00

Picture 5.1

Question 6

Write a SQL query to generate a report that summarizes booking activity by guest nationality. For each nationality, show the following information:

- Nationality - the nationality of the guests.
- NumberOfGuests - the total number of guests of that nationality (include all guests, even those who have never made a booking).
- MinBookingsPerGuest - the minimum number of bookings made by any guest of that nationality.
- MaxBookingsPerGuest - the maximum number of bookings made by any guest of that nationality.

	Nationality	NumberOfGuests	MinBookingsPerGuest	MaxBookingsPerGuest
1	American	4	1	4
2	Australian	2	1	1
3	British	5	1	4
4	Chinese	4	1	4
5	Egyptian	2	3	3
6	French	2	3	3
7	German	2	1	1
8	Ghanaian	1	0	0
9	Hungarian	1	2	2
10	Indian	3	0	2
11	Italian	2	1	1
12	Japanese	5	0	4
13	Jordanian	2	1	2
14	Korean	2	0	0
15	Lebanese	1	2	2
16	Norwegian	1	2	2
17	Omani	1	1	1
18	Russian	2	1	1
19	Spanish	3	3	4
20	Swedish	1	2	2
21	Vietnam...	5	2	4

Picture 6.1

Question 7

Write an SQL query to find the guest(s) with the highest total revenue for each nationality in 2024. For each nationality, display the guest(s) whose total revenue (calculated as the sum of room charges (SubTotal) and service charges (TotalCost)) across all of his/her bookings with a CheckInDate in 2024 is the highest among all guests of the same nationality. Guests with no bookings in 2024 must also be included, with their TotalRevenue reported as 0.

For each result row, display:

ORDER BY Nationality; display;

- Nationality
- GuestID
- GuestName (first name concatenated with a single space and the last name)
- TotalRevenue (room charges + service charges)

If multiple guests of the same nationality tie for the highest TotalRevenue, include all of them in the result.

Sort the output by Nationality in ascending order, then by GuestID in ascending order for guests of the same nationality.

— Tài liệu được thành viên đăng tải tại **FUOVERFLOW** và được biên soạn lại để hỗ trợ ôn tập —

	Nationality	GuestID	GuestName	TotalRevenue
1	American	2	Bob Smith	6650.00
2	Australian	35	Luke Anderson	0.00
3	Australian	43	Alex Taylor	0.00
4	British	7	James Wilson	10040.00
5	Chinese	3	Chen Wei	6289.00
6	Egyptian	16	Fatima Hassan	9968.00
7	French	17	Pierre Dupont	7190.00
8	German	41	Thomas Mueller	0.00
9	German	42	Claire Wagner	0.00
10	Ghanaian	50	Aisha Osei	0.00
11	Hungarian	22	Anna Kovacs	0.00
12	Indian	23	Ravi Sharma	0.00
13	Indian	24	Priya Patel	0.00
14	Indian	49	Raj Singh	0.00
15	Italian	29	Marco Rossi	0.00
16	Italian	30	Giulia Ferrari	0.00
17	Japanese	11	Yuki Suzuki	8448.00
18	Jordanian	27	Omar Ibrahim	0.00
19	Jordanian	34	Amira Khalil	0.00
20	Korean	47	Lee Park	0.00
21	Korean	48	Kim Choi	0.00
22	Lebanese	28	Layla Mansour	0.00
23	Norwegian	26	Astrid Hansen	0.00
24	Omani	33	Hassan Al-Far...	0.00
25	Russian	37	Ivan Petrov	0.00
26	Russian	38	Natasha Ivano...	0.00
27	Spanish	4	Maria Garcia	17428.00
28	Swedish	25	Lars Eriksson	0.00
29	Vietnam...	8	Sophie Pham	4899.00

Picture 7.1

Question 8

Write a stored procedure named addService to add a service to an existing booking.

The procedure has the following input parameters:

- @bookingID INT: the first parameter, the booking ID.
- @serviceID INT: the second parameter, the service ID.
- @quantity INT: the third parameter, the quantity of the service.

The procedure must satisfy the following requirements:

- Validate the input data:
 - The bookingID must exist in the Booking table.
 - The serviceID must exist in the Service table.
 - The quantity must be greater than or equal to 0.
 - If any validation fails:
 - § Print the message "Input values are not valid."
 - § Do not insert any record into the BookingService table.
 - § And return 1
 - Otherwise:
 - § Insert a new record into the BookingService table with the corresponding parameters @bookingID, @serviceID, @quantity. The TotalCost must be calculated as Quantity x UnitPrice of the corresponding service.
 - § And return 0

For example, when the addService procedure is executed with the following statements, it returns 1 in the first three scenarios because the input parameters are not valid. In the last scenario, it returns 0 and a new row is inserted into the BookingService table with bookingID = 100, serviced = 10, quantity = 2, TotalCost = 20, and ServiceDate is set to its default value (getdate()).

```
-- Scenario 1: status = 1, no row is inserted
declare @status int
exec @status = addService 1000, 5, 2
select @status as Status

-- Scenario 2: status = 1, no row is inserted
declare @status int
exec @status = addService 99, 15, 2
select @status as Status

-- Scenario 3: tatus = 1, no row is inserted
declare @status int
exec @status = addService 99, 5, -2
select @status as Status

-- Scenario 4: status = 0 and new row is inserted
declare @status int
exec @status = addService 100, 10, 2
select @status as Status

select *
from BookingService
```

— Tài liệu được thành viên đăng tải tại **FUOVERFLOW** và được biên soạn lại để hỗ trợ ôn tập —

Question 9

1 Write a SQL Server trigger named trg_PreventRoomOverbooking on the BookingDetail table. The trigger runs when an insert statement inserts one or more rows into the BookingDetail table. The trigger must satisfy the following requirements for every inserted row:

- Automatically calculate NumNights as the number of days between the corresponding booking's CheckInDate and CheckOutDate. Ignore the value supplied by the user.
- Prevent inserting a booking detail if:
 - The BookingID does not exist in the Booking table.
 - The RoomID does not exist in the Room table.
 - The same RoomID already exists in the same booking.
 - The room has already been assigned to another booking whose Status is not 'Cancelled' and whose booking period (from CheckInDate to CheckOutDate) overlaps with the new booking's stay.
 - If an inserted row violates either rule above, it must not be inserted.
 - Rows that satisfy all requirements should be inserted successfully. Valid rows should still be inserted, even if other rows in the same INSERT statement fail the trigger conditions.

After creating the trigger, run the following test statement; the result should be as shown below:

- The first row must be ignored because the bookingID = 150 does not exist in the Booking table and the roomID = 50 does not exist in the Room table.
- The second row must be ignored because the room with roomID = 1 already exists in the booking with bookingID = 1.
- The third row must be ignored because the room with roomID = 3 already exists in another booking whose booking period overlaps with the booking with bookingID = 19.
- The final row will be inserted, but with NumNights = 2 as shown in the following figure, because the booking with bookingID = 2 stays only 2 nights (not 4 nights).

```
INSERT BookingDetail(BookingID,RoomID, PricePerNight, NumNights)
VALUES (150,50,50,1), -- invalid bookingID and RoomID
(1,1,88,1), -- room already in the booking
(19,3,80, 4), -- overlap checkInDate and CheckOutDate with another booking
(2,1,88,4) -- valid insert data

select * from BookingDetail
```

	DetailID	BookingID	RoomID	PricePerNight	NumNights	SubTotal
197	197	98	17	360.00	7	2520.00
198	198	99	18	300.00	1	300.00
199	199	100	19	300.00	2	600.00
200	200	100	20	330.00	2	660.00
201	201	2	1	88.00	2	176.00

Picture 9.1

Question 10

Write a SQL statement to update the TotalAmount column for bookings whose BookingID is from 10 to 20 (inclusive).

The TotalAmount of each booking is calculated as:

- the total room revenue (sum of SubTotal in the BookingDetail table), plus
- the total service charges (sum of TotalCost in the BookingService table).

If a booking has no room details or no services, treat the corresponding total as 0.

After the update, the first 20 rows of the Booking table are as follows:

	BookingID	GuestID	BookingDate	CheckInDate	CheckOutDate	Status	TotalAmount	PaymentDate	PaymentMethod	PaymentStatus
1	1	1	2023-12-31 00:00:00.000	2024-01-01	2024-01-02	Checked-Out	0.00	2024-01-02 00:00:00.000	Credit Card	Completed
2	2	1	2024-08-02 00:00:00.000	2024-08-04	2024-08-06	Checked-Out	0.00	2024-08-06 00:00:00.000	Debit Card	Completed
3	3	1	2024-03-04 00:00:00.000	2024-03-07	2024-03-10	Checked-Out	0.00	2024-03-10 00:00:00.000	Bank Transfer	Completed
4	4	1	2024-10-06 00:00:00.000	2024-10-10	2024-10-14	Confirmed	0.00	2024-10-14 00:00:00.000	Online	Pending
5	5	2	2024-05-08 00:00:00.000	2024-05-13	2024-05-18	Confirmed	0.00	2024-05-18 00:00:00.000	Cash	Pending
6	6	2	2024-12-10 00:00:00.000	2024-12-16	2024-12-22	Checked-In	0.00	2024-12-22 00:00:00.000	Credit Card	Completed
7	7	2	2024-07-12 00:00:00.000	2024-07-19	2024-07-26	Cancelled	0.00	2024-07-26 00:00:00.000	Debit Card	Refunded
8	8	2	2024-02-14 00:00:00.000	2024-02-22	2024-02-23	No-Show	0.00	2024-02-23 00:00:00.000	Bank Transfer	Failed
9	9	3	2024-09-16 00:00:00.000	2024-09-25	2024-09-27	Confirmed	0.00	2024-09-27 00:00:00.000	Online	Pending
10	10	3	2024-03-24 00:00:00.000	2024-04-03	2024-04-06	Checked-Out	1890.00	2024-04-06 00:00:00.000	Cash	Completed
11	11	3	2024-10-26 00:00:00.000	2024-11-06	2024-11-10	Checked-Out	2648.00	2024-11-10 00:00:00.000	Credit Card	Completed
12	12	3	2024-05-28 00:00:00.000	2024-06-09	2024-06-14	Checked-Out	1021.00	2024-06-14 00:00:00.000	Debit Card	Completed
13	13	4	2023-12-30 00:00:00.000	2024-01-12	2024-01-18	Checked-Out	2564.00	2024-01-18 00:00:00.000	Bank Transfer	Completed
14	14	4	2024-08-01	2024-08-15	2024-08-22	Confirmed	13928.00	2024-08-22	Online	Pending

			00:00:00.000					00:00:00.000		
15	15	4	2024-03-17 00:00:00.000	2024-03-18	2024-03-19	Confirmed	600.00	2024-03-19 00:00:00.000	Cash	Pending
16	16	4	2024-10-19 00:00:00.000	2024-10-21	2024-10-23	Checked-In	336.00	2024-10-23 00:00:00.000	Credit Card	Completed
17	17	5	2024-05-21 00:00:00.000	2024-05-24	2024-05-27	Cancelled	802.00	2024-05-27 00:00:00.000	Debit Card	Refunded
18	18	5	2023-12-29 00:00:00.000	2024-01-02	2024-01-06	No-Show	390.00	2024-01-06 00:00:00.000	Bank Transfer	Failed
19	19	5	2024-07-31 00:00:00.000	2024-08-05	2024-08-10	Confirmed	1705.00	2024-08-10 00:00:00.000	Online	Pending
20	20	5	2024-03-02 00:00:00.000	2024-03-08	2024-03-14	Checked-Out	2970.00	2024-03-14 00:00:00.000	Cash	Completed

— Tài liệu được thành viên đăng tải tại **FUOVERFLOW** và được biên soạn lại để hỗ trợ ôn tập —

Picture 10.1