




Chạy php (laragon):



MVC_PACKAGE




controller/StudentController.php



The screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left and the Editor pane on the right. The Explorer sidebar shows the project structure: WWW > controller > StudentController.php (selected). The Editor pane shows the code for StudentController.php:

```
1 <?php
2 require_once "../model/Student.php";
3 class StudentController {
4     public function index() {
5         $students = Student::getAllStudents();
6         include "../view/student_view.php";
7     }
8 }
9 ?>
```

model/Student.php



The screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left and the Editor pane on the right. The Explorer sidebar shows the project structure: WWW > model > Student.php (selected). The Editor pane shows the code for Student.php:

```
1 <?php
2 class Student {
3     public static function getAllStudents() {
4         return [
5             ["id" => 1, "name" => "Nguyen Van A", "major" => "CNTT"],
6             ["id" => 2, "name" => "Tran Thi B", "major" => "Kinh tế"],
7             ["id" => 3, "name" => "Le Van C", "major" => "Điện tử"]
8         ];
9     }
10 }
11 ?>
```

view/student_view.php

```
EXPLORER
www
├── controller
│   └── StudentController.php
├── model
│   └── Student.php
└── view
    ├── student_view.php
    └── index.php

view > student_view.php
214 <script>
215 (function() {
216     // Khởi tạo trạng thái ban đầu (sắp xếp theo id tăng dần)
217     // ...
218     });
219
220 // Khởi tạo trạng thái ban đầu (sắp xếp theo id tăng dần)
221 if (studentsData.length > 0) {
222     render();
223     // đặt icon mặc định cho cột ID
224     const idHeader = document.querySelector('th[data-sort="id"]');
225     if (idHeader) {
226         const icon = idHeader.querySelector('i');
227         if (icon) icon.innerHTML = '📄';
228     }
229 } else {
230     document.getElementById('statsDisplay').innerText = '📄 Chưa có dữ liệu';
231 }
232 })();
233 </script>
234 </body>
235 </html>
```

Giao diện:

