

07 - TOPIC TRANSITION

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Goal

- Move topics without making the conversation feel like a questionnaire or random subject jump.

Transition types

- BRIDGE - current topic naturally points to the next.
- CALLBACK - return to an earlier detail.
- SELF_DISCLOSURE - share a related personal detail.
- CONTEXT - current event/environment suggests the next topic.
- CLEAN_RESET - use only after the previous topic has genuinely closed.

Rules

- Do not transition merely to avoid silence.
- Do not abandon meaningful vulnerability too quickly.
- Do not stack a new topic onto an unanswered question without reason.
- Prefer contextual continuity over novelty.

Multi-response generation

- For the same situation, candidates may differ as: direct reaction / callback / self-share / playful bridge / light question.
- All candidates must preserve the locked PRIMARY_INTENT.

Retrieval tags

- TRANSITION / BRIDGE / CALLBACK / TOPIC_CHANGE / SELF_DISCLOSURE / CONTINUITY

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M07-C001 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	one_word

M07-C002 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M07-C003 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M07-C004 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	asks_back

M07-C005 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	uncertain

M07-C006 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	short

M07-C007 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	clear_yes

M07-C008 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M07-C009 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	vulnerability

M07-C010 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M07-C011 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	topic_initiation

M07-C012 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C013 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	emoji

M07-C014 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	soft_no

M07-C015 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	heart

M07-C016 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	busy

M07-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C018 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	callback

M07-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	slow_reply

M07-C020 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	asks_back

M07-C021 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	uncertain

M07-C022 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	short

M07-C023 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	clear_yes

M07-C024 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M07-C025 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	vulnerability

M07-C026 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	reciprocal

M07-C027 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	topic_initiation

M07-C028 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C029 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	emoji

M07-C030 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	soft_no

M07-C031 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	heart

M07-C032 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	busy

M07-C033 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	one_word

M07-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C035 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M07-C036 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M07-C037 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	uncertain

M07-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	slow_reply

M07-C039 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	clear_yes

M07-C040 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	slow_reply

M07-C041 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	vulnerability

M07-C042 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	reciprocal

M07-C043 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M07-C044 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C045 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	emoji

M07-C046 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	soft_no

M07-C047 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	heart

M07-C048 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M07-C049 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	one_word

M07-C050 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M07-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C052 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	asks_back

M07-C053 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	uncertain

M07-C054 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	short

M07-C055 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	clear_yes

M07-C056 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M07-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	slow_reply

M07-C058 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M07-C059 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	topic_initiation

M07-C060 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C061 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	emoji

M07-C062 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	soft_no

M07-C063 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	heart

M07-C064 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	busy

M07-C065 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	one_word

M07-C066 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	callback

M07-C067 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M07-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C069 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	uncertain

M07-C070 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	short

M07-C071 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	clear_yes

M07-C072 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M07-C073 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	vulnerability

M07-C074 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	reciprocal

M07-C075 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	topic_initiation

M07-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M07-C077 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	emoji

M07-C078 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	soft_no

M07-C079 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	heart

M07-C080 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	busy

M07-C081 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	one_word

M07-C082 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	callback

M07-C083 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M07-C084 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	asks_back

M07-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C086 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	short

M07-C087 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	clear_yes

M07-C088 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M07-C089 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	vulnerability

M07-C090 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	reciprocal

M07-C091 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	topic_initiation

M07-C092 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M07-C093 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	emoji

M07-C094 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	soft_no

M07-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	slow_reply

M07-C096 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M07-C097 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	one_word

M07-C098 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M07-C099 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M07-C100 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	asks_back

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.