

05 - FLIRTING CASES

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Core rule

- Flirt is a mode, not the default objective.
- Only use it when stage, state, reciprocity and current context support it.

Levels

- F1 - WARM/PLAYFUL: light teasing or appreciation.
- F2 - PERSONAL PLAYFUL: teasing tied to a real detail.
- F3 - CLEAR ROMANTIC SIGNAL: stronger interest when supported.
- F4 - ESCALATION: move toward a concrete romantic/offline context only with sufficient reciprocity.

Anti-patterns

- Sexual escalation without clear mutual context.
- Backhanded compliments.
- Pressure after weak/negative response.
- Flirt during serious vulnerability when it does not fit.
- Copying lines from another case.

Candidate diversity

- For an appropriate context, candidates may range from non-flirty -> subtle -> playful -> clearer romantic signal.
- BOLDER is optional, never mandatory.

Retrieval tags

- FLIRT / PLAYFUL / TEASING / ROMANTIC_SIGNAL / ESCALATION / RECIPROCITY / APPROPRIATENESS

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M05-C001 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	vulnerability

M05-C002 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M05-C003 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	topic_initiation

M05-C004 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C005 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	emoji

M05-C006 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	soft_no

M05-C007 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	heart

M05-C008 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	busy

M05-C009 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	one_word

M05-C010 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	callback

M05-C011 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C012 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	asks_back

M05-C013 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	uncertain

M05-C014 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	short

M05-C015 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	clear_yes

M05-C016 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	slow_reply

M05-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C018 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M05-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	slow_reply

M05-C020 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C021 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	emoji

M05-C022 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M05-C023 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	heart

M05-C024 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	busy

M05-C025 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	one_word

M05-C026 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	callback

M05-C027 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C028 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	asks_back

M05-C029 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	uncertain

M05-C030 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	short

M05-C031 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	clear_yes

M05-C032 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M05-C033 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	vulnerability

M05-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C035 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M05-C036 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C037 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	emoji

M05-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	slow_reply

M05-C039 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	heart

M05-C040 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	busy

M05-C041 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	one_word

M05-C042 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	callback

M05-C043 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C044 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	asks_back

M05-C045 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	uncertain

M05-C046 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M05-C047 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	clear_yes

M05-C048 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M05-C049 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	vulnerability

M05-C050 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M05-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C052 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C053 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	emoji

M05-C054 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	soft_no

M05-C055 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	heart

M05-C056 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	busy

M05-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	slow_reply

M05-C058 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	callback

M05-C059 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C060 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	asks_back

M05-C061 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	uncertain

M05-C062 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	short

M05-C063 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	clear_yes

M05-C064 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M05-C065 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	vulnerability

M05-C066 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M05-C067 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	topic_initiation

M05-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C069 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	emoji

M05-C070 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M05-C071 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	heart

M05-C072 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	busy

M05-C073 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	one_word

M05-C074 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	callback

M05-C075 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M05-C077 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	uncertain

M05-C078 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	short

M05-C079 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	clear_yes

M05-C080 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	slow_reply

M05-C081 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	vulnerability

M05-C082 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	reciprocal

M05-C083 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M05-C084 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M05-C086 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	soft_no

M05-C087 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	heart

M05-C088 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	busy

M05-C089 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	one_word

M05-C090 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	callback

M05-C091 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M05-C092 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	asks_back

M05-C093 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	uncertain

M05-C094 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M05-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	slow_reply

M05-C096 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M05-C097 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	vulnerability

M05-C098 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	reciprocal

M05-C099 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M05-C100 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.