

09 - REOPENING CONVERSATIONS

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Core rule

- After silence, recalculate the current episode instead of assuming the previous state continues.

Reopening types

- REOPEN_SAME_THREAD - new message directly continues the old topic.
- REOPEN_CALLBACK - old detail is deliberately revived.
- NEW_EPISODE - enough context/time has passed for a new interaction.
- UNCERTAIN - evidence is insufficient.

Inputs

- TIME_GAP / LAST_STATE / CLOSURE_SIGNAL / PREVIOUS_TOPIC / NEW_CONTEXT / CURRENT_MESSAGE

Good reopening

- Use a genuine prior reference when appropriate.
- Keep intensity proportional to the gap.
- Do not demand an explanation for silence unless context makes it appropriate.
- Do not interpret silence as proof of rejection or attraction.

Retrieval tags

- REOPEN / SILENCE / TIME_GAP / CALLBACK / NEW_EPISODE / PAUSE

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M09-C001 - vulnerability	
HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability
M09-C002 - reciprocal	
HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN

ACTION	REOPEN_WITH_CONTEXT
PATTERN	reciprocal

M09-C003 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M09-C004 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C005 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M09-C006 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M09-C007 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	heart

M09-C008 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT

PATTERN	busy
---------	------

M09-C009 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	one_word

M09-C010 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	callback

M09-C011 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C012 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M09-C013 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	uncertain

M09-C014 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M09-C015 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M09-C016 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C018 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	reciprocal

M09-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C020 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C021 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M09-C022 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M09-C023 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M09-C024 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M09-C025 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M09-C026 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	callback

M09-C027 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C028 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M09-C029 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	uncertain

M09-C030 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M09-C031 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	clear_yes

M09-C032 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C033 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M09-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C035 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M09-C036 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C037 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M09-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C039 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	heart

M09-C040 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	busy

M09-C041 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M09-C042 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	callback

M09-C043 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C044 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M09-C045 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M09-C046 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M09-C047 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M09-C048 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C049 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M09-C050 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	reciprocal

M09-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C052 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C053 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	emoji

M09-C054 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M09-C055 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M09-C056 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M09-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C058 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	callback

M09-C059 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C060 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M09-C061 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M09-C062 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	short

M09-C063 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M09-C064 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	slow_reply

M09-C065 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	vulnerability

M09-C066 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	reciprocal

M09-C067 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M09-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C069 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M09-C070 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	soft_no

M09-C071 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M09-C072 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M09-C073 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	one_word

M09-C074 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	callback

M09-C075 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C077 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M09-C078 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	short

M09-C079 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M09-C080 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C081 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M09-C082 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	reciprocal

M09-C083 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M09-C084 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M09-C086 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	soft_no

M09-C087 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M09-C088 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	busy

M09-C089 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M09-C090 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	callback

M09-C091 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M09-C092 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	asks_back

M09-C093 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M09-C094 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	short

M09-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	slow_reply

M09-C096 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	slow_reply

M09-C097 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	vulnerability

M09-C098 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	reciprocal

M09-C099 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M09-C100 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.