

10 - MEETING TRANSITION

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Purpose

- Moving from chat toward meeting is an escalation decision, not a fixed timing formula.

Readiness evidence

- Repeated reciprocal conversation.
- Shared interests or concrete activities.
- Comfortable callbacks and personal interaction.
- Explicit availability or discussion of places/activities.
- Positive response to smaller relevant plans.
- Direct willingness to meet.

Escalation ladder

- 1. Discuss a shared activity/context.
- 2. Connect that context to a possible offline plan.
- 3. Suggest a low-pressure concrete option.
- 4. Accept ambiguity or refusal without pressure.
- 5. Coordinate details only after reciprocal interest.

Do not

- Do not treat one compliment as meeting readiness.
- Do not make every conversation a date pitch.
- Do not pressure after a clear no.
- Do not infer romantic intent from meeting acceptance alone.

Retrieval tags

- MEETING / ESCALATION / OFFLINE / PLAN / RECIPROCITY / READINESS / PRESSURE

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M10-C001 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP

PATTERN	emoji
---------	-------

M10-C002 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	soft_no

M10-C003 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	heart

M10-C004 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	busy

M10-C005 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	one_word

M10-C006 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	callback

M10-C007 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C008 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	asks_back

M10-C009 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	uncertain

M10-C010 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	short

M10-C011 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	clear_yes

M10-C012 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M10-C013 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	vulnerability

M10-C014 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	reciprocal

M10-C015 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M10-C016 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C018 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	soft_no

M10-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	slow_reply

M10-C020 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	busy

M10-C021 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	one_word

M10-C022 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M10-C023 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C024 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	asks_back

M10-C025 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	uncertain

M10-C026 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	short

M10-C027 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	clear_yes

M10-C028 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M10-C029 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	vulnerability

M10-C030 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	reciprocal

M10-C031 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M10-C032 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C033 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	emoji

M10-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C035 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	heart

M10-C036 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	busy

M10-C037 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	one_word

M10-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M10-C039 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C040 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	asks_back

M10-C041 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	uncertain

M10-C042 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	short

M10-C043 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	clear_yes

M10-C044 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M10-C045 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	vulnerability

M10-C046 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	reciprocal

M10-C047 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M10-C048 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C049 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	emoji

M10-C050 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	soft_no

M10-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C052 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	busy

M10-C053 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	one_word

M10-C054 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	callback

M10-C055 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C056 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	asks_back

M10-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M10-C058 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	short

M10-C059 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	clear_yes

M10-C060 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M10-C061 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	vulnerability

M10-C062 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	reciprocal

M10-C063 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	topic_initiation

M10-C064 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C065 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	emoji

M10-C066 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	soft_no

M10-C067 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	heart

M10-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C069 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	one_word

M10-C070 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M10-C071 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C072 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	asks_back

M10-C073 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	uncertain

M10-C074 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	short

M10-C075 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	clear_yes

M10-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	slow_reply

M10-C077 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	vulnerability

M10-C078 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	reciprocal

M10-C079 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M10-C080 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C081 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	emoji

M10-C082 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	soft_no

M10-C083 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	heart

M10-C084 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	busy

M10-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C086 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	callback

M10-C087 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M10-C088 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	asks_back

M10-C089 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	uncertain

M10-C090 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	short

M10-C091 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	clear_yes

M10-C092 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M10-C093 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	vulnerability

M10-C094 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	reciprocal

M10-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M10-C096 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M10-C097 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	emoji

M10-C098 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	soft_no

M10-C099 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	heart

M10-C100 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	busy

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.